		1 Total Number of reported live births		2	2	3	3	4	1	-	5	6	
I	ndicator			% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	172,606	156,162	109.8	105.6	3,410	2,473	98.1	98.4	146,449	91,552	163,151	123,317
1	Central	22,139	156,162	98.6	105.6	439	2,473	98.1	98.4	21,201	91,552	18,203	123,317
2	East	15,504		145.9		194		98.8		14,677		13,529	
3	New Delhi	14,783		98.9		399		97.4		14,806		4,686	
4	North	12,905		99.2		215		98.4		12,331		11,477	
5	North East	14,399		115.3		416		97.2		12,178		25,326	
6	North West	26,398		162.1		539		98.0		15,702		24,383	
7	Shahdara												
8	South	11,938		101.9		91		99.2		9,093		12,029	
9	South East												
10	South West	30,313		97.8		712		97.7		24,919		31,632	
11	West	24,227		98.1		405		98.4		21,542		21,886	

		7	7	8	3	ġ	9	1	0	11		12	
I	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	267,904	261,356	94.5	79.0	155.2	167.4	261,117	267,023	238,546	238,959	226,366	224,931
1	Central	18,414	261,356	82.2	79.0	83.2	167.4	14,402	267,023	11,650	238,959	10,200	224,931
2	East	22,391		87.3		144.4		24,232		21,803		20,768	
3	New Delhi	3,606		31.7		24.4		3,392		2,908		2,773	
4	North	17,218		88.9		133.4		14,268		13,379		12,763	
5	North East	32,260		175.9		224.0		30,293		27,400		24,948	
6	North West	55,077		92.4		208.6		62,384		57,433		54,481	
7	Shahdara												
8	South	34,419		100.8		288.3		39,642		36,679		35,812	
9	South East												
10	South West	44,435		104.4		146.6		32,668		29,735		28,133	
11	West	40,084		90.3		165.5		39,836		37,559		36,488	

		,	3	,	4		.5	1	(1	7	18	
1	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi							219,370	207,277	127.1	132.7	237,066	250,320
1	Central							10,268	207,277	46.4	132.7	10,268	250,320
2	East							20,830		134.4		20,346	
3	New Delhi							2,836		19.2		2,836	
4	North							12,625		97.8		14,347	
5	North East							23,490		163.1		25,542	
6	North West							53,757		203.6		64,896	
7	Shahdara												
8	South							34,226		286.7		38,820	
9	South East												
10	South West							27,167		89.6		26,104	
11	West							34,171		141.0		33,907	

										23		24	
		% Drop Out between BCG & Measles		2	20		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		3	% immunisation Sessions Held to Immunisation Sessions Planned	
1	ndicator			Vitamin - A dose 1		Children g dose1 to R					e Events Imunisation ners)		
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	18.1	20.7	146,825	178,952	85.1	114.6	27.1	11.5	56	195	92.1	94.9
1	Central	44.2	20.7	7,819	178,952	35.3	114.6	80.6	11.5		195	84.2	94.9
2	East	7.0		15,842		102.2		19.3		1		93.2	
3	New Delhi	21.4		2,492		16.9		27.7				87.4	
4	North	26.7		7,623		59.1		27.4		2		94.6	
5	North East	27.2		10,083		70.0		53.2				94.2	
6	North West	2.4		41,867		158.6		9.6		19		91.5	
7	Shahdara												
8	South	0.6		21,241		177.9		39.2		7		93.6	
9	South East												
10	South West	38.9		18,556		61.2		27.4		23		91.6	
11	West	14.8		21,302		87.9		23.1		4		93.5	

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	17.2	20.7	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	2.4	20.7	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
2	East	14.1		0.0		0.0		0.0		0.0		0.0	
3	New Delhi	14.1		0.0		0.0		0.1		0.2		0.0	
4	North	6.5		0.0		0.0		0.0		0.0		0.0	
5	North East	39.9		0.0		0.0		0.0		0.0		0.0	
6	North West	22.9		0.0		0.0		0.0		0.0		0.0	
7	Shahdara												
8	South	18.7		0.0		0.0		0.0		0.0		0.0	
9	South East												
10	South West	17.7		0.0		0.0		0.0		0.2		0.1	
11	West	18.5		0.0		0.0		0.0		0.0		0.0	

				22		33		34		35		26	
		31		32		3	3	34		35		36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	0.4	0.9	98.8	97.2	0.8	1.8	2,583	569	20.8	9.1	11.7	4.3
1	Central	0.0	0.9	99.9	97.2	0.1	1.8	383	569	24.6	9.1	23.0	4.3
2	East	0.6		98.7		0.6		719		26.2		5.6	
3	New Delhi	0.2		99.1		0.4		329		28.4		7.7	
4	North	0.3		98.7		0.9		5		40.0		20.0	
5	North East	1.2		98.8		0.0							
6	North West	0.0		99.9		0.1		259		23.0		24.6	
7	Shahdara												
8	South	0.1		98.9		1.0		31		0.0		3.4	
9	South East												
10	South West	0.6		96.8		2.3		157		6.4		15.9	
11	West	0.1		99.7		0.2		700		11.5		6.2	

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	15.5	5.2	12.5	4.3	2.8	1.4	2.3	0.2	0.1	0.0	34.2	75.4
1	Central	19.4	5.2	7.1	4.3	1.8	1.4	0.8	0.2	0.0	0.0	23.3	75.4
2	East	5.4		18.3		2.5		1.4		0.0		40.5	
3	New Delhi	11.7		14.7		2.7		5.7		0.7		28.4	
4	North	0.0		20.0		20.0		0.0		0.0		0.0	
5	North East												
6	North West	13.5		11.9		2.4		6.7		0.4		17.5	
7	Shahdara												
8	South	6.9		0.0		0.0		0.0		0.0		89.7	
9	South East												
10	South West	6.4		10.2		4.5		3.2		0.0		53.5	
11	West	31.4		9.6		3.8		0.6		0.0		37.0	