					2		3	4		5		6	
	Indicator	Total Nu reported l	mber of	% Total Rep	% orted Live to Total	Total N	umber of Still Births	% live birth to	6 Reported		Newborns	Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	101,606		104.8		1,111		98.9		94,291		62,371	
1	Ambala	4,275		99.3		44		99.0		3,985		4,938	
2	Bhiwani	6,784		100.0		77		98.9		6,718		1,151	
3	Faridabad	10,165		99.3		71		99.3		9,610			
4	Fatehabad	4,668		99.4		71		98.5		4,317		3,703	
5	Gurgaon	5,426		99.7		43		99.2		5,420		5,256	
6	Hisar	6,490		99.3		113		98.3		5,940		6,297	
7	Jhajjar	2,908		88.8		26		99.1		1,912		1,642	
8	Jind	5,649		104.9		106		98.2		5,452			
9	Kaithal	4,824		149.5		45		99.1		4,588		4,672	
10	Karnal	6,407		100.0		59		99.1		5,867		3,862	
11	Kurukshetra	3,498		99.2		27		99.2		2,892		2,849	
12	Mahendragarh	3,479		120.9		56		98.4		2,883		1,461	
13	Mewat	7,478		104.3				100.0		7,365		4,533	
14	Palwal												
15	Panchkula	2,504		99.1		31		98.8		2,504		3,030	
16	Panipat	4,760		229.6		12		99.7		4,760		142	
17	Rewari	3,354		105.0		31		99.1		3,354		2,895	
18	Rohtak	4,149		97.1		124		97.1		2,490		3,690	
19	Sirsa	4,035		100.0		50		98.8		3,481		2,006	
20	Sonipat	5,760		97.8		53		99.1		5,760		4,785	
21	Yamunanagar	4,993	_	98.7		72		98.6		4,993	_	5,459	_

		7	,	8	2	· ·)	1	n	1	1	12	
	Indicator	Number o	of Infants	Newborns at birth to	6 given OPV0 Reported	Newborns to Reporte	% given BCG	Number o	of Infants	Number o	of Infants	Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	126,438	133,439	61.4		124.4		99,910		100,050	85,474	105,537	134,414
1	Ambala	5,543		115.5		129.7		5,918		5,980		6,290	
2	Bhiwani	8,776		17.0		129.4		7,683		7,911		8,087	
3	Faridabad	13,403		0.0		131.9		6,542		6,384		6,762	
4	Fatehabad	5,123		79.3		109.7		5,030		4,991		4,913	
5	Gurgaon	6,681		96.9		123.1		6,024		6,187		6,092	
6	Hisar	9,249		97.0		142.5		8,608		8,120		8,475	
7	Jhajjar	4,827		56.5		166.0		4,605		4,529		4,971	
8	Jind	6,237		0.0		110.4		4,568		4,524		4,620	
9	Kaithal	5,138		96.8		106.5		5,329		5,508		5,902	
10	Karnal	7,211		60.3		112.5		4,222		4,171		5,035	
11	Kurukshetra	3,498		81.4		100.0		4,782		4,870		5,293	
12	Mahendragarh	3,734		42.0		107.3		2,490		2,420		2,833	
13	Mewat	8,740		60.6		116.9		6,083		5,880		6,008	
14	Palwal												
15	Panchkula	3,845	133,439	121.0		153.6		2,910		3,005	85,474	3,413	134,414
16	Panipat	6,497		3.0		136.5		3,610		3,484		4,368	
17	Rewari	4,563		86.3		136.0		3,396		3,492		3,620	
18	Rohtak	3,814		88.9		91.9		3,798		3,807		3,795	
19	Sirsa	5,519		49.7		136.8		4,434		4,749		4,593	
20	Sonipat	7,397		83.1		128.4		5,130		5,180		5,332	
21	Yamunanagar	6,643		109.3		133.0		4,748		4,858		5,135	

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		9% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana							125,487	132,965	123.5		119,537	
1	Ambala							5,875		137.4		5,875	
2	Bhiwani							8,289		122.2		8,289	
3	Faridabad							12,292		120.9		8,426	
4	Fatehabad							4,934		105.7		4,934	
5	Gurgaon							6,429		118.5		6,429	
6	Hisar							8,895		137.1		8,895	
7	Jhajjar							4,478		154.0		4,478	
8	Jind							7,056		124.9		7,056	
9	Kaithal							5,888		122.1		5,888	
10	Karnal							7,933		123.8		6,124	
11	Kurukshetra							5,058		144.6		5,058	
12	Mahendragarh							4,525		130.1		4,525	
13	Mewat							7,351		98.3		7,351	
14	Palwal												
15	Panchkula							3,408	132,965	136.1		3,408	
16	Panipat							6,057		127.2		6,057	
17	Rewari							4,556		135.8		4,556	
18	Rohtak							3,512		84.6		3,237	
19	Sirsa							5,368		133.0		5,368	
20	Sonipat							7,271		126.2		7,271	
21	Yamunanagar							6,312		126.4		6,312	

		1	0	2	0	2	1	2	2	2	2	2	4
	Indicator	9/ Drop Out BCG &	ó t between	Vitamin -		Children g dose1 to R	% iven Vit A eported live	9/	% ven Vitamin o Children	Adverse Following I (Oth	e Events	% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	0.8	0.4	71,355	108,025	70.2		9.3	0.0	946		96.9	
1	Ambala	-6.0		2,745		64.2		0.0				98.5	
2	Bhiwani	5.5		5,543		81.7		49.8				89.6	
3	Faridabad	8.3		5,083		50.0		26.6		928			
4	Fatehabad	3.7		2,906		62.3		0.0				99.9	
5	Gurgaon	3.8		2,005		37.0		10.6				89.5	
6	Hisar	3.8		6,622		102.0		0.0				99.3	
7	Jhajjar	7.2		4,030		138.6		0.0				99.2	
8	Jind	-13.1		2,614		46.3		0.0				99.2	
9	Kaithal	-14.6		4,171		86.5		0.0				100.0	
10	Karnal	-10.0		4,971		77.6		20.3				100.0	
11	Kurukshetra	-44.6		2,007		57.4		0.0				100.0	
12	Mahendragarh	-21.2		3,314		95.3		0.0				94.9	
13	Mewat	15.9		3,122		41.7		0.0				93.0	
14	Palwal												
15	Panchkula	11.4	0.4	1,126	108,025	45.0		0.0	0.0			96.8	
16	Panipat	6.8		3,855		81.0		0.0					
17	Rewari	0.2		4,023		119.9		0.0				99.6	
18	Rohtak	7.9		1,221		29.4		109.7				100.0	
19	Sirsa	2.7		3,442		85.3		0.0					
20	Sonipat	1.7		4,825		83.8		0.0				100.0	
21	Yamunanagar	5.0		3,730		74.7		0.0		18		83.7	

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood I	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% onatorum in -5 Years of al Reported Diseases 0-5 ars	% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	50.5		0.0		0.0		0.0		0.0		0.0	
1	Ambala	0.0		0.0		0.0		0.0		0.0		0.0	
2	Bhiwani	84.6		0.0		0.0		0.0		0.0		0.4	
3	Faridabad			0.0		0.0		0.0		0.2		0.1	
4	Fatehabad	58.1		0.0		0.0		0.0		0.0		0.0	
5	Gurgaon	43.7		0.0		0.0		0.0		0.0		0.1	
6	Hisar	0.0		0.0		0.0		0.0		0.0		0.0	
7	Jhajjar	99.0		0.0		0.0		0.0		0.0		0.0	
8	Jind	94.0		0.0		0.0		0.0		0.0		0.0	
9	Kaithal	100.0		0.0		0.0		0.0		0.0		0.0	
10	Karnal	80.4		0.0		0.0		0.0		0.0		0.0	
11	Kurukshetra	62.5		0.0		0.0		0.0		0.0		0.0	
12	Mahendragarh	0.0											
13	Mewat	16.5		0.0		0.0		0.0		0.0		0.0	
14	Palwal												
15	Panchkula	0.0		0.0		0.0		0.0		0.0		0.2	
16	Panipat			0.0		0.0		0.0		0.0		0.0	
17	Rewari	53.4		0.0		0.0		0.0		0.0		0.0	
18	Rohtak	100.0		0.0		0.0		0.0		0.0		0.0	
19	Sirsa			0.0		0.0		0.0		0.0		0.0	
20	Sonipat	66.3		0.0		0.0		0.0		0.0		0.1	
21	Yamunanagar	0.0		0.0		0.0		0.0		0.0		0.0	

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Years of A	Children 0-5 ge to Total Childhood	Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	0.0		89.3		10.6		399		0.3		0.0	
1	Ambala	0.0		100.0		0.0							
2	Bhiwani	0.0		99.6		0.0							
3	Faridabad	0.0		99.4		0.2							
4	Fatehabad	0.0		95.8		4.2		93		0.0		0.0	
5	Gurgaon	0.0		99.9		0.0		47		2.1		0.0	
6	Hisar	0.0		43.1		56.8							
7	Jhajjar	0.0		100.0		0.0							
8	Jind	0.0		86.9		13.1							
9	Kaithal	0.0		100.0		0.0							
10	Karnal	0.0		100.0		0.0		21		0.0		0.0	
11	Kurukshetra	0.0		100.0		0.0							
12	Mahendragarh												
13	Mewat	0.0		100.0		0.0							
14	Palwal												
15	Panchkula	0.2		99.6		0.0		24		0.0		0.0	
16	Panipat	0.0		78.6		21.4		1		0.0		0.0	
17	Rewari	0.0		100.0		0.0		66		0.0		0.0	
18	Rohtak	0.0		60.1		39.9		2		0.0		0.0	
19	Sirsa	0.0		97.0		3.0							
20	Sonipat	0.0		94.8		5.1		102		0.0		0.0	
21	Yamunanagar	0.0		100.0		0.0		43	_	0.0		0.0	

		21	-	2	0	2	2		0				
		9/	6	3 % Deaths	due to	3 % Deaths	due to	9/	· 6	9	6	9/ Deaths due	6 to Other
Indicator		Deaths due to LBW to Total Reported Infant Deaths		Pneumonia to Total Reported Infant Deaths		Diarrhoea to Total Reported Infant Deaths		Deaths due to Fever to Total Reported Infant Deaths		Deaths due to Measles to Total Reported Infant Deaths		Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Haryana	0.0		0.0		0.0		0.0		0.0		99.7	
1	Ambala												
2	Bhiwani												
3	Faridabad												
4	Fatehabad	0.0		0.0		0.0		0.0		0.0		100.0	
5	Gurgaon	0.0		0.0		0.0		0.0		0.0		97.9	
6	Hisar												
7	Jhajjar												
8	Jind												
9	Kaithal												
10	Karnal	0.0		0.0		0.0		0.0		0.0		100.0	
11	Kurukshetra												
12	Mahendragarh												
13	Mewat												
14	Palwal												
15	Panchkula	0.0		0.0		0.0		0.0		0.0		100.0	
16	Panipat	0.0		0.0		0.0		0.0		0.0		100.0	
17	Rewari	0.0		0.0		0.0		0.0		0.0		100.0	
18	Rohtak	0.0		0.0		0.0		0.0		0.0		100.0	
19	Sirsa												
20	Sonipat	0.0		0.0		0.0		0.0		0.0		100.0	
21	Yamunanagar	0.0		0.0		0.0		0.0		0.0		100.0	