		1		2		3	3	4	1	5	5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	3,794	3,899	101.4	100.6	40	102	99.0	97.5	3,571	3,618	3,128	3,178
1	East	1,923	2,131	101.6	99.8	4	56	99.8	97.4	1,840	2,050	1,995	2,199
2	North	184	270	101.7	101.5	4	15	97.9	94.7	156	222	148	202
3	South	966	723	101.8	97.3	16	17	98.4	97.7	919	675	475	321
4	West	721	775	100.6	106.0	16	14	97.8	98.2	656	671	510	456

Performance of Key HMIS Indicators for Sikkim ( Across Districts) Financial Year: 2012-13  $\,$ 

Provisional Figures for the Period April to September

		7		8	3	9	)	10		1	1	12	
Indicator		Number o		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	3,955	4,208	82.4	81.5	104.2	107.9	3,769	4,110	3,895	4,213	3,998	4,439
1	East	2,113	2,304	103.7	103.2	109.9	108.1	1,679	1,953	1,749	2,011	1,796	2,074
2	North	180	259	80.4	74.8	97.8	95.9	264	313	282	311	299	377
3	South	750	791	49.2	44.4	77.6	109.4	892	920	909	920	958	985
4	West	912	854	70.7	58.8	126.5	110.2	934	924	955	971	945	1,003

		1	3	1	4	1	.5	1	6	17		18	
Indicator		Number (		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim							4,434	4,695	116.9	120.4	4,444	4,464
1	East							1,972	2,291	102.5	107.5	2,085	2,160
2	North							329	374	178.8	138.5	272	323
3	South							1,070	1,004	110.8	138.9	1,055	975
4	West							1,063	1,026	147.4	132.4	1,032	1,006

		19		2	0	2	21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	-12.1	-11.6	4,568	2,268	120.4	58.2	106.8	118.3	38	32	97.4	98.0
1	East	6.7	0.6	1,994	1,152	103.7	54.1	101.2	108.1	0	0	96.8	97.5
2	North	-82.8	-44.4	335	222	182.1	82.2	96.1	49.5	0	0	93.0	95.2
3	South	-42.7	-26.9	1,092	460	113.0	63.6	110.4	176.5	38	32	98.9	99.9
4	West	-16.6	-20.1	1,147	434	159.1	56.0	116.3	118.9	0	0	99.4	98.6

Indicator		25  '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		26  % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28  Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29  "" Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	87.6	88.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	77.9	74.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	83.4	91.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	96.0	95.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	98.8	103.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34  Total Number of Infant Deaths reported		35  % Deaths due to Sepsis to Total Reported Infant Deaths		36  % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	0.8	3.4	99.2	95.2	0.0	1.5	5	5	0.0	0.0	0.0	0.0
1	East	0.7	0.9	99.2	96.5	0.1	2.5		1				
2	North	2.8	5.3	97.2	91.1	0.0	3.6	1		0.0		0.0	
3	South	0.5	1.5	99.5	98.4	0.0	0.1						
4	West	0.4	7.9	99.6	92.1	0.0	0.0	4	4	0.0	0.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		39  We Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	50.0	25.0	0.0	25.0	0.0	0.0	50.0	25.0	0.0	0.0	0.0	25.0
1	East												
2	North	100.0		0.0		0.0		0.0		0.0		0.0	
3	South												
4	West	33.3	25.0	0.0	25.0	0.0	0.0	66.7	25.0	0.0	0.0	0.0	25.0