| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|----|--------------|--|--|--|--|--|---|---|--|--|---|---|---|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 22,141 | 16,930 | 76.4 | 7,289 | 14,623 | 6,289 | 32.9 | 94.4 | 14,146 | 63.8 | 27,856 | 894 | 55.9 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 3,180 | 2,474 | 77.8 | 804 | 1,842 | 968 | 25.3 | 88.4 | 2,029 | 63.8 | 2,039 | 3 | 9.7 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 877 | 432 | 49.3 | 498 | 617 | 244 | 56.8 | 98.2 | 1,092 | 124.5 | 12,028 | 554 | 76.8 |
| 5 | Jhalrapatan | 4,609 | 3,619 | 78.5 | 1,355 | 3,200 | 1,238 | 29.4 | 96.3 | 2,887 | 62.6 | 4,250 | 76 | 56.3 |
| 6 | Khanpur | 2,657 | 2,250 | 84.7 | 1,088 | 1,607 | 872 | 40.9 | 93.3 | 1,464 | 55.1 | 1,975 | 59 | 96.7 |
| 7 | Manoharthana | 4,362 | 3,236 | 74.2 | 1,407 | 2,796 | 1,146 | 32.3 | 90.4 | 2,833 | 64.9 | 3,069 | 124 | 23.1 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 3,048 | 2,522 | 82.7 | 1,036 | 2,072 | 839 | 34.0 | 95.5 | 1,631 | 53.5 | 2,173 | 43 | 64.2 |
| 10 | dag | 3,408 | 2,397 | 70.3 | 1,101 | 2,489 | 982 | 32.3 | 101.8 | 2,210 | 64.8 | 2,322 | 35 | 72.9 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|----|--------------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 2.7 | 180 | 21 | 159 | 11.6 | 21,646 | 2,356 | 10.8 | 1,561 | 491 | 31.4 | 23,207 | 104.8 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0.3 | 16 | 0 | 16 | 0.0 | 2,007 | 2 | 0.1 | | | | 2,007 | 63.1 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 36.7 | 16 | 0 | 16 | 0.0 | 7,383 | 2,227 | 30.2 | | | | 7,383 | 841.8 |
| 5 | Jhalrapatan | 1.5 | 52 | 7 | 45 | 13.5 | 2,109 | 0 | 0.0 | 1,295 | 491 | 37.9 | 3,404 | 73.9 |
| 6 | Khanpur | 1.1 | 10 | 3 | 7 | 30.0 | 1,805 | 29 | 1.6 | | | | 1,805 | 67.9 |
| 7 | Manoharthana | 3.0 | 34 | 2 | 32 | 5.9 | 4,022 | 0 | 0.0 | 266 | 0 | 0.0 | 4,288 | 98.3 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0.7 | 9 | 2 | 7 | 22.2 | 2,027 | 98 | 4.8 | | | | 2,027 | 66.5 |
| 10 | dag | 0.3 | 43 | 7 | 36 | 16.3 | 2,293 | 0 | 0.0 | | | | 2,293 | 67.3 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|----|--------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section S conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 23,387 | 99.2 | 99.3 | 0.8 | 2,173 | 752 | 12.6 | 10.0 | 48.2 | 93.3 | 6.7 | 113 | 4,027 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 2,023 | 99.2 | 99.2 | 0.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 18 | 686 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 7,399 | 99.8 | 99.8 | 0.2 | 2,108 | | 28.6 | 28.6 | | 100.0 | 0.0 | 4 | 68 |
| 5 | Jhalrapatan | 3,456 | 98.5 | 98.7 | 1.5 | 1 | 685 | 20.2 | 0.0 | 52.9 | 62.0 | 38.0 | 29 | 1,451 |
| 6 | Khanpur | 1,815 | 99.4 | 99.6 | 0.6 | 61 | | 3.4 | 3.4 | | 100.0 | 0.0 | 40 | 696 |
| 7 | Manoharthana | 4,322 | 99.2 | 99.3 | 0.8 | 3 | 67 | 1.6 | 0.1 | 25.2 | 93.8 | 6.2 | 4 | 491 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 2,036 | 99.6 | 99.7 | 0.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 0 | 252 |
| 10 | dag | 2,336 | 98.2 | 98.5 | 1.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 18 | 383 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|-----|--------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| ln | dicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 62.8 | 17.2 | 22,907 | 97.9 | 537 | 97.7 | 22,925 | 100.1 | 4,333 | 18.9 | 22,085 | 96.4 | 950 |
| 1 . | Aklera | | | | | | | | | | | | | 0 |
| 2 | Bakani | 112.5 | 33.9 | 1,987 | 98.2 | 43 | 97.9 | 1,975 | 99.4 | 131 | 6.6 | 1,972 | 99.2 | 991 |
| 3 | Gangdhar | | | | | | | | | | | | | 0 |
| 4 | Jhalawar | 25.0 | 0.9 | 7,202 | 97.3 | 233 | 96.9 | 7,290 | 101.2 | 1,702 | 23.3 | 6,528 | 90.6 | 892 |
| 5 . | Jhalrapatan | 55.8 | 42.0 | 3,404 | 98.5 | 76 | 97.8 | 3,374 | 99.1 | 576 | 17.1 | 3,354 | 98.5 | 942 |
| 6 | Khanpur | 400.0 | 38.3 | 1,793 | 98.8 | 22 | 98.8 | 1,790 | 99.8 | 496 | 27.7 | 1,777 | 99.1 | 1,008 |
| 7 | Manoharthana | 11.8 | 11.4 | 4,264 | 98.7 | 58 | 98.7 | 4,256 | 99.8 | 826 | 19.4 | 4,255 | 99.8 | 998 |
| 8 | Pachpahar | | | | | | | | | | | | | 0 |
| 9 | Pirawa | 0.0 | 12.4 | 2,016 | 99.0 | 30 | 98.5 | 1,997 | 99.1 | 331 | 16.6 | 1,964 | 97.4 | 959 |
| 10 | dag | 41.9 | 16.4 | 2,241 | 95.9 | 75 | 96.8 | 2,243 | 100.1 | 271 | 12.1 | 2,235 | 99.7 | 976 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|--------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 11.6 | 41.8 | 3,095 | 14.0 | 2,203 | 9.9 | 2,767 | 12.5 | 97 | 0.4 | 1,690 | 25 | 7.6 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0.2 | 0.0 | 142 | 4.5 | 227 | 7.1 | 0 | 0.0 | 0 | 0.0 | 43 | 0 | 1.4 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 30.2 | 51.0 | 4 | 0.5 | 13 | 1.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 5 | Jhalrapatan | 1.0 | 0.0 | 662 | 14.4 | 459 | 10.0 | 2,486 | 53.9 | 97 | 2.1 | 718 | 4 | 15.6 |
| 6 | Khanpur | 5.2 | 0.0 | 1,468 | 55.3 | 643 | 24.2 | 16 | 0.6 | 0 | 0.0 | 473 | 19 | 17.8 |
| 7 | Manoharthana | 7.8 | 0.0 | 23 | 0.5 | 30 | 0.7 | 0 | 0.0 | 0 | 0.0 | 2 | 2 | 0.0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0.7 | 0.0 | 305 | 10.0 | 77 | 2.5 | 169 | 5.5 | 0 | 0.0 | 200 | 0 | 6.6 |
| 10 | dag | 0.4 | 0.0 | 491 | 14.4 | 754 | 22.1 | 96 | 2.8 | 0 | 0.0 | 254 | 0 | 7.5 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|--------------|--|--|---------------------------------|---|--|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 4.7 | | 25 | 1 | 763 | 45 | 5.6 | 51.1 | 48.9 | 100.0 | 0.0 | 0.2 | 4 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 46.5 | | 2 | 0 | 73 | 0 | 0.0 | | | | | 0.0 | 0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | | | 11 | 0 | 170 | 1 | 0.6 | 100.0 | 0.0 | 100.0 | 0.0 | 0.1 | 0 |
| 5 | Jhalrapatan | 5.2 | | 2 | 0 | 135 | 14 | 9.4 | 78.6 | 21.4 | 100.0 | 0.0 | 0.3 | 2 |
| 6 | Khanpur | 4.9 | | 2 | 0 | 141 | 2 | 1.4 | 0.0 | 100.0 | 100.0 | 0.0 | 0.1 | 0 |
| 7 | Manoharthana | 0.0 | | 0 | 0 | 45 | 3 | 6.3 | 0.0 | 100.0 | 100.0 | 0.0 | 0.1 | 0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0.0 | | 3 | 0 | 102 | 18 | 15.0 | 44.4 | 55.6 | 100.0 | 0.0 | 0.6 | 1 |
| 10 | dag | 0.0 | | 5 | 1 | 97 | 7 | 6.7 | 42.9 | 57.1 | 100.0 | 0.0 | 0.2 | 1 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|--------------|--|---|---|--|---|---|---|--|---|--|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 4,016 | 4,020 | 0.0 | 99.9 | | | | | 0 | 4,020 | 0.0 | 100.0 | 89.2 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 445 | 445 | 0.0 | 100.0 | | | | | | 445 | 0.0 | 100.0 | 100.0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 462 | 462 | 0.0 | 100.0 | | | | | | 462 | 0.0 | 100.0 | 9.7 |
| 5 | Jhalrapatan | 627 | 629 | 0.3 | 99.7 | | | | | 0 | 629 | 0.0 | 100.0 | 99.8 |
| 6 | Khanpur | 153 | 153 | 0.0 | 100.0 | | | | | | 153 | 0.0 | 100.0 | 88.9 |
| 7 | Manoharthana | 976 | 976 | 0.0 | 100.0 | | | | | 0 | 976 | 0.0 | 100.0 | 100.0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 555 | 556 | 0.2 | 99.8 | | | | | | 556 | 0.0 | 100.0 | 100.0 |
| 10 | dag | 798 | 799 | 0.1 | 99.9 | | | | | | 799 | 0.0 | 100.0 | 100.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|----|--------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 2.7 | 8.1 | 0.0 | 100.0 | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 15 | 0 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 6 | 0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 23.6 | 66.7 | 0.0 | 100.0 | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Jhalrapatan | 0.0 | 0.2 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 5 | 0 |
| 6 | Khanpur | 0.0 | 11.1 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 1 | 0 |
| 7 | Manoharthana | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 3 | 0 |
| 10 | dag | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|----|--------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 13 | 5,856 | 0 | 45.7 | 12.3 | 59.2 | 3,163 | 2,677 | 16 | 91,710 | 1,890 | 1,139,717 | 4,271 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0 | 960 | | 36.0 | 17.2 | 68.3 | 614 | 346 | 0 | 20,384 | 32 | 355,264 | 0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 0 | 212 | | 94.8 | 2.7 | 31.5 | 11 | 201 | 0 | 3,309 | 76 | 40,352 | 10 |
| 5 | Jhalrapatan | 5 | 734 | 0 | 41.7 | 14.5 | 53.9 | 428 | 306 | 0 | 22,750 | 575 | 133,740 | 175 |
| 6 | Khanpur | 2 | 809 | | 50.7 | 22.7 | 84.1 | 384 | 410 | 15 | 9,971 | 19 | 118,655 | 214 |
| 7 | Manoharthana | 0 | 1,088 | 0 | 63.7 | 17.2 | 52.7 | 395 | 693 | 0 | 16,971 | 199 | 250,279 | 410 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 6 | 1,274 | | 44.9 | 28.2 | 69.6 | 702 | 572 | 0 | 8,363 | 135 | 104,311 | 188 |
| 10 | dag | 0 | 779 | | 19.1 | 6.5 | 49.4 | 629 | 149 | 1 | 9,962 | 854 | 137,116 | 3,274 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|----|--------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 13 | 0 | 0 | 0 | 8,195 | 22,617 | 22,951 | 20,374 | 98.7 | 100.2 | 88.9 | 0 | 0 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0 | 0 | 0 | 0 | 1,720 | 1,969 | 1,977 | 1,861 | 99.1 | 99.5 | 93.7 | 0 | 0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 13 | 0 | 0 | 0 | 3,135 | 7,144 | 7,144 | 6,615 | 99.2 | 99.2 | 91.8 | 0 | 0 |
| 5 | Jhalrapatan | 0 | 0 | 0 | 0 | 793 | 3,486 | 3,538 | 2,096 | 102.4 | 103.9 | 61.6 | 0 | 0 |
| 6 | Khanpur | 0 | 0 | 0 | 0 | 857 | 1,776 | 1,777 | 1,776 | 99.1 | 99.1 | 99.1 | 0 | 0 |
| 7 | Manoharthana | 0 | 0 | 0 | 0 | 262 | 4,223 | 4,201 | 3,969 | 99.0 | 98.5 | 93.1 | 0 | 0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0 | 0 | 0 | 0 | 833 | 1,944 | 2,021 | 1,968 | 96.4 | 100.2 | 97.6 | 0 | 0 |
| 10 | dag | 0 | 0 | 0 | 0 | 595 | 2,075 | 2,293 | 2,089 | 92.6 | 102.3 | 93.2 | 0 | 0 |

Performance of Key HMIS Indicators for Rajasthan-> Jhalawar (Across Sub Districts) Financial Year: 2017-18

Provisional Figures for the Period April to December These indicators are under compilation (83,84,85,86,197,198)

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|----|--------------|---------------------------------------|--|--|--|---|---|---|---|--------------------------------------|---|---|--|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles 2017-18 | Number of Infants given MR 2017-18 | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | Jhalawar | 2017-18 | 20,430 | 19,588 | 19,238 | 22,114 | 0 | 96.5 | 22,108 | 3.6 | 90.1 | 111.0 | 1 | 0 |
| | | 0 | 20,430 | 19,588 | 19,238 | 22,114 | 0 | 96.5 | 22,108 | 3.0 | 90.1 | 111.0 | 1 | 0 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0 | 2,577 | 2,514 | 2,474 | 2,929 | 0 | 147.4 | 2,925 | -48.2 | 157.5 | 142.4 | 0 | 0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 0 | 1,321 | 1,175 | 1,112 | 1,259 | 0 | 17.5 | 1,259 | 82.4 | 16.7 | 30.1 | 0 | 0 |
| 5 | Jhalrapatan | 0 | 4,216 | 4,054 | 4,034 | 4,739 | 0 | 139.2 | 4,739 | -33.9 | 114.4 | 206.3 | 0 | 0 |
| 6 | Khanpur | 0 | 2,231 | 2,107 | 2,037 | 2,545 | 0 | 141.9 | 2,545 | -43.2 | 121.4 | 174.5 | 0 | 0 |
| 7 | Manoharthana | 0 | 3,811 | 3,640 | 3,564 | 3,779 | 0 | 88.6 | 3,779 | 10.0 | 81.7 | 18.7 | 0 | 0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0 | 2,994 | 2,878 | 2,776 | 3,637 | 0 | 180.4 | 3,635 | -80.0 | 185.2 | 144.1 | 1 | 0 |
| 10 | dag | 0 | 3,280 | 3,220 | 3,241 | 3,226 | 0 | 144.0 | 3,226 | -40.7 | 134.9 | 8.2 | 0 | 0 |

Performance of Key HMIS Indicators for Rajasthan-> Jhalawar (Across Sub Districts) Financial Year: 2017-18

Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|--------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 0 | 97.6 | 75.9 | 667 | 94 | 0 | 2 | 0 | 1 | 8 | 8 | 13 | 667 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0 | 94.8 | 80.3 | 131 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 131 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 0 | 96.6 | 82.1 | 207 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 7 | 207 |
| 5 | Jhalrapatan | 0 | 96.7 | 81.0 | 33 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33 |
| 6 | Khanpur | 0 | 99.3 | 70.7 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| 7 | Manoharthana | 0 | 98.5 | 70.8 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0 | 98.7 | 78.4 | 141 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 0 | 141 |
| 10 | dag | 0 | 98.8 | 69.9 | 85 | 63 | 0 | 2 | 0 | 0 | 3 | 3 | 3 | 85 |

| in Childre 0-5 Yea | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|--------------------------|--------------|-----------|--|---|---|---|---|--|--|---|---|---|---------------------------------|-----------------|
| | | Diarrhoea | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | 2 | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 8,307 | 54 | 0 | 18,276 | 16,464 | 16,464 | 18,375 | 0 | 55.6 | 31.1 | 51.1 | 1.1 | 172,081 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 722 | 0 | 0 | 2,537 | 2,381 | 2,381 | 2,301 | 0 | 66.6 | 17.7 | 0.0 | 0.0 | 8,542 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 662 | 18 | 0 | 1,102 | 923 | 923 | 1,209 | 0 | 61.7 | 40.8 | 38.8 | 1.5 | 70,215 |
| 5 | Jhalrapatan | 1,064 | 31 | 0 | 3,526 | 3,007 | 3,007 | 3,975 | 0 | 66.5 | 17.8 | | 0.0 | 16,859 |
| 6 | Khanpur | 183 | 1 | 0 | 2,181 | 1,853 | 1,853 | 2,075 | 0 | 27.8 | 11.4 | 73.8 | 0.3 | 24,737 |
| 7 | Manoharthana | 4,180 | 0 | 0 | 3,686 | 3,481 | 3,481 | 3,354 | 0 | 55.6 | 44.1 | | 0.0 | 18,687 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 979 | 4 | 0 | 2,337 | 2,145 | 2,145 | 2,718 | 0 | 61.2 | 21.1 | 47.8 | 0.1 | 16,364 |
| 10 | dag | 517 | 0 | 0 | 2,907 | 2,674 | 2,674 | 2,743 | 0 | 60.4 | 34.6 | 65.4 | 4.9 | 16,677 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|--------------|----------------|--------------------------|-------------------------------|--------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------|---------------------------|---------------------------|--|
| | | OPD (Allopathi | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 2,201,975 | 44,063 | 2,246,038 | 7.7 | 8,357 | 28,968 | 22.4 | 33 | 0.3 | 1.9 | 15,196 | 0.7 | 2.7 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 195,752 | 7,800 | 203,552 | 4.2 | 445 | 63 | 87.6 | 0 | 0.0 | 3.8 | 653 | 0.3 | 0.4 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 558,380 | 0 | 558,380 | 12.6 | 5,193 | 26,140 | 16.6 | 0 | 0.0 | 0.0 | 1,118 | 0.2 | 7.5 |
| 5 | Jhalrapatan | 411,568 | 7,133 | 418,701 | 4.0 | 590 | 404 | 59.4 | 2 | 0.3 | 1.7 | 3,904 | 0.9 | 2.5 |
| 6 | Khanpur | 231,163 | 12,795 | 243,958 | 10.1 | 159 | 232 | 40.7 | 31 | 19.5 | 5.2 | 1,493 | 0.6 | 3.3 |
| 7 | Manoharthana | 200,635 | 8,610 | 209,245 | 8.9 | 909 | 1,122 | 44.8 | 0 | 0.0 | 4.1 | 1,058 | 0.5 | 1.9 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 313,867 | 6,877 | 320,744 | 5.1 | 463 | 617 | 42.9 | 0 | 0.0 | 2.1 | 4,943 | 1.5 | 0.9 |
| 10 | dag | 290,610 | 848 | 291,458 | 5.7 | 598 | 390 | 60.5 | 0 | 0.0 | 0.3 | 2,027 | 0.7 | 3.4 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|--------------|--|---|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Jhalawar | 0.4 | 36.7 | 0.3 | 0.4 | 0.5 | 0.1 | 231 | 4.8 | 0.0 | 13.9 | 0.4 | 4.8 | 0.0 |
| 1 | Aklera | | | | | | | | | | | | | |
| 2 | Bakani | 0.0 | 7.9 | 0.0 | 0.0 | 1.4 | 0.1 | 31 | 6.5 | 0.0 | 25.8 | 0.0 | 6.5 | 0.0 |
| 3 | Gangdhar | | | | | | | | | | | | | |
| 4 | Jhalawar | 0.4 | 453.8 | 0.4 | 0.4 | 0.0 | 0.3 | 33 | 3.0 | 0.0 | 6.1 | 0.0 | 3.0 | 0.0 |
| 5 | Jhalrapatan | 0.2 | 33.3 | 0.1 | 0.2 | 0.2 | 0.0 | 51 | 5.9 | 0.0 | 17.6 | 0.0 | 3.9 | 0.0 |
| 6 | Khanpur | 0.0 | 6.9 | 0.0 | 0.0 | 0.1 | 0.0 | 37 | 10.8 | 0.0 | 10.8 | 2.7 | 2.7 | 0.0 |
| 7 | Manoharthana | 5.5 | 15.8 | 1.4 | 2.5 | 0.2 | 0.1 | 30 | 0.0 | 0.0 | 10.0 | 0.0 | 3.3 | 0.0 |
| 8 | Pachpahar | | | | | | | | | | | | | |
| 9 | Pirawa | 0.0 | 22.9 | 0.0 | 0.0 | 0.8 | 0.1 | 45 | 2.2 | 0.0 | 13.3 | 0.0 | 4.4 | 0.0 |
| 10 | dag | 0.1 | 22.9 | 0.0 | 0.1 | 0.4 | 0.0 | 4 | 0.0 | 0.0 | 0.0 | 0.0 | 50.0 | 0.0 |

| | | 196 | 197 | 198 | | |
|----|--------------|--|--|---|--|--|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Jhalawar | 8,944 | | | | |
| 1 | Aklera | | | | | |
| 2 | Bakani | | | | | |
| 3 | Gangdhar | | | | | |
| 4 | Jhalawar | 7,383 | | | | |
| 5 | Jhalrapatan | 1,295 | | | | |
| 6 | Khanpur | | | | | |
| 7 | Manoharthana | 266 | | | | |
| 8 | Pachpahar | | | | | |
| 9 | Pirawa | | | | | |
| 10 | dag | | | | | |