

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	134,136	126,336	100.8	107.9	2,930	2,457	97.9	98.1	116,862	108,013	128,237	115,497
1	Central	17,614	17,050	98.8	98.7	486	335	97.3	98.1	16,420	16,112	14,010	13,509
2	East	10,467	11,803	99.5	146.5	120	152	98.9	98.7	10,149	11,305	9,106	9,825
3	New Delhi	10,972	11,441	98.7	99.2	325	277	97.1	97.6	10,949	11,406	11,019	1,333
4	North	13,336	9,076	100.2	99.3	253	158	98.1	98.3	12,607	8,677	11,355	8,144
5	North East	15,600	11,092	98.7	115.6	417	314	97.4	97.2	15,570	9,122	18,848	19,342
6	North West	16,865	16,150	108.1	146.2	372	319	97.8	98.1	8,272	10,240	17,194	14,428
7	Shahdara												
8	South	11,065	8,249	102.7	102.4	88	59	99.2	99.3	8,617	6,225	11,096	8,507
9	South East												
10	South West	18,443	23,488	98.8	97.8	481	546	97.5	97.7	16,216	19,080	18,852	24,312
11	West	19,774	17,987	101.8	97.9	388	297	98.1	98.4	18,062	15,846	16,757	16,097

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Delhi	185,496	194,032	95.6	91.4	138.3	153.6	174,837	193,077	159,211	175,210	147,987	167,016
1	Central	15,576	13,433	79.5	79.2	88.4	78.8	10,392	10,376	8,230	8,586	7,429	7,516
2	East	15,011	16,753	87.0	83.2	143.4	141.9	16,796	18,443	14,701	16,318	13,434	15,670
3	New Delhi	4,375	2,065	100.4	11.7	39.9	18.0	3,797	2,109	2,923	1,868	2,610	1,801
4	North	14,865	12,489	85.1	89.7	111.5	137.6	11,571	10,646	10,596	9,907	10,015	9,513
5	North East	24,829	23,904	120.8	174.4	159.2	215.5	22,527	22,328	19,182	20,097	16,753	18,940
6	North West	32,121	36,081	102.0	89.3	190.5	223.4	37,564	44,977	33,990	41,062	32,515	39,262
7	Shahdara												
8	South	25,211	25,539	100.3	103.1	227.8	309.6	26,427	29,782	27,635	27,141	25,243	26,342
9	South East												
10	South West	24,692	33,623	102.2	103.5	133.9	143.1	16,210	24,732	14,946	22,349	14,528	20,992
11	West	28,816	30,145	84.7	89.5	145.7	167.6	29,553	29,684	27,008	27,882	25,460	26,980

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Delhi							158,172	168,105	117.9	133.1	160,150	181,119
1	Central							7,636	7,830	43.4	45.9	7,891	7,830
2	East							14,558	16,352	139.1	138.5	14,138	16,094
3	New Delhi							2,842	1,925	25.9	16.8	2,842	1,925
4	North							9,903	9,650	74.3	106.3	9,755	11,358
5	North East							17,404	18,083	111.6	163.0	21,116	18,133
6	North West							39,635	40,311	235.0	249.6	40,474	47,875
7	Shahdara												
8	South							25,609	26,200	231.4	317.6	25,647	30,470
9	South East												
10	South West							14,650	21,080	79.4	89.7	12,976	20,757
11	West							25,935	26,674	131.2	148.3	25,311	26,677

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	14.7	13.4	125,553	104,264	93.6	82.5	27.2	24.4	25	41	91.4	92.3
1	Central	51.0	41.7	7,064	5,574	40.1	32.7	36.2	79.3			82.2	85.9
2	East	3.0	2.4	13,652	11,678	130.4	98.9	22.7	14.8	1		92.7	93.5
3	New Delhi	35.0	6.8	2,763	1,340	25.2	11.7	27.9	24.9			92.1	86.6
4	North	33.4	22.7	8,467	4,951	63.5	54.6	17.0	26.2			94.2	94.7
5	North East	29.9	24.4	14,753	7,636	94.6	68.8	20.2	45.6			97.1	91.5
6	North West	-23.4	-11.7	28,195	28,662	167.2	177.5	10.7	9.0	1	17	92.3	91.6
7	Shahdara												
8	South	-1.6	-2.6	16,108	15,895	145.6	192.7	76.0	32.5	15		90.4	93.0
9	South East												
10	South West	40.7	37.3	13,730	14,007	74.4	59.6	15.0	24.6	2	22	90.7	92.1
11	West	10.0	11.5	20,821	14,521	105.3	80.7	28.8	20.8	6	2	92.9	93.9

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	18.2	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	3.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
2	East	16.0	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	11.7	14.4	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0
4	North	13.8	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	23.4	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	North West	23.7	22.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara												
8	South	20.5	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East												
10	South West	17.5	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1
11	West	20.5	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	0.3	0.3	98.5	98.8	1.2	0.9	2,708	1,541	22.7	18.8	10.9	13.1
1	Central	0.4	0.0	98.9	99.9	0.4	0.1	324	286	29.3	23.5	24.1	24.9
2	East	0.6	0.5	98.8	98.9	0.5	0.6	530	485	27.8	24.5	3.8	4.8
3	New Delhi	0.4	0.1	97.9	99.4	1.2	0.5	948		25.8		8.7	
4	North	0.3	0.2	94.3	99.0	5.4	0.7	171	5	27.3	40.0	26.7	20.0
5	North East	0.0	0.9	99.9	99.1	0.1	0.0	30		26.3		5.3	
6	North West	0.3	0.0	94.5	99.8	5.2	0.2	183	121	19.7	25.2	23.1	31.9
7	Shahdara												
8	South	0.2	0.1	98.9	98.7	0.9	1.2	25	16	5.0	0.0	5.0	6.3
9	South East												
10	South West	0.2	0.6	98.9	96.5	0.8	2.6	92	115	3.5	7.0	4.7	17.4
11	West	0.1	0.1	99.8	99.7	0.1	0.2	405	513	4.5	10.9	2.6	7.1

Performance of Key HMIS Indicators for Delhi ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Delhi	15.3	16.1	9.4	11.4	5.3	3.7	4.8	1.4	0.8	0.1	30.8	35.5
1	Central	14.2	22.8	9.6	5.3	0.6	2.5	0.6	1.1	0.0	0.0	21.6	20.0
2	East	4.9	4.5	13.6	20.2	2.3	3.4	0.4	0.9	0.2	0.0	47.0	41.7
3	New Delhi	13.3		9.3		5.0		10.2		1.9		25.8	
4	North	19.4	0.0	11.5	20.0	6.1	20.0	0.0	0.0	0.0	0.0	9.1	0.0
5	North East	21.1		0.0		10.5		0.0		0.0		36.8	
6	North West	7.5	7.6	7.5	4.2	3.4	5.0	8.2	4.2	0.7	0.8	29.9	21.0
7	Shahdara												
8	South	10.0	6.3	5.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	55.0	87.5
9	South East												
10	South West	8.1	7.0	4.7	4.3	38.4	5.2	4.7	3.5	0.0	0.0	36.0	55.7
11	West	41.9	30.0	5.2	10.4	7.1	4.1	0.0	0.8	0.0	0.0	38.6	36.6