		1		2	2	87	3	4	1		5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	3,904	3,947	99.2	99.7	71	50	98.2	98.7	3,538	3,865	3,804	3,698
1	East	2,360	2,281	99.7	100.0	30	18	98.7	99.2	2,013	2,242	2,322	2,264
2	North	104	167	96.3	98.8	3	3	97.2	98.2	105	156	102	153
3	South	846	896	98.4	99.3	23	15	97.4	98.4	832	884	796	797
4	West	594	603	99.2	99.3	15	14	97.5	97.7	588	583	584	484

		7		8	3	Ģ	)	1	0	1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	3,965	4,069	97.4	93.7	101.6	103.1	3,575	3,826	3,527	3,771	3,672	3,982
1	East	2,338	2,318	98.4	99.3	99.1	101.6	1,528	1,786	1,542	1,747	1,601	1,813
2	North	108	177	98.1	91.6	103.8	106.0	255	270	272	281	259	274
3	South	888	914	94.1	89.0	105.0	102.0	897	914	846	900	909	988
4	West	631	660	98.3	80.3	106.2	109.5	895	856	867	843	903	907

		13		1	4	1	5	1	6	1	7	18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	255	0	227	0	175	0	4,369	4,552	111.9	115.3	4,315	4,509
1	East	255		227		175		2,050	2,184	86.9	95.7	2,042	2,175
2	North	0	0	0	0	0	0	289	299	277.9	179.0	270	296
3	South	0	0	0	0	0	0	1,039	1,050	122.8	117.2	1,019	1,039
4	West	0	0	0	0	0	0	991	1,019	166.8	169.0	984	999

		19		2	0	2	1	2	2	2	3	24	
In	dicator	Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	-10.2	-11.9	4,270	4,532	109.4	114.8	104.5	101.2	2	1	99.3	99.1
1	East	12.3	5.8	2,014	2,220	85.3	97.3	95.3	60.5	1	1	99.6	99.1
2	North	-167.6	-68.9	280	286	269.2	171.3	71.1	72.0	0	0	96.8	97.7
3	South	-17.0	-14.9	1,037	1,028	122.6	114.7	91.7	134.8	1	0	100.0	99.7
4	West	-57.1	-54.4	939	998	158.1	165.5	148.1	165.2	0	0	99.6	99.4

Indicator		25  '%  Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		26  % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		27  Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29  7/6  Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	87.3	83.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	78.3	73.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.0	89.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	101.3	98.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	90.3	88.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		%  Deaths due to Asphyxia  to Total Reported  Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	0.4	0.4	99.5	99.5	0.1	0.1	78	30	11.5	3.8	7.7	23.1
1	East	0.5	0.1	99.5	99.7	0.0	0.1	41	15	17.1	8.3	9.8	0.0
2	North	0.8	1.1	99.2	98.9	0.0	0.0	8	1	12.5	0.0	0.0	100.0
3	South	0.1	0.0	99.4	100.0	0.5	0.0	9	8	0.0	0.0	11.1	62.5
4	West	0.4	1.1	99.6	98.9	0.0	0.0	20	6	5.0	0.0	5.0	0.0

Indicator		37  % Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	9.0	34.6	19.2	11.5	0.0	0.0	5.1	0.0	0.0	0.0	47.4	26.9
1	East	9.8	41.7	9.8	25.0	0.0	0.0	0.0	0.0	0.0	0.0	53.7	25.0
2	North	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	62.5	0.0
3	South	22.2	25.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0	55.6	12.5
4	West	5.0	40.0	55.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	25.0	60.0