| | | 1 | | 2 | 2 | 87 | 3 | 4 | 1 | | 5 | 6 | |
|-----------|---------|--------------------------------------|---------|---|---------|---------------------------------------|---------|--------------------------------------|---------|--|---------|--|---------|
| Indicator | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | 4,925 | 5,810 | 120.7 | 133.5 | 210 | 85 | 95.9 | 98.6 | 3,974 | 3,730 | 3,468 | 3,769 |
| 1 | East | 1,999 | 3,322 | 149.3 | 156.8 | 45 | 25 | 97.8 | 99.3 | 1,192 | 1,447 | 2,086 | 2,333 |
| 2 | North | 405 | 430 | 145.2 | 137.8 | 114 | 15 | 78.0 | 96.6 | 384 | 357 | 345 | 676 |
| 3 | South | 1,233 | 762 | 106.1 | 127.6 | 25 | 15 | 98.0 | 98.1 | 1,237 | 694 | 333 | 215 |
| 4 | West | 1,288 | 1,296 | 99.0 | 97.8 | 26 | 30 | 98.0 | 97.7 | 1,161 | 1,232 | 704 | 545 |

| | | 7 | | 8 | 3 | 9 | 9 | 1 | 0 | 1 | 1 | 12 | |
|-----------|---------|--------------------------------|---------|---|---------|---|---------|---------------------------------|---------|---------------------------------|---------|---------------------------------|---------|
| Indicator | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | 5,751 | 6,040 | 70.4 | 64.9 | 116.8 | 104.0 | 6,184 | 7,214 | 6,101 | 7,942 | 6,152 | 7,844 |
| 1 | East | 2,296 | 3,014 | 104.4 | 70.2 | 114.9 | 90.7 | 2,468 | 4,021 | 2,415 | 4,630 | 2,437 | 4,583 |
| 2 | North | 455 | 414 | 85.2 | 157.2 | 112.3 | 96.3 | 527 | 470 | 547 | 478 | 524 | 487 |
| 3 | South | 1,529 | 1,098 | 27.0 | 28.2 | 124.0 | 144.1 | 1,662 | 1,137 | 1,543 | 1,150 | 1,633 | 1,089 |
| 4 | West | 1,471 | 1,514 | 54.7 | 42.1 | 114.2 | 116.8 | 1,527 | 1,586 | 1,596 | 1,684 | 1,558 | 1,685 |

| | | 13 | | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 18 | |
|----|---------|--|---------|--|---------|--|---------|------------------------------------|---------|---|---------|--|---------|
| In | dicator | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | | | | | | | 6,316 | 7,824 | 128.2 | 134.7 | 6,154 | 5,550 |
| 1 | East | | | | | | | 2,493 | 4,169 | 124.7 | 125.5 | 2,491 | 1,985 |
| 2 | North | | | | | | | 453 | 500 | 111.9 | 116.3 | 220 | 500 |
| 3 | South | | | | | | | 1,703 | 1,388 | 138.1 | 182.2 | 1,776 | 1,298 |
| 4 | West | | | | | | | 1,667 | 1,767 | 129.4 | 136.3 | 1,667 | 1,767 |

| | | 19 | | 2 | 0 | 2 | 21 | | 2 | 23 | | 24 | |
|-----------|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|---|---------|---|---------|
| Indicator | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Imunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | -9.8 | -29.5 | 6,228 | 7,573 | 126.5 | 130.3 | 109.6 | 0.7 | | | 92.9 | 61.8 |
| 1 | East | -8.6 | -38.3 | 2,533 | 4,184 | 126.7 | 125.9 | 77.6 | 0.0 | | | 90.2 | |
| 2 | North | 0.4 | -20.8 | 436 | 441 | 107.7 | 102.6 | 51.6 | 11.6 | | | 89.3 | |
| 3 | South | -11.4 | -26.4 | 1,608 | 1,196 | 130.4 | 157.0 | 112.1 | 0.0 | | | 87.8 | |
| 4 | West | -13.3 | -16.7 | 1,651 | 1,752 | 128.2 | 135.2 | 171.7 | 0.0 | | | 99.6 | 48.3 |

| Indicator | | 25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | 28 "We Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
|-----------|---------|--|---------|---|---------|--|---------|--|---------|--|---------|---|---------|
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | 88.4 | 36.7 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | East | 81.7 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | North | 82.2 | | 0.0 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | South | 84.5 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | West | 99.6 | 36.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicator | | 3 | 31 | | 32 | | 3 | 34 | | 35 | | 36 | |
|-----------|---------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | 2.6 | 0.6 | 96.5 | 98.9 | 0.9 | 0.1 | 16 | 6 | 18.2 | 0.0 | 9.1 | 0.0 |
| 1 | East | 4.8 | 0.3 | 93.3 | 99.7 | 1.9 | 0.0 | 6 | | 66.7 | | 0.0 | |
| 2 | North | 0.7 | 0.8 | 99.3 | 93.1 | 0.0 | 1.4 | | 4 | | | | |
| 3 | South | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 2 | 2 | 0.0 | 0.0 | 50.0 | 0.0 |
| 4 West | | 1.1 | 1.9 | 98.9 | 98.1 | 0.0 | 0.0 | 8 | | 0.0 | | 0.0 | |

| Indicator | | % Deaths due to LBW to Total Reported Infant Deaths | | 38 % Deaths due to Pneumonia to Total Reported Infant Deaths | | 39 % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
|-----------|---------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Sikkim | 9.1 | 0.0 | 18.2 | 0.0 | 0.0 | 0.0 | 9.1 | 0.0 | 0.0 | 0.0 | 36.4 | 100.0 |
| 1 | East | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 33.3 | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | 50.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| 4 | West | 0.0 | | 33.3 | | 0.0 | | 16.7 | | 0.0 | | 50.0 | |