		,	1	7	2		3	4	4		5		6
	Indicators	Total nu pregnant Registere	t women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	tration to	Number of women re ANC ch	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	11,255	10,267	5,522	5,357	11,149	10,196	49.0	52.1	99.1	99.3	7,178	6,614
1	Ater	1,416	1,418	680	643	1,416	1,418	48.0	45.3	100.0	100.0	951	898
2	Bhind (Phoop)	3,404	2,872	1,490	1,290	3,344	2,813	43.8	44.9	98.2	97.9	1,960	1,625
3	Gohad	2,001	1,921	1,279	1,311	2,001	1,919	63.9	68.2	100.0	99.9	1,093	1,121
4	Lahar	1,581	1,353	819	702	1,552	1,346	51.8	51.9	98.2	99.5	1,428	1,138
5	Mehgaon	1,987	1,892	764	938	1,987	1,892	38.4	49.6	100.0	100.0	1,161	1,240
6	Mihona(Ron)	866	811	490	473	849	808	56.6	58.3	98.0	99.6	585	592

		7	7	8	3	9	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregna		Pregnant received 3 ups to To Registr	: Woman ANC check otal ANC		Total ANC	Number of women giv tab		Pregnant given 100 l ANC Regi	women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	10,222	8,520	63.7	64.4	90.8	82.9	11,266	10,201	100.0	99.3	6,797	4,983
1			1,260	67.2	63.3	91.0	88.9	1,416	1,418	100.0	100.0	1,060	203
2	Bhind (Phoop)	3,354	2,157	57.6	56.6	98.5	75.1	3,412	2,849	100.2	99.2	1,542	1,928
3	Gohad	1,607	1,452	54.6	58.4	80.3	75.6	1,994	1,912	99.7	99.5	1,466	761
4	Lahar	1,329	1,213	90.3	84.1	84.1	89.7	1,576	1,321	99.7	97.6	712	656
5	Mehgaon	1,914	1,749	58.4	65.5	96.3	92.4	1,987	1,892	100.0	100.0	749	556
6	Mihona(Ron)	730	689	67.6	73.0	84.3	85.0	881	809	101.7	99.8	1,268	879

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators			Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensid ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	915	333	13.5	6.7	2.0	4.1	538	525	12	19	526	506
1	Ater	9	10	0.8	4.9	1.3	0.0	90	105	0	0	90	105
2	Bhind (Phoop)	311	194	20.2	10.1	0.7	2.3	76	56	0	0	76	56
3	Gohad	537	23	36.6	3.0	2.8	2.3	96	113		15	96	98
4	Lahar	24	31	3.4	4.7	0.3	0.8	116	96	0	3	116	93
5	Mehgaon	8	49	1.1	8.8	6.3	14.3	56	76	0	1	56	75
6	Mihona(Ron)	26	26	2.1	3.0	0.1	3.1	104	79	12	0	92	79

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attended deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home		to Total d Home	Deliveries at Public II		hours of o	of Women d under 48 delivery in acilities	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	2.2	3.6	0	1	0.0	0.2	4,483	3,907	53	273	1.1	6.9
1	Ater	0.0	0.0	0	0	0.0	0.0	127	131	0	0	0.0	0.0
2	Bhind (Phoop)	0.0	0.0	0	0	0.0	0.0	1,742	1,590	0	163	0.0	10.3
3	Gohad	0.0	13.3	0		0.0	0.0	717	686	24	54	3.3	7.9
4	Lahar	0.0	3.1	0	0	0.0	0.0	903	556	16	6	1.8	1.1
5	Mehgaon	0.0	1.3	0	1	0.0	1.3	635	584	0	28	0.0	4.8
6	Mihona(Ron)	11.5	0.0	0	0	0.0	0.0	359	360	13	22	3.6	6.1

		2	5	2	6	2	7	2	8	2	9	3	0
ı	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	5,194	4,120	46.1	40.1	5,732	4,645	90.6	88.7	90.8	89.1	9.4	11.3
1	Ater	127	131	9.0	9.2	217	236	58.5	55.5	58.5	55.5	41.5	44.5
2	Bhind (Phoop)	2,372	1,719	69.7	59.9	2,448	1,775	96.9	96.8	96.9	96.8	3.1	3.2
3	Gohad	798	770	39.9	40.1	894	883	89.3	87.2	89.3	88.9	10.7	12.8
4	Lahar	903	556	57.1	41.1	1,019	652	88.6	85.3	88.6	85.7	11.4	14.7
5	Mehgaon	635	584	32.0	30.9	691	660	91.9	88.5	91.9	88.6	8.1	11.5
6	Mihona(Ron)	359	360	41.5	44.4	463	439	77.5	82.0	80.1	82.0	22.5	18.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public		Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries	acilities to	Deliveries at Public II to Total In Deliv	nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	27	16	93	76	2.3	2.2	0.6	0.4	13.1	35.7	86.3	94.8
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	26	16	93	76	5.0	5.4	1.5	1.0	14.8	58.9	73.4	92.5
3	Gohad	1	0	0	0	0.1	0.0	0.1	0.0	0.0	0.0	89.8	89.1
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	at Public i to Tota	paid JSY or Delivery nstitution	of cases v Incentive ASHA for E Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In	nstitutions	Women rec partum o within 48 deli	:heck-up	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post heck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	89.3	60.7	40.8	42.9	13.7	5.2	5,616	4,133	4,484	3,607	98.0	89.0
1	Ater	78.0	37.4	78.0	37.4	0.0	0.0	127	131	90	105	58.5	55.5
2	Bhind (Phoop)	89.3	77.8	37.3	40.0	26.6	7.5	2,432	1,640	2,351	1,612	99.3	92.4
3	Gohad	113.2	21.7	28.5	7.9	10.2	10.9	880	699	139	224	98.4	79.2
4	Lahar	89.5	39.9	50.4	44.1	0.0	0.0	1,006	645	1,008	645	98.7	98.9
5	Mehgaon	59.5	60.6	11.2	56.8	0.0	0.0	691	584	421	582	100.0	88.5
6	Mihona(Ron)	97.8	100.0	97.8	100.0	0.0	0.0	480	434	475	439	103.7	98.9

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	between 48 14 days	tting Post Checkup 3 hours and	Total Nu reported		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		live birth to	6 Reported th	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	78.2	77.7	5,656	4,620	98.7	99.5	64	36	98.9	99.2	5,618	4,560
1	Ater	41.5	44.5	202	235	93.1	99.6	15	2	93.1	99.2	202	235
2	Bhind (Phoop)	96.0	90.8	2,424	1,758	99.0	99.0	14	17	99.4	99.0	2,392	1,758
3	Gohad	15.5	25.4	883	877	98.8	99.3	11	6	98.8	99.3	877	819
4	Lahar	98.9	98.9	1,004	651	98.5	99.8	15	9	98.5	98.6	1,005	649
5	Mehgaon	60.9	88.2	683	660	98.8	100.0	8	1	98.8	99.8	691	660
6	Mihona(Ron)	102.6	100.0	460	439	99.4	100.0	1	1	99.8	99.8	451	439

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l		Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed	within 1	% Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	99.3	98.7	540	420	9.6	9.2	5,494	4,531	97.1	98.0	489	407
1	Ater	100.0	100.0	11	10	5.4	4.3	202	235	100.0	100.0	90	105
2	Bhind (Phoop)	98.7	100.0	287	189	12.0	10.8	2,277	1,730	93.9	98.4	59	54
3	Gohad	99.3	93.4	99	62	11.3	7.6	877	820	99.3	93.5	95	6
4	Lahar	100.1	99.7	94	51	9.4	7.9	1,004	649	100.0	99.7	114	96
5	Mehgaon	101.2	100.0	41	89	5.9	13.5	683	659	100.0	99.8	54	72
6	Mihona(Ron)	98.0	100.0	8	19	1.8	4.3	451	438	98.0	99.8	77	74

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	rs of home to total	Bitr	male Live	cases of women wit Complica attended to	tions and	Compl Pregnanci witi antihype Magsulph ii Total Wo Obst Compli	rtensive/ njection to	Compl Pregnancie with antihype Magsulph in Total Ne detecte	es treated h IV rtensive/ njection to ew cases	Complete Pregnancie with Transfusio Wome Obst	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	90.8	77.5	842	929	8.1	11.8	0.5	9.9	0.9	11.5	32.4	10.3
1	Ater	100.0	100.0	906	1,026	0.0	16.8		100.0	0.0			0.0
2	Bhind (Phoop)	77.6	96.4	839	898	14.7	13.4	0.6	2.6	8.7	9.2	39.0	21.7
3	Gohad	99.0	5.3	899	927	0.0	7.0		14.8	0.0	18.2		0.0
4	Lahar	98.3	100.0	829	1,114	8.2	12.9	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	96.4	94.7	812	838	0.0	14.9		13.8	0.0	4.4		0.0
6	Mihona(Ron)	74.0	93.7	804	900	0.0	6.1		0.0	0.0	0.0		0.0

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal C maternal cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to	NTPs Abortions	MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	4.3	4.9	92	57	57	29	62.0	50.9	100.0	100.0	0.0	0.0
1	Ater	0.0	0.0	35	24	0	0	0.0	0.0				
2	Bhind (Phoop)	8.7	11.3	44	23	41	11	93.2	47.8	100.0	100.0	0.0	0.0
3	Gohad	0.0	0.0	5	5	16	6	320.0	120.0	100.0	100.0	0.0	0.0
4	Lahar	3.3	3.5	3	0	0	12	0.0			100.0		0.0
5	Mehgaon	0.0	0.5	1	5	0	0	0.0	0.0				
6	Mihona(Ron)	0.0	0.0	4	0	0	0	0.0					

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at	9 MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tre initia	Wet Mount ducted to new RTI/ cases for eatment	Numb Vasect Condo (Public	comies	Numb Tubect Condu (Public	omies icted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	45.6	46.8	54.4	53.2	0.5	0.3	0.0	0.0	8	8	118	102
1	Ater					0.0	0.0	0.0		0	0	26	18
2	Bhind (Phoop)	48.2	68.8	51.8	31.3	1.2	0.4	0.0	0.0	7	7	71	54
3	Gohad	40.0	17.6	60.0	82.4	0.8	0.3	0.0	0.0	0	1	7	11
4	Lahar		100.0		0.0	0.0	0.9	0.0	0.0	0	0	1	1
5	Mehgaon					0.0	0.0	0.0	0.0	1	0	3	11
6	Mihona(Ron)					0.0	0.0			0	0	10	7

		7	3	7	4	7	5	7	6	7	7	7	8
ı	Indicators	Total Ste Condu		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubecto Vasect conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	126	110	6.3	7.2	93.7	92.7	35	14	44	49	47	47
1	Ater	26	18	0.0	0.0	100.0	100.0	2	0	24	18		
2	Bhind (Phoop)	78	61	9.0	11.5	91.0	88.5	31	14			47	47
3	Gohad	7	12	0.0	8.3	100.0	91.7	0	0	7	12		
4	Lahar	1	1	0.0	0.0	100.0	100.0	1	0	0	1	0	
5	Mehgaon	4	11	25.0	0.0	75.0	100.0	1	0	3	11		
6	Mihona(Ron)	10	7	0.0	0.0	100.0	100.0	0	0	10	7		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	erlisation mies and omies) at Private utions	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind			0	0	27.8	12.7	34.9	44.5	37.3	42.7	0.0	0.0
1	Ater					7.7	0.0	92.3	100.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)					39.7	23.0	0.0	0.0	60.3	77.0	0.0	0.0
3	Gohad			0	0	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4	Lahar					100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0
5	Mehgaon					25.0	0.0	75.0	100.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubector Vasector conducted institutions Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation	% Partum es to Total Parilisations	Laparo sterlisation Institutions Laparo Sterilis	sscopic s at Public to Total sscopic	Mini Lap st at Public Ir to Total Sterilis	erlisations stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	75.4	89.2	16.1	10.8	8.4	0.0	100.0	100.0	100.0	100.0
1	Ater	0.0	0.0	73.1	100.0	26.9	0.0	0.0	0.0	100.0	100.0	100.0	
2	Bhind (Phoop)	0.0	0.0	70.4	79.6	15.5	20.4	14.1	0.0	100.0	100.0	100.0	100.0
3	Gohad	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
5	Mehgaon	0.0	0.0	66.7	100.0	33.3	0.0	0.0	0.0	100.0	100.0	100.0	
6	Mihona(Ron)	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution Post P Sterili	ns at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	100.0		0	0	2,707	2,248	0	0	2,707	2,248	190	209
1	Ater			0	0	377	374			377	374	0	0
2	Bhind (Phoop)	100.0		0	0	475	407			475	407	150	208
3	Gohad			0	0	379	338	0	0	379	338	0	0
4	Lahar			0	0	456	379			456	379	30	0
5	Mehgaon			0	0	831	605			831	605	0	0
6	Mihona(Ron)			0	0	189	145			189	145	10	1

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	to Tota	olic)	% PP IUCD (put to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institutio family p methods (perma	ertions in us private ons to all planning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distrit	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	7.0	9.2	4.2	5.3	95.5	95.3	17,216	15,205	19,601	33,749	0	0
1	Ater	0.0	0.0	0.0	0.0	93.5	95.4	3,568	1,638	4,068	2,560	0	0
2	Bhind (Phoop)	31.6	51.1	8.6	13.1	85.9	87.0	3,852	3,596	2,531	5,858	0	0
3	Gohad	0.0	0.0	0.0	0.0	98.2	96.6	847	1,053	972	1,342	0	0
4	Lahar	6.6	0.0	3.3	0.0	99.8	99.7	1,081	69	1,502	1,092	0	0
5	Mehgaon	0.0	0.0	0.0	0.0	99.5	98.2	7,224	6,371	9,327	10,037	0	0
6	Mihona(Ron)	5.3	0.7	2.8	0.3	95.0	95.4	644	2,478	1,201	12,860	0	0

		10)3	10	04	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	given OPV0 Reported	Newborns to Repo	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	5,737	4,130	5,922	4,443	101.4	89.4	104.7	96.2	28	6,347	239	7,009
1	Ater	202	235	202	235	100.0	100.0	100.0	100.0	0	768	0	906
2	Bhind (Phoop)	2,670	1,614	2,695	1,622	110.1	91.8	111.2	92.3	23	1,694	82	1,797
3	Gohad	789	669	828	887	89.4	76.3	93.8	101.1	4	1,161	148	1,328
4	Lahar	949	561	994	630	94.5	86.2	99.0	96.8	0	907	9	999
5	Mehgaon	734	691	739	691	107.5	104.7	108.2	104.7	1	1,309	0	1,432
6	Mihona(Ron)	393	360	464	378	85.4	82.0	100.9	86.1	0	508	0	547

		10	09	11	10	11	11	1	12	11	13	11	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number (given Pen		Number o		Infants months received vaccine to live b	0 to 11 old who Measles
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	435	7,514	7,040	0	7,494	0	7,549	0	8,883	8,285	157.0	179.3
1	Ater	0	1,015	892	0	902	0	988	0	1,169	1,091	578.7	464.3
2	Bhind (Phoop)	181	1,894	1,893	0	2,105	0	1,970	0	2,587	2,719	106.7	154.7
3	Gohad	225	1,389	1,312	0	1,324	0	1,255	0	1,569	1,409	177.7	160.7
4	Lahar	28	1,097	1,012	0	1,099	0	1,191	0	1,281	1,023	127.6	157.1
5	Mehgaon	1	1,492	1,402	0	1,476	0	1,464	0	1,574	1,357	230.5	205.6
6	Mihona(Ron)	0	627	529	0	588	0	681	0	703	686	152.8	156.3

		11	15	1	16	11	17	11	18	11	19	12	20
	Indicators	Number immunize (9-11 n		Drop Out	% between Measles	Vitamin -	A dose 1	Children g dose1 to live l	iven Vit A	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I (Oth	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	8,794	8,350	-50.0	-86.5	10,175	8,245	179.9	178.5	61.3	20.6	2	2
1	Ater	1,169	1,091	-478.7	-364.3	1,169	1,093	578.7	465.1	32.2	12.8	0	0
2	Bhind (Phoop)	2,450	2,780	4.0	-67.6	2,526	2,708	104.2	154.0	82.3	40.5	0	0
3	Gohad	1,568	1,411	-89.5	-58.9	1,570	1,389	177.8	158.4	22.9	13.3	2	2
4	Lahar	1,325	1,025	-28.9	-62.4	2,621	1,004	261.1	154.2	90.5	0.7	0	0
5	Mehgaon	1,574	1,357	-113.0	-96.4	1,574	1,352	230.5	204.8	42.2	2.5	0	0
6	Mihona(Ron)	708	686	-51.5	-81.5	715	699	155.4	159.2	54.8	34.0	0	0

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisati Held to Imi Sessions	on Sessions	Immunisatio where AS presei Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood	n Children of Age to eported I Diseases	Pertusis in 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported (Diseases (eonatorum n 0-5 Years no Total Childhood	Tetanus (Children 0- Age to Tota Childhood	-5 Years of Il Reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	98.6	99.0	83.0	80.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Ater	100.0	100.0	92.5	85.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	95.0	98.1	77.0	77.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Gohad	100.0	98.6	72.0	80.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Lahar	97.5	97.8	65.9	69.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	100.0	99.6	100.0	82.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	98.3	100.0	88.7	92.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	ildren 0-5 ge to Total	Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood	ea and ation in 5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children Inp Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	0.0	0.0	99.0	90.5	1.0	9.5	58.7	55.2	17.7	17.9
1	Ater	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0	0.0	0.0
2	Bhind (Phoop)	0.0	0.0	0.1	0.1	97.1	96.6	2.8	3.3	63.1	56.7	15.8	18.1
3	Gohad	0.0	0.0	0.0	0.0	98.2	99.2	1.8	0.8	30.3	41.5	4.9	10.7
4	Lahar	0.0	0.0	0.0	0.0	100.0	84.9	0.0	15.1	48.4	49.4	48.5	44.4
5	Mehgaon	0.0	0.0	0.0	0.0	100.0	77.0	0.0	23.0	100.0	68.2	0.0	1.7
6	Mihona(Ron)	0.0	0.0	0.0	0.0	99.4	73.9	0.6	26.1	87.6	67.6	5.2	9.6

		13	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient	9 Inpatient I Tota		IPD (No	ımber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	of Major ations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	38.2	45.4	0.5	0.5	20,120	18,594	234,231	189,452	8.6	9.8	220	188
1	Ater			0.0	0.0	168	195	15,709	14,764	1.1	1.3	0	0
2	Bhind (Phoop)	38.2	45.4	0.8	0.8	13,048	11,989	103,564	90,333	12.6	13.3	219	188
3	Gohad			0.0	0.0	3,016	3,112	30,551	19,836	9.9	15.7	1	0
4	Lahar			0.0	0.0	2,720	1,616	51,528	32,690	5.3	4.9	0	0
5	Mehgaon			0.0	0.0	613	806	21,611	21,422	2.8	3.8	0	0
6	Mihona(Ron)			0.0	0.0	555	876	11,268	10,407	4.9	8.4	0	0

		13	39	14	10	14	41	14	42	14	43	14	14
ı	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surge		Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1,543	751	12.5	20.0	5	16	2.2	8.5	4,403	3,189	1.8	1.6
1	Ater	858	341	0.0	0.0	0	0			0	0	0.0	0.0
2	Bhind (Phoop)	418	387	34.4	32.7	3	16	1.4	8.5	4,397	3,186	4.2	3.5
3	Gohad	7	0	12.5		0	0	0.0		0	0	0.0	0.0
4	Lahar	248	12	0.0	0.0	2	0			6	3	0.0	0.0
5	Mehgaon	12	11	0.0	0.0	0	0			0	0	0.0	0.0
6	Mihona(Ron)	0	0			0	0			0	0	0.0	0.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	402	553	0.2	0.3	186	167	2.6	4.5	4.7	5.3	2.8	0.7
1	Ater	0	0	0.0	0.0	0	0	10.3	7.9			0.8	0.0
2	Bhind (Phoop)	402	553	0.4	0.6	121	112	1.6	5.7	7.5	5.3	0.3	1.0
3	Gohad	0	0	0.0	0.0			3.1	1.9	0.0	0.0	0.0	0.0
4	Lahar	0	0	0.0	0.0	0	0	2.2	1.6	0.0		0.0	0.0
5	Mehgaon	0	0	0.0	0.0	65	44	7.7	5.0			0.0	0.0
6	Mihona(Ron)	0	0	0.0	0.0	0	11	5.6	4.3			16.7	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	2.9	0.9	0.3	1.7	0.0	0.0	97	32	2.1	24.1	0.0	10.3
1	Ater	0.8	0.0	0.2	0.9	0.0	0.0	17	4	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	1.0	1.3	0.4	0.3	0.0	0.0	30	21	6.7	33.3	0.0	9.5
3	Gohad	0.0	0.0	0.6	4.0	0.1	0.0	5		0.0		0.0	
4	Lahar	0.0	0.0	0.1	0.7	0.0	0.0	23	7	0.0	0.0	0.0	25.0
5	Mehgaon	0.0	0.0	0.8	2.3	0.0	0.0	14		0.0		0.0	
6	Mihona(Ron)	16.7	0.0	0.0	1.0	0.0	0.0	8		0.0		0.0	

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	10.3	48.3	0.0	0.0	3.1	0.0	17.5	6.9	0.0	0.0	67.0	10.3
1	Ater	0.0	50.0	0.0	0.0	0.0	0.0	17.6	50.0	0.0	0.0	82.4	0.0
2	Bhind (Phoop)	10.0	42.9	0.0	0.0	6.7	0.0	23.3	0.0	0.0	0.0	53.3	14.3
3	Gohad	0.0		0.0		0.0		0.0		0.0		100.0	
4	Lahar	30.4	75.0	0.0	0.0	4.3	0.0	30.4	0.0	0.0	0.0	34.8	0.0
5	Mehgaon	0.0		0.0		0.0		0.0		0.0		100.0	
6	Mihona(Ron)	0.0		0.0		0.0		0.0		0.0		100.0	