

Performance of Key HMIS Indicators for Rajasthan-> Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	22,919	20,913	13,643	12,230	59.5	58.4	7,484	2,386	8,485	7,958	7,190	7,738
1	Ajmer	8,755	6,584	4,512	2,661	51.5	40.4	2,872	422	2,328	1,888	1,065	1,159
2	Ajmer Urban												
3	Arain	1,238	1,368	1,039	1,109	83.9	81.1	476	171	565	583	541	615
4	Beawar												
5	Bhinai	1,113	1,254	888	986	79.8	78.6	514	364	486	508	487	569
6	Bhinay												
7	Jawaja	1,589	1,358	902	759	56.8	55.9	312	102	700	556	730	627
8	Kekri	1,286	1,242	927	913	72.1	73.5	625	180	661	608	511	536
9	Kishangarh	2,666	3,055	1,516	1,752	56.9	57.3	571	63	1,095	1,284	1,142	1,408
10	Masooda	2,296	2,147	1,123	1,300	48.9	60.5	522	380	758	729	821	907
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	2,127	2,015	1,460	1,450	68.6	72.0	913	316	955	876	1,022	1,030
15	Sarwar												
16	Srinagar	1,849	1,890	1,276	1,300	69.0	68.8	679	388	937	926	871	887

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	32.6	11.4	68.3	75.0	10,711	13,898	46.7	66.4	16,929	18,443	1,205	673
1	Ajmer	32.8	6.4	38.8	46.3	4,921	6,639	56.2	100.8	6,125	6,846	934	526
2	Ajmer Urban												
3	Arain	38.4	12.5	89.3	87.6	373	496	30.1	36.3	1,283	1,241	5	1
4	Beawar												
5	Bhinai	46.2	29.0	87.4	85.9	547	681	49.1	54.3	874	947	8	6
6	Bhinay												
7	Jawaja	19.6	7.5	90.0	87.1	1,131	730	71.2	53.8	1,188	1,182	1	0
8	Kekri	48.6	14.5	91.1	92.1	516	657	40.1	52.9	1,089	1,180	65	40
9	Kishangarh	21.4	2.1	83.9	88.1	884	1,451	33.2	47.5	1,659	2,135	125	11
10	Masooda	22.7	17.7	68.8	76.2	660	731	28.7	34.0	1,474	1,346	34	5
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	42.9	15.7	92.9	94.6	896	1,171	42.1	58.1	1,600	1,722	5	2
15	Sarwar												
16	Srinagar	36.7	20.5	97.8	95.9	783	1,342	42.3	71.0	1,637	1,844	28	82

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	90.2	70.4	2.6	2.2	122	125	13	11	109	114	10.6	8.8
1	Ajmer	95.5	83.5	4.8	5.5	28	29	2	9	26	20	7.1	31.0
2	Ajmer Urban												
3	Arain	27.8	3.1	0.2	0.8	11	12	0	0	11	12	0.0	0.0
4	Beawar												
5	Bhinai	24.2	23.1	0.1	0.1	3	3	3	0	0	3	100.0	0.0
6	Bhinay												
7	Jawaja	4.2	0.0	0.2	0.1	29	33	0	0	29	33	0.0	0.0
8	Kekri	92.9	87.0	1.5	1.6	8	12	0	0	8	12	0.0	0.0
9	Kishangarh	171.2	11.6	1.8	1.4	13	7	0	0	13	7	0.0	0.0
10	Masooda	40.5	26.3	2.4	0.1	9	4	7	1	2	3	77.8	25.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	31.3	5.3	2.0	0.7	16	17	0	0	16	17	0.0	0.0
15	Sarwar												
16	Srinagar	70.0	160.8	0.9	0.5	5	8	1	1	4	7	20.0	12.5

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	11,749	11,321	2,244	2,215	19.0	19.5	2,116	1,913	247	494	11.6	25.8
1	Ajmer	5,930	5,632	1,875	2,107	31.6	37.4	1,690	1,471	247	384	14.6	26.1
2	Ajmer Urban												
3	Arain	298	377	10	7	3.4	1.9	0	0	0	0		
4	Beawar												
5	Bhinai	324	314	7	41	2.2	13.1	0	0	0	0		
6	Bhinay												
7	Jawaja	431	413	54	12	12.5	2.9	0	0	0	0		
8	Kekri	1,093	999	22	9	2.0	0.9	0	3	0	0		0.0
9	Kishangarh	1,440	1,365	3	0	0.2	0.0	253	303	0	110	0.0	36.3
10	Masooda	740	841	39	12	5.3	1.4	173	136	0	0	0.0	0.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	790	830	180	2	22.8	0.2	0	0	0	0		
15	Sarwar												
16	Srinagar	703	550	54	25	7.7	4.5	0	0	0	0		

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	13,865	13,234	60.4	63.2	13,987	13,359	99.1	99.1	99.2	99.1	0.9	0.9
1	Ajmer	7,620	7,103	87.0	107.9	7,648	7,132	99.6	99.6	99.7	99.7	0.4	0.4
2	Ajmer Urban												
3	Arain	298	377	24.1	27.6	309	389	96.4	96.9	96.4	96.9	3.6	3.1
4	Beawar												
5	Bhinai	324	314	29.1	25.0	327	317	99.1	99.1	100.0	99.1	0.9	0.9
6	Bhinay												
7	Jawaja	431	413	27.1	30.4	460	446	93.7	92.6	93.7	92.6	6.3	7.4
8	Kekri	1,093	1,002	85.0	80.7	1,101	1,014	99.3	98.8	99.3	98.8	0.7	1.2
9	Kishangarh	1,693	1,668	63.5	54.6	1,706	1,675	99.2	99.6	99.2	99.6	0.8	0.4
10	Masooda	913	977	39.8	45.5	922	981	99.0	99.6	99.8	99.7	1.0	0.4
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	790	830	37.1	41.2	806	847	98.0	98.0	98.0	98.0	2.0	2.0
15	Sarwar												
16	Srinagar	703	550	38.0	29.1	708	558	99.3	98.6	99.4	98.7	0.7	1.4

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	1,935	1,724	692	312	18.9	15.3	16.5	15.2	32.7	16.3	84.7	85.5
1	Ajmer	1,763	1,623	559	201	30.5	25.7	29.7	28.8	33.1	13.7	77.8	79.3
2	Ajmer Urban												
3	Arain	0	0	0	0	0.0	0.0	0.0	0.0			100.0	100.0
4	Beawar												
5	Bhinai	0	0	0	0	0.0	0.0	0.0	0.0			100.0	100.0
6	Bhinay												
7	Jawaja	0	0	0	0	0.0	0.0	0.0	0.0			100.0	100.0
8	Kekri	51	5	0	0	4.7	0.5	4.7	0.5		0.0	100.0	99.7
9	Kishangarh	121	94	56	72	10.5	10.0	8.4	6.9	22.1	23.8	85.1	81.8
10	Masooda	0	0	77	39	8.4	4.0	0.0	0.0	44.5	28.7	81.1	86.1
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0	0	0	0	0.0	0.0	0.0	0.0			100.0	100.0
15	Sarwar												
16	Srinagar	0	2	0	0	0.0	0.4	0.0	0.4			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	15.3	14.5	286	73	2,142	5,464	234.4	58.4	15.3	40.9	13,727	13,091
1	Ajmer	22.2	20.7	20	10	1,249	3,618	71.4	34.5	16.3	50.7	7,449	6,937
2	Ajmer Urban												
3	Arain	0.0	0.0	15	3	84	116	136.4	25.0	27.2	29.8	315	386
4	Beawar												
5	Bhinai	0.0	0.0	0	5	115	179	0.0	166.7	35.2	56.5	321	315
6	Bhinay												
7	Jawaja	0.0	0.0	10	1	45	208	34.5	3.0	9.8	46.6	457	443
8	Kekri	0.0	0.3	4	2	97	191	50.0	16.7	8.8	18.8	1,092	1,005
9	Kishangarh	14.9	18.2	134	2	151	205	1030.8	28.6	8.9	12.2	1,683	1,645
10	Masooda	18.9	13.9	22	15	45	273	244.4	375.0	4.9	27.8	913	972
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0.0	0.0	72	9	254	364	450.0	52.9	31.5	43.0	796	836
15	Sarwar												
16	Srinagar	0.0	0.0	9	26	102	310	180.0	325.0	14.4	55.6	701	552

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	98.1	98.0	216	284	98.5	97.9	13,576	12,370	98.9	94.5	2,479	1,289
1	Ajmer	97.4	97.3	117	167	98.5	97.6	7,488	6,421	100.5	92.6	1,523	482
2	Ajmer Urban												
3	Arain	101.9	99.2	3	3	99.1	99.2	296	389	94.0	100.8	16	19
4	Beawar												
5	Bhinai	98.2	99.4	8	4	97.6	98.7	299	286	93.1	90.8	36	12
6	Bhinay												
7	Jawaja	99.3	99.3	3	3	99.3	99.3	428	411	93.7	92.8	51	85
8	Kekri	99.2	99.1	16	17	98.6	98.3	1,036	1,019	94.9	101.4	294	208
9	Kishangarh	98.7	98.2	35	44	98.0	97.4	1,677	1,640	99.6	99.7	383	336
10	Masooda	99.0	99.1	16	14	98.3	98.6	896	941	98.1	96.8	90	54
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	98.8	98.7	10	14	98.8	98.4	803	792	100.9	94.7	49	52
15	Sarwar												
16	Srinagar	99.0	98.9	8	18	98.9	96.8	653	471	93.2	85.3	37	41



Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	18.2	10.4	11,523	11,253	83.9	85.9	937	959	14.3	21.2	45.8	73.7
1	Ajmer	20.3	7.5	5,685	5,483	76.3	79.0	912	945	21.3	35.0	47.8	81.0
2	Ajmer Urban							0	0				
3	Arain	5.4	4.9	305	375	96.8	97.2	969	1,231	0.3	0.0	0.0	
4	Beawar							0	0				
5	Bhinai	12.0	4.2	311	313	96.9	99.4	1,184	1,086	0.0	0.0		
6	Bhinay							0	0				
7	Jawaja	11.9	20.7	428	409	93.7	92.3	996	869	0.0	0.0		
8	Kekri	28.4	20.4	916	866	83.9	86.2	860	986	8.8	2.7	89.7	100.0
9	Kishangarh	22.8	20.5	1,640	1,618	97.4	98.4	906	938	9.4	14.4	7.5	14.1
10	Masooda	10.0	5.7	818	912	89.6	93.8	1,043	980	7.2	2.4	22.7	0.0
11	Masuda							0	0				
12	Nasirabad							0	0				
13	Peesangan							0	0				
14	Pisangan	6.1	6.6	787	777	98.9	92.9	1,005	976	2.4	3.5	0.0	0.0
15	Sarwar							0	0				
16	Srinagar	5.7	8.7	633	500	90.3	90.6	1,050	923	4.8	3.2	79.4	50.0

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	12,079	3,752	52.7	17.9	7,487	3,325	32.7	15.9	427	2,306	1.9	11.0
1	Ajmer	7,054	1,993	80.6	30.3	2,692	1,879	30.7	28.5	0	2,142	0.0	32.5
2	Ajmer Urban												
3	Arain	821	314	66.3	23.0	683	219	55.2	16.0	44	0	3.6	0.0
4	Beawar												
5	Bhinai	354	157	31.8	12.5	427	134	38.4	10.7	22	5	2.0	0.4
6	Bhinay												
7	Jawaja	329	0	20.7	0.0	331	5	20.8	0.4	0	0	0.0	0.0
8	Kekri	595	203	46.3	16.3	434	105	33.7	8.5	65	0	5.1	0.0
9	Kishangarh	566	187	21.2	6.1	584	59	21.9	1.9	90	0	3.4	0.0
10	Masooda	820	473	35.7	22.0	791	449	34.5	20.9	56	65	2.4	3.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	787	113	37.0	5.6	699	241	32.9	12.0	135	83	6.3	4.1
15	Sarwar												
16	Srinagar	753	312	40.7	16.5	846	234	45.8	12.4	15	11	0.8	0.6

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	0	0	0.0	0.0	13,069	5,526	17	0	57.0	26.4	0.2	0.0
1	Ajmer	0	0	0.0	0.0	5,815	1,739	6	0	66.4	26.4	0.4	0.0
2	Ajmer Urban												
3	Arain	0	0	0.0	0.0	574	140	2	0	46.4	10.2	0.0	0.0
4	Beawar												
5	Bhinai	0	0	0.0	0.0	354	160	8	0	31.8	12.8	0.0	0.0
6	Bhinay												
7	Jawaja	0	0	0.0	0.0	122	0	0	0	7.7	0.0	0.0	
8	Kekri	0	0	0.0	0.0	1,149	357	0	0	89.3	28.7	0.0	0.0
9	Kishangarh	0	0	0.0	0.0	2,223	1,814	0	0	83.4	59.4	0.0	0.0
10	Masooda	0	0	0.0	0.0	1,306	974	0	0	56.9	45.4	0.0	0.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0	0	0.0	0.0	181	68	0	0	8.5	3.4	0.0	0.0
15	Sarwar												
16	Srinagar	0	0	0.0	0.0	1,345	274	1	0	72.7	14.5	0.1	0.0

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions ( Spontaneous) Reported		Total Number of MTPs ( Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer			9	7	0	0	1,175	1,347	183	157	20.1	10.6
1	Ajmer			1	1	0	0	526	685	43	32	22.6	4.7
2	Ajmer Urban												
3	Arain			0	1	0	0	23	14	0	0	0.0	0.0
4	Beawar												
5	Bhinai			0	1	0	0	15	8	0	0	0.0	0.0
6	Bhinay												
7	Jawaja			0	0	0	0	3	1	0	0	0.0	0.0
8	Kekri			2	0	0	0	238	242	46	39	16.2	13.9
9	Kishangarh			0	2	0	0	181	220	26	16	12.6	6.8
10	Masooda			0	1	0	0	64	80	34	45	36.0	36.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan			3	0	0	0	32	43	32	21	50.0	32.8
15	Sarwar												
16	Srinagar			3	1	0	0	93	54	2	4	2.1	6.9

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	100.0	95.5	0.0	4.5	61.8	98.7	38.2	1.3	0.8	0.8	15	18
1	Ajmer	100.0	100.0	0.0	0.0	27.9	94.1	72.1	5.9	0.5	0.5	7	11
2	Ajmer Urban												
3	Arain									0.0	0.0	0	2
4	Beawar												
5	Bhinai									0.0	0.0	0	0
6	Bhinay												
7	Jawaja									0.0	0.0	0	0
8	Kekri	100.0	89.7	0.0	10.3	100.0	100.0	0.0	0.0	3.6	3.1	0	0
9	Kishangarh	100.0	100.0	0.0	0.0	100.0	100.0	0.0	0.0	1.0	0.5	3	2
10	Masooda	100.0	100.0	0.0	0.0	94.4	100.0	5.6	0.0	1.5	2.1	1	0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	100.0	90.5	0.0	9.5	100.0	100.0	0.0	0.0	1.5	1.0	0	0
15	Sarwar												
16	Srinagar	100.0	75.0	0.0	25.0	100.0	100.0	0.0	0.0	0.1	0.2	4	3

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	3,338	3,280	3,353	3,298	0.4	0.5	99.6	99.5				
1	Ajmer	1,499	1,447	1,506	1,458	0.5	0.8	99.5	99.2				
2	Ajmer Urban												
3	Arain	170	171	170	173	0.0	1.2	100.0	98.8				
4	Beawar												
5	Bhinai	195	185	195	185	0.0	0.0	100.0	100.0				
6	Bhinay												
7	Jawaja	108	97	108	97	0.0	0.0	100.0	100.0				
8	Kekri	101	87	101	87	0.0	0.0	100.0	100.0				
9	Kishangarh	561	583	564	585	0.5	0.3	99.5	99.7				
10	Masooda	265	314	266	314	0.4	0.0	99.6	100.0				
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	263	233	263	233	0.0	0.0	100.0	100.0				
15	Sarwar												
16	Srinagar	176	163	180	166	2.2	1.8	97.8	98.2				

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer					1,003	1,042	2,350	2,256	29.9	31.6	70.1	68.4
1	Ajmer					993	979	513	479	65.9	67.1	34.1	32.9
2	Ajmer Urban												
3	Arain					0	0	170	173	0.0	0.0	100.0	100.0
4	Beawar												
5	Bhinai					0	0	195	185	0.0	0.0	100.0	100.0
6	Bhinay												
7	Jawaja					0	0	108	97	0.0	0.0	100.0	100.0
8	Kekri					0	0	101	87	0.0	0.0	100.0	100.0
9	Kishangarh					0	53	564	532	0.0	9.1	100.0	90.9
10	Masooda					10	10	256	304	3.8	3.2	96.2	96.8
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan					0	0	263	233	0.0	0.0	100.0	100.0
15	Sarwar												
16	Srinagar					0	0	180	166	0.0	0.0	100.0	100.0

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	80.5	85.7	1.3	1.7	17.4	12.4	0.7	0.1	68.6	67.8	90.9	87.3
1	Ajmer	59.1	70.0	2.3	3.7	37.2	25.9	1.5	0.3	5.3	16.7	91.2	88.9
2	Ajmer Urban												
3	Arain	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Beawar												
5	Bhinai	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
6	Bhinay												
7	Jawaja	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
8	Kekri	84.2	100.0	8.9	0.0	5.0	0.0	2.0	0.0	100.0	100.0	100.0	
9	Kishangarh	96.6	94.9	0.0	0.0	3.4	5.1	0.0	0.0	100.0	90.4		
10	Masooda	98.9	99.7	0.4	0.3	0.8	0.0	0.0	0.0	97.7	97.1	0.0	0.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0		
15	Sarwar												
16	Srinagar	100.0	97.5	0.0	0.0	0.0	2.5	0.0	0.0	100.0	100.0		



Indicators		97		98		99		100		101		102	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	74.6	70.4	100.0	100.0	0	0	0	0	0	0	0	0
1	Ajmer	73.8	67.7	100.0	100.0	0	0	0	0	0	0	0	0
2	Ajmer Urban												
3	Arain					0	0	0	0	0	0	0	0
4	Beawar												
5	Bhinai					0	0	0	0	0	0	0	0
6	Bhinay												
7	Jawaja					0	0	0	0	0	0	0	0
8	Kekri	100.0		100.0		0	0	0	0	0	0	0	0
9	Kishangarh	100.0	100.0			0	0	0	0	0	0	0	0
10	Masooda	0.0				0	0	0	0	0	0	0	0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan					0	0	0	0	0	0	0	0
15	Sarwar												
16	Srinagar		100.0			0	0	0	0	0	0	0	0

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	6	7	0	0	10	4	4,427	3,305	458	33	46.6	42.8
1	Ajmer	0	2	0	0	0	0	1,328	677	452	0	83.6	42.5
2	Ajmer Urban												
3	Arain	0	2	0	0	5	0	362	240	0	0	16.9	41.7
4	Beawar												
5	Bhinai	0	0	0	0	0	0	242	145	0	0	22.3	17.9
6	Bhinay												
7	Jawaja	0	0	0	0	0	0	293	299	0	0	10.6	45.5
8	Kekri	0	1	0	0	0	0	329	361	0	0	23.4	62.6
9	Kishangarh	4	2	0	0	0	0	656	509	0	26	49.4	48.9
10	Masooda	0	0	0	0	1	1	396	341	6	7	37.1	32.0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	1	0	0	0	2	2	351	425	0	0	26.5	44.0
15	Sarwar												
16	Srinagar	1	0	0	0	2	1	470	308	0	0	35.3	31.2

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods ( IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	17.5	12.5	59.2	50.3	2,733	1,915	2,063	1,421	89	2	55,730	57,145
1	Ajmer	18.7	5.1	54.2	31.7	633	389	1,110	288	37	0	8,162	6,408
2	Ajmer Urban												
3	Arain	20.5	26.5	68.0	58.1	287	140	61	100	14	0	4,720	6,161
4	Beawar												
5	Bhinai	16.7	8.3	55.4	43.9	188	119	54	26	0	0	4,438	5,561
6	Bhinay												
7	Jawaja	7.2	32.9	73.1	75.5	262	163	31	136	0	0	3,012	3,131
8	Kekri	7.0	22.6	76.5	80.6	216	133	77	226	36	2	3,358	3,694
9	Kishangarh	22.5	18.2	53.8	47.8	332	286	324	249	0	0	6,109	7,210
10	Masooda	19.9	13.0	60.2	52.6	255	235	147	113	0	0	6,573	6,343
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	11.8	22.5	57.2	64.6	256	238	93	187	2	0	6,131	8,519
15	Sarwar												
16	Srinagar	23.6	17.5	72.3	65.0	304	212	166	96	0	0	13,227	10,118

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman ( weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	583	817	499,777	506,952	190	900	141	0	47	0	15	0
1	Ajmer	135	279	64,681	51,460	0	0	94	0	47	0	15	0
2	Ajmer Urban												
3	Arain	5	16	34,145	44,071	0	30	2	0	0	0	0	0
4	Beawar												
5	Bhinai	71	110	40,528	52,431	50	7	0	0	0	0	0	0
6	Bhinay												
7	Jawaja	65	47	32,172	33,411	0	5	0	0	0	0	0	0
8	Kekri	9	55	22,136	25,688	4	480	0	0	0	0	0	0
9	Kishangarh	23	75	63,509	69,150	20	342	15	0	0	0	0	0
10	Masooda	33	69	54,847	60,024	0	3	27	0	0	0	0	0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	159	150	43,221	56,851	70	3	2	0	0	0	0	0
15	Sarwar												
16	Srinagar	83	16	144,538	113,866	46	30	1	0	0	0	0	0

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	0	0	4,328	6,398	15,392	12,597	17,239	14,761	14,957	11,872	112.1	96.2
1	Ajmer	0	0	2,302	2,743	10,066	7,358	10,615	8,073	9,698	6,904	135.1	106.1
2	Ajmer Urban												
3	Arain	0	0	200	364	269	360	296	379	276	361	85.4	93.3
4	Beawar												
5	Bhinai	0	0	189	303	269	251	409	351	258	229	83.8	79.7
6	Bhinay												
7	Jawaja	0	0	0	84	365	376	420	379	372	305	79.9	84.9
8	Kekri	0	0	172	511	989	905	1,254	1,100	988	887	90.6	90.0
9	Kishangarh	0	0	143	1,263	1,598	1,617	1,640	1,710	1,607	1,596	94.9	98.3
10	Masooda	0	0	37	327	600	641	871	1,002	599	598	65.7	65.9
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0	0	683	547	639	643	851	971	632	610	80.3	76.9
15	Sarwar												
16	Srinagar	0	0	602	256	597	446	883	796	527	382	85.2	80.8

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	125.6	112.8	109.0	90.7	0	0	0	0	0	0	12,267	12,106
1	Ajmer	142.5	116.4	130.2	99.5	0	0	0	0	0	0	2,672	2,771
2	Ajmer Urban												
3	Arain	94.0	98.2	87.6	93.5	0	0	0	0	0	0	830	839
4	Beawar												
5	Bhinai	127.4	111.4	80.4	72.7	0	0	0	0	0	0	796	731
6	Bhinay												
7	Jawaja	91.9	85.6	81.4	68.8	0	0	0	0	0	0	1,051	1,018
8	Kekri	114.8	109.5	90.5	88.3	0	0	0	0	0	0	826	879
9	Kishangarh	97.4	104.0	95.5	97.0	0	0	0	0	0	0	1,637	1,716
10	Masooda	95.4	103.1	65.6	61.5	0	0	0	0	0	0	1,140	1,149
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	106.9	116.1	79.4	73.0	0	0	0	0	0	0	1,713	1,590
15	Sarwar												
16	Srinagar	126.0	144.2	75.2	69.2	0	0	0	0	0	0	1,602	1,413

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	12,279	12,182	12,831	12,598	13,819	14,174	0	0	100.6	108.2	13,780	14,043
1	Ajmer	2,678	2,724	2,706	2,894	3,007	3,180	0	0	40.4	45.8	2,998	3,126
2	Ajmer Urban												
3	Arain	889	851	996	907	1,127	1,085	0	0	357.8	281.1	1,126	1,085
4	Beawar												
5	Bhinai	870	808	894	822	897	931	0	0	279.4	295.6	900	927
6	Bhinay												
7	Jawaja	1,070	1,029	1,076	1,034	1,183	1,075	0	0	258.9	242.7	1,180	1,075
8	Kekri	815	907	960	965	1,086	1,162	0	0	99.5	115.6	1,085	1,162
9	Kishangarh	1,573	1,649	1,570	1,610	1,695	1,989	0	0	100.7	120.9	1,695	1,988
10	Masooda	1,217	1,106	1,278	1,180	1,362	1,324	0	0	149.2	136.2	1,359	1,307
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	1,688	1,593	1,757	1,648	1,785	1,759	0	0	224.2	210.4	1,781	1,715
15	Sarwar												
16	Srinagar	1,479	1,515	1,594	1,538	1,677	1,669	0	0	239.2	302.4	1,656	1,658

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abcess )		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	19.8	4.0	105.4	104.2	105.2	92.0	0	0	0	0	0	0
1	Ajmer	71.7	60.6	37.4	43.9	64.5	62.8	0	0	0	0	0	0
2	Ajmer Urban												
3	Arain	-280.7	-186.3	424.1	288.6	45.3	85.2	0	0	0	0	0	0
4	Beawar												
5	Bhinai	-119.3	-165.2	279.8	311.7	33.0	196.1	0	0	0	0	0	0
6	Bhinay												
7	Jawaja	-181.7	-183.6	251.2	243.1	108.0	151.8	0	0	0	0	0	0
8	Kekri	13.4	-5.6	111.4	102.7	180.1	115.6	0	0	0	0	0	0
9	Kishangarh	-3.4	-16.3	97.9	108.9	220.0	58.1	0	0	0	0	0	0
10	Masooda	-56.4	-32.1	188.6	127.4	91.2	35.3	0	0	0	0	0	0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	-109.8	-81.2	256.8	201.4	129.1	90.7	0	0	0	0	0	0
15	Sarwar												
16	Srinagar	-89.9	-109.7	238.4	304.2	75.5	115.4	0	0	0	0	0	0



Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	97.8	98.9	65.1	66.7	203	166	135	14	33	4	0	9
1	Ajmer	94.7	98.1	52.5	47.9	122	104	6	14	5	4	0	9
2	Ajmer Urban												
3	Arain	99.4	99.4	73.9	76.0	5	6	0	0	0	0	0	0
4	Beawar												
5	Bhinai	98.6	99.2	73.1	72.3	6	0	0	0	0	0	0	0
6	Bhinay												
7	Jawaja	100.0	100.0	63.1	58.3	0	0	0	0	0	0	0	0
8	Kekri	97.4	100.3	67.9	76.3	18	0	44	0	0	0	0	0
9	Kishangarh	95.8	100.3	66.8	73.2	1	31	24	0	26	0	0	0
10	Masooda	99.0	99.1	59.9	59.6	1	17	36	0	1	0	0	0
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	99.4	98.3	70.4	73.6	15	0	21	0	0	0	0	0
15	Sarwar												
16	Srinagar	99.5	95.5	69.6	70.0	35	8	4	0	1	0	0	0

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	1	0	0	0	16	2	16	2	18	13	203	166
1	Ajmer	1	0	0	0	5	2	5	2	15	8	122	104
2	Ajmer Urban												
3	Arain	0	0	0	0	0	0	0	0	0	0	5	6
4	Beawar												
5	Bhinai	0	0	0	0	0	0	0	0	0	5	6	0
6	Bhinay												
7	Jawaja	0	0	0	0	0	0	0	0	0	0	0	0
8	Kekri	0	0	0	0	5	0	5	0	0	0	18	0
9	Kishangarh	0	0	0	0	3	0	3	0	0	0	1	31
10	Masooda	0	0	0	0	0	0	0	0	0	0	1	17
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0	0	0	0	0	0	0	0	3	0	15	0
15	Sarwar												
16	Srinagar	0	0	0	0	3	0	3	0	0	0	35	8

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	3,419	1,234	265	102	0	0	11,404	7,572	11,121	6,172	11,121	6,172
1	Ajmer	1,903	278	203	102	0	0	2,728	1,733	2,590	1,236	2,590	1,236
2	Ajmer Urban												
3	Arain	164	90	0	0	0	0	823	540	885	463	885	463
4	Beawar												
5	Bhinai	101	81	4	0	0	0	777	435	847	402	847	402
6	Bhinay												
7	Jawaja	12	38	0	0	0	0	839	1,008	795	1,012	795	1,012
8	Kekri	100	51	0	0	0	0	748	597	709	531	709	531
9	Kishangarh	499	88	28	0	0	0	1,390	825	1,339	496	1,339	496
10	Masooda	184	46	13	0	0	0	1,101	950	1,141	790	1,141	790
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	242	232	2	0	0	0	1,524	931	1,460	825	1,460	825
15	Sarwar												
16	Srinagar	214	330	15	0	0	0	1,474	553	1,355	417	1,355	417

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	11,417	11,372	0	0	77.0	76.0	24.6	23.1	52.1	37.0	0.3	0.4
1	Ajmer	2,545	2,528	0	0	81.1	80.5	25.5	18.2	50.0	37.3	0.4	0.6
2	Ajmer Urban												
3	Arain	877	813	0	0	65.9	68.6	14.3	16.4			0.0	0.0
4	Beawar												
5	Bhinai	705	902	0	0	72.5	72.7	16.9	17.6			0.0	0.0
6	Bhinay												
7	Jawaja	909	791	0	0	96.9	91.4	46.4	44.6	100.0		0.1	0.0
8	Kekri	996	963	0	0	71.7	72.9	27.3	28.9	80.0	31.3	0.1	0.3
9	Kishangarh	1,404	1,374	0	0	74.6	75.5	26.5	27.7	45.8	40.0	0.3	0.3
10	Masooda	1,087	1,180	0	0	76.9	69.9	16.8	23.6	100.0	42.9	0.1	0.2
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	1,453	1,341	0	0	74.5	69.9	16.7	23.1	100.0	33.3	0.0	0.1
15	Sarwar												
16	Srinagar	1,441	1,480	0	0	72.4	66.9	33.0	38.7	0.0	25.0	0.0	0.1

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	57,396	57,348	1,080,405	971,679	28,566	19,269	1,108,971	990,948	5.2	5.8	2,908	2,965
1	Ajmer	25,857	24,828	363,952	320,999	1,615	1,754	365,567	322,753	7.1	7.7	2,087	2,199
2	Ajmer Urban												
3	Arain	2,880	3,014	59,220	50,500	1,423	2,474	60,643	52,974	4.7	5.7	0	0
4	Beawar												
5	Bhinai	2,066	2,207	54,057	49,954	2,620	2,188	56,677	52,142	3.6	4.2	2	6
6	Bhinay												
7	Jawaja	854	883	29,796	26,100	1,772	1,061	31,568	27,161	2.7	3.3	0	0
8	Kekri	4,012	5,980	95,396	90,558	6,827	1,937	102,223	92,495	3.9	6.5	166	67
9	Kishangarh	8,547	8,268	142,616	115,836	3,393	914	146,009	116,750	5.9	7.1	582	614
10	Masooda	4,023	3,661	83,379	77,859	3,891	4,409	87,270	82,268	4.6	4.5	50	47
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	4,180	4,564	112,623	117,930	4,199	3,253	116,822	121,183	3.6	3.8	0	0
15	Sarwar												
16	Srinagar	4,977	3,943	139,366	121,943	2,826	1,279	142,192	123,222	3.5	3.2	21	32

## Performance of Key HMIS Indicators for Rajasthan-&gt; Ajmer ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	7,221	7,902	28.7	27.3	440	539	15.1	18.1	2.5	1.9	18,713	13,569
1	Ajmer	6,603	7,154	24.0	23.5	59	94	2.8	4.3	0.4	0.5	7,019	5,943
2	Ajmer Urban												
3	Arain	45	55	0.0	0.0	0	0			2.3	4.7	135	90
4	Beawar												
5	Bhinai	33	49	5.7	10.9	0	0	0.0	0.0	4.6	4.2	524	180
6	Bhinay												
7	Jawaja	0	0			0	0			5.6	3.9	139	44
8	Kekri	63	26	72.5	72.0	0	0	0.0	0.0	6.7	2.1	1,205	1,492
9	Kishangarh	299	448	66.1	57.8	381	445	65.5	72.5	2.3	0.8	3,488	2,541
10	Masooda	0	12	100.0	79.7	0	0	0.0	0.0	4.5	5.4	1,685	1,042
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	41	157	0.0	0.0	0	0			3.6	2.7	2,316	689
15	Sarwar												
16	Srinagar	137	1	13.3	97.0	0	0	0.0	0.0	2.0	1.0	2,202	1,548

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	1.7	1.4	3.5	3.8	1.2	1.0	42.7	32.7	0.6	0.6	0.9	0.7
1	Ajmer	1.9	1.8	6.8	7.7	1.7	1.4	50.7	37.5	1.1	0.9	1.5	1.1
2	Ajmer Urban												
3	Arain	0.2	0.2	3.3	2.4	0.0	0.0	13.0	3.8	0.0	0.0	0.0	0.0
4	Beawar												
5	Bhinai	0.9	0.3	3.3	2.5	0.0	0.0	46.1	24.1	0.0	0.0	0.0	0.0
6	Bhinay												
7	Jawaja	0.4	0.2	3.4	3.6	0.0	0.0	0.9	2.2	0.0	0.0	0.0	0.0
8	Kekri	1.2	1.6	1.7	1.5	0.9	2.3	36.9	30.3	0.0	0.3	0.4	0.9
9	Kishangarh	2.4	2.2	2.3	2.9	0.5	0.8	49.5	39.5	0.2	0.7	0.3	0.7
10	Masooda	1.9	1.3	1.7	1.1	0.3	0.3	44.8	41.2	0.1	0.2	0.2	0.3
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	2.0	0.6	1.5	1.3	0.2	0.7	58.7	45.6	0.2	0.4	0.2	0.5
15	Sarwar												
16	Srinagar	1.5	1.3	1.9	2.0	0.2	0.2	31.7	31.6	0.0	0.2	0.1	0.2

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	0.1	0.1	0.0	0.0	163	129	2.5	4.7	0.0	0.0	0.6	9.3
1	Ajmer	0.1	0.1	0.0	0.0	3	14	33.3	7.1	0.0	0.0	0.0	0.0
2	Ajmer Urban												
3	Arain	0.0	0.0	0.0	0.0	13	20	0.0	0.0	0.0	0.0	0.0	15.0
4	Beawar												
5	Bhinai	0.0	0.0	0.0	0.0	17	5	0.0	0.0	0.0	0.0	0.0	0.0
6	Bhinay												
7	Jawaja	0.0	0.0	0.0	0.0	12	4	0.0	0.0	0.0	0.0	0.0	50.0
8	Kekri	0.0	0.1	0.0	0.0	25	26	0.0	3.8	0.0	0.0	0.0	15.4
9	Kishangarh	0.1	0.1	0.0	0.0	20	20	10.0	10.0	0.0	0.0	5.0	5.0
10	Masooda	0.0	0.0	0.0	0.0	24	8	0.0	0.0	0.0	0.0	0.0	12.5
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0.1	0.0	0.0	0.0	32	18	0.0	5.6	0.0	0.0	0.0	5.6
15	Sarwar												
16	Srinagar	0.0	0.0	0.0	0.0	17	14	5.9	7.1	0.0	0.0	0.0	0.0



Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Ajmer	0.0	0.0	0.0	1.6	0.0	0.0	7,386	6,891				
1	Ajmer	0.0	0.0	0.0	7.1	0.0	0.0	5,458	5,095				
2	Ajmer Urban												
3	Arain	0.0	0.0	0.0	0.0	0.0	0.0	0	0				
4	Beawar												
5	Bhinai	0.0	0.0	0.0	0.0	0.0	0.0	0	0				
6	Bhinay												
7	Jawaja	0.0	0.0	0.0	0.0	0.0	0.0	0	0				
8	Kekri	0.0	0.0	0.0	0.0	0.0	0.0	0	3				
9	Kishangarh	0.0	0.0	0.0	5.0	0.0	0.0	1,462	1,443				
10	Masooda	0.0	0.0	0.0	0.0	0.0	0.0	173	136				
11	Masuda												
12	Nasirabad												
13	Peesangan												
14	Pisangan	0.0	0.0	0.0	0.0	0.0	0.0	0	0				
15	Sarwar												
16	Srinagar	0.0	0.0	0.0	0.0	0.0	0.0	293	214				