

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2009-10

Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	925,761	707,466	106.9	126.5	27,609	12,481	97.1	98.3	586,558	538,865	1,049,317	989,519
1	Araria	21,026	17,309	81.2	82.5	176		99.2	100.0	20,082	14,502	24,261	18,968
2	Arwal	7,163	8,285	98.2	175.3	137	1,118	98.1	88.1	6,355	6,951	10,597	11,254
3	Aurangabad	25,449	11,943	91.5	49.2	516	109	98.0	99.1	18,482	4,282	34,021	19,108
4	Banka	20,972	21,251	97.1	97.9	619	455	97.1	97.9	19,793	21,251	22,767	21,025
5	Begusarai	25,878	12,121	88.3	49.0	2,466	49	91.3	99.6	12,875	2,681	29,128	23,105
6	Bhagalpur	25,700	35,229	95.4	84.4	576	539	97.8	98.5	16,674	25,458	38,315	40,858
7	Bhojpur	10,785	3,189	85.7	10.3	149	290	98.6	91.7	7,039	3,189	12,858	25,997
8	Buxar	10,442	8,067	99.5	298.3	49	83	99.5	99.0	5,412	4,760	7,868	14,968
9	Darbhanga	24,990	23,359	81.3	355.0	183		99.3	100.0	20,791	10,853	38,936	34,884
10	East Champaran	45,350	37,970	125.8	83.5	46	8	99.9	100.0	42,220	25,721	64,818	36,113
11	Gaya	34,965	26,777	112.0	87.1	6,136	479	85.1	98.2	23,386	11,065	35,458	19,660
12	Gopalganj	28,062	27,685	89.9	475.0	414	252	98.5	99.1	14,717	27,510	12,539	12,243
13	Jamui	15,722	13,783	200.3	104.8	210	341	98.7	97.6	8,148	12,765	17,335	10,877
14	Jehanabad	6,766		42.5	0.0	140		98.0		1,965		19,225	17,565
15	Kaimur Bhabua	14,239	1,979	84.4	13.9	115	1,979	99.2	50.0	14,434	1,979	16,604	17,521
16	Katihar	12,501	19,580	75.7	311.5	594	265	95.5	98.7	8,676	11,875	20,965	18,774
17	Khagaria	23,691	24,081	128.2	387.0	396	322	98.4	98.7	22,303	13,832	27,350	13,832
18	Kishanganj	12,012	15,104	216.7	1282.2	870	664	93.2	95.8	11,062	14,372	15,259	7,490
19	Lakhisarai	9,048	11,194	99.6	76.4	185	185	98.0	98.4	7,789	1,953	10,332	17,394
20	Madhepura	13,815	10,512	97.2	1040.8	443		96.9	100.0	10,462		32,173	18,668
21	Madhubani	33,112	43,631	76.9	181.5	193	281	99.4	99.4	29,868	45,305	47,557	46,503
22	Munger	15,758	7,275	94.2	43.7	370	323	97.7	95.7	14,222	1,803	18,873	17,581
23	Muzaffarpur	4,970		17.8	0.0	747	135	86.9	0.0	2,200	10,308	9,945	
24	Nalanda	24,006	33,199	84.1	516.9	1,792	320	93.1	99.0	21,167	33,199	25,135	23,062
25	Nawada	2,020		11.0		536	418	79.0	0.0	1,628	11,521	20,986	56,663
26	Patna	24,798	31,355	124.4	81.5	445	33	98.2	99.9	20,557	29,941	29,655	68,984
27	Purnia	38,208	37,613	211.8	430.8	1,334	676	96.6	98.2	36,130	30,262	52,862	40,614
28	Rohtas	27,901	35,772	96.3	101.7	693	82	97.6	99.8	26,629	29,169	36,072	33,146
29	Saharsa	24,331	8,257	82.6	105.7	502	511	98.0	94.2	22,128	6,863	27,250	20,164
30	Samastipur	52,086	15,755	86.6	185.5	873	987	98.4	94.1	31,331	19,926	32,216	34,125
31	Saran	174,906	39,334	426.7	375.2	1,246	418	99.3	98.9	11,143		53,858	35,809
32	Sheikhpura	10,723	10,714	106.4	91.2	181	51	98.3	99.5	10,694	10,706	11,033	16,240
33	Sheohar	2,068	2,481	77.5	710.9	90	83	95.8	96.8	1,967	2,447	6,255	2,176
34	Sitamarhi	13,540	18,490	206.8	89.1	66	291	99.5	98.5	6,479	17,929	23,933	35,595
35	Siwan	17,110		63.8		1,261		93.1		10,978		51,147	44,501
36	Supaul	14,627	10,354	72.4	99.0	539	342	96.4	96.8		2,363	30,404	32,606

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	1,662,241	1,883,491	113.3	139.9	179.6	266.2	1,706,268	1,543,268	1,720,771	1,414,002	1,694,211	1,293,441
1	Araria	28,204	20,848	115.4	109.6	134.1	120.4	30,749	21,904	30,770	22,139	28,827	20,868
2	Arwal	10,915	12,645	147.9	135.8	152.4	152.6	10,543	8,559	10,819	9,444	10,846	9,448
3	Aurangabad	43,497	39,616	133.7	160.0	170.9	331.7	40,844	51,068	44,098	31,016	46,426	31,957
4	Banka	36,095	35,187	108.6	98.9	172.1	165.6	35,147	28,617	35,465	26,687	36,199	26,110
5	Begusarai	34,754	37,102	112.6	190.6	134.3	306.1	41,627	29,011	42,928	26,308	41,413	24,227
6	Bhagalpur	53,647	58,269	149.1	116.0	208.7	165.4	51,401	45,984	51,459	43,099	52,361	40,851
7	Bhojpur	18,695	45,829	119.2	815.2	173.3	1437.1	15,778	36,947	13,788	33,228	14,016	30,339
8	Buxar	29,876	31,964	75.3	185.5	286.1	396.2	30,783	25,681	31,369	22,952	30,696	20,675
9	Darbhanga	75,423	70,866	155.8	149.3	301.8	303.4	74,215	56,313	71,434	50,806	66,780	47,325
10	East Champaran	80,152	81,009	142.9	95.1	176.7	213.4	81,794	83,966	78,174	90,526	74,366	40,340
11	Gaya	72,754	95,092	101.4	73.4	208.1	355.1	64,833	88,836	66,513	82,598	66,703	76,351
12	Gopalganj	42,176	33,761	44.7	44.2	150.3	121.9	45,678	30,972	49,087	27,635	49,586	24,244
13	Jamui	34,823	37,351	110.3	78.9	221.5	271.0	38,357	28,122	31,122	21,880	30,541	25,816
14	Jehanabad	22,003	22,944	284.1		325.2		19,052	16,156	19,063	14,617	19,144	14,035
15	Kaimur Bhabua	23,728	32,587	116.6	885.3	166.6	1646.6	23,941	23,521	24,896	21,178	24,376	19,417
16	Katihar	42,092	47,872	167.7	95.9	336.7	244.5	46,336	39,812	50,073	35,233	45,680	31,955
17	Khagaria	35,616	41,530	115.4	57.4	150.3	172.5	35,142	29,131	35,008	32,040	33,727	29,431
18	Kishanganj	29,794	30,636	127.0	49.6	248.0	202.8	32,579	24,643	31,251	18,377	28,099	14,051
19	Lakhisarai	16,766	18,098	114.2	155.4	185.3	161.7	15,444	10,977	15,065	10,043	14,382	8,746
20	Madhepura	37,457	32,975	232.9	177.6	271.1	313.7	39,255	28,496	40,610		40,481	
21	Madhubani	75,000	81,660	143.6	106.6	226.5	187.2	80,081	69,389	85,495	64,165	88,595	64,762
22	Munger	22,951	24,615	119.8	241.7	145.6	338.4	21,667	19,647	21,002	17,782	21,031	17,189
23	Muzaffarpur	79,294	100,464	200.1		1595.5		80,156	82,484	79,614	79,625	74,829	74,460
24	Nalanda	45,371	40,568	104.7	69.5	189.0	122.2	46,953	33,702	47,038	29,786	47,178	27,747
25	Nawada	30,142	105,493	1038.9		1492.2		33,389	58,279	36,762	77,740	36,126	95,154
26	Patna	43,878	94,484	119.6	220.0	176.9	301.3	44,017	88,716	43,505	87,314	42,299	76,338
27	Purnia	69,927	68,346	138.4	108.0	183.0	181.7	67,432	55,373	67,825	47,668	67,087	42,676
28	Rohtas	47,927	47,299	129.3	92.7	171.8	132.2	47,579	34,151	48,911	29,205	48,441	25,044
29	Saharsa	23,667	39,162	112.0	244.2	97.3	474.3	37,629	35,520	39,220	30,998	38,667	32,130
30	Samastipur	67,563	58,957	61.9	216.6	129.7	374.2	71,435	37,531	70,235	38,587	72,019	35,902
31	Saran	96,522	78,437	30.8	91.0	55.2	199.4	98,096	63,125	94,034	57,199	101,753	51,333
32	Sheikhpura	14,653	15,679	102.9	151.6	136.7	146.3	12,530	14,304	12,601	12,697	12,997	11,573
33	Sheohar	12,037	10,111	302.5	87.7	582.1	407.5	11,191	8,070	11,288	6,663	9,555	5,840
34	Sitamarhi	39,346	62,124	176.8	192.5	290.6	336.0	40,930	53,841	41,457	46,336	39,228	44,477
35	Siwan	58,838	65,028	298.9		343.9		69,384	60,953	72,076	63,587	70,235	61,977
36	Supaul	43,905	44,828	207.9	314.9	300.2	433.0	39,451	38,827	40,122	36,673	39,428	32,837

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
 Financial Year: 2009-10
 Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar							1,522,399	1,640,483	164.4	231.9	1,753,734	2,583,357
1	Araria							27,105	23,399	128.9	135.2	62,112	20,157
2	Arwal							11,976	12,902	167.2	155.7	13,267	22,896
3	Aurangabad							43,646	41,347	171.5	346.2	39,100	26,873
4	Banka							30,897	29,670	147.3	139.6	32,500	22,822
5	Begusarai							30,836	31,958	119.2	263.7	93,241	42,770
6	Bhagalpur							51,149	53,547	199.0	152.0	67,699	49,461
7	Bhojpur							15,913	44,297	147.5	1389.1	15,913	25,700
8	Buxar							28,682	29,091	274.7	360.6	28,682	49,250
9	Darbhanga							63,096	41,177	252.5	176.3	69,567	43,396
10	East Champaran							79,555	35,407	175.4	93.2	81,710	
11	Gaya							58,704	89,782	167.9	335.3	74,462	58,218
12	Gopalganj							42,835	37,849	152.6	136.7	42,461	37,849
13	Jamui							31,102	25,886	197.8	187.8	37,371	50,852
14	Jehanabad							19,626	22,553	290.1		6,027	
15	Kaimur Bhabua							20,813	22,776	146.2	1150.9	21,912	143,813
16	Katihar							33,532	50,524	268.2	258.0	68,939	36,051
17	Khagaria							32,963	34,327	139.1	142.5	47,132	126,187
18	Kishanganj							22,586	20,351	188.0	134.7	55,253	14,161
19	Lakhisarai							9,977	13,933	110.3	124.5	9,417	17,568
20	Madhepura							32,082	32,663	232.2	310.7	31,368	122,630
21	Madhubani							82,373	82,392	248.8	188.8	81,258	81,711
22	Munger							20,807	21,598	132.0	296.9	22,066	22,000
23	Muzaffarpur							67,271	90,356	1353.5		88,734	90,356
24	Nalanda							48,577	38,373	202.4	115.6	46,058	38,184
25	Nawada							30,763	100,969	1522.9		35,834	
26	Patna							37,072	71,077	149.5	226.7	66,745	561,334
27	Purnia							58,362	54,052	152.7	143.7	59,004	360,015
28	Rohtas							49,719	40,180	178.2	112.3	49,373	44,384
29	Saharsa							37,214	44,756	152.9	542.0	20,050	13,459
30	Samastipur							65,548	40,290	125.8	255.7	34,064	29,764
31	Saran							82,478	64,379	47.2	163.7	13,308	50,241
32	Sheikhpura							12,873	13,856	120.1	129.3	55,139	122,509
33	Sheohar							5,919	6,290	286.2	253.5	4,526	22,607
34	Sitamarhi							33,242	56,364	245.5	304.8	42,150	62,450
35	Siwan							59,633	66,269	348.5		96,586	60,048
36	Supaul							32,362	50,165	221.2	484.5	14,231	34,270

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	8.4	12.9	1,129,591	1,068,864	122.0	151.1	19.3	23.3	4,422	1,735	94.3	96.9
1	Araria	3.9	-12.2	25,433	22,606	121.0	130.6	6.5	0.0	5		92.5	99.8
2	Arwal	-9.7	-2.0	9,937	7,343	138.7	88.6	0.1	0.0	41		99.0	100.0
3	Aurangabad	-0.3	-4.4	32,832	21,183	129.0	177.4	0.2	0.0			93.7	96.8
4	Banka	14.4	15.7	29,205	17,775	139.3	83.6	98.3	0.0			101.9	100.0
5	Begusarai	11.3	13.9	19,940	17,324	77.1	142.9	61.3	58.9	547		101.5	95.7
6	Bhagalpur	4.7	8.1	25,726	55,888	100.1	158.6	0.0	36.7			98.3	97.0
7	Bhojpur	14.9	3.3	6,536	47,874	60.6	1501.2	9.6	273.7			72.5	84.3
8	Buxar	4.0	9.0	9,329	20,822	89.3	258.1	0.8	0.0		1,735	99.5	99.1
9	Darbhanga	16.3	41.9	32,808	33,930	131.3	145.3	2.2	5.3			90.9	
10	East Champaran	0.7	56.3	24,003		52.9	0.0	55.2				74.3	
11	Gaya	19.3	5.6	61,998	82,406	177.3	307.7	19.8	48.7			87.7	95.9
12	Gopalganj	-1.6	-12.1	36,295	30,446	129.3	110.0	0.0	0.0			100.0	87.5
13	Jamui	10.7	30.7	41,912	15,453	266.6	112.1	2.4	0.0			70.8	
14	Jehanabad	10.8	1.7	16,712	13,341	247.0		0.2	0.0			100.0	
15	Kaimur Bhabua	12.3	30.1	18,300	24,958	128.5	1261.1	0.0	0.0			98.9	98.5
16	Katihar	20.3	-5.5	18,713	35,376	149.7	180.7	166.3	0.0			78.8	100.0
17	Khagaria	7.4	17.3	16,300	20,139	68.8	83.6	1.3	0.2			96.8	100.0
18	Kishanganj	24.2	33.6	18,197	12,492	151.5	82.7	1.8	0.4			83.0	96.3
19	Lakhisarai	40.5	23.0	3,003	7,330	33.2	65.5	0.1	0.2			53.1	100.0
20	Madhepura	14.3	0.9	25,146		182.0	0.0	10.0				96.3	
21	Madhubani	-9.8	-0.9	69,392	74,219	209.6	170.1	0.0	0.0			94.4	99.2
22	Munger	9.3	12.3	15,956	9,044	101.3	124.3	0.0	1.4	2		98.2	97.1
23	Muzaffarpur	15.2	10.1	87,073	74,983	1752.0		3.2	0.0			95.8	
24	Nalanda	-7.1	5.4	22,640	24,804	94.3	74.7	0.0	0.0	3,796		99.9	92.9
25	Nawada	-2.1	4.3	18,937		937.5		0.0				112.6	
26	Patna	15.5	24.8	26,302	26,293	106.1	83.9	7.2	0.7			94.0	101.7
27	Purnia	16.5	20.9	46,520	43,461	121.8	115.5	57.9	53.7			91.3	85.4
28	Rohtas	-3.7	15.1	42,014	40,068	150.6	112.0	1.2	0.0			98.0	
29	Saharsa	-57.2	-14.3	35,661	12,328	146.6	149.3	0.4	0.0			94.3	
30	Samastipur	3.0	31.7	38,136	33,128	73.2	210.3	2.5	3.4			94.1	85.3
31	Saran	14.6	17.9	73,806	61,136	42.2	155.4	90.1	24.2			136.8	
32	Sheikhpura	12.1	11.6	8,072	17,724	75.3	165.4	2.7	3.4			95.5	96.7
33	Sheohar	50.8	37.8	5,656	4,833	273.5	194.8	7.1	0.0			104.7	
34	Sitamarhi	15.5	9.3	17,419	33,090	128.6	179.0	6.1	0.0	31		89.1	100.0
35	Siwan	-1.4	-1.9	68,106	40,837	398.0		11.6	0.0			95.9	91.1
36	Supaul	26.3	-11.9	14,333	21,804	98.0	210.6	0.0	0.1			87.7	77.2

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	65.1	68.3	2.3	0.6	0.1	1.2	1.1	0.9	0.4	0.6	0.1	0.0
1	Araria	51.1	45.9	0.0		0.0		0.0		0.0		0.0	
2	Arwal	85.8	97.7	0.0		0.0		0.0		0.0		0.0	
3	Aurangabad	76.9	0.0	0.1		0.0		0.0		1.1		0.0	
4	Banka	95.2	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Begusarai	70.5	76.7	0.0	0.0	0.4	0.0	0.1	0.0	0.6	0.0	1.0	0.0
6	Bhagalpur	22.1	34.9										
7	Bhojpur	31.9	93.0										
8	Buxar	81.0	77.6										
9	Darbhanga	45.4		0.0		0.0		0.0		0.0		0.7	
10	East Champaran	46.9		0.0		0.0		0.0		0.0		0.0	
11	Gaya	82.9	94.7	0.0	0.0	1.8	0.0	0.2	0.8	4.3	9.4	0.0	0.0
12	Gopalganj	0.0	0.0										
13	Jamui	86.4		42.0	0.0	0.0	0.0	21.3	0.0	0.0	0.0	0.0	0.0
14	Jehanabad	35.2											
15	Kaimur Bhabua	94.6	86.8	0.0		0.0		0.0		0.0		0.0	
16	Katihar	50.7	100.0	0.0		0.0		0.0		0.0		0.0	
17	Khagaria	49.3	11.5	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0
18	Kishanganj	63.7	57.8	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0
19	Lakhisarai	33.3	0.0	56.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	63.3		2.8		0.0		0.0		0.0		1.5	
21	Madhubani	71.4	22.1	0.6		0.0		0.0		0.5		0.0	
22	Munger	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur	97.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
24	Nalanda	88.6	86.2	0.0		0.0		0.0		0.0		0.0	
25	Nawada	70.9		0.0		0.0		0.0		0.0		0.0	
26	Patna	65.7	100.4	0.0	15.0	0.0	46.1	0.0	29.0	0.0	0.0	0.0	0.0
27	Purnia	72.0	49.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	Rohtas	68.5		0.0		0.0		0.0		0.0		0.0	
29	Saharsa	36.0		0.5	4.7	0.0	0.0	0.1	0.0	0.5	0.2	0.0	0.2
30	Samastipur	20.7	19.4	0.0		0.0		0.0		0.0		0.0	
31	Saran	127.2		0.0		0.0		0.0		0.0		0.0	
32	Sheikhpura	61.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	197.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	83.5	100.0	0.0	0.0	0.0	0.0	6.8	0.9	3.0	0.0	0.0	0.0
35	Siwan	57.6	0.0	0.1		0.3		0.0		0.0		0.0	
36	Supaul	55.1	38.6	0.0		0.0		0.0		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	13.1	6.0	73.5	87.3	9.3	3.3	409	245	2.8	0.0	11.9	0.0
1	Araria	4.1		95.9		0.0							
2	Arwal	16.7		41.7		41.7		32	9	0.0	0.0	0.0	0.0
3	Aurangabad	1.3		32.4		65.1		9		0.0		0.0	
4	Banka	0.0	0.0	91.4	100.0	8.6	0.0						
5	Begusarai	37.0	0.0	53.2	100.0	7.8	0.0	27					
6	Bhagalpur								89		0.0		0.0
7	Bhojpur												
8	Buxar												
9	Darbhanga	0.2		88.9		10.1		8					
10	East Champaran	0.0		100.0		0.0							
11	Gaya	56.2	30.7	27.3	39.6	10.3	19.6	28		0.0		100.0	
12	Gopalganj												
13	Jamui	2.7	17.9	32.4	62.5	1.5	19.6						
14	Jehanabad												
15	Kaimur Bhabua	49.2		8.2		42.6		32					
16	Katihar	3.9		92.7		3.4		6		0.0		16.7	
17	Khagaria	1.5	0.0	96.8	7.9	0.9	86.6	51					
18	Kishanganj	0.0	0.1	83.2	99.9	12.4	0.0	2					
19	Lakhisarai	0.0	22.2	43.3	77.8	0.0	0.0		25		0.0		0.0
20	Madhepura	3.3		92.5		0.0		29					
21	Madhubani	0.3		38.4		60.2							
22	Munger	0.0	0.0	94.1	100.0	5.9	0.0	18		0.0		17.6	
23	Muzaffarpur	7.4	0.0	65.3	100.0	26.9	0.0	7					
24	Nalanda	0.8		60.0		39.1							
25	Nawada	0.0		96.6		3.4		2		0.0		0.0	
26	Patna	64.7	0.0	32.2	0.0	3.1	9.8	1		0.0		0.0	
27	Purnia	0.0	0.0	99.3	99.2	0.7	0.8	73	9	60.0	0.0	0.0	0.0
28	Rohtas	0.0		80.0		20.0		19	79	0.0	0.0	0.0	0.0
29	Saharsa	0.0	0.4	98.6	94.5	0.4	0.0						
30	Samastipur	17.4		82.6		0.0		8		0.0		0.0	
31	Saran	0.0		100.0		0.0							
32	Sheikhpura	0.0	0.0	100.0	100.0	0.0	0.0						
33	Sheohar	24.3	43.3	75.7	55.5	0.0	1.2	14					
34	Sitamarhi	20.7	0.0	69.3	99.1	0.2	0.0	30		0.0		0.0	
35	Siwan	64.0		17.0		18.6		3					
36	Supaul	0.0		80.0		20.0							

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	9.2	1.6	7.3	0.0	0.0	10.2	0.0	0.0	0.0	0.8	68.8	87.3
1	Araria												
2	Arwal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
3	Aurangabad	0.0		0.0		0.0		0.0		0.0		100.0	
4	Banka												
5	Begusarai												
6	Bhagalpur		0.0		0.0		0.0		0.0		0.0		100.0
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran												
11	Gaya	0.0		0.0		0.0		0.0		0.0		0.0	
12	Gopalganj												
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua												
16	Katihar	0.0		33.3		0.0		0.0		0.0		50.0	
17	Khagaria												
18	Kishanganj												
19	Lakhisarai		0.0		0.0		100.0		0.0		0.0		0.0
20	Madhepura												
21	Madhubani												
22	Munger	35.3		5.9		0.0		0.0		0.0		41.2	
23	Muzaffarpur												
24	Nalanda												
25	Nawada	0.0		0.0		0.0		0.0		0.0		100.0	
26	Patna	0.0		0.0		0.0		0.0		0.0		100.0	
27	Purnia	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	100.0
28	Rohtas	14.3	5.1	35.7	0.0	0.0	0.0	0.0	0.0	0.0	2.5	50.0	92.4
29	Saharsa												
30	Samastipur	12.5		0.0		0.0		0.0		0.0		87.5	
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi	0.0		0.0		0.0		0.0		0.0		100.0	
35	Siwan												
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	33,394	48,109	99.1	273.4	392	392	98.8	99.2	32,945	48,109	54,190	49,649
38	West Champaran	23,627	35,709	61.3	338.4	1,929		92.5	100.0	13,827	24,015	27,137	31,797

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	66,845	57,647	162.3	103.2	200.2	119.8	70,119	42,600	71,288	39,065	69,627	33,847
38	West Champaran	55,908	62,408	114.9	89.0	236.6	174.8	60,731	38,040	65,306	29,106	60,467	23,969

Performance of Key HMIS Indicators for Bihar (Across Districts)
 Financial Year: 2009-10
 Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali							62,523	50,359	187.2	104.7	61,700	48,111
38	West Champaran							48,588	55,319	205.6	154.9	64,775	31,260

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	6.5	12.6	47,934	48,652	143.5	101.1	4.7	8.7			96.9	96.5
38	West Champaran	13.1	11.4	19,309	15,774	81.7	44.2	9.7	8.2			96.9	86.1

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	89.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	57.9	86.1	0.0		0.0		0.0		0.0		0.0	

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	0.0	0.0	95.1	100.0	4.9	0.0	2	34		0.0		0.0
38	West Champaran	38.7		37.8		23.6		8					

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali		0.0		0.0		0.0		0.0		0.0		100.0
38	West Champaran												