

## Performance of Key HMIS Indicators for Bihar ( Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	552,678	478,696	83.6	96.4	12,002	13,331	97.9	97.3	468,992	353,104	701,670	612,936
1	Araria	12,020	12,900	64.6	93.6	443	51	96.4	99.6	10,660	12,901	20,599	13,743
2	Arwal	4,369	4,326	97.8	95.3	100	83	97.8	98.1	4,337	3,534	7,055	6,165
3	Aurangabad	11,185	15,434	60.1	101.2	327	313	97.2	98.0	10,686	10,467	22,723	17,921
4	Banka	12,471	11,943	93.4	96.8	471	395	96.4	96.8	10,938	11,943	11,884	14,024
5	Begusarai	18,479	15,520	80.5	91.3	526	2,392	97.2	86.6	13,476	7,327	24,695	17,632
6	Bhagalpur	10,333	18,048	76.1	98.0	340	375	96.8	98.0	10,432	10,946	16,698	25,520
7	Bhojpur	14,590	4,008	74.8	88.6	350	45	97.7	98.9	12,066	3,454	20,982	4,249
8	Buxar	8,063	5,367	98.6	99.2	227	44	97.3	99.2	5,577	2,783	5,818	4,156
9	Darbhanga	9,476	14,708	54.0	86.6	370	12	96.2	99.9	8,699	13,183	20,634	19,569
10	East Champaran	18,037	34,598	83.2	140.3	301	1	98.4	100.0	17,561	31,798	22,086	46,080
11	Gaya	15,718	23,216	70.8	131.9	970	631	94.2	97.4	15,423	18,376	18,971	22,073
12	Gopalganj	13,380	17,435	65.8	85.6	509	209	96.3	98.8	9,732	8,257	20,420	7,254
13	Jamui	9,810	10,123	83.7	402.2	343	112	96.6	98.9	8,615	5,891	14,906	10,610
14	Jehanabad	9,564		98.5	0.0	234		97.6		7,388		10,820	10,572
15	Kaimur Bhabua	7,767	9,539	71.2	102.0	182	46	97.7	99.5	7,540	9,800	11,426	10,148
16	Katihar	13,669	5,722	77.0	83.5	341	240	97.6	96.0	9,211	3,705	19,321	10,361
17	Khagaria	14,910	14,144	102.6	95.7	206	257	98.6	98.2	13,601	13,612	13,057	16,405
18	Kishanganj	8,195	6,675	87.6	308.2	456	406	94.7	94.3	6,897	6,250	13,102	8,665
19	Lakhisarai	4,799	5,547	74.5	122.5	146	120	97.0	97.9	3,481	5,313	6,409	5,750
20	Madhepura	16,471	6,106	93.9	99.7	360	273	97.9	95.7	11,187	4,577	19,054	15,058
21	Madhubani	21,739	20,767	91.6	83.0	106	64	99.5	99.7	21,917	17,305	26,131	22,242
22	Munger	11,959	9,528	98.1	97.9	240	213	98.0	97.8	10,981	8,860	12,548	11,473
23	Muzaffarpur	19,736		74.7	0.0	452		97.8		11,809		24,525	
24	Nalanda	20,661	13,642	80.3	82.2	245	1,626	98.8	89.4	18,612	10,803	23,825	13,451
25	Nawada	8,260		84.3	0.0	87	291	99.0	0.0	8,015		11,604	14,823
26	Patna	26,325	12,542	99.9	181.3	27	418	99.9	96.8	26,337	9,377	30,299	17,148
27	Purnia	29,675	23,780	94.6	299.2	871	653	97.1	97.3	27,479	23,580	38,658	34,209
28	Rohtas	13,153	17,377	98.8	99.2	169	135	98.7	99.2	12,169	16,953	18,393	20,465
29	Saharsa	9,154	13,635	74.7	97.6	274	342	97.1	97.6	8,464	13,633	11,016	15,841
30	Samastipur	36,306	35,841	87.2	94.9	596	560	98.4	98.5	34,980	22,856	33,146	16,222
31	Saran	15,188	26,669	77.5	98.6	121	550	99.2	98.0	13,603	1,628	25,709	32,693
32	Sheikhpura	6,875	6,095	89.4	99.2	127	94	98.2	98.5	6,905	6,066	6,562	6,662
33	Sheohar	1,752	973	62.5	62.3	63	64	96.5	93.8	1,072	973	3,961	3,031
34	Sitamarhi	11,808	6,904	82.1		149	6	98.8	99.9	7,090	1,172	8,612	14,694
35	Siwan	12,795	10,691	63.9	65.1	431	646	96.7	94.3	9,412	6,414	25,673	32,081
36	Supaul	17,530	7,990	97.2	81.2	452	319	97.5	96.2	15,852		21,781	17,278

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	943,068	1,006,211	127.0	128.0	170.6	210.2	865,898	1,063,305	892,350	1,159,076	903,160	1,200,956
1	Araria	23,840	14,046	171.4	106.5	198.3	108.9	28,536	15,851	30,446	16,779	30,633	16,243
2	Arwal	7,166	6,423	161.5	142.5	164.0	148.5	5,758	6,342	5,928	7,289	6,406	7,903
3	Aurangabad	24,930	24,262	203.2	116.1	222.9	157.2	20,802	23,701	22,526	29,115	24,039	33,359
4	Banka	16,502	22,050	95.3	117.4	132.3	184.6	14,749	21,356	15,309	24,065	19,247	26,632
5	Begusarai	26,994	22,617	133.6	113.6	146.1	145.7	25,052	26,430	25,408	29,506	25,373	30,568
6	Bhagalpur	21,558	36,176	161.6	141.4	208.6	200.4	20,583	35,174	21,853	38,610	23,433	41,605
7	Bhojpur	27,219	6,943	143.8	106.0	186.6	173.2	22,534	5,973	23,048	6,379	23,692	7,455
8	Buxar	10,481	18,034	72.2	77.4	130.0	336.0	8,713	19,653	9,230	20,933	9,291	21,155
9	Darbhanga	30,836	39,364	217.8	133.1	325.4	267.6	27,225	41,241	28,281	45,225	27,874	45,257
10	East Champaran	43,374	53,815	122.4	133.2	240.5	155.5	41,528	52,465	39,200	51,276	37,423	49,969
11	Gaya	30,136	48,678	120.7	95.1	191.7	209.7	30,203	43,432	30,806	48,935	31,043	51,187
12	Gopalganj	26,520	26,891	152.6	41.6	198.2	154.2	23,778	28,590	25,157	33,262	25,201	35,063
13	Jamui	18,977	23,600	151.9	104.8	193.4	233.1	16,300	26,375	15,511	21,579	15,567	21,274
14	Jehanabad	12,576	12,432	113.1		131.5		10,131	11,118	10,171	12,399	10,960	13,568
15	Kaimur Bhabua	14,521	14,509	147.1	106.4	187.0	152.1	12,668	14,701	13,012	16,881	13,669	17,465
16	Katihar	32,698	21,318	141.3	181.1	239.2	372.6	30,112	25,755	30,885	29,449	30,390	27,807
17	Khagaria	19,478	22,332	87.6	116.0	130.6	157.9	18,022	20,672	19,356	23,014	19,306	24,116
18	Kishanganj	17,841	18,482	159.9	129.8	217.7	276.9	16,328	21,619	15,498	21,038	14,736	18,798
19	Lakhisarai	8,693	9,511	133.5	103.7	181.1	171.5	7,615	8,448	8,236	9,578	8,392	9,565
20	Madhepura	20,956	18,878	115.7	246.6	127.2	309.2	18,233	23,074	19,257	27,177	19,987	28,818
21	Madhubani	34,296	38,884	120.2	107.1	157.8	187.2	35,969	48,048	38,513	57,859	42,224	64,125
22	Munger	13,992	14,192	104.9	120.4	117.0	149.0	11,646	12,790	11,491	13,999	12,122	15,495
23	Muzaffarpur	53,824	46,402	124.3		272.7		51,409	47,299	52,093	48,932	51,051	47,710
24	Nalanda	27,608	26,156	115.3	98.6	133.6	191.7	26,391	28,180	26,878	31,303	27,177	33,564
25	Nawada	16,964	21,526	140.5		205.4		18,882	24,402	19,906	28,255	19,591	28,391
26	Patna	37,470	25,947	115.1	136.7	142.3	206.9	35,440	26,872	35,569	29,355	37,214	30,316
27	Purnia	45,762	43,711	130.3	143.9	154.2	183.8	39,181	40,234	41,636	45,781	41,802	48,301
28	Rohtas	21,137	28,859	139.8	117.8	160.7	166.1	19,834	29,231	21,886	32,577	22,685	33,836
29	Saharsa	14,537	13,535	120.3	116.2	158.8	99.3	12,699	22,429	13,607	26,778	14,693	27,509
30	Samastipur	48,279	37,182	91.3	45.3	133.0	103.7	40,644	43,174	42,574	45,563	42,957	49,060
31	Saran	31,194	66,426	169.3	122.6	205.4	249.1	30,923	67,286	31,878	67,361	32,888	74,277
32	Sheikhpura	7,931	8,779	95.4	109.3	115.4	144.0	5,576	7,425	5,617	8,313	5,837	9,227
33	Sheohar	6,878	6,703	226.1	311.5	392.6	688.9	6,832	6,487	7,822	7,477	6,128	6,485
34	Sitamarhi	13,021	25,127	72.9	212.8	110.3	363.9	12,341	27,771	12,692	30,835	13,027	30,157
35	Siwan	34,041	36,648	200.6	300.1	266.0	342.8	33,426	45,921	34,627	49,833	35,288	50,526
36	Supaul	27,375	23,163	124.2	216.2	156.2	289.9	24,561	23,160	24,960	26,259	24,392	26,717

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar							893,014	1,018,417	161.6	212.7	1,272,711	1,132,414
1	Araria							29,009	16,084	241.3	124.7	42,011	30,292
2	Arwal							7,383	8,381	169.0	193.7	8,561	8,381
3	Aurangabad							25,924	28,626	231.8	185.5	27,786	24,231
4	Banka							16,772	20,649	134.5	172.9	16,601	23,046
5	Begusarai							26,949	18,253	145.8	117.6	23,740	81,234
6	Bhagalpur							23,682	38,526	229.2	213.5	24,103	54,831
7	Bhojpur							23,178	7,560	158.9	188.6	45,513	7,560
8	Buxar							8,139	18,943	100.9	353.0	8,139	18,943
9	Darbhanga							28,455	38,461	300.3	261.5	46,749	36,826
10	East Champaran							30,238	56,629	167.6	163.7	53,316	52,424
11	Gaya							32,477	42,295	206.6	182.2	54,709	45,465
12	Gopalganj							22,582	28,610	168.8	164.1	71,838	28,268
13	Jamui							16,900	21,000	172.3	207.4	23,108	22,927
14	Jehanabad							12,218	13,599	127.7		12,218	
15	Kaimur Bhabua							13,669	14,225	176.0	149.1	13,056	13,619
16	Katihar							27,090	18,761	198.2	327.9	54,791	39,693
17	Khagaria							16,305	21,751	109.4	153.8	18,940	35,880
18	Kishanganj							11,897	14,507	145.2	217.3	26,910	38,060
19	Lakhisarai							7,131	5,773	148.6	104.1	7,547	2,669
20	Madhepura							20,381	22,193	123.7	363.5	20,581	21,623
21	Madhubani							37,651	53,690	173.2	258.5	37,507	52,582
22	Munger							12,592	14,433	105.3	151.5	12,751	13,648
23	Muzaffarpur							45,160	39,851	228.8		132,159	39,851
24	Nalanda							38,573	32,665	186.7	239.4	38,716	30,106
25	Nawada							17,083	23,433	206.8		20,189	23,433
26	Patna							34,762	25,406	132.0	202.6	36,054	47,151
27	Purnia							43,057	40,048	145.1	168.4	43,057	39,803
28	Rohtas							26,056	29,828	198.1	171.7	25,644	29,828
29	Saharsa							16,736	25,009	182.8	183.4	11,992	11,710
30	Samastipur							40,093	41,244	110.4	115.1	29,879	21,526
31	Saran							26,340	59,802	173.4	224.2	96,340	6,625
32	Sheikhpura							6,668	8,965	97.0	147.1	7,293	51,715
33	Sheohar							5,392	3,553	307.8	365.2	4,327	3,540
34	Sitamarhi							11,925	23,594	101.0	341.7	27,880	23,594
35	Siwan							33,667	41,520	263.1	388.4	54,595	60,028
36	Supaul							24,165	23,091	137.8	289.0	21,080	4,573

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	5.3	-1.2	940,647	702,004	170.2	146.6	7.6	13.0	498	4,207	90.8	94.1
1	Araria	-21.7	-14.5	27,580	16,408	229.5	127.2	2.1	0.6		5	80.6	95.5
2	Arwal	-3.0	-30.5	6,712	6,800	153.6	157.2	0.8	0.0	121		102.4	98.7
3	Aurangabad	-4.0	-18.0	18,919	20,690	169.1	134.1	0.0	0.3			92.9	90.9
4	Banka	-1.6	6.4	13,126	14,727	105.3	123.3	118.7	0.0	3		94.7	99.5
5	Begusarai	0.2	19.3	26,686	7,440	144.4	47.9	1.5	14.3		547	92.3	104.9
6	Bhagalpur	-9.9	-6.5	16,666	19,796	161.3	109.7	27.4	0.0			87.9	98.3
7	Bhojpur	14.8	-8.9	220,310	1,906	1510.0	47.6	0.8	5.6			76.5	72.5
8	Buxar	22.3	-5.0	2,030	5,189	25.2	96.7	3.9	0.0			79.7	99.3
9	Darbhanga	7.7	2.3	12,727	20,671	134.3	140.5	11.7	3.4			85.6	89.7
10	East Champaran	30.3	-5.2	23,887	17,415	132.4	50.3	1.2	55.9			75.7	
11	Gaya	-7.8	13.1	21,560	51,773	137.2	223.0	12.8	12.6	132		83.7	88.7
12	Gopalganj	14.8	-6.4	15,635	24,373	116.9	139.8	0.0	0.0			110.2	
13	Jamui	10.9	11.0	7,178	6,226	73.2	61.5	24.0	8.2			89.2	46.9
14	Jehanabad	2.8	-9.4	10,991	11,271	114.9		0.1	0.0			100.0	
15	Kaimur Bhabua	5.9	2.0	3,308	14,225	42.6	149.1	0.0	0.0			98.3	98.9
16	Katihar	17.2	12.0	15,409	11,028	112.7	192.7	34.9	225.8			86.3	75.2
17	Khagaria	16.3	2.6	5,189	7,809	34.8	55.2	1.9	1.3			89.8	97.6
18	Kishanganj	33.3	21.5	9,740	12,066	118.9	180.8	2.7	0.1			82.2	86.2
19	Lakhisarai	18.0	39.3	2,884	2,272	60.1	41.0	0.0	0.0			91.3	57.0
20	Madhepura	2.7	-17.6	38,339	16,725	232.8	273.9	41.6	13.6			84.6	94.6
21	Madhubani	-9.8	-38.1	22,049	42,992	101.4	207.0	0.8	0.0			85.5	93.0
22	Munger	10.0	-1.7	10,100	11,001	84.5	115.5	0.7	0.0			97.4	98.4
23	Muzaffarpur	16.1	14.1	70,656	35,210	358.0		5.3	0.0	1		98.4	
24	Nalanda	-39.7	-24.9	51,314	14,050	248.4	103.0	0.1	0.0	100	3,655	97.7	100.7
25	Nawada	-0.7	-8.9	15,520	14,192	187.9		1.5	0.0	3		92.2	
26	Patna	7.2	2.1	25,147	18,710	95.5	149.2	13.4	9.0			97.5	93.0
27	Purnia	5.9	8.4	38,826	29,322	130.8	123.3	3.0	7.7			97.7	93.2
28	Rohtas	-23.3	-3.4	19,142	27,696	145.5	159.4	10.2	0.0			97.8	99.5
29	Saharsa	-15.1	-84.8	14,665	25,009	160.2	183.4	0.0	0.0			62.9	
30	Samastipur	17.0	-10.9	24,499	21,493	67.5	60.0	0.6	0.1			91.3	93.4
31	Saran	15.6	10.0	22,650	50,604	149.1	189.7	8.4	65.5			93.5	
32	Sheikhpura	15.9	-2.1	5,322	5,369	77.4	88.1	1.9	0.3			84.8	94.9
33	Sheohar	21.6	47.0	1,891	3,930	107.9	403.9	6.2	9.4			98.0	100.0
34	Sitamarhi	8.4	6.1	4,568	13,130	38.7	190.2	6.3	0.0	138		73.0	88.0
35	Siwan	1.1	-13.3	46,427	50,246	362.9	470.0	9.1	10.0			95.4	94.9
36	Supaul	11.7	0.3	23,567	3,346	134.4	41.9	0.2	0.0			91.4	86.7

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	67.4	63.2	0.6	3.3	0.1	0.1	0.1	1.4	0.3	0.4	0.0	0.1
1	Araria	65.1	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Arwal	84.9	92.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Aurangabad	80.7	82.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0
4	Banka	75.3	99.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Begusarai	68.0	65.0	0.0	0.0	0.0	0.5	0.0	0.1	0.0	0.8	0.0	0.9
6	Bhagalpur	86.3	15.1	0.0		0.0		0.0		0.0		0.0	
7	Bhojpur	58.8	31.9	0.0		0.0		0.0		0.0		0.0	
8	Buxar	52.1	80.5	0.0		0.0		6.5		10.5		0.0	
9	Darbhanga	56.0	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
10	East Champaran	45.0		2.9		0.0		0.0		0.0		0.0	
11	Gaya	58.1	90.2	1.1	0.0	0.0	2.4	0.2	0.1	0.1	3.4	0.0	0.0
12	Gopalganj	79.9		0.0		0.0		0.0		0.0		0.0	
13	Jamui	66.8	76.1	0.0	43.0	0.0	0.0	0.0	21.9	0.0	0.0	0.0	0.0
14	Jehanabad	58.5											
15	Kaimur Bhabua	86.4	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	Katihar	53.5	41.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	Khagaria	51.0	54.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
18	Kishanganj	65.7	71.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0
19	Lakhisarai	32.4	38.1	0.0	98.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	55.1	61.6	0.3	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
21	Madhubani	50.0	78.9	6.1	0.0	0.0	0.0	0.3	0.0	5.9	0.0	0.0	0.0
22	Munger	67.0	31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur	74.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
24	Nalanda	81.4	87.0	0.0		0.0		0.0		0.0		0.0	
25	Nawada	71.1		0.0		0.0		0.0		0.0		0.0	
26	Patna	97.2	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	Purnia	89.6	78.0	0.3	0.0	0.1	0.0	0.3	0.0	0.2	0.0	0.0	0.0
28	Rohtas	72.0	67.7	0.0		0.0		0.0		0.0		0.0	
29	Saharsa	20.4		2.2	0.0	0.0	0.0	0.5	0.1	1.2	0.4	0.0	0.0
30	Samastipur	71.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	Saran	49.0		0.0		0.0		0.0		0.0		0.0	
32	Sheikhpura	84.0	51.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	79.9	274.7	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	40.6	87.6	0.0		0.0		0.0		0.0		0.0	
35	Siwan	47.7	50.7	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
36	Supaul	75.1	46.5	0.0		0.0		0.0		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	11.4	16.4	78.2	70.1	9.3	8.2	744	167	31.2	0.0	8.9	5.2
1	Araria	6.5	0.0	66.7	100.0	26.8	0.0						
2	Arwal	0.0	16.7	97.3	41.7	2.7	41.7	26	32		0.0		0.0
3	Aurangabad	0.0	1.4	98.9	29.3	1.1	68.0	3					
4	Banka	21.8	0.0	65.3	93.3	12.9	6.7						
5	Begusarai	15.2	45.8	83.5	44.5	1.2	7.5	20	14				
6	Bhagalpur	93.0		7.0		0.0							
7	Bhojpur	0.0		97.2		2.8		7					
8	Buxar	27.4		53.2		2.4		5		0.0		0.0	
9	Darbhanga	0.0	0.0	100.0	80.7	0.0	18.1	41		0.0		100.0	
10	East Champaran	26.6		69.0		1.5		50		0.0		0.0	
11	Gaya	13.1	72.1	73.3	17.1	12.3	4.9	158		21.6		15.7	
12	Gopalganj	0.0		0.0		100.0		18		0.0		0.0	
13	Jamui	0.0	2.7	76.3	30.8	23.7	1.6						
14	Jehanabad												
15	Kaimur Bhabua	0.0	51.5	13.3	7.2	86.7	41.3	68	12	0.0		0.0	
16	Katihar	0.9	6.4	98.3	84.4	0.7	9.2	28		4.8		0.0	
17	Khagaria	0.0	1.7	100.0	96.6	0.0	1.0		51				
18	Kishanganj	0.4	0.0	97.9	78.6	1.7	14.8	1					
19	Lakhisarai	36.0	0.0	38.0	1.3	26.0	0.0	5					
20	Madhepura	0.0	5.0	96.2	90.5	3.5	0.0	21	10	0.0		100.0	
21	Madhubani	4.2	0.0	83.5	0.0	0.0	100.0						
22	Munger	1.5	0.0	94.6	100.0	4.0	0.0	4	11	0.0	0.0	0.0	30.0
23	Muzaffarpur	18.7	11.5	80.9	87.8	0.4	0.0	103		100.0		0.0	
24	Nalanda	2.3		87.5		10.2		7		0.0		100.0	
25	Nawada	16.5		81.8		1.7		7					
26	Patna	21.4	55.3	67.0	43.3	11.7	1.4		1		0.0		0.0
27	Purnia	0.2	0.0	59.2	100.0	39.7	0.0	76	1	0.0	0.0	8.8	0.0
28	Rohtas	0.0		47.1		52.9		3	11	0.0	0.0	33.3	0.0
29	Saharsa	1.2	0.0	93.0	99.5	2.0	0.0						
30	Samastipur	18.2	27.5	76.1	72.5	3.5	0.0	8	8	0.0	0.0	0.0	0.0
31	Saran	0.6		96.7		2.8							
32	Sheikhpura	0.0	0.0	98.2	100.0	1.8	0.0						
33	Sheohar	1.0	30.4	96.5	69.6	1.5	0.0	6	14				
34	Sitamarhi	7.1		59.5		33.3		25		0.0		0.0	
35	Siwan	0.0	68.8	74.7	17.2	25.3	13.6	28					
36	Supaul	31.3		68.7		0.0		8		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	11.1	5.2	10.9	5.2	1.4	0.0	9.5	0.0	1.1	0.0	25.9	84.5
1	Araria												
2	Arwal		0.0		0.0		0.0		0.0		0.0		100.0
3	Aurangabad												
4	Banka												
5	Begusarai												
6	Bhagalpur												
7	Bhojpur												
8	Buxar	0.0		0.0		100.0		0.0		0.0		0.0	
9	Darbhanga	0.0		0.0		0.0		0.0		0.0		0.0	
10	East Champaran	100.0		0.0		0.0		0.0		0.0		0.0	
11	Gaya	9.8		19.6		0.0		0.0		0.0		33.3	
12	Gopalganj	0.0		0.0		0.0		0.0		0.0		100.0	
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua	0.0		0.0		0.0		0.0		0.0		100.0	
16	Katihar	0.0		0.0		0.0		38.1		19.0		38.1	
17	Khagaria												
18	Kishanganj												
19	Lakhisarai												
20	Madhepura	0.0		0.0		0.0		0.0		0.0		0.0	
21	Madhubani												
22	Munger	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	60.0
23	Muzaffarpur	0.0		0.0		0.0		0.0		0.0		0.0	
24	Nalanda	0.0		0.0		0.0		0.0		0.0		0.0	
25	Nawada												
26	Patna		0.0		0.0		0.0		0.0		0.0		100.0
27	Purnia	11.8	0.0	42.6	0.0	1.5	0.0	14.7	0.0	0.0	0.0	20.6	100.0
28	Rohtas	0.0	33.3	0.0	33.3	33.3	0.0	33.3	0.0	0.0	0.0	0.0	33.3
29	Saharsa												
30	Samastipur	12.5	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.5	87.5
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi	0.0		0.0		0.0		61.9		0.0		38.1	
35	Siwan												
36	Supaul	0.0		0.0		20.0		40.0		0.0		40.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	26,567	21,894	99.2	99.0	271	265	99.0	98.8	22,785	21,576	30,164	35,774
38	West Champaran	29,889	15,009	99.1	68.7	119	1,080	99.6	93.3	14,003	7,791	28,403	18,894



Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	36,993	44,387	113.5	163.4	139.2	202.7	35,674	46,469	35,858	48,732	35,859	50,100
38	West Champaran	36,470	38,223	95.0	125.9	122.0	254.7	25,600	44,157	25,625	47,375	21,563	47,353

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali							33,347	42,042	125.5	192.0	33,347	41,219
38	West Champaran							39,368	35,417	131.7	236.0	39,684	45,510

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	9.9	5.3	38,499	32,305	144.9	147.6	6.0	4.5			96.2	95.8
38	West Champaran	-7.9	7.3	6,929	14,589	23.2	97.2	9.4	9.0			88.4	97.1

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	91.7	92.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	65.6	50.9	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	4.4	0.0	85.3	93.7	10.3	6.3	18	2				
38	West Champaran	69.7	41.5	26.3	33.3	3.4	25.3						

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali												
38	West Champaran												