| | | | 1 | 1 | 2 | : | 3 | 4 | 1 | | 5 | (| 5 |
|---|---------------------------|-----------------------------------|---------|---------------------------------------|-----------|----------|---------|-------------------------------------|----------------------|-------------------------------|------------|---------------------------------|-----------|
| | Indicators | Total nu pregnant Registere | t women | Number of women re within first | egistered | Number o | | 1st Trii registratio ANC Regi | nester n to Total | JSY regist Total Regist | tration to | Number of women re ANC ch | eceived 3 |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 4,498 | 4,469 | 3,151 | 2,872 | 4,492 | 4,461 | 70.0 | 64.2 | 99.9 | 99.8 | 2,474 | 2,662 |
| 1 | Chamata BPHC | 839 | 806 | 618 | 622 | 839 | 806 | 73.7 | 77.2 | 100.0 | 100.0 | 547 | 607 |
| 2 | Ghograpar BPHC | 571 | 555 | 444 | 424 | 571 | 555 | 77.8 | 76.4 | 100.0 | 100.0 | 399 | 416 |
| 3 | Kamarkuchi BPHC | 725 | 737 | 591 | 573 | 725 | 737 | 81.5 | 77.7 | 100.0 | 100.0 | 521 | 436 |
| 4 | Mukalmua BPHC | 1,927 | 1,920 | 1,209 | 919 | 1,927 | 1,920 | 62.7 | 47.9 | 100.0 | 100.0 | 754 | 902 |
| 5 | Nalbari Urban | 71 | 87 | 12 | 57 | 65 | 79 | 16.9 | 65.5 | 91.5 | 90.8 | 36 | 55 |
| 6 | Tihu FRU (Reporting Unit) | 365 | 364 | 277 | 277 | 365 | 364 | 75.9 | 76.1 | 100.0 | 100.0 | 217 | 246 |

| | | | 7 | | | | 2 | | • | 4 | 4 | 4 | 2 |
|---|---------------------------|---------|----------------------------------|---------|--------------------------------|------------------------------------|---|-------------------------------|---------|----------|-------------|-----------------------------|---------|
| | | | / | | 3 | | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
| | Indicators | | oster given nt women bers) | | Woman ANC check otal ANC | Pregnant received Booster to | % t women d TT2 or Total ANC ration | Number of women giv tab | | Pregnant | FA to Total | Number h leve (tested | l<11 |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 3,036 | 3,148 | 55.0 | 59.5 | 67.4 | 70.4 | 2,109 | 3,152 | 46.8 | 70.5 | 1,409 | 1,645 |
| 1 | Chamata BPHC | 631 | 683 | 65.2 | 75.3 | 75.2 | 84.7 | 279 | 630 | 33.3 | 78.2 | 266 | 505 |
| 2 | Ghograpar BPHC | 411 | 430 | 69.9 | 75.0 | 72.0 | 77.5 | 380 | 521 | 66.5 | 93.9 | 223 | 241 |
| 3 | Kamarkuchi BPHC | 612 | 517 | 71.9 | 59.2 | 84.4 | 70.1 | 330 | 467 | 45.5 | 63.4 | 125 | 35 |
| 4 | Mukalmua BPHC | 1,058 | 1,182 | 39.1 | 47.0 | 54.9 | 61.6 | 844 | 1,218 | 43.8 | 63.4 | 614 | 783 |
| 5 | Nalbari Urban | 53 | 71 | 50.7 | 63.2 | 74.6 | 81.6 | 69 | 61 | 97.2 | 70.1 | 4 | 15 |
| 6 | Tihu FRU (Reporting Unit) | 271 | 265 | 59.5 | 67.6 | 74.2 | 72.8 | 207 | 255 | 56.7 | 70.1 | 177 | 66 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|---|---------------------------|---------|--|---------|---|---|--------------------------------------|-----------------|------------------|---------|---------------------|---------|------------|
| | Indicators | anae | ving severe emia i<7) institution | | t women ere anaemia <7) institution having hb | New cases at institu hypertension | detected ution for on to Total | Number deliv | of Home eries | | ttended by ained | Non SBA | ttended by |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 13 | 4 | 0.9 | 0.2 | 2.2 | 2.4 | 382 | 328 | 24 | 8 | 358 | 320 |
| 1 | Chamata BPHC | 0 | 2 | 0.0 | 0.4 | 0.4 | 3.8 | 10 | 4 | 0 | 0 | 10 | 4 |
| 2 | Ghograpar BPHC | | | 0.0 | 0.0 | 0.9 | 0.2 | 38 | 26 | 18 | 3 | 20 | 23 |
| 3 | Kamarkuchi BPHC | | 0 | 0.0 | 0.0 | 1.4 | 0.1 | 12 | 3 | 0 | 0 | 12 | 3 |
| 4 | Mukalmua BPHC | 10 | 0 | 1.6 | 0.0 | 1.7 | 1.0 | 321 | 293 | 5 | 5 | 316 | 288 |
| 5 | Nalbari Urban | 3 | 2 | 75.0 | 13.3 | 59.2 | 56.3 | | | | | | |
| 6 | Tihu FRU (Reporting Unit) | 0 | 0 | 0.0 | 0.0 | 1.4 | 1.4 | 1 | 2 | 1 | 0 | 0 | 2 |

| | | 1 | 9 | 2 | 0 | 2 | .1 | 2 | 2 | 2 | .3 | 2 | 4 |
|---|---------------------------|---|------------------------|---------|-------------------------------|---|----------------------|-------------------------|---------|--------------------------|---|--|--|
| | Indicators | SBA attendeliveries Reporte Deliv | ded home s to Total | | paid JSY for home eries | Mothers incentive deliveries Reporte | for home to Total | Deliveries at Public II | | Discharged hours of d | of Women d under 48 delivery in facilities | Women dis less than 4 delivery Reported at public in | charged in 8 hours of to Total Deliveries |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 6.2 | 2.4 | 0 | 0 | 0.0 | 0.0 | 1,823 | 1,910 | 767 | 1,001 | 42.0 | 52.4 |
| 1 | Chamata BPHC | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 49 | 84 | 36 | 56 | 73.5 | 66.7 |
| 2 | Ghograpar BPHC | 47.4 | 11.5 | 0 | 0 | 0.0 | 0.0 | 62 | 79 | 60 | 79 | 96.8 | 100.0 |
| 3 | Kamarkuchi BPHC | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 36 | 31 | 4 | 29 | 11.1 | 93.5 |
| 4 | Mukalmua BPHC | 1.6 | 1.7 | 0 | 0 | 0.0 | 0.0 | 465 | 379 | 446 | 386 | 95.9 | 101.8 |
| 5 | Nalbari Urban | | | | | | | 1,094 | 1,214 | 215 | 449 | 19.7 | 37.0 |
| 6 | Tihu FRU (Reporting Unit) | 100.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 117 | 123 | 6 | 2 | 5.1 | 1.6 |

| | | 2 | 5 | 2 | .6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|---------------------------|--------------------------------|--------------------|----------------------------------|-----------------------|-------------------|------------------|-----------------------------------|-----------------------|--------------------------------|----------------------|---------------------------------|--------------------|
| | Indicators | Institu deliv (Public In | eries sts.+Pvt. | Institu Deliverie ANC regi | itional s to total | Total re deliv | eported eries | Institu deliveries Reported | itional s to Total | Safe deli Total Re Deliv | veries to eported | Home deli Total Re Delive | iveries to eported |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 2,581 | 2,556 | 57.3 | 57.1 | 2,963 | 2,884 | 87.1 | 88.6 | 87.9 | 88.9 | 12.9 | 11.4 |
| 1 | Chamata BPHC | 49 | 84 | 5.8 | 10.4 | 59 | 88 | 83.1 | 95.5 | 83.1 | 95.5 | 16.9 | 4.5 |
| 2 | Ghograpar BPHC | 62 | 79 | 10.9 | 14.2 | 100 | 105 | 62.0 | 75.2 | 80.0 | 78.1 | 38.0 | 24.8 |
| 3 | Kamarkuchi BPHC | 36 | 31 | 5.0 | 4.2 | 48 | 34 | 75.0 | 91.2 | 75.0 | 91.2 | 25.0 | 8.8 |
| 4 | Mukalmua BPHC | 465 | 379 | 24.1 | 19.7 | 786 | 672 | 59.2 | 56.4 | 59.8 | 57.1 | 40.8 | 43.6 |
| 5 | Nalbari Urban | 1,852 | 1,860 | 2608.5 | 2137.9 | 1,852 | 1,860 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 6 | Tihu FRU (Reporting Unit) | 117 | 123 | 32.1 | 33.8 | 118 | 125 | 99.2 | 98.4 | 100.0 | 98.4 | 0.8 | 1.6 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|------------|---------------------------|--------------------------------------|---------|------------|--------------------------------|------------------------------|---------|--|------------------------|--|---|--|---|
| Indicators | | Number of deliveries at public | - | deliveries | C-section conducted facilities | to rep institu (Public | + Pvt.) | C-sections at public f Deliveries at public | conducted acilities to | C-sections at Private f Deliveries at private | conducted facilities to conducted | Deliveries at Public In to Total In Deliv | conducted estitutions stitutional |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 189 | 141 | 487 | 376 | 26.1 | 20.2 | 10.4 | 7.4 | 64.2 | 58.2 | 70.6 | 74.7 |
| 1 | Chamata BPHC | | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Ghograpar BPHC | | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Kamarkuchi BPHC | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Mukalmua BPHC | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Nalbari Urban | 186 | 141 | 487 | 376 | 36.3 | 27.8 | 17.0 | 11.6 | 64.2 | 58.2 | 59.1 | 65.3 |
| 6 | Tihu FRU (Reporting Unit) | 3 | 0 | | | 2.6 | 0.0 | 2.6 | 0.0 | | | 100.0 | 100.0 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|---|---------------------------|--|---|--|---------------------------------------|---|---|--|----------|---------------------------|---|--|--|
| | Indicators | Mothers Incentive for at Public in to Tota Deliv | paid JSY or Delivery nstitution I Public | of cases w Incentive ASHA for D Public inst Total Public | where JSY e paid to Delivery at | Deliveries at Private I to Total In | conducted nstitutions stitutional | Women rec partum o within 48 deli | :heck-up | post partur between 48 | Natal men got a n check up 3 hours and days | Women reco partum co within 48 delivery Reported I | eiving post heck-up hours of to Total |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 98.1 | 99.9 | 63.1 | 92.2 | 29.4 | 25.3 | 2,106 | 2,113 | 1,564 | 1,335 | 71.1 | 73.3 |
| 1 | Chamata BPHC | 98.0 | 106.0 | 283.7 | 571.4 | 0.0 | 0.0 | 43 | 98 | 214 | 264 | 72.9 | 111.4 |
| 2 | Ghograpar BPHC | 98.4 | 98.7 | 222.6 | 320.3 | 0.0 | 0.0 | 66 | 100 | 165 | 211 | 66.0 | 95.2 |
| 3 | Kamarkuchi BPHC | 100.0 | 100.0 | 1105.6 | 1180.6 | 0.0 | 0.0 | 49 | 39 | 140 | 85 | 102.1 | 114.7 |
| 4 | Mukalmua BPHC | 100.0 | 102.6 | 97.2 | 122.7 | 0.0 | 0.0 | 784 | 603 | 556 | 436 | 99.7 | 89.7 |
| 5 | Nalbari Urban | 97.0 | 98.7 | 0.0 | 0.0 | 40.9 | 34.7 | 1,050 | 1,211 | 379 | 171 | 56.7 | 65.1 |
| 6 | Tihu FRU (Reporting Unit) | 100.0 | 100.0 | 20.5 | 160.2 | 0.0 | 0.0 | 114 | 62 | 110 | 168 | 96.6 | 49.6 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|---|---------------------------|---|---|------------------------|---------|---------------------------------|---------|------------------------|---------|---------------|------------------------|----------------------|---------|
| | Indicators | Women ge Partum between 48 14 days | tting Post Checkup 3 hours and to Total eries | Total Nu reported I | | Total Repo Births t Deliv | o Total | Total Nu reported S | | live birth to | % o Reported rth | Number of weighed | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 52.8 | 46.3 | 2,950 | 2,893 | 99.6 | 100.3 | 33 | 28 | 98.9 | 99.0 | 2,930 | 2,855 |
| 1 | Chamata BPHC | 362.7 | 300.0 | 59 | 88 | 100.0 | 100.0 | 0 | 0 | 100.0 | 100.0 | 49 | 84 |
| 2 | Ghograpar BPHC | 165.0 | 201.0 | 100 | 110 | 100.0 | 104.8 | 0 | 1 | 100.0 | 99.1 | 92 | 93 |
| 3 | Kamarkuchi BPHC | 291.7 | 250.0 | 48 | 34 | 100.0 | 100.0 | 1 | 0 | 98.0 | 100.0 | 48 | 34 |
| 4 | Mukalmua BPHC | 70.7 | 64.9 | 785 | 674 | 99.9 | 100.3 | 5 | 8 | 99.4 | 98.8 | 784 | 657 |
| 5 | Nalbari Urban | 20.5 | 9.2 | 1,843 | 1,864 | 99.5 | 100.2 | 24 | 17 | 98.7 | 99.1 | 1,843 | 1,864 |
| 6 | Tihu FRU (Reporting Unit) | 93.2 | 134.4 | 115 | 123 | 97.5 | 98.4 | 3 | 2 | 97.5 | 98.4 | 114 | 123 |

| | | 4 | .9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|---|---------------------------|---------------------|------------|-----------------------|---------|--|-----------------------------------|-------------------------|----------|--|----------------------------|-------------------------------|------------|
| | Indicators | Newborns birth to l | weighed at | Number of having w | | Newborr weight les kg to Ne weighed | ns having s than 2.5 wborns | Number of Breast Fed | within 1 | % Newborns within 1 ho to Total I | breast fed our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 99.3 | 98.7 | 614 | 542 | 20.9 | 18.9 | 2,714 | 2,823 | 92.0 | 97.5 | 216 | 306 |
| 1 | Chamata BPHC | 83.1 | 95.5 | 2 | 7 | 4.1 | 8.3 | 49 | 74 | 83.1 | 84.1 | 10 | 3 |
| 2 | Ghograpar BPHC | 92.0 | 84.5 | 29 | 24 | 31.5 | 25.8 | 100 | 100 | 100.0 | 90.9 | 37 | 19 |
| 3 | Kamarkuchi BPHC | 100.0 | 100.0 | 4 | 10 | 8.3 | 29.4 | 47 | 34 | 97.9 | 100.0 | 8 | 3 |
| 4 | Mukalmua BPHC | 99.9 | 97.5 | 119 | 163 | 15.2 | 24.8 | 784 | 664 | 99.9 | 98.5 | 160 | 279 |
| 5 | Nalbari Urban | 100.0 | 100.0 | 443 | 317 | 24.0 | 17.0 | 1,619 | 1,828 | 87.8 | 98.1 | | |
| 6 | Tihu FRU (Reporting Unit) | 99.1 | 100.0 | 17 | 21 | 14.9 | 17.1 | 115 | 123 | 100.0 | 100.0 | 1 | 2 |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|---|---------------------------|---|---|---------|-----------|---|-----------|--|---|--|---|---|---|
| | Indicators | newborn within 24h delivery reporte deliv | s visited rs of home to total d home | Bitr | male Live | cases of women wit Complica attended t | tions and | Compl Pregnanci wit antihype Magsulph Total Wo Obst Compli atter | icated es treated h IV rtensive/ njection to men with etric cations | Compl Pregnanci witl antihype Magsulph ii Total Ne detecte Hypert | icated es treated h IV rtensive/ njection to ew cases ed with | Compl Pregnancie with Transfusio Wome Obst Compli | icated es treated Blood n to Total n with etric cations |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 56.5 | 93.2 | 902 | 913 | 4.6 | 14.0 | 13.2 | 36.4 | 16.5 | 123.6 | 2.5 | 8.1 |
| 1 | Chamata BPHC | 100.0 | 75.0 | 844 | 1,200 | 12.2 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Ghograpar BPHC | 97.4 | 73.1 | 1,128 | 719 | 12.9 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | |
| 3 | Kamarkuchi BPHC | 66.7 | 100.0 | 846 | 2,400 | 19.4 | 71.0 | 42.9 | 9.1 | 30.0 | 200.0 | 0.0 | 0.0 |
| 4 | Mukalmua BPHC | 49.8 | 95.2 | 892 | 842 | 17.6 | 48.0 | 3.7 | 20.3 | 9.4 | 194.7 | 0.0 | 0.0 |
| 5 | Nalbari Urban | | | 890 | 950 | 0.9 | 8.1 | 62.5 | 61.3 | 23.8 | 187.8 | 18.8 | 19.3 |
| 6 | Tihu FRU (Reporting Unit) | 100.0 | 100.0 | 1,054 | 618 | 1.7 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|---|---------------------------|---|--|---|------------------|----------------------------|---------|---------------------------|---------|---|------------------------------------|--|-----------------------------------|
| | Indicators | Post - Care / PNC compli attended Deliv | Natal C maternal cations to Total | Total Nu Abort (Sponta Induced) | tions aneous/ | Total Nu MTPs (repo | Public) | % <i>N</i> (Public) to | | MTPs up to of Pregn Total MTPs Institu | 12 weeks ancy to s at Public | MTPs mor weeks of F to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 0.0 | 0.2 | 1,148 | 1,289 | 786 | 806 | 68.5 | 62.5 | 100.0 | 99.6 | 0.0 | 0.4 |
| 1 | Chamata BPHC | 0.0 | 0.0 | 5 | 15 | 0 | 0 | 0.0 | 0.0 | | | | |
| 2 | Ghograpar BPHC | 0.0 | 0.0 | 6 | 3 | 0 | 0 | 0.0 | 0.0 | | | | |
| 3 | Kamarkuchi BPHC | 0.0 | 0.0 | 18 | 32 | 0 | 22 | 0.0 | 68.8 | | 100.0 | | 0.0 |
| 4 | Mukalmua BPHC | 0.0 | 0.6 | 623 | 573 | 627 | 566 | 100.6 | 98.8 | 100.0 | 100.0 | 0.0 | 0.0 |
| 5 | Nalbari Urban | 0.0 | 0.0 | 490 | 451 | 0 | 5 | 0.0 | 1.1 | | 40.0 | | 60.0 |
| 6 | Tihu FRU (Reporting Unit) | 0.0 | 0.8 | 6 | 215 | 159 | 213 | 2650.0 | 99.1 | 100.0 | 100.0 | 0.0 | 0.0 |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|---|---------------------------|---------------------------|---------|--|----------------------|--|---------------------|---|---|------------------------------------|---------|------------------------------------|-----------------|
| | Indicators | MTPs Cone Public Insti | | 9 MTPs Cond Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Reg | blic) I to Total | Number of Tests cond Number of STI female which tre initia | Wet Mount flucted to new RTI/ cases for eatment | Numb Vasect Condo (Public | omies | Numb Tubect Condu (Public | comies icted |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 62.2 | 64.5 | 37.8 | 35.5 | 17.5 | 18.0 | 0.0 | 0.0 | 0 | 0 | 65 | 115 |
| 1 | Chamata BPHC | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 |
| 2 | Ghograpar BPHC | | | | | 0.0 | 0.0 | | 0.0 | 0 | 0 | 0 | 0 |
| 3 | Kamarkuchi BPHC | | 100.0 | | 0.0 | 0.0 | 3.0 | | | 0 | 0 | 0 | 0 |
| 4 | Mukalmua BPHC | 100.0 | 100.0 | 0.0 | 0.0 | 32.5 | 29.5 | 0.0 | 0.0 | 0 | 0 | 0 | 31 |
| 5 | Nalbari Urban | 0.0 | 1.1 | 100.0 | 98.9 | 0.0 | 5.7 | 0.0 | 0.0 | 0 | 0 | 65 | 84 |
| 6 | Tihu FRU (Reporting Unit) | 100.0 | 100.0 | 0.0 | 0.0 | 43.6 | 58.5 | | 0.0 | 0 | 0 | 0 | 0 |

| | | 7 | 3 | 7 | '4 | 7 | ' 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|---|---------------------------|-------------------|---------------------|-------------------------------------|---------|---------|----------------------------|---|--------------------|----------|---|---|--------------------|
| | Indicators | Total Ste Cond | rilisation ucted | % Male St (Vasect to Total st | tomies) | Tubecto | % mies to rilisation | Total Ste (Tubecto Vasect conducte | mies and omies) | ` Vasect | erlisation mies and omies) ed at CHC | Total Ste (Tubecto Vasecto conducted | mies and omies) |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 65 | 115 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 0 | 31 | 19 | 6 |
| 1 | Chamata BPHC | 0 | 0 | | | | | 0 | 0 | 0 | 0 | | |
| 2 | Ghograpar BPHC | 0 | 0 | | | | | 0 | 0 | | | | |
| 3 | Kamarkuchi BPHC | 0 | 0 | | | | | 0 | 0 | | | | |
| 4 | Mukalmua BPHC | 0 | 31 | | 0.0 | | 100.0 | 0 | | 0 | 31 | | |
| 5 | Nalbari Urban | 65 | 84 | 0.0 | 0.0 | 100.0 | 100.0 | | | | | 19 | 6 |
| 6 | Tihu FRU (Reporting Unit) | 0 | 0 | | | | | 0 | 0 | 0 | 0 | | |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|---|---------------------------|---------------------|--------------------|---|----------------------------------|---|--------------------|--|---------------------------------|--|---------------------------------|---|--|
| | Indicators | Vasect conducted | mies and omies) | Total Ste (Tubecto Vasect conducted institu | mies and omies) at Private | % Total Sto (Tubecto Vasect conducted Total Sto | mies and omies) | % Total Ste (Tubector Vasector conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasecto conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasecti conducted public Instit Total Ste | mies and omies) I at Other tutions to |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | | | 0 | 0 | 0.0 | 0.0 | 0.0 | 27.0 | 29.2 | 5.2 | 0.0 | 0.0 |
| 1 | Chamata BPHC | | | | | | | | | | | | |
| 2 | Ghograpar BPHC | | | | | | | | | | | | |
| 3 | Kamarkuchi BPHC | | | | | | | | | | | | |
| 4 | Mukalmua BPHC | | | | | | 0.0 | | 100.0 | | 0.0 | | 0.0 |
| 5 | Nalbari Urban | | | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 29.2 | 7.1 | 0.0 | 0.0 |
| 6 | Tihu FRU (Reporting Unit) | | | | | | | | | | | | |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|---|---------------------------|--|--|--------------------------------------|----------------------|--|-----------------------|------------------------|---------|--|--|---|--|
| | Indicators | % Total Sto (Tubecto Vasect conducted institution Sterlis | mies and omies) at Private s to Total | Laparo sterlisation Female Ste | scopic s to Total | % Mini Lap St to Total Sterilis | erlisations Female | Post P Sterlisation | | Laparo sterlisation Institutions Laparo Sterilis | oscopic ns at Public s to Total oscopic | Mini Lap st at Public In to Total Sterilis | erlisations estitutions Mini Lap |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 70.8 | 67.8 | 0.0 | 27.8 | 24.6 | 28.7 | 75.3 | 43.4 | | 100.0 | 37.5 | 0.0 |
| 1 | Chamata BPHC | | | | | | | | | | | | |
| 2 | Ghograpar BPHC | | | | | | | | | | | | |
| 3 | Kamarkuchi BPHC | | | | | | | | | | | | |
| 4 | Mukalmua BPHC | | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 5 | Nalbari Urban | 70.8 | 92.9 | 0.0 | 1.2 | 24.6 | 39.3 | 75.4 | 59.5 | | 100.0 | 37.5 | 0.0 |
| 6 | Tihu FRU (Reporting Unit) | | | | | | | | | | | | |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|---|---------------------------|---|---------|-------------|---------|--------------------------|---------|-------------------------|---------|--------------------------|---------------------------|------------|---------|
| | Indicators | Post P sterlisation Institution Post P | | Sterlisatio | wing | IUCD Inseri (public f | | IUCD inseri (pvt. fa | | Total IUCD done(publi | Insertions ic+private) | PP IUCD II | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 26.5 | 10.0 | 0 | 0 | 163 | 191 | 67 | 53 | 230 | 244 | 2 | |
| 1 | Chamata BPHC | | | 0 | 0 | 3 | 7 | | | 3 | 7 | | |
| 2 | Ghograpar BPHC | | | 0 | 0 | 19 | 20 | | | 19 | 20 | | |
| 3 | Kamarkuchi BPHC | | | 0 | 0 | 18 | 8 | | | 18 | 8 | | |
| 4 | Mukalmua BPHC | | | 0 | 0 | 90 | 80 | | | 90 | 80 | | |
| 5 | Nalbari Urban | 26.5 | 10.0 | 0 | 0 | 14 | 61 | 67 | 53 | 81 | 114 | 2 | |
| 6 | Tihu FRU (Reporting Unit) | | | 0 | 0 | 19 | 15 | | | 19 | 15 | | |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|---|---------------------------|---------|---------|---|----------------------|--|---|--------------|---------|-------------------|----------|---------------------|-----------|
| | Indicators | to Tota | blic) | % PP IUCD (pul to Total In Deliverie | olic) stitutional | IUCD inse public plu institution | us private ons to all planning IUCD plus | Oral Pills o | | Condom distril | n pieces | Centchro distril | man Pills |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 1.2 | 0.0 | 0.1 | 0.0 | 77.9 | 67.9 | 7,408 | 12,990 | 37,747 | 48,485 | 24 | 2 |
| 1 | Chamata BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1,042 | 1,799 | 4,857 | 6,912 | 0 | 2 |
| 2 | Ghograpar BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1,288 | 1,086 | 9,810 | 9,739 | 22 | 0 |
| 3 | Kamarkuchi BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1,505 | 6,038 | 6,950 | 13,897 | | 0 |
| 4 | Mukalmua BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 72.1 | 2,418 | 2,933 | 11,543 | 12,333 | 0 | 0 |
| 5 | Nalbari Urban | 14.3 | 0.0 | 0.2 | 0.0 | 55.5 | 57.6 | 125 | 48 | 150 | 0 | 0 | 0 |
| 6 | Tihu FRU (Reporting Unit) | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1,030 | 1,086 | 4,437 | 5,604 | 2 | 0 |

| | | 10 | 03 | 10 | 04 | 10 | 05 | 10 | 06 | 10 | 07 | 10 |)8 |
|---|---------------------------|-----------------------------|---------|---------|---------------------|---------------------------|---------|---------------------|------------------------|----------|---------|----------|---------|
| | Indicators | Number o given (Birth | OPV 0 | | of Infants n BCG | Newborns g at birth to | | Newborns to Repo | given BCG rted live | Number o | | Number o | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 2,241 | 1,860 | 3,446 | 3,002 | 76.0 | 64.3 | 116.8 | 103.8 | 3,731 | 3,813 | 3,948 | 3,963 |
| 1 | Chamata BPHC | 26 | 28 | 170 | 168 | 44.1 | 31.8 | 288.1 | 190.9 | 636 | 624 | 712 | 671 |
| 2 | Ghograpar BPHC | 44 | 36 | 185 | 159 | 44.0 | 32.7 | 185.0 | 144.5 | 465 | 474 | 506 | 490 |
| 3 | Kamarkuchi BPHC | 31 | 27 | 96 | 118 | 64.6 | 79.4 | 200.0 | 347.1 | 479 | 459 | 568 | 542 |
| 4 | Mukalmua BPHC | 341 | 108 | 1,056 | 699 | 43.4 | 16.0 | 134.5 | 103.7 | 1,158 | 1,213 | 1,228 | 1,270 |
| 5 | Nalbari Urban | 1,685 | 1,554 | 1,784 | 1,612 | 91.4 | 83.4 | 96.8 | 86.5 | 707 | 769 | 636 | 705 |
| 6 | Tihu FRU (Reporting Unit) | 114 | 107 | 155 | 246 | 99.1 | 87.0 | 134.8 | 200.0 | 286 | 274 | 298 | 285 |

| | | 10 | 09 | 1 | 10 | 1 | 11 | 1 | 12 | 1 | 13 | 11 | 14 |
|---|---------------------------|----------|---------|----------|--------------------------|----------|--------------------------|----------|---------|----------|-----------------------|---|---------------------------------|
| | Indicators | Number o | | Number o | of Infants tavalent 1 | Number o | of Infants tavalent 2 | Number o | | Number o | of Infants Measles | Infants months received vaccine to live b | 0 to 11 old who I Measles |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 3,866 | 3,799 | | | | | | | 3,296 | 2,985 | 111.7 | 103.1 |
| 1 | Chamata BPHC | 681 | 658 | | | | | | | 682 | 518 | 1155.9 | 588.6 |
| 2 | Ghograpar BPHC | 509 | 476 | | | | | | | 397 | 381 | 397.0 | 346.4 |
| 3 | Kamarkuchi BPHC | 603 | 556 | | | | | | | 477 | 406 | 993.8 | 1194.1 |
| 4 | Mukalmua BPHC | 1,218 | 1,258 | | | | | | | 1,078 | 1,103 | 137.3 | 163.6 |
| 5 | Nalbari Urban | 557 | 579 | | | | | | | 377 | 333 | 20.5 | 17.9 |
| 6 | Tihu FRU (Reporting Unit) | 298 | 272 | | | | | | | 285 | 244 | 247.8 | 198.4 |

| | | 11 | 15 | 1 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|---|---------------------------|-------------------------------|------------|-------------------|---------|-----------|----------|--------------------------------|------------------------|-----------|------------------------------------|------------------------|------------|
| | Indicators | Number immunize (9-11 n | d children | Drop Out BCG & | | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A Reported | Vitamin A | n given Dose 9 to iven Vit A | Adverse Following I | munisation |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 3,296 | 2,969 | 4.4 | 0.6 | 2,499 | 2,876 | 84.7 | 99.4 | 28.2 | 31.7 | 17 | 62 |
| 1 | Chamata BPHC | 682 | 518 | -301.2 | -208.3 | 533 | 519 | 903.4 | 589.8 | 38.6 | 34.7 | 0 | 0 |
| 2 | Ghograpar BPHC | 397 | 381 | -114.6 | -139.6 | 118 | 389 | 118.0 | 353.6 | 57.6 | 40.6 | 11 | 38 |
| 3 | Kamarkuchi BPHC | 477 | 404 | -396.9 | -244.1 | 439 | 405 | 914.6 | 1191.2 | 26.9 | 31.6 | 6 | 4 |
| 4 | Mukalmua BPHC | 1,078 | 1,102 | -2.1 | -57.8 | 1,083 | 1,094 | 138.0 | 162.3 | 16.0 | 18.9 | 0 | 20 |
| 5 | Nalbari Urban | 377 | 333 | 78.9 | 79.3 | 55 | 225 | 3.0 | 12.1 | 5.5 | 60.0 | 0 | 0 |
| 6 | Tihu FRU (Reporting Unit) | 285 | 231 | -83.9 | 0.8 | 271 | 244 | 235.7 | 198.4 | 50.2 | 42.2 | 0 | 0 |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|---|---------------------------|---------------------------------------|---------------------------|--|----------------------------------|--------------------------------------|------------------------------------|---|------------------------------------|---|---|--|--|
| | Indicators | immunisati Held to Imi Sessions | on Sessions munisation | Immunisatio where AS preser Immunisatio Plan | on Sessions HAs were nt to | Diptheria i 0-5 Years Total Re | of Age to eported I Diseases | Pertusis ir 0-5 Years Total Re Childhood | of Age to eported I Diseases | Tetanus Ne in Childrer of Age t Reported (Diseases (| eonatorum n 0-5 Years no Total Childhood | Tetanus (Children 0- Age to Tota Childhood | Others in Others in I Years of I Reported I Diseases |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 97.0 | 94.5 | 89.9 | 86.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Chamata BPHC | 99.2 | 99.6 | 96.6 | 96.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Ghograpar BPHC | 99.0 | 99.0 | 97.4 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kamarkuchi BPHC | 99.8 | 99.2 | 97.0 | 96.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Mukalmua BPHC | 93.3 | 86.0 | 92.2 | 81.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nalbari Urban | 94.6 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Tihu FRU (Reporting Unit) | 94.6 | 93.0 | 93.8 | 89.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 80 | 13 | 31 | 13 | 32 |
|---|---------------------------|--|----------------------------|------------------------------------|-----------|---------|------------------------------------|---|---|--|-------------------|-------------------------------|------------|
| | Indicators | Polio in Ch Years of Ag Reported Diseases | nildren 0-5 ge to Total | 0-5 Years Total Re Childhood | of Age to | | eea and ation in -5 Years of | Malaria in C Years of Ag Reported C Diseases C | hildren 0-5 ge to Total Childhood | 9 Adult F Inpatients Adult In | emale to Total | % Children Inp Total In | patient to |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 0.0 | 0.0 | 2.8 | 5.9 | 97.2 | 93.2 | 0.0 | 0.9 | 65.7 | 64.7 | 24.6 | 24.0 |
| 1 | Chamata BPHC | 0.0 | 0.0 | 13.7 | 12.4 | 86.3 | 86.6 | 0.0 | 1.1 | 60.2 | 56.6 | 15.1 | 22.1 |
| 2 | Ghograpar BPHC | 0.0 | 0.0 | 1.1 | 5.9 | 98.9 | 94.1 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Kamarkuchi BPHC | 0.0 | 0.0 | 2.5 | 7.4 | 97.5 | 90.9 | 0.0 | 1.7 | 100.0 | 100.0 | 0.0 | 0.0 |
| 4 | Mukalmua BPHC | 0.0 | 0.0 | 3.4 | 11.2 | 96.6 | 88.8 | 0.0 | 0.0 | 76.9 | 66.6 | 18.5 | 26.6 |
| 5 | Nalbari Urban | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 98.6 | 0.0 | 1.4 | 62.7 | 65.1 | 28.8 | 25.3 |
| 6 | Tihu FRU (Reporting Unit) | 0.0 | 0.0 | 6.0 | 8.8 | 94.0 | 90.4 | 0.0 | 0.7 | 58.4 | 57.6 | 25.3 | 10.4 |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 1.5 | 37 | 13 | 18 |
|---|---------------------------|----------------------------------|----------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|-----------------|---------|
| | Indicators | Female I Deaths 1 Inpatien | npatient to Total | 9 Inpatient I Tota | | IPD (Nu | umber) | OPD (N | umber) | % IPD t | to OPD | Number Opera | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 16.3 | 44.6 | 0.6 | 0.9 | 7,996 | 7,060 | 245,113 | 203,790 | 3.3 | 3.5 | 201 | 174 |
| 1 | Chamata BPHC | | | 0.0 | 0.0 | 935 | 653 | 42,315 | 39,997 | 2.2 | 1.6 | | 0 |
| 2 | Ghograpar BPHC | | | 0.0 | 0.0 | 60 | 79 | 42,930 | 33,756 | 0.1 | 0.2 | | |
| 3 | Kamarkuchi BPHC | | | 0.0 | 0.0 | 34 | 29 | 37,556 | 36,810 | 0.1 | 0.1 | | |
| 4 | Mukalmua BPHC | | | 0.0 | 0.0 | 1,562 | 1,089 | 62,863 | 56,231 | 2.5 | 1.9 | 0 | 0 |
| 5 | Nalbari Urban | 16.3 | 44.6 | 1.0 | 1.4 | 4,919 | 4,797 | 30,977 | 15,251 | 15.9 | 31.5 | 201 | 174 |
| 6 | Tihu FRU (Reporting Unit) | | | 0.0 | 0.0 | 486 | 413 | 28,472 | 21,745 | 1.7 | 1.9 | 0 | 0 |

| | | 13 | 39 | 14 | 40 | 14 | 41 | 14 | 42 | 14 | 43 | 14 | 14 |
|---|---------------------------|-----------------|----------|----------------------------|---------|---------|---------------------------|----------------------------------|--------------------|-----------|------------|----------|------------|
| | Indicators | Number Opera | of Minor | % Major Ope Total Op | | Hyster | per of ectomy eries | Hystere Surgeries Major Op | ectomy to Total | Ayush OPD |) (Number) | AYUSH OP | D to Total |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 251 | 509 | 44.5 | 25.5 | | | 0.0 | 0.0 | 64,779 | 52,023 | 26.4 | 25.5 |
| 1 | Chamata BPHC | 0 | 0 | | | | | | | 11,059 | 11,061 | 26.1 | 27.7 |
| 2 | Ghograpar BPHC | 0 | | | | | | | | 14,726 | 11,971 | 34.3 | 35.5 |
| 3 | Kamarkuchi BPHC | 0 | | | | | | | | 11,362 | 7,201 | 30.3 | 19.6 |
| 4 | Mukalmua BPHC | 0 | 0 | | | | | | | 20,156 | 16,736 | 32.1 | 29.8 |
| 5 | Nalbari Urban | 196 | 507 | 50.6 | 25.6 | | | 0.0 | 0.0 | 1,384 | 1,007 | 4.5 | 6.6 |
| 6 | Tihu FRU (Reporting Unit) | 55 | 2 | 0.0 | 0.0 | | | | | 6,092 | 4,047 | 21.4 | 18.6 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|---------------------------|---------------------|---------|---------------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 3,290 | 4,144 | 1.3 | 2.0 | 0 | 0 | 0.4 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Chamata BPHC | 134 | 389 | 0.3 | 1.0 | 0 | 0 | 0.2 | 0.6 | | | | |
| 2 | Ghograpar BPHC | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.1 | 0.7 | | | | |
| 3 | Kamarkuchi BPHC | | 0 | 0.0 | 0.0 | 0 | 0 | 0.3 | 0.4 | | | | |
| 4 | Mukalmua BPHC | 1,390 | 1,810 | 2.2 | 3.2 | | 0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nalbari Urban | 566 | 859 | 1.8 | 5.6 | | | 1.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Tihu FRU (Reporting Unit) | 1,200 | 1,086 | 4.2 | 5.0 | 0 | 0 | 0.5 | 0.5 | | | | |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|---------------------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 33 | 19 | 6.7 | 5.6 | 20.0 | 22.2 |
| 1 | Chamata BPHC | | | 0.0 | 0.0 | 0.0 | 0.0 | 1 | 1 | 0.0 | | 0.0 | |
| 2 | Ghograpar BPHC | | | 0.1 | 0.0 | 0.1 | 0.0 | 6 | | 0.0 | | 16.7 | |
| 3 | Kamarkuchi BPHC | | | 0.0 | 0.1 | 0.0 | 0.0 | 3 | | 0.0 | | 0.0 | |
| 4 | Mukalmua BPHC | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 1 | 3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Nalbari Urban | 0.0 | 0.0 | 0.1 | 0.5 | 0.0 | 0.5 | 20 | 14 | 10.5 | 7.1 | 26.3 | 21.4 |
| 6 | Tihu FRU (Reporting Unit) | | | 0.0 | 0.0 | 0.0 | 0.0 | 2 | 1 | | 0.0 | | 100.0 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|---------------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Nalbari | 6.7 | 11.1 | 6.7 | 11.1 | 0.0 | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 60.0 | 44.4 |
| 1 | Chamata BPHC | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 2 | Ghograpar BPHC | 0.0 | | 16.7 | | 0.0 | | 0.0 | | 0.0 | | 66.7 | |
| 3 | Kamarkuchi BPHC | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 4 | Mukalmua BPHC | 0.0 | 33.3 | 0.0 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 33.3 |
| 5 | Nalbari Urban | 10.5 | 7.1 | 5.3 | 7.1 | 0.0 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 47.4 | 50.0 |
| 6 | Tihu FRU (Reporting Unit) | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 |