

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	36,933	38,523	18,464	18,967	36,172	38,089	49.9	49.2	97.9	98.9	28,851	30,172
1	Ater	4,583	4,662	2,767	2,347	4,583	4,662	60.4	50.3	100.0	100.0	4,297	4,349
2	Bhind (Phoop)	10,276	10,783	3,519	4,021	9,547	10,461	34.2	37.3	92.9	97.0	7,183	6,963
3	Gohad	6,921	7,423	4,103	4,370	6,897	7,415	59.3	58.9	99.7	99.9	4,833	4,907
4	Lahar	5,605	5,962	2,638	3,289	5,597	5,896	47.1	55.2	99.9	98.9	5,493	5,872
5	Mehgaon	6,742	6,632	3,958	3,183	6,742	6,632	58.7	48.0	100.0	100.0	4,940	5,685
6	Mihona(Ron)	2,806	3,061	1,479	1,757	2,806	3,023	52.7	57.4	100.0	98.8	2,105	2,396

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	33,149	36,086	78.1	78.3	89.7	93.6	36,797	38,400	99.6	99.6	23,448	26,755
1	Ater	4,323	4,500	93.8	93.3	94.3	96.5	4,583	4,662	100.0	100.0	3,967	3,783
2	Bhind (Phoop)	8,918	10,547	69.9	64.6	86.8	97.8	10,237	10,665	99.6	98.9	9,698	7,793
3	Gohad	6,018	6,115	69.8	66.1	87.0	82.4	6,923	7,382	100.0	99.4	3,946	6,147
4	Lahar	5,140	5,380	98.0	98.5	91.7	90.2	5,532	5,984	98.7	100.4	3,193	2,934
5	Mehgaon	6,321	6,818	73.3	85.7	93.8	102.8	6,742	6,632	100.0	100.0	641	2,142
6	Mihona(Ron)	2,429	2,726	75.0	78.3	86.6	89.1	2,780	3,075	99.1	100.5	2,003	3,956

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	1,885	4,479	8.0	16.7	1.0	2.1	2,040	3,455	10	46	2,030	3,409
1	Ater	217	164	5.5	4.3	0.3	0.6	364	569	0	0	364	569
2	Bhind (Phoop)	858	1,193	8.8	15.3	0.7	1.0	243	355	2	0	241	355
3	Gohad	654	2,778	16.6	45.2	0.4	2.1	418	676	0	0	418	676
4	Lahar	139	200	4.4	6.8	1.2	0.1	677	704	8	0	669	704
5	Mehgaon	2	38	0.3	1.8	2.1	7.8	245	656	0	0	245	656
6	Mihona(Ron)	15	106	0.7	2.7	1.5	0.2	93	495	0	46	93	449

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.4	1.3	15	16	0.7	0.5	24,876	26,740	118	330	0.4	1.2
1	Ater	0.0	0.0	0	0	0.0	0.0	878	920	1	7	0.1	0.8
2	Bhind (Phoop)	0.8	0.0	0	3	0.0	0.8	10,184	10,159	0	0	0.0	0.0
3	Gohad	0.0	0.0	0	0	0.0	0.0	4,098	4,239	56	238	1.4	5.6
4	Lahar	1.2	0.0	11	0	1.6	0.0	4,217	5,343	2	21	0.0	0.4
5	Mehgaon	0.0	0.0	4	0	1.6	0.0	3,735	4,032	4	26	0.1	0.6
6	Mihona(Ron)	0.0	9.3	0	13	0.0	2.6	1,764	2,047	55	38	3.1	1.9

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	26,686	29,915	72.2	77.6	28,726	33,370	92.9	89.6	92.9	89.8	7.1	10.4
1	Ater	878	920	19.2	19.7	1,242	1,489	70.7	61.8	70.7	61.8	29.3	38.2
2	Bhind (Phoop)	11,712	12,997	114.0	120.5	11,955	13,352	98.0	97.3	98.0	97.3	2.0	2.7
3	Gohad	4,380	4,576	63.3	61.6	4,798	5,252	91.3	87.1	91.3	87.1	8.7	12.9
4	Lahar	4,217	5,343	75.2	89.6	4,894	6,047	86.2	88.4	86.3	88.4	13.8	11.6
5	Mehgaon	3,735	4,032	55.4	60.8	3,980	4,688	93.8	86.0	93.8	86.0	6.2	14.0
6	Mihona(Ron)	1,764	2,047	62.9	66.9	1,857	2,542	95.0	80.5	95.0	82.3	5.0	19.5

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	253	166	623	1,248	3.2	4.7	1.0	0.6	34.4	39.3	93.2	89.4
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	250	164	623	1,248	7.5	10.9	2.5	1.6	40.8	44.0	87.0	78.2
3	Gohad	3	2	0	0	0.1	0.0	0.1	0.0	0.0	0.0	93.6	92.6
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon		0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	87.2	100.2	48.6	52.7	6.8	10.6	27,557	30,776	13,598	25,337	95.9	92.2
1	Ater	36.4	98.0	40.8	62.2	0.0	0.0	869	920	364	569	70.0	61.8
2	Bhind (Phoop)	93.3	99.3	22.3	24.8	13.0	21.8	11,711	12,731	2,450	12,009	98.0	95.3
3	Gohad	91.5	100.7	71.9	54.2	6.4	7.4	4,671	4,928	737	889	97.4	93.8
4	Lahar	79.0	112.9	54.4	74.3	0.0	0.0	4,806	5,567	4,772	5,986	98.2	92.1
5	Mehgaon	83.1	86.1	67.7	69.0	0.0	0.0	3,735	4,114	3,531	3,357	93.8	87.8
6	Mihona(Ron)	95.6	99.6	95.6	95.1	0.0	0.0	1,765	2,516	1,744	2,527	95.0	99.0

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	47.3	75.9	28,450	33,025	99.0	99.0	340	375	98.8	98.9	28,457	33,043
1	Ater	29.3	38.2	1,224	1,403	98.6	94.2	16	86	98.7	94.2	1,224	1,403
2	Bhind (Phoop)	20.5	89.9	11,811	13,286	98.8	99.5	173	88	98.6	99.3	11,808	13,328
3	Gohad	15.4	16.9	4,768	5,182	99.4	98.7	36	70	99.3	98.7	4,752	5,162
4	Lahar	97.5	99.0	4,870	5,987	99.5	99.0	54	68	98.9	98.9	4,901	6,008
5	Mehgaon	88.7	71.6	3,931	4,636	98.8	98.9	49	52	98.8	98.9	3,931	4,653
6	Mihona(Ron)	93.9	99.4	1,846	2,531	99.4	99.6	12	11	99.4	99.6	1,841	2,489

Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.0	100.1	3,615	3,436	12.7	10.3	27,896	32,487	98.0	98.3	1,877	2,875
1	Ater	100.0	100.0	76	97	6.2	6.9	1,216	1,403	99.3	100.0	364	569
2	Bhind (Phoop)	100.0	100.3	1,966	1,903	16.6	14.3	11,292	12,847	95.6	96.7	197	327
3	Gohad	99.7	99.6	381	436	8.0	8.4	4,763	5,158	99.9	99.5	406	505
4	Lahar	100.6	100.4	510	582	10.4	9.7	4,853	5,988	99.7	100.0	575	696
5	Mehgaon	100.0	100.4	491	370	12.5	8.0	3,931	4,602	100.0	99.3	245	446
6	Mihona(Ron)	99.7	98.3	191	48	10.4	1.9	1,841	2,489	99.7	98.3	90	332

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth (Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	92.0	83.2	928	898	7.8	7.3	6.8	4.0	39.2	10.7	31.1	24.9
1	Ater	100.0	100.0	915	836	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	81.1	92.1	942	878	12.3	13.0	1.0	1.2	21.1	18.7	45.1	31.9
3	Gohad	97.1	74.7	906	949	1.6	0.2	51.4	0.0	133.3	0.0	4.3	72.7
4	Lahar	84.9	98.9	964	941	3.9	4.3	33.1	16.6	78.6	475.0	0.0	0.0
5	Mehgaon	100.0	68.0	876	910	5.7	4.6	17.8	15.2	27.0	5.4	0.0	0.0
6	Mihona(Ron)	96.8	67.1	917	814	8.6	4.2	0.0	2.4	0.0	33.3	0.0	0.0

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)

Financial Year: 2016-17

Provisional Figures for the Period April to March

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions (Spontaneous/ Induced) Reported		Total Number of MTPs (Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	1.5	3.6	211	590	195	202	92.4	34.2	100.0	99.0	0.0	1.0
1	Ater	0.0	0.0	102	124	0	0	0.0	0.0				
2	Bhind (Phoop)	3.0	7.5	65	412	88	136	135.4	33.0	100.0	100.0	0.0	0.0
3	Gohad	0.0	1.0	36	33	107	66	297.2	200.0	100.0	97.0	0.0	3.0
4	Lahar	1.5	2.1	1	7	0	0	0.0	0.0				
5	Mehgaon	0.0	0.0	1	6	0	0	0.0	0.0				
6	Mihona(Ron)	0.0	0.6	6	8	0	0	0.0	0.0				

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	67.9	46.8	32.1	53.2	0.5	0.5	0.0	0.0	104	134	5,291	6,706
1	Ater					0.0	0.0		0.0	5	12	723	935
2	Bhind (Phoop)	62.4	43.0	37.6	57.0	0.9	1.3	0.0	0.0	42	81	863	1,745
3	Gohad	73.3	56.9	26.7	43.1	1.5	0.9	0.0	0.0	11	13	982	1,204
4	Lahar					0.0	0.0	0.0	0.0	22	6	1,440	1,173
5	Mehgaon					0.0	0.0	0.0	0.0	21	14	871	1,120
6	Mihona(Ron)					0.0	0.0	2.6	0.0	3	8	412	529

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	5,395	6,840	1.9	1.9	98.1	98.0	1,401	1,752	2,662	3,609	1,332	1,479
1	Ater	728	947	0.7	1.3	99.3	98.7	0	51	728	896		
2	Bhind (Phoop)	905	1,826	4.6	4.4	95.4	95.6	512	728			393	1,098
3	Gohad	993	1,217	1.1	1.1	98.9	98.9	0	0	993	1,217		
4	Lahar	1,462	1,179	1.5	0.5	98.5	99.5	441	417	82	381	939	381
5	Mehgaon	892	1,134	2.4	1.2	97.6	98.8	342	409	550	725		
6	Mihona(Ron)	415	537	0.7	1.5	99.3	98.5	106	147	309	390		

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind			0	0	26.0	25.6	49.3	52.8	24.7	21.6	0.0	0.0
1	Ater					0.0	5.4	100.0	94.6	0.0	0.0	0.0	0.0
2	Bhind (Phoop)			0		56.6	39.9	0.0	0.0	43.4	60.1	0.0	0.0
3	Gohad			0	0	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4	Lahar					30.2	35.4	5.6	32.3	64.2	32.3	0.0	0.0
5	Mehgaon					38.3	36.1	61.7	63.9	0.0	0.0	0.0	0.0
6	Mihona(Ron)					25.5	27.4	74.5	72.6	0.0	0.0	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.0	0.0	95.0	98.0	0.3	0.8	4.6	1.1	100.0	100.0	100.0	100.0
1	Ater	0.0	0.0	98.5	97.0	1.5	1.8	0.0	1.2	100.0	100.0	100.0	100.0
2	Bhind (Phoop)	0.0	0.0	97.5	96.4	0.7	0.6	1.9	3.0	100.0	100.0	100.0	100.0
3	Gohad	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar	0.0	0.0	89.9	99.3	0.0	0.0	10.1	0.7	100.0	100.0		
5	Mehgaon	0.0	0.0	99.9	96.8	0.0	2.6	0.1	0.6	100.0	100.0		100.0
6	Mihona(Ron)	0.0	0.0	79.4	100.0	0.0	0.0	20.6	0.0	100.0	100.0		

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation (Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.0	100.0	0	0	13,372	13,297	0	0	13,372	13,297	3,344	5,450
1	Ater		100.0	0	0	2,067	2,073			2,067	2,073	153	138
2	Bhind (Phoop)	100.0	100.0	0	0	3,736	2,747	0		3,736	2,747	1,377	4,067
3	Gohad			0	0	1,673	2,029	0	0	1,673	2,029	403	417
4	Lahar	100.0	100.0	0	0	2,092	2,346			2,092	2,346	496	207
5	Mehgaon	100.0	100.0	0	0	3,033	3,422			3,033	3,422	593	406
6	Mihona(Ron)	100.0		0	0	771	680			771	680	322	215

Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	25.0	40.9	13.4	20.3	71.2	66.0	57,878	70,476	87,248	86,330	0	0
1	Ater	7.4	6.7	17.4	15.0	74.0	68.6	10,221	16,224	10,593	16,832	0	0
2	Bhind (Phoop)	36.9	148.1	13.5	40.0	80.5	60.1	20,912	16,224	40,181	16,235	0	0
3	Gohad	24.1	20.6	9.8	9.8	62.8	62.5	5,030	4,059	6,237	4,628	0	0
4	Lahar	23.7	8.8	11.8	3.9	58.9	66.6	4,369	4,850	8,771	10,045	0	0
5	Mehgaon	19.6	11.9	15.9	10.1	77.3	75.1	5,238	23,990	5,834	30,804	0	0
6	Mihona(Ron)	41.8	31.6	18.3	10.5	65.0	55.9	12,108	5,129	15,632	7,786	0	0

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	28,863	31,973	28,996	33,106	101.5	96.8	101.9	100.2	99	135	85	508
1	Ater	1,225	1,400	1,225	1,403	100.1	99.8	100.1	100.0	0	0	0	0
2	Bhind (Phoop)	12,144	13,124	12,190	13,342	102.8	98.8	103.2	100.4	99	105	77	314
3	Gohad	4,801	4,958	4,798	5,269	100.7	95.7	100.6	101.7	0	8	0	159
4	Lahar	4,862	5,812	4,863	5,969	99.8	97.1	99.9	99.7	0	4	0	13
5	Mehgaon	4,066	4,594	4,066	4,616	103.4	99.1	103.4	99.6	0	4	8	5
6	Mihona(Ron)	1,765	2,085	1,854	2,507	95.6	82.4	100.4	99.1	0	14	0	17

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	110	755	33,882	35,222	31,801	33,761	31,192	32,379	31,145	33,716	109.4	102.0
1	Ater	0	0	3,941	4,145	3,926	4,122	3,873	3,984	4,065	4,150	332.1	295.8
2	Bhind (Phoop)	105	419	10,315	10,081	8,905	9,237	8,878	8,538	8,096	8,922	68.5	67.2
3	Gohad	4	261	6,334	6,056	5,943	5,868	5,631	5,552	5,706	5,924	119.7	114.3
4	Lahar	1	32	4,678	5,225	4,547	5,106	4,389	4,908	4,867	5,277	99.9	88.1
5	Mehgaon	0	22	6,144	6,909	5,937	6,712	5,944	6,676	5,920	6,800	150.6	146.7
6	Mihona(Ron)	0	21	2,470	2,806	2,543	2,716	2,477	2,721	2,491	2,643	134.9	104.4

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	31,894	33,440	-7.4	-1.8	32,237	35,111	113.3	106.3	173.0	115.3	200	13
1	Ater	4,065	4,150	-231.8	-195.8	4,069	4,150	332.4	295.8	362.3	157.9	0	0
2	Bhind (Phoop)	8,929	8,680	33.6	33.1	8,796	8,684	74.5	65.4	228.7	148.8	0	0
3	Gohad	5,699	5,890	-18.9	-12.4	5,723	5,925	120.0	114.3	0.0	11.6	24	13
4	Lahar	4,821	5,320	-0.1	11.6	5,177	6,795	106.3	113.5	140.1	147.5	63	0
5	Mehgaon	5,920	6,800	-45.6	-47.3	5,920	6,800	150.6	146.7	190.8	120.2	113	0
6	Mihona(Ron)	2,460	2,600	-34.4	-5.4	2,552	2,757	138.2	108.9	92.6	76.4	0	0

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	100.4	99.8	79.7	82.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Ater	100.0	100.0	96.0	93.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	99.5	98.6	73.9	84.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Gohad	99.9	100.5	71.9	72.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Lahar	102.8	99.6	76.7	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	100.5	100.2	81.5	88.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	100.0	99.9	77.6	86.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.0	0.0	0.1	0.2	97.9	98.7	2.0	1.1	66.0	62.4	19.1	13.9
1	Ater	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0	9.5	0.9
2	Bhind (Phoop)	0.0	0.0	0.0	0.0	97.0	98.2	3.0	1.8	65.9	66.1	15.4	13.6
3	Gohad	0.0	0.0	0.0	3.7	97.8	91.7	2.2	4.7	66.3	46.1	7.6	7.5
4	Lahar	0.0	0.0	0.0	0.0	98.1	100.0	1.9	0.0	50.1	45.1	47.0	23.3
5	Mehgaon	0.0	0.0	0.0	0.0	96.7	97.4	3.3	2.6	88.6	95.4	1.6	0.8
6	Mihona(Ron)	0.0	0.0	2.2	0.0	94.5	98.6	3.4	1.4	57.3	82.7	25.6	5.8

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	40.5	39.0	0.6	0.6	89,162	94,087	1,166,848	1,065,661	7.6	8.8	1,490	915
1	Ater			0.0	0.0	1,555	2,649	91,683	81,970	1.7	3.2	0	0
2	Bhind (Phoop)	40.5	39.4	1.0	1.0	59,184	52,121	485,455	455,193	12.2	11.5	622	914
3	Gohad			0.0	0.0	6,739	11,537	195,846	157,869	3.4	7.3	1	1
4	Lahar			0.0	0.0	12,581	20,898	221,695	215,415	5.7	9.7	495	0
5	Mehgaon		33.3	0.0	0.7	4,193	4,100	121,035	106,960	3.5	3.8	372	0
6	Mihona(Ron)			0.0	0.0	4,910	2,782	51,134	48,254	9.6	5.8	0	0

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	7,911	10,840	15.8	7.8	97	87	6.5	9.5	15,208	24,806	1.3	2.3
1	Ater	2,997	4,935	0.0	0.0	0	0			0	3	0.0	0.0
2	Bhind (Phoop)	4,382	2,961	12.4	23.6	97	83	15.6	9.1	11,803	22,682	2.4	5.0
3	Gohad	15	956	6.3	0.1	0	0	0.0	0.0	470	2,101	0.2	1.3
4	Lahar	338	566	59.4	0.0	0	4	0.0		12	20	0.0	0.0
5	Mehgaon	132	1,192	73.8	0.0	0	0	0.0		0	0	0.0	0.0
6	Mihona(Ron)	47	230	0.0	0.0	0	0			2,923	0	5.7	0.0

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	3,278	1,907	0.3	0.2	351	579	4.2	3.8	2.1	1.8	0.2	0.9
1	Ater	0	0	0.0	0.0	0	0	9.3	16.2			0.2	0.3
2	Bhind (Phoop)	2,654	1,907	0.5	0.4	351	393	4.8	3.5	3.1	3.0	0.3	0.2
3	Gohad	0	0	0.0	0.0	0	0	4.1	2.1	0.0	0.0	0.0	0.0
4	Lahar	0	0	0.0	0.0	0	0	1.5	1.9	0.3	0.0	0.1	0.0
5	Mehgaon	0	0	0.0	0.0	0	186	3.2	3.8			0.0	2.5
6	Mihona(Ron)	624	0	1.2	0.0	0	0	4.2	4.9	0.0		0.0	5.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	0.3	1.0	1.1	1.1	0.0	0.0	360	460	5.4	2.0	15.0	7.8
1	Ater	0.2	0.3	0.4	0.5	0.0	0.0	49	59	0.0	0.0	2.2	0.0
2	Bhind (Phoop)	0.5	0.4	0.6	0.8	0.0	0.0	150	204	12.7	4.4	34.7	17.2
3	Gohad	0.0	0.0	2.3	1.7	0.0	0.0	52	69	0.0	0.0	0.0	0.0
4	Lahar	0.1	0.0	0.5	0.6	0.0	0.0	42	71	0.0	0.0	0.0	0.0
5	Mehgaon	0.0	2.5	2.0	1.8	0.0	0.0	51	32	0.0	0.0	0.0	0.0
6	Mihona(Ron)	0.0	5.0	1.2	0.9	0.0	0.0	16	25	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Bhind	11.3	10.5	3.1	1.1	1.1	0.7	10.2	10.9	0.0	0.0	54.0	67.0
1	Ater	13.3	28.3	6.7	1.9	2.2	0.0	22.2	18.9	0.0	0.0	53.3	50.9
2	Bhind (Phoop)	8.7	8.9	2.0	0.0	2.0	1.0	13.3	13.8	0.0	0.0	26.7	54.7
3	Gohad	10.0	0.0	4.0	0.0	0.0	0.0	4.0	1.4	0.0	0.0	82.0	98.6
4	Lahar	28.6	19.1	4.8	5.9	0.0	1.5	4.8	13.2	0.0	0.0	61.9	60.3
5	Mehgaon	3.9	3.3	2.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	94.1	93.3
6	Mihona(Ron)	12.5	0.0	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	75.0	100.0