

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

| Indicator | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|------------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|--|---------|
| | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Delhi | 179,082 | 172,606 | 101.4 | 109.8 | 3,749 | 3,410 | 97.9 | 98.1 | 156,187 | 146,449 | 171,846 | 163,151 |
| 1 | Central | 23,345 | 22,139 | 99.7 | 98.6 | 640 | 439 | 97.3 | 98.1 | 22,113 | 21,201 | 19,124 | 18,203 |
| 2 | East | 14,062 | 15,504 | 99.4 | 145.9 | 175 | 194 | 98.8 | 98.8 | 13,623 | 14,677 | 12,319 | 13,529 |
| 3 | New Delhi | 14,042 | 14,783 | 98.6 | 98.9 | 413 | 399 | 97.1 | 97.4 | 14,019 | 14,806 | 13,992 | 4,686 |
| 4 | North | 17,361 | 12,905 | 100.0 | 99.2 | 322 | 215 | 98.2 | 98.4 | 16,032 | 12,331 | 15,084 | 11,477 |
| 5 | North East | 21,764 | 14,399 | 96.4 | 115.3 | 539 | 416 | 97.6 | 97.2 | 21,734 | 12,178 | 25,959 | 25,326 |
| 6 | North West | 23,687 | 26,398 | 111.5 | 162.1 | 451 | 539 | 98.1 | 98.0 | 11,157 | 15,702 | 23,178 | 24,383 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 14,586 | 11,938 | 102.4 | 101.9 | 105 | 91 | 99.3 | 99.2 | 11,643 | 9,093 | 14,631 | 12,029 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 24,794 | 30,313 | 101.2 | 97.8 | 623 | 712 | 97.5 | 97.7 | 22,614 | 24,919 | 25,922 | 31,632 |
| 11 | West | 25,441 | 24,227 | 102.4 | 98.1 | 481 | 405 | 98.1 | 98.4 | 23,252 | 21,542 | 21,637 | 21,886 |

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

| Indicator | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|-----------|------------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | Delhi | 243,748 | 267,904 | 96.0 | 94.5 | 136.1 | 155.2 | 231,323 | 261,117 | 214,869 | 238,546 | 200,887 | 226,366 |
| 1 | Central | 21,092 | 18,414 | 81.9 | 82.2 | 90.3 | 83.2 | 14,569 | 14,402 | 11,700 | 11,650 | 10,651 | 10,200 |
| 2 | East | 20,324 | 22,391 | 87.6 | 87.3 | 144.5 | 144.4 | 23,129 | 24,232 | 21,151 | 21,803 | 19,461 | 20,768 |
| 3 | New Delhi | 5,654 | 3,606 | 99.6 | 31.7 | 40.3 | 24.4 | 5,033 | 3,392 | 4,075 | 2,908 | 3,665 | 2,773 |
| 4 | North | 19,998 | 17,218 | 86.9 | 88.9 | 115.2 | 133.4 | 15,623 | 14,268 | 14,771 | 13,379 | 14,059 | 12,763 |
| 5 | North East | 32,471 | 32,260 | 119.3 | 175.9 | 149.2 | 224.0 | 29,952 | 30,293 | 25,948 | 27,400 | 22,578 | 24,948 |
| 6 | North West | 42,415 | 55,077 | 97.9 | 92.4 | 179.1 | 208.6 | 49,455 | 62,384 | 46,212 | 57,433 | 44,573 | 54,481 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 32,866 | 34,419 | 100.3 | 100.8 | 225.3 | 288.3 | 35,757 | 39,642 | 37,147 | 36,679 | 34,296 | 35,812 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 31,433 | 44,435 | 104.5 | 104.4 | 126.8 | 146.6 | 17,890 | 32,668 | 16,226 | 29,735 | 15,734 | 28,133 |
| 11 | West | 37,495 | 40,084 | 85.0 | 90.3 | 147.4 | 165.5 | 39,915 | 39,836 | 37,639 | 37,559 | 35,870 | 36,488 |

Performance of Key HMIS Indicators for Delhi (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

| Indicator | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|-----------|------------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|--|---------|
| | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | Delhi | | | | | | | 198,750 | 219,370 | 111.0 | 127.1 | 204,190 | 237,066 |
| 1 | Central | | | | | | | 9,827 | 10,268 | 42.1 | 46.4 | 10,968 | 10,268 |
| 2 | East | | | | | | | 18,630 | 20,830 | 132.5 | 134.4 | 18,188 | 20,346 |
| 3 | New Delhi | | | | | | | 3,568 | 2,836 | 25.4 | 19.2 | 3,564 | 2,836 |
| 4 | North | | | | | | | 12,510 | 12,625 | 72.1 | 97.8 | 12,057 | 14,347 |
| 5 | North East | | | | | | | 24,266 | 23,490 | 111.5 | 163.1 | 27,893 | 25,542 |
| 6 | North West | | | | | | | 49,214 | 53,757 | 207.8 | 203.6 | 53,401 | 64,896 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | | | | | | | 32,445 | 34,226 | 222.4 | 286.7 | 32,744 | 38,820 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | | | | | | | 15,442 | 27,167 | 62.3 | 89.6 | 13,311 | 26,104 |
| 11 | West | | | | | | | 32,848 | 34,171 | 129.1 | 141.0 | 32,064 | 33,907 |

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

| Indicator | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|-----------|------------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Delhi | 18.5 | 18.1 | 156,078 | 146,825 | 87.2 | 85.1 | 29.8 | 27.1 | 30 | 56 | 91.3 | 92.1 |
| 1 | Central | 53.4 | 44.2 | 9,014 | 7,819 | 38.6 | 35.3 | 37.8 | 80.6 | | | 83.3 | 84.2 |
| 2 | East | 8.3 | 7.0 | 17,368 | 15,842 | 123.5 | 102.2 | 23.9 | 19.3 | 1 | 1 | 92.5 | 93.2 |
| 3 | New Delhi | 36.9 | 21.4 | 3,119 | 2,492 | 22.2 | 16.9 | 49.6 | 27.7 | | | 93.3 | 87.4 |
| 4 | North | 37.4 | 26.7 | 10,761 | 7,623 | 62.0 | 59.1 | 18.5 | 27.4 | | 2 | 94.2 | 94.6 |
| 5 | North East | 25.3 | 27.2 | 19,491 | 10,083 | 89.6 | 70.0 | 27.0 | 53.2 | | | 97.3 | 94.2 |
| 6 | North West | -16.0 | 2.4 | 34,294 | 41,867 | 144.8 | 158.6 | 12.7 | 9.6 | 1 | 19 | 91.3 | 91.5 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 1.3 | 0.6 | 21,078 | 21,241 | 144.5 | 177.9 | 67.1 | 39.2 | 18 | 7 | 90.7 | 93.6 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 50.9 | 38.9 | 13,845 | 18,556 | 55.8 | 61.2 | 15.4 | 27.4 | 2 | 23 | 90.8 | 91.6 |
| 11 | West | 12.4 | 14.8 | 27,108 | 21,302 | 106.6 | 87.9 | 35.2 | 23.1 | 8 | 4 | 92.4 | 93.5 |

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

| Indicator | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|-----------|------------|---|---------|---|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Delhi | 19.0 | 17.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Central | 4.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 |
| 2 | East | 16.1 | 14.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | New Delhi | 11.2 | 14.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.3 | 0.2 | 0.0 | 0.0 |
| 4 | North | 14.4 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | North East | 21.6 | 39.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | North West | 23.9 | 22.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 21.7 | 18.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 17.3 | 17.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.1 |
| 11 | West | 22.9 | 18.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

| Indicator | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|-----------|------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Delhi | 0.3 | 0.4 | 98.7 | 98.8 | 1.0 | 0.8 | 2,889 | 2,583 | 22.6 | 20.8 | 10.6 | 11.7 |
| 1 | Central | 0.4 | 0.0 | 99.0 | 99.9 | 0.4 | 0.1 | 324 | 383 | 29.3 | 24.6 | 24.1 | 23.0 |
| 2 | East | 0.6 | 0.6 | 99.0 | 98.7 | 0.4 | 0.6 | 654 | 719 | 26.4 | 26.2 | 3.5 | 5.6 |
| 3 | New Delhi | 0.5 | 0.2 | 97.9 | 99.1 | 1.2 | 0.4 | 948 | 329 | 25.8 | 28.4 | 8.7 | 7.7 |
| 4 | North | 0.3 | 0.3 | 95.2 | 98.7 | 4.5 | 0.9 | 175 | 5 | 27.4 | 40.0 | 27.4 | 20.0 |
| 5 | North East | 0.0 | 1.2 | 99.9 | 98.8 | 0.1 | 0.0 | 53 | | 16.7 | | 3.3 | |
| 6 | North West | 0.2 | 0.0 | 97.1 | 99.9 | 2.7 | 0.1 | 192 | 259 | 19.9 | 23.0 | 24.4 | 24.6 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 0.2 | 0.1 | 99.0 | 98.9 | 0.8 | 1.0 | 31 | 31 | 16.0 | 0.0 | 4.0 | 3.4 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 0.3 | 0.6 | 98.7 | 96.8 | 0.9 | 2.3 | 106 | 157 | 5.1 | 6.4 | 4.1 | 15.9 |
| 11 | West | 0.1 | 0.1 | 99.8 | 99.7 | 0.1 | 0.2 | 406 | 700 | 4.9 | 11.5 | 2.6 | 6.2 |

Performance of Key HMIS Indicators for Delhi (Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to March

| Indicator | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-----------|------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Delhi | 14.9 | 15.5 | 10.3 | 12.5 | 5.1 | 2.8 | 4.5 | 2.3 | 0.7 | 0.1 | 31.3 | 34.2 |
| 1 | Central | 14.2 | 19.4 | 9.6 | 7.1 | 0.6 | 1.8 | 0.6 | 0.8 | 0.0 | 0.0 | 21.6 | 23.3 |
| 2 | East | 4.3 | 5.4 | 16.9 | 18.3 | 2.1 | 2.5 | 0.3 | 1.4 | 0.2 | 0.0 | 46.3 | 40.5 |
| 3 | New Delhi | 13.3 | 11.7 | 9.3 | 14.7 | 5.0 | 2.7 | 10.2 | 5.7 | 1.9 | 0.7 | 25.8 | 28.4 |
| 4 | North | 19.0 | 0.0 | 11.3 | 20.0 | 6.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.9 | 0.0 |
| 5 | North East | 30.0 | | 6.7 | | 6.7 | | 3.3 | | 0.0 | | 33.3 | |
| 6 | North West | 8.3 | 13.5 | 7.7 | 11.9 | 3.2 | 2.4 | 7.7 | 6.7 | 0.6 | 0.4 | 28.2 | 17.5 |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 8.0 | 6.9 | 4.0 | 0.0 | 0.0 | 0.0 | 16.0 | 0.0 | 0.0 | 0.0 | 52.0 | 89.7 |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 9.2 | 6.4 | 4.1 | 10.2 | 33.7 | 4.5 | 4.1 | 3.2 | 0.0 | 0.0 | 39.8 | 53.5 |
| 11 | West | 41.7 | 31.4 | 5.2 | 9.6 | 7.1 | 3.8 | 0.0 | 0.6 | 0.0 | 0.0 | 38.5 | 37.0 |