

Performance of Key HMIS Indicators for Rajasthan-> Bikaner (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|---------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 59,120 | 57,023 | 21,090 | 23,054 | 50,388 | 49,374 | 35.6 | 40.4 | 85.2 | 86.6 | 35,355 | 38,415 |
| 1 | Bikaner | 32,403 | 28,423 | 8,850 | 10,722 | 23,772 | 21,048 | 27.3 | 37.7 | 73.4 | 74.1 | 16,044 | 15,403 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 5,696 | 5,761 | 2,200 | 2,081 | 5,595 | 5,505 | 38.6 | 36.1 | 98.2 | 95.6 | 3,483 | 4,367 |
| 5 | Khajuwala | 3,512 | 3,951 | 1,621 | 1,890 | 3,512 | 3,951 | 46.2 | 47.8 | 100.0 | 100.0 | 2,275 | 2,906 |
| 6 | Kolayat | 4,364 | 4,509 | 2,589 | 2,104 | 4,364 | 4,509 | 59.3 | 46.7 | 100.0 | 100.0 | 3,707 | 3,848 |
| 7 | Loonkaransar | 4,847 | 5,141 | 2,910 | 3,147 | 4,847 | 5,129 | 60.0 | 61.2 | 100.0 | 99.8 | 3,945 | 4,056 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 8,298 | 9,238 | 2,920 | 3,110 | 8,298 | 9,232 | 35.2 | 33.7 | 100.0 | 99.9 | 5,901 | 7,835 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 41,061 | 44,476 | 59.8 | 67.3 | 69.4 | 77.9 | 52,151 | 55,315 | 88.2 | 97.0 | 34,504 | 31,278 |
| 1 | Bikaner | 14,828 | 16,911 | 49.5 | 54.2 | 45.8 | 59.5 | 24,250 | 25,788 | 74.8 | 90.7 | 17,031 | 14,258 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 5,299 | 5,514 | 61.1 | 75.8 | 93.0 | 95.7 | 5,861 | 5,686 | 102.9 | 98.7 | 3,970 | 3,606 |
| 5 | Khajuwala | 3,553 | 3,856 | 64.8 | 73.6 | 101.2 | 97.6 | 3,513 | 3,946 | 100.0 | 99.9 | 2,587 | 2,664 |
| 6 | Kolayat | 4,363 | 4,496 | 84.9 | 85.3 | 100.0 | 99.7 | 4,365 | 4,699 | 100.0 | 104.2 | 1,841 | 2,356 |
| 7 | Loonkaransar | 4,948 | 4,958 | 81.4 | 78.9 | 102.1 | 96.4 | 6,075 | 6,843 | 125.3 | 133.1 | 3,704 | 3,472 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 8,070 | 8,741 | 71.1 | 84.8 | 97.3 | 94.6 | 8,087 | 8,353 | 97.5 | 90.4 | 5,371 | 4,922 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|---------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 4,193 | 1,574 | 12.2 | 5.0 | 1.8 | 2.6 | 3,307 | 4,753 | 1,120 | 2,027 | 2,187 | 2,726 |
| 1 | Bikaner | 3,851 | 1,319 | 22.6 | 9.3 | 2.4 | 3.9 | 402 | 1,002 | 76 | 308 | 326 | 694 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 247 | 96 | 6.2 | 2.7 | 0.7 | 0.3 | 540 | 768 | 48 | 172 | 492 | 596 |
| 5 | Khajuwala | 12 | 33 | 0.5 | 1.2 | 0.3 | 0.3 | 356 | 460 | 105 | 194 | 251 | 266 |
| 6 | Kolayat | 21 | 28 | 1.1 | 1.2 | 0.5 | 1.8 | 763 | 1,012 | 414 | 584 | 349 | 428 |
| 7 | Loonkaransar | 20 | 72 | 0.5 | 2.1 | 0.3 | 1.6 | 313 | 449 | 160 | 361 | 153 | 88 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 42 | 26 | 0.8 | 0.5 | 2.6 | 1.7 | 933 | 1,062 | 317 | 408 | 616 | 654 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|---------------|--|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 33.8 | 42.6 | 28 | 87 | 0.8 | 1.8 | 29,645 | 29,877 | 3,728 | 2,474 | 12.5 | 8.2 |
| 1 | Bikaner | 18.9 | 30.7 | 1 | 17 | 0.2 | 1.7 | 13,564 | 14,879 | 3,330 | 420 | 24.6 | 2.8 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 8.9 | 22.4 | 4 | 7 | 0.7 | 0.9 | 2,984 | 2,647 | 140 | 389 | 4.7 | 14.7 |
| 5 | Khajuwala | 29.5 | 42.2 | 0 | 5 | 0.0 | 1.1 | 2,211 | 2,244 | 25 | 292 | 1.1 | 13.0 |
| 6 | Kolayat | 54.3 | 57.7 | 1 | 17 | 0.1 | 1.7 | 2,736 | 2,575 | 12 | 468 | 0.4 | 18.2 |
| 7 | Loonkaransar | 51.1 | 80.4 | 0 | 2 | 0.0 | 0.4 | 3,440 | 2,884 | 11 | 398 | 0.3 | 13.8 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 34.0 | 38.4 | 22 | 39 | 2.4 | 3.7 | 4,710 | 4,648 | 210 | 507 | 4.5 | 10.9 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|---------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 32,987 | 34,465 | 55.7 | 60.4 | 36,294 | 39,218 | 90.9 | 87.9 | 94.0 | 93.0 | 9.1 | 12.1 |
| 1 | Bikaner | 14,988 | 16,929 | 46.3 | 59.6 | 15,390 | 17,931 | 97.4 | 94.4 | 97.9 | 96.1 | 2.6 | 5.6 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 4,359 | 4,170 | 76.5 | 72.4 | 4,899 | 4,938 | 89.0 | 84.4 | 90.0 | 87.9 | 11.0 | 15.6 |
| 5 | Khajuwala | 2,211 | 2,244 | 63.0 | 56.8 | 2,567 | 2,704 | 86.1 | 83.0 | 90.2 | 90.2 | 13.9 | 17.0 |
| 6 | Kolayat | 2,736 | 2,575 | 62.7 | 57.1 | 3,499 | 3,587 | 78.2 | 71.8 | 90.0 | 88.1 | 21.8 | 28.2 |
| 7 | Loonkaransar | 3,440 | 2,884 | 71.0 | 56.1 | 3,753 | 3,333 | 91.7 | 86.5 | 95.9 | 97.4 | 8.3 | 13.5 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 5,253 | 5,663 | 63.3 | 61.3 | 6,186 | 6,725 | 84.9 | 84.2 | 90.0 | 90.3 | 15.1 | 15.8 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|---------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 2,515 | 2,816 | 356 | 580 | 8.7 | 9.8 | 8.5 | 9.4 | 10.7 | 12.6 | 89.9 | 86.7 |
| 1 | Bikaner | 2,515 | 2,816 | 222 | 294 | 18.3 | 18.4 | 18.5 | 18.9 | 15.6 | 14.3 | 90.5 | 87.9 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0 | 0 | 51 | 86 | 1.2 | 2.1 | 0.0 | 0.0 | 3.7 | 5.6 | 68.5 | 63.5 |
| 5 | Khajuwala | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Kolayat | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | Loonkaransar | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0 | 0 | 83 | 200 | 1.6 | 3.5 | 0.0 | 0.0 | 15.3 | 19.7 | 89.7 | 82.1 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|---------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 85.8 | 95.9 | 5.2 | 18.3 | 10.1 | 13.3 | 27,759 | 29,447 | 19,330 | 17,439 | 76.5 | 75.1 |
| 1 | Bikaner | 72.6 | 93.0 | 4.4 | 7.4 | 9.5 | 12.1 | 13,735 | 11,775 | 8,276 | 5,290 | 89.2 | 65.7 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 93.4 | 93.2 | 9.3 | 55.6 | 31.5 | 36.5 | 2,900 | 2,999 | 1,607 | 1,958 | 59.2 | 60.7 |
| 5 | Khajuwala | 87.8 | 100.0 | 1.0 | 47.6 | 0.0 | 0.0 | 2,155 | 2,309 | 1,204 | 1,778 | 84.0 | 85.4 |
| 6 | Kolayat | 99.6 | 100.0 | 10.2 | 28.2 | 0.0 | 0.0 | 536 | 3,270 | 3,497 | 2,738 | 15.3 | 91.2 |
| 7 | Loonkaransar | 99.4 | 100.0 | 1.9 | 8.9 | 0.0 | 0.0 | 3,180 | 2,770 | 1,687 | 1,495 | 84.7 | 83.1 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 100.0 | 99.7 | 6.8 | 18.2 | 10.3 | 17.9 | 5,253 | 6,324 | 3,059 | 4,180 | 84.9 | 94.0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|---------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 53.3 | 44.5 | 36,203 | 38,914 | 99.7 | 99.2 | 833 | 924 | 97.8 | 97.7 | 34,611 | 37,436 |
| 1 | Bikaner | 53.8 | 29.5 | 15,072 | 17,446 | 97.9 | 97.3 | 543 | 611 | 96.5 | 96.6 | 14,725 | 17,263 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 32.8 | 39.7 | 4,908 | 5,026 | 100.2 | 101.8 | 67 | 81 | 98.7 | 98.4 | 4,412 | 4,644 |
| 5 | Khajuwala | 46.9 | 65.8 | 2,546 | 2,660 | 99.2 | 98.4 | 49 | 60 | 98.1 | 97.8 | 2,464 | 2,606 |
| 6 | Kolayat | 99.9 | 76.3 | 3,567 | 3,686 | 101.9 | 102.8 | 55 | 55 | 98.5 | 98.5 | 3,547 | 3,434 |
| 7 | Loonkaransar | 45.0 | 44.9 | 3,862 | 3,298 | 102.9 | 98.9 | 63 | 68 | 98.4 | 98.0 | 3,828 | 3,194 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 49.5 | 62.2 | 6,248 | 6,798 | 101.0 | 101.1 | 56 | 49 | 99.1 | 99.3 | 5,635 | 6,295 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 95.6 | 96.2 | 7,429 | 8,483 | 21.4 | 22.6 | 35,431 | 37,628 | 97.8 | 96.6 | 2,740 | 3,540 |
| 1 | Bikaner | 97.7 | 99.0 | 2,655 | 4,563 | 18.0 | 26.4 | 14,746 | 17,355 | 97.8 | 99.5 | 364 | 777 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 89.9 | 92.4 | 1,396 | 1,733 | 31.6 | 37.3 | 4,726 | 4,900 | 96.3 | 97.5 | 469 | 553 |
| 5 | Khajuwala | 96.8 | 98.0 | 122 | 81 | 5.0 | 3.1 | 2,509 | 2,557 | 98.5 | 96.1 | 262 | 422 |
| 6 | Kolayat | 99.4 | 93.2 | 62 | 113 | 1.7 | 3.3 | 3,543 | 3,455 | 99.3 | 93.7 | 752 | 753 |
| 7 | Loonkaransar | 99.1 | 96.8 | 599 | 91 | 15.6 | 2.8 | 3,873 | 3,277 | 100.3 | 99.4 | 196 | 263 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 90.2 | 92.6 | 2,595 | 1,902 | 46.1 | 30.2 | 6,034 | 6,084 | 96.6 | 89.5 | 697 | 772 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|---------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 82.8 | 74.4 | 950 | 903 | 4.6 | 5.5 | 28.3 | 8.6 | 40.0 | 11.1 | 18.5 | 24.6 |
| 1 | Bikaner | 90.5 | 77.5 | 946 | 898 | 9.1 | 10.3 | 32.1 | 9.4 | 55.5 | 14.6 | 21.0 | 26.8 |
| 2 | Bikaner Urban | | | 0 | 0 | | | | | | | | |
| 3 | Chhatargarh | | | 0 | 0 | | | | | | | | |
| 4 | Dungargarh | 86.9 | 72.0 | 966 | 935 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khajuwala | 73.6 | 91.7 | 951 | 918 | 1.1 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kolayat | 98.6 | 74.4 | 976 | 913 | 1.5 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Loonkaransar | 62.6 | 58.6 | 955 | 995 | 1.7 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Lunkaransar | | | 0 | 0 | | | | | | | | |
| 9 | Nokha | 74.7 | 72.7 | 926 | 842 | 0.3 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Poogal | | | 0 | 0 | | | | | | | | |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 3.0 | 2.0 | 714 | 574 | 35 | 21 | 4.9 | 3.7 | 97.1 | 100.0 | 2.9 | 0.0 |
| 1 | Bikaner | 5.5 | 3.1 | 614 | 443 | 22 | 6 | 3.6 | 1.4 | 95.5 | 100.0 | 4.5 | 0.0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0.4 | 0.5 | 30 | 46 | 0 | 2 | 0.0 | 4.3 | | 100.0 | | 0.0 |
| 5 | Khajuwala | 1.8 | 0.1 | 3 | 6 | 6 | 0 | 200.0 | 0.0 | 100.0 | | 0.0 | |
| 6 | Kolayat | 1.2 | 1.2 | 1 | 6 | 0 | 0 | 0.0 | 0.0 | | | | |
| 7 | Loonkaransar | 2.7 | 1.8 | 65 | 68 | 7 | 13 | 10.8 | 19.1 | 100.0 | 100.0 | 0.0 | 0.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0.4 | 1.5 | 1 | 5 | 0 | 0 | 0.0 | 0.0 | | | | |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|---------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 64.8 | 75.0 | 35.2 | 25.0 | 0.1 | 0.0 | 3.4 | 4.2 | 109 | 114 | 6,640 | 7,229 |
| 1 | Bikaner | 53.7 | 54.5 | 46.3 | 45.5 | 0.1 | 0.0 | 4.0 | 4.4 | 67 | 54 | 2,579 | 2,952 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | | 100.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11 | 14 | 862 | 924 |
| 5 | Khajuwala | 100.0 | | 0.0 | | 0.2 | 0.0 | 0.0 | | 7 | 7 | 652 | 672 |
| 6 | Kolayat | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 6 | 4 | 721 | 755 |
| 7 | Loonkaransar | 100.0 | 100.0 | 0.0 | 0.0 | 0.1 | 0.3 | 0.0 | 10.3 | 13 | 31 | 804 | 949 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | | 0.0 | | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 5 | 4 | 1,022 | 977 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|---------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 6,749 | 7,343 | 1.6 | 1.5 | 98.4 | 98.4 | 2,826 | 2,997 | 1,989 | 2,085 | 855 | 754 |
| 1 | Bikaner | 2,646 | 3,006 | 2.5 | 1.8 | 97.5 | 98.2 | 632 | 666 | 145 | 153 | 855 | 754 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 873 | 938 | 1.3 | 1.5 | 98.7 | 98.5 | 662 | 721 | 205 | 216 | | |
| 5 | Khajuwala | 659 | 679 | 1.1 | 1.0 | 98.9 | 99.0 | 316 | 312 | 343 | 367 | | |
| 6 | Kolayat | 727 | 759 | 0.8 | 0.5 | 99.2 | 99.5 | 218 | 216 | 509 | 543 | | |
| 7 | Loonkaransar | 817 | 980 | 1.6 | 3.2 | 98.4 | 96.8 | 611 | 700 | 206 | 280 | | |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 1,027 | 981 | 0.5 | 0.4 | 99.5 | 99.6 | 387 | 382 | 581 | 526 | | |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|---------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | | | 37 | 34 | 41.9 | 40.8 | 29.5 | 28.4 | 12.7 | 10.3 | 0.0 | 0.0 |
| 1 | Bikaner | | | 37 | 34 | 23.9 | 22.2 | 5.5 | 5.1 | 32.3 | 25.1 | 0.0 | 0.0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | | | 0 | 0 | 75.8 | 76.9 | 23.5 | 23.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khajuwala | | | 0 | 0 | 48.0 | 45.9 | 52.0 | 54.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kolayat | | | 0 | 0 | 30.0 | 28.5 | 70.0 | 71.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Loonkaransar | | | 0 | 0 | 74.8 | 71.4 | 25.2 | 28.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | | | 0 | 0 | 37.7 | 38.9 | 56.6 | 53.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|---------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 16.0 | 20.5 | 92.7 | 90.4 | 0.0 | 0.0 | 7.3 | 9.5 | 86.0 | 81.4 | | |
| 1 | Bikaner | 38.3 | 47.7 | 83.7 | 79.1 | 0.0 | 0.0 | 16.3 | 20.9 | 60.2 | 47.9 | | |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0.7 | 0.1 | 99.3 | 99.9 | 0.0 | 0.0 | 0.7 | 0.1 | 100.0 | 100.0 | | |
| 5 | Khajuwala | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 6 | Kolayat | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 7 | Loonkaransar | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 5.7 | 7.4 | 94.2 | 92.5 | 0.0 | 0.0 | 5.8 | 7.5 | 100.0 | 100.0 | | |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 62.3 | 62.7 | 1 | 0 | 8,850 | 8,688 | 117 | 176 | 8,967 | 8,864 | 1,308 | 938 |
| 1 | Bikaner | 71.9 | 70.2 | 0 | 0 | 2,322 | 2,282 | 117 | 176 | 2,439 | 2,458 | 371 | 469 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0.0 | 0.0 | 0 | 0 | 1,475 | 1,303 | 0 | 0 | 1,475 | 1,303 | 188 | 45 |
| 5 | Khajuwala | | | 1 | 0 | 1,235 | 933 | 0 | 0 | 1,235 | 933 | 195 | 3 |
| 6 | Kolayat | | | 0 | 0 | 944 | 1,099 | 0 | 0 | 944 | 1,099 | 120 | 56 |
| 7 | Loonkaransar | | | 0 | 0 | 1,127 | 1,160 | 0 | 0 | 1,127 | 1,160 | 72 | 36 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0.0 | 0.0 | 0 | 0 | 1,747 | 1,911 | 0 | 0 | 1,747 | 1,911 | 362 | 329 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|-----------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 14.7 | 10.7 | 4.4 | 3.1 | 57.0 | 54.6 | 98,920 | 97,252 | 1,073,161 | 1,065,391 | 0 | 0 |
| 1 | Bikaner | 16.0 | 20.6 | 2.7 | 3.2 | 48.0 | 45.0 | 24,171 | 14,187 | 209,601 | 157,947 | 0 | 0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 12.7 | 3.5 | 6.3 | 1.7 | 62.8 | 58.1 | 20,742 | 24,368 | 223,173 | 237,128 | 0 | 0 |
| 5 | Khajuwala | 15.8 | 0.3 | 8.8 | 0.1 | 65.2 | 57.9 | 8,867 | 9,725 | 92,920 | 96,600 | 0 | 0 |
| 6 | Kolayat | 12.7 | 5.1 | 4.4 | 2.2 | 56.5 | 59.1 | 12,445 | 14,692 | 173,840 | 180,840 | 0 | 0 |
| 7 | Loonkaransar | 6.4 | 3.1 | 2.1 | 1.2 | 58.0 | 54.2 | 15,223 | 14,766 | 174,607 | 174,504 | 0 | 0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 20.7 | 17.2 | 7.7 | 7.1 | 63.0 | 66.1 | 17,472 | 19,514 | 199,020 | 218,372 | 0 | 0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|---------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 23,486 | 22,785 | 42,490 | 43,561 | 64.9 | 58.6 | 117.4 | 111.9 | 280 | 33,123 | 602 | 36,478 |
| 1 | Bikaner | 11,408 | 12,798 | 14,665 | 18,326 | 75.7 | 73.4 | 97.3 | 105.0 | 138 | 12,506 | 174 | 13,489 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 1,768 | 1,347 | 5,131 | 4,550 | 36.0 | 26.8 | 104.5 | 90.5 | 50 | 4,052 | 142 | 4,603 |
| 5 | Khajuwala | 1,174 | 1,343 | 3,639 | 4,147 | 46.1 | 50.5 | 142.9 | 155.9 | 78 | 3,494 | 209 | 3,774 |
| 6 | Kolayat | 3,529 | 2,936 | 6,124 | 4,960 | 98.9 | 79.7 | 171.7 | 134.6 | 0 | 3,710 | 0 | 3,846 |
| 7 | Loonkaransar | 2,460 | 1,884 | 4,814 | 4,171 | 63.7 | 57.1 | 124.7 | 126.5 | 1 | 3,334 | 12 | 3,869 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 3,147 | 2,477 | 8,117 | 7,407 | 50.4 | 36.4 | 129.9 | 109.0 | 13 | 6,027 | 65 | 6,897 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|---------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 910 | 37,688 | 38,462 | 7,908 | 36,649 | 2,466 | 35,369 | 156 | 37,786 | 38,633 | 104.3 | 99.2 |
| 1 | Bikaner | 278 | 13,632 | 13,285 | 2,920 | 12,725 | 825 | 11,917 | 74 | 13,417 | 14,143 | 89.0 | 81.1 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 187 | 4,659 | 4,685 | 963 | 4,368 | 178 | 4,413 | 0 | 4,583 | 4,778 | 93.4 | 95.1 |
| 5 | Khajuwala | 297 | 3,930 | 3,437 | 551 | 3,151 | 225 | 2,963 | 12 | 3,221 | 3,669 | 126.5 | 137.9 |
| 6 | Kolayat | 0 | 4,377 | 5,305 | 1,114 | 5,182 | 542 | 5,198 | 0 | 4,649 | 4,186 | 130.3 | 113.6 |
| 7 | Loonkaransar | 70 | 3,963 | 4,437 | 866 | 4,384 | 264 | 4,261 | 59 | 4,793 | 4,364 | 124.1 | 132.3 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 78 | 7,127 | 7,313 | 1,494 | 6,839 | 432 | 6,617 | 11 | 7,123 | 7,493 | 114.0 | 110.2 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|---------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 37,271 | 37,890 | 11.1 | 11.3 | 28,739 | 28,065 | 79.4 | 72.1 | 49.0 | 45.5 | 0 | 0 |
| 1 | Bikaner | 13,255 | 13,787 | 8.5 | 22.8 | 8,188 | 8,897 | 54.3 | 51.0 | 53.4 | 52.2 | 0 | 0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 4,525 | 4,593 | 10.7 | -5.0 | 4,404 | 4,129 | 89.7 | 82.2 | 44.3 | 42.2 | 0 | 0 |
| 5 | Khajuwala | 3,204 | 3,667 | 11.5 | 11.5 | 2,817 | 2,896 | 110.6 | 108.9 | 46.8 | 50.1 | 0 | 0 |
| 6 | Kolayat | 4,647 | 4,153 | 24.1 | 15.6 | 3,437 | 3,329 | 96.4 | 90.3 | 64.3 | 44.8 | 0 | 0 |
| 7 | Loonkaransar | 4,766 | 4,355 | 0.4 | -4.6 | 3,877 | 2,805 | 100.4 | 85.1 | 39.3 | 45.1 | 0 | 0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 6,874 | 7,335 | 12.2 | -1.2 | 6,016 | 6,009 | 96.3 | 88.4 | 44.7 | 36.4 | 0 | 0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|---------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 93.6 | 94.7 | 51.2 | 47.1 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.1 |
| 1 | Bikaner | 97.7 | 97.8 | 36.7 | 25.6 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.0 | 0.2 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 95.4 | 96.9 | 62.0 | 62.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khajuwala | 100.0 | 100.0 | 70.2 | 69.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kolayat | 99.7 | 98.7 | 49.1 | 48.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Loonkaransar | 99.8 | 99.6 | 61.8 | 57.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 76.3 | 81.2 | 49.0 | 48.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|---------------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 0.0 | 0.0 | 8.7 | 1.6 | 87.0 | 93.6 | 4.3 | 4.3 | 77.5 | 64.9 | 38.5 | 25.0 |
| 1 | Bikaner | 0.0 | 0.0 | 9.9 | 2.6 | 81.7 | 90.1 | 8.4 | 6.6 | 79.8 | 57.7 | 29.0 | 19.7 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0.0 | 0.0 | 19.0 | 0.0 | 79.1 | 100.0 | 1.9 | 0.0 | 75.8 | 88.0 | 39.6 | 34.6 |
| 5 | Khajuwala | 0.0 | 0.0 | 4.0 | 0.0 | 84.8 | 100.0 | 11.1 | 0.0 | 62.2 | 51.0 | 58.6 | 60.1 |
| 6 | Kolayat | 0.0 | 0.0 | 5.4 | 0.0 | 92.3 | 100.0 | 2.3 | 0.0 | 78.5 | 75.8 | 41.9 | 28.0 |
| 7 | Loonkaransar | 0.0 | 0.0 | 3.3 | 0.0 | 96.7 | 98.3 | 0.0 | 1.7 | 78.7 | 78.2 | 54.3 | 29.5 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0.0 | 0.0 | 0.9 | 0.0 | 99.1 | 100.0 | 0.0 | 0.0 | 72.5 | 71.6 | 39.8 | 17.2 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|---------------|---|---------|---------------------------------|---------|--------------|---------|--------------|-----------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 43.9 | 14.3 | 0.1 | 0.0 | 59,092 | 57,389 | 2,326,708 | 2,512,603 | 2.5 | 2.3 | 1,330 | 298 |
| 1 | Bikaner | 26.8 | 25.0 | 0.2 | 0.0 | 27,252 | 30,961 | 1,068,012 | 1,447,320 | 2.6 | 2.1 | 1,282 | 298 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | | | 0.0 | 0.0 | 4,460 | 4,188 | 228,813 | 208,747 | 1.9 | 2.0 | 0 | 0 |
| 5 | Khajuwala | | | 0.0 | 0.0 | 3,797 | 3,918 | 171,805 | 162,005 | 2.2 | 2.4 | 30 | 0 |
| 6 | Kolayat | 0.0 | | 0.0 | 0.0 | 6,733 | 5,148 | 249,075 | 235,898 | 2.7 | 2.2 | 17 | 0 |
| 7 | Loonkaransar | 66.7 | 0.0 | 0.0 | 0.0 | 9,252 | 6,049 | 284,452 | 219,077 | 3.3 | 2.8 | 1 | 0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 100.0 | | 0.2 | 0.0 | 7,598 | 7,125 | 324,551 | 239,556 | 2.3 | 3.0 | 0 | 0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|---------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 3,957 | 3,248 | 25.2 | 8.4 | 0 | 0 | 0.0 | 0.0 | 21,850 | 29,487 | 0.9 | 1.1 |
| 1 | Bikaner | 1,820 | 1,469 | 41.3 | 16.9 | 0 | 0 | 0.0 | 0.0 | 12,313 | 5,302 | 1.2 | 0.4 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 313 | 373 | 0.0 | 0.0 | 0 | 0 | | | 1,004 | 539 | 0.4 | 0.3 |
| 5 | Khajuwala | 214 | 118 | 12.3 | 0.0 | 0 | 0 | 0.0 | | 950 | 3,224 | 0.6 | 2.0 |
| 6 | Kolayat | 852 | 691 | 2.0 | 0.0 | 0 | 0 | 0.0 | | 1,663 | 2,791 | 0.7 | 1.2 |
| 7 | Loonkaransar | 160 | 155 | 0.6 | 0.0 | 0 | 0 | 0.0 | | 1,870 | 3,520 | 0.7 | 1.6 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 598 | 442 | 0.0 | 0.0 | 0 | 0 | | | 4,050 | 14,111 | 1.2 | 5.9 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|---------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 5,700 | 5,713 | 0.2 | 0.2 | 1,616 | 630 | 6.6 | 7.0 | 0.3 | 0.0 | 0.0 | 0.0 |
| 1 | Bikaner | 5,315 | 2,537 | 0.5 | 0.2 | 1,232 | 61 | 9.8 | 10.9 | 0.5 | 0.1 | 0.1 | 0.0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 5 | 544 | 0.0 | 0.3 | 47 | 3 | 4.3 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khajuwala | 348 | 2,609 | 0.2 | 1.6 | 9 | 87 | 3.1 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kolayat | 2 | 23 | 0.0 | 0.0 | 25 | 24 | 3.5 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Loonkaransar | 30 | 0 | 0.0 | 0.0 | 221 | 263 | 4.9 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0 | 0 | 0.0 | 0.0 | 82 | 192 | 6.3 | 6.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 0.1 | 0.0 | 4.9 | 0.4 | 0.0 | 0.0 | 144 | 154 | 13.9 | 12.0 | 1.9 | 0.0 |
| 1 | Bikaner | 0.1 | 0.0 | 6.2 | 0.4 | 0.0 | 0.0 | 17 | 37 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 0.0 | 0.0 | 4.5 | 0.1 | 0.0 | 0.0 | 23 | 10 | 15.8 | 0.0 | 0.0 | 0.0 |
| 5 | Khajuwala | 0.0 | 0.0 | 2.7 | 0.4 | 0.1 | 0.0 | 27 | 46 | 21.7 | 16.7 | 0.0 | 0.0 |
| 6 | Kolayat | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 44 | 26 | 18.5 | 21.1 | 3.7 | 0.0 |
| 7 | Loonkaransar | 0.0 | 0.0 | 6.9 | 0.2 | 0.0 | 0.0 | 29 | 35 | 4.8 | 14.3 | 4.8 | 0.0 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 4 | | 33.3 | | 0.0 | |
| 10 | Poogal | | | | | | | | | | | | |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|---------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bikaner | 10.2 | 4.0 | 7.4 | 2.0 | 0.9 | 0.0 | 2.8 | 1.0 | 0.0 | 0.0 | 63.0 | 81.0 |
| 1 | Bikaner | 13.3 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.3 | 0.0 | 0.0 | 86.7 | 91.3 |
| 2 | Bikaner Urban | | | | | | | | | | | | |
| 3 | Chhatargarh | | | | | | | | | | | | |
| 4 | Dungargarh | 10.5 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.7 | 83.3 |
| 5 | Khajuwala | 13.0 | 0.0 | 17.4 | 4.2 | 0.0 | 0.0 | 4.3 | 0.0 | 0.0 | 0.0 | 43.5 | 79.2 |
| 6 | Kolayat | 3.7 | 5.3 | 3.7 | 0.0 | 3.7 | 0.0 | 7.4 | 0.0 | 0.0 | 0.0 | 59.3 | 73.7 |
| 7 | Loonkaransar | 14.3 | 3.6 | 14.3 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 61.9 | 78.6 |
| 8 | Lunkaransar | | | | | | | | | | | | |
| 9 | Nokha | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 66.7 | |
| 10 | Poogal | | | | | | | | | | | | |