		1	l	2	2	3	3	4		į	5	(5
	Indicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Ni reported S	ımber of till Births	% live birth to Bir	Reported		f Newborns at birth		of Infants OPV 0 Dose)
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan	1,471,729		98.1	0.0	19,133		98.7		1,337,096		553,368	
1	Ajmer	51,518		96.0		732		98.6		51,518		23,200	
2	Alwar	77,624		98.8		1,352		98.3		69,047		11,166	
3	Banswara	38,942		87.8		1,016		97.5		40,835		12,018	
4	Baran	26,290		101.9		235		99.1		24,795		12,494	
5	Barmer	53,422		98.3		690		98.7		47,480		14,914	
6	Bharatpur	50,970		92.5		440		99.1		43,571		6,477	
7	Bhilwara	57,739		98.3		566		99.0		56,128		7,391	
8	Bikaner	51,710		99.4		320		99.4		31,378		9,151	
9	Bundi	27,707		99.5		138		99.5		24,538		16,933	
10	Chittaurgarh	39,203		90.3		2,370		94.3		33,967		40,611	
11	Churu	39,705		98.5		294		99.3		38,033		14,512	
12	Dausa	31,195		100.8		344		98.9		28,897		12,476	
13	Dhaulpur	26,944		92.5		172		99.4		26,532		13,680	
14	Dungarpur	30,235		97.3		835		97.3		24,100		23,578	
15	Ganganagar	36,812		91.5		503		98.7		41,812		12,432	
16	Hanumangarh	47,105		114.9		233		99.5		34,995		7,985	
17	Jaipur	154,191		101.4	0.0	1,322		99.1		156,505		117,041	
18	Jaisalmer	14,436		90.7		284		98.1		9,110		5,862	
19	Jalor	38,839		99.6		460		98.8		38,554		4,906	
20	Jhalawar	28,927		97.3		580		98.0		27,819		15,994	
21	Jhunjhunun	31,303		93.9		248		99.2		28,038		5,772	
22	Jodhpur	83,476		100.3		265		99.7		75,689		45,878	
23	Karauli	34,862		100.4		422		98.8		32,138		15,120	
24	Kota	37,002		97.9		551		98.5		34,595		22,119	
25	Nagaur	63,540		95.5		753		98.8		59,193			
26	Pali	41,458		95.9		458		98.9		43,937		30,103	
27	Pratapgarh	18,144		94.1		488		97.4		15,303		8,914	
28	Rajsamand	35,249		140.0		322		99.1		24,113		9,209	
29	Sawai Madhopur	26,582		97.1		379		98.6		26,582		6,486	
30	Sikar	48,299		95.9		433		99.1		37,257			
31	Sirohi	23,473		98.2		450		98.1		22,182		4,176	
32	Tonk	27,959		99.0		361		98.7		24,879		22,770	
33	Udaipur	76,868		92.0		1,117		98.6		63,576			

		7	7	8	3	ģ)	1	0	1	1	1	2
	Indicator	Number (% Newborns given OPV0 at birth to Reported live birth		% Newborns to Reporte	given BCG	Number o		Number (given	of Infants DPT2	Number o	of Infants DPT3
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan	1,779,601	1,798,339	37.6		120.9		1,737,806		1,678,750	897,403	1,692,822	1,710,867
1	Ajmer	72,302		45.0		140.3		61,134		57,716		60,811	
2	Alwar	95,191		14.4		122.6		86,549		80,627		81,475	
3	Banswara	49,857		30.9		128.0		46,100		40,128		44,737	
4	Baran	23,769		47.5		90.4		27,669		26,802		25,603	
5	Barmer	61,527		27.9		115.2		64,245		61,554		59,938	
6	Bharatpur	74,164		12.7		145.5		64,473		63,459		64,928	
7	Bhilwara	55,745		12.8		96.5		53,214		51,796		51,794	
8	Bikaner	44,978		17.7		87.0		75,748		69,474		65,981	
9	Bundi	29,812		61.1		107.6		29,942		29,794		29,646	
10	Chittaurgarh	39,051		103.6		99.6		38,850		34,271		39,580	
11	Churu	60,705		36.5		152.9		60,980		59,076		58,852	
12	Dausa	42,546		40.0		136.4		40,400		38,438		37,775	
13	Dhaulpur	34,865		50.8		129.4		29,860		30,036		31,497	
14	Dungarpur	34,919		78.0		115.5		34,573		33,926		33,805	
15	Ganganagar	49,697		33.8		135.0		46,663		45,708		48,990	
16	Hanumangarh	43,471		17.0		92.3		44,394		44,876		43,554	
17	Jaipur	179,643	1,798,339	75.9		116.5		170,343		160,893	897,403	142,042	1,710,867
18	Jaisalmer	18,336		40.6		127.0		16,868		16,260		15,600	
19	Jalor	46,806		12.6		120.5		47,072		45,970		45,171	
20	Jhalawar	38,944		55.3		134.6		34,709		33,767		34,271	
21	Jhunjhunun	53,896		18.4		172.2		53,208		51,922		50,352	
22	Jodhpur	93,756		55.0		112.3		93,287		89,984		86,244	
23	Karauli	40,042		43.4		114.9		38,437		36,369		37,716	
24	Kota	43,542		59.8		117.7		43,068		42,830		42,292	
25	Nagaur	88,720		0.0		139.6		88,528		89,833		66,070	
26	Pali	50,833		72.6		122.6		48,765		47,116		50,113	
27	Pratapgarh	22,834		49.1		125.8		21,240		21,123		61,721	
28	Rajsamand	30,492		26.1		86.5		29,954		29,552		29,734	
29	Sawai Madhopur	36,550		24.4		137.5		35,838		36,934		36,857	
30	Sikar	66,479		0.0		137.6		67,467		67,139		66,432	
31	Sirohi	33,861		17.8		144.3		31,374		30,946		33,887	
32	Tonk	38,022		81.4		136.0		36,471		35,840		37,544	
33	Udaipur	84,246		0.0		109.6		76,383		74,591		77,810	

		1	3	1	4	1	.5	1	6	1	7	1	8
	Indicator	given Pen	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		of Infants Jeasles	Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan							1,628,121	1,667,057	110.6		1,569,823	
1	Ajmer							60,661		117.7		60,661	
2	Alwar							76,695		98.8		69,021	
3	Banswara							44,900		115.3		44,900	
4	Baran							27,870		106.0		27,520	
5	Barmer							56,239		105.3		56,239	
6	Bharatpur							70,153		137.6		70,153	
7	Bhilwara							51,082		88.5		49,912	
8	Bikaner							64,056		123.9		59,379	
9	Bundi							29,537		106.6		29,317	
10	Chittaurgarh							39,616		101.1		39,616	
11	Churu							56,691		142.8		56,438	
12	Dausa							36,074		115.6		34,118	
13	Dhaulpur							29,221		108.5		28,422	
14	Dungarpur							33,511		110.8		24,882	
15	Ganganagar							46,900		127.4		46,039	
16	Hanumangarh							43,182		91.7		42,675	
17	Jaipur							145,919	1,667,057	94.6		137,799	
18	Jaisalmer							15,042		104.2		12,757	
19	Jalor							43,925		113.1		43,925	
20	Jhalawar							29,018		100.3		28,729	
21	Jhunjhunun							51,688		165.1		51,468	
22	Jodhpur							84,586		101.3		76,366	
23	Karauli							37,166		106.6		36,214	
24	Kota							41,038		110.9		41,038	
25	Nagaur							77,568		122.1		77,375	
26	Pali							49,568		119.6		49,268	
27	Pratapgarh							20,499		113.0		20,363	
28	Rajsamand							28,890		82.0		26,792	
29	Sawai Madhopur							34,221		128.7		34,221	
30	Sikar							57,462		119.0		57,462	
31	Sirohi							32,959		140.4		32,597	
32	Tonk							35,467		126.9		33,503	
33	Udaipur							76,717		99.8		70,654	

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator	9 Drop Out BCG &	t between	Vitamin -	Vitamin - A dose 1		6 given Vit A eported live rth	Children giv A Dose 9 to given Vit	ven Vitamin o Children		e Events Imunisation ners)	immunisati Held to Im Sessions	on Sessions munisation
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan	8.5	7.3	1,532,811	1,358,737	104.2		0.8	0.0	570		84.8	
1	Ajmer	16.1		54,173		105.2		0.0				94.3	
2	Alwar	19.4		64,495		83.1		0.0		5		98.7	
3	Banswara	9.9		31,252		80.3		0.0				99.2	
4	Baran	-17.3		26,531		100.9		0.0		71			
5	Barmer	8.6		54,516		102.0		0.0		58		68.7	
6	Bharatpur	5.4		58,124		114.0		0.0				93.7	
7	Bhilwara	8.4		48,802		84.5		0.0				99.4	
8	Bikaner	-42.4		49,994		96.7		0.0				98.3	
9	Bundi	0.9		29,537		106.6		0.0				16.6	
10	Chittaurgarh	-1.4		39,616		101.1		0.0					
11	Churu	6.6		56,740		142.9		0.0				99.6	
12	Dausa	15.2		29,638		95.0		0.0		159		82.2	
13	Dhaulpur	16.2		31,715		117.7		0.0				74.3	
14	Dungarpur	4.0		26,118		86.4		0.0				99.3	
15	Ganganagar	5.6		43,257		117.5		0.0		18		97.6	
16	Hanumangarh	0.7		43,182		91.7		0.0				99.8	
17	Jaipur	18.8	7.3	115,642	1,358,737	75.0		0.0	0.0			92.0	
18	Jaisalmer	18.0		13,251		91.8		0.0				67.2	
19	Jalor	6.2		43,809		112.8		0.0				96.4	
20	Jhalawar	25.5		34,235		118.3		0.0		74		81.2	
21	Jhunjhunun	4.1		43,477		138.9		0.0		2			
22	Jodhpur	9.8		155,294		186.0		6.8				92.0	
23	Karauli	7.2		33,075		94.9		0.0				94.3	
24	Kota	5.8		33,030		89.3		0.0		35			
25	Nagaur	12.6		73,777		116.1		0.0				92.5	
26	Pali	2.5		49,568		119.6		1.3				93.9	
27	Pratapgarh	10.2		19,946		109.9		0.0		5			
28	Rajsamand	5.3		24,063		68.3		0.0				90.3	
29	Sawai Madhopur	6.4		27,781		104.5		0.0		79			
30	Sikar	13.6		60,093		124.4		0.0					
31	Sirohi	2.7		30,193		128.6		0.0				95.0	
32	Tonk	6.7		30,430		108.8		0.0		60		86.8	
33	Udaipur	8.9		57,457		74.7		1.7		4		94.0	

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator	Immunisati where AS preser Immunisati Plan	on Sessions HAs were at to on Sessions aned	% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Childhood l Ye	Children of Age to eported Diseases 0-5 ars	Children 0 Age to Tota Childhood 1 Yes	onatorum in -5 Years of al Reported Diseases 0-5 ars	Age to Tota Childhood l Yes	Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan	2.0		0.1		0.0		0.0		0.0		0.2	
1	Ajmer	0.0		0.0		0.0		0.0		0.0		0.6	
2	Alwar	5.2		0.0		0.0		0.0		0.0		0.7	
3	Banswara	0.0		0.0		0.0		0.0		0.0		0.1	
4	Baran			0.0		0.0		0.0		0.2		0.4	
5	Barmer	0.0		0.0		0.0		0.0		0.0		0.0	
6	Bharatpur	0.0		0.0		0.0		0.0		0.0		0.0	
7	Bhilwara	9.0		0.0		0.0		0.0		0.0		0.5	
8	Bikaner	2.2		0.8		0.1		0.0		0.1		0.4	
9	Bundi	0.0		0.0		0.0		0.0		0.1		0.1	
10	Chittaurgarh												
11	Churu	0.0		0.0		0.0		0.0		0.0		0.4	
12	Dausa	0.0		0.0		0.0		0.0		0.0		0.0	
13	Dhaulpur	0.0		0.0		0.0		0.0		0.0		0.0	
14	Dungarpur	0.0		0.0		0.0		0.0		0.0		0.0	
15	Ganganagar	0.0		0.0		0.0		0.0		0.0		0.0	
16	Hanumangarh	23.3		0.0		0.0		0.0		0.0		0.0	
17	Jaipur	0.0		1.7		0.1		0.2		0.1		0.0	
18	Jaisalmer	0.3		0.0		0.0		0.0		0.0		0.0	
19	Jalor	0.0		0.0		0.0		0.0		0.0		0.1	
20	Jhalawar	0.0		0.0		0.0		0.0		0.1		0.0	
21	Jhunjhunun			0.0		0.0		0.0		0.0		0.0	
22	Jodhpur	0.8		0.1		0.0		0.0		0.0		0.0	
23	Karauli	0.0		0.0		0.0		0.0		0.0		0.0	
24	Kota			0.0		0.0		0.0		0.0		0.4	
25	Nagaur	0.0		0.0		0.0		0.0		0.0		0.1	
26	Pali	2.6		0.0		0.0		0.0		0.0		0.1	
27	Pratapgarh			0.0		0.0		0.1		0.0		0.1	
28	Rajsamand	0.0		0.0		0.0		0.0		0.0		0.1	
29	Sawai Madhopur			0.0		0.0		0.0		0.0		0.0	
30	Sikar			0.0		0.0		0.0		0.0		0.0	
31	Sirohi	14.5		0.0		0.0		0.0		0.0		0.1	
32	Tonk	0.0		0.1		0.0		0.0		0.1		0.1	
33	Udaipur	0.0		0.0		0.0		0.0		0.0		0.0	
	Jumput	0.0		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Rajasthan (Across Districts) Financial Year: 2008-09 $\,$

Provisional Figures for the Period April to March

Indicator		3	1	3	2	3	3	3	4	3	5	3	6
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years 2008-09 2007-08		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years 2008-09 2007-08		Malaria in O Years of A Reported	Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		per of Infant reported 2007-08	% Deaths due to Sepsis to Total Reported Infant Deaths 2008-09 2007-08		Deaths due to Asphyxia to Total Reported Infant Deaths	
	_Rajasthan	0.3		95.3		4.2		5,124		0.0		0.0	
1	Ajmer	0.0		77.3		22.1		55					
2	Alwar	0.3		94.2		4.9		151		0.0		0.0	
3	Banswara	0.2		98.6		1.1		112					
4	Baran	0.4		97.3		1.7		135		0.0		0.0	
5	Barmer	0.0		97.5		2.4		79					
6	Bharatpur	0.2		98.1		1.7		136		0.0		0.0	
7	Bhilwara	0.0		99.5		0.0		30					
8	Bikaner	1.2		91.0		6.4		62					
9	Bundi	1.1		96.1		2.4		55		0.0		0.0	
10	Chittaurgarh							108					
11	Churu	0.0		99.6		0.0		45		0.0		0.0	
12	Dausa	0.3		78.3		21.4		51					
13	Dhaulpur	0.0		99.6		0.4		168		0.0		0.0	
14	Dungarpur	0.0		100.0		0.0		130		0.0		0.0	
15	Ganganagar	0.0		85.3		14.7		98		0.0		0.0	
16	Hanumangarh	0.0		100.0		0.0		60		0.0		0.0	
17	Jaipur	1.1		90.3		6.5		40		0.0		0.0	
18	Jaisalmer	0.0		99.7		0.3		23		0.0		0.0	
19	Jalor	0.0		97.0		2.9		105		0.0		0.0	
20	Jhalawar	0.4		95.9		3.6		48					
21	Jhunjhunun	1.2		93.1		5.7		11					
22	Jodhpur	1.1		98.9		0.0		741		0.0		0.0	
23	Karauli	0.2		81.2		18.6		327		0.0		0.0	
24	Kota	0.5		96.1		3.1		249		0.0		0.0	
25	Nagaur	0.0		99.9		0.0		336		0.0		0.0	
26	Pali	0.0		99.8		0.0		50		0.0		0.0	
27	Pratapgarh	0.0		95.1		4.7		242		0.0		0.0	
28	Rajsamand	0.0		99.9		0.0		233		0.0		0.0	
29	Sawai Madhopur	0.0		99.0		1.0		42					
30	Sikar	0.0		91.9		8.1		47		0.0		0.0	
31	Sirohi	0.1		98.0		1.7		129		0.0		0.0	
32	Tonk	1.1		85.6		13.1		146		0.0		0.0	
33	Udaipur	0.4		94.1		5.5		880		0.0		0.0	

Performance of Key HMIS Indicators for Rajasthan (Across Districts) Financial Year: 2008-09 $\,$

Provisional Figures for the Period April to March

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicator	9/ Deaths due Total Repo Dea	to LBW to rted Infant	% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		Deaths due Total Repo Dea	to Fever to rted Infant	Deaths due to Total	to Measles Reported	Deaths du Causes	to Total d Infant
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Rajasthan	0.2		17.4		1.8		1.3		2.4		76.8	
1	Ajmer												
2	Alwar	0.0		0.0		0.0		0.0		0.0		100.0	
3	Banswara												
4	Baran	0.0		0.0		0.0		0.0		0.0		100.0	
5	Barmer												
6	Bharatpur	0.0		0.0		0.0		0.0		0.0		100.0	
7	Bhilwara												
8	Bikaner												
9	Bundi	0.0		0.0		0.0		0.0		0.0		100.0	
10	Chittaurgarh												
11	Churu	0.0		0.0		0.0		0.0		0.0		100.0	
12	Dausa												
13	Dhaulpur	0.0		0.0		0.0		0.0		14.0		86.0	
14	Dungarpur	0.0		0.0		0.0		0.0		0.0		100.0	
15	Ganganagar	0.0		0.0		0.0		0.0		0.0		100.0	
16	Hanumangarh	0.0		0.0		0.0		0.0		0.0		100.0	
17	Jaipur	0.0		0.0		0.0		0.0		0.0		100.0	
18	Jaisalmer	0.0		0.0		0.0		0.0		0.0		100.0	
19	Jalor	0.0		0.0		0.0		0.0		0.0		100.0	
20	Jhalawar												
21	Jhunjhunun												
22	Jodhpur	0.8		76.0		8.0		5.9		8.6		0.8	
23	Karauli	0.0		0.0		0.0		0.0		0.0		100.0	
24	Kota	0.0		0.0		0.0		0.0		0.0		100.0	
25	Nagaur	0.0		0.0		0.0		0.0		0.0		100.0	
26	Pali	0.0		0.0		0.0		0.0		0.0		100.0	
27	Pratapgarh	0.0		0.0		0.0		0.0		0.0		100.0	
28	Rajsamand	0.0		0.0		0.0		0.0		0.0		100.0	
29	Sawai Madhopur												
30	Sikar	0.0		0.0		0.0		0.0		0.0		100.0	
31	Sirohi	0.0		0.0		0.0		0.0		0.0		100.0	
32	Tonk	0.0		0.0		0.0		0.0		0.0		100.0	
33	Udaipur	0.0		0.0		0.0		0.0		0.0		100.0	
33	Cuarpur	0.0		0.0		0.0		0.0		0.0		100.0	