```
GET FILE="C:\Users\PC\Documents\school of statistics\pspp\pspp week 17.sav".

DESCRIPTIVES
    /VARIABLES= Age.
```

Descriptive Statistics

	N	Mean	Std Dev	Minimum	Maximum
Age	5000	43.58	14.92	18	69
Valid N (listwise)	5000				
Missing N (listwise)	0				

```
DESCRIPTIVES
    /VARIABLES= Age Household_Income
    /STATISTICS=MINIMUM MAXIMUM.
```

Descriptive Statistics

	N	Minimum	Maximum
Age	5000	18	69
Household_Income	5000	20016	149997
Valid N (listwise)	5000		
Missing N (listwise)	0		

```
DESCRIPTIVES
    /VARIABLES= Household_Income
    /STATISTICS=MINIMUM MAXIMUM.
```

Descriptive Statistics

	N	Minimum	Maximum
Household_Income	5000	20016	149997
Valid N (listwise)	5000		
Missing N (listwise)	0		

```
DESCRIPTIVES
    /VARIABLES= Internet_Usage_Hours
    /STATISTICS=KURTOSIS SKEWNESS.
```

Descriptive Statistics

	N	Kurtosis	S.E. Kurt	Skewness	S.E. Skew
Internet_Usage_Hou	5000	-1.19	.07	.01	.03
Valid N (listwise)	5000				
Missing N (listwise)	0				

```
EXAMINE
        /VARIABLES= Household_Income
        BY  Employment_Status
        /PLOT = BOXPLOT HISTOGRAM
        /COMPARE = GROUPS
        /MISSING=LISTWISE.
```

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Household_Income	5000	100.0%	0	.0%	5000	100.0%



HISTOGRAM



Tests of Normality

	Shapiro-Wilk		
	Statistic	df	Sig.
Household_Income	.95	5000	8.11E-037

Case Processing Summary

		Cases					
		Valid		Missing		Total	
	Employment_Status	N	Percent	N	Percent	N	Percent
Household_Income	Employed	1248	100.0%	0	.0%	1248	100.0%
	Retired	1240	100.0%	0	.0%	1240	100.0%
	Student	1243	100.0%	0	.0%	1243	100.0%
	Unemployed	1269	100.0%	0	.0%	1269	100.0%


Boxplot of Household_Income vs. Employment_S
140000
120000
100000
80000
60000
40000
20000
Employed
Retired
Student
Unemployed


HISTOGRAM
Mean
84981
Std Dev
37164.9
N = 1248
Frequency
0
10
20
30
40
50
60
70
80
90
100
20000
40000
60000
80000
100000
120000
140000
Household_Income (Employment_Status = Employed;)


HISTOGRAM
Mean
83405.9
Std Dev
38061.2
N = 1240
Frequency
0
10
20
30
40
50
60
70
80
90
100
20000
40000
60000
80000
100000
120000
140000
Household_Income (Employment_Status = Retired;)



HISTOGRAM
Mean
84014.9
Std Dev
37876
N = 1243
Frequency
0
10
20
30
40
50
60
70
80
90
100
20000
40000
60000
80000
100000
120000
140000
Household_Income (Employment_Status = Student;)



Tests of Normality

		Shapiro-Wilk		
	Employment_Status	Statistic	df	Sig.
Household_Income	Employed	.96	1248	9.24E-019
	Retired	.95	1240	6.50E-020
	Student	.95	1243	1.34E-019
	Unemployed	.96	1269	6.62E-019

```
EXAMINE
        /VARIABLES= Age
        /PLOT = BOXPLOT HISTOGRAM
        /COMPARE = GROUPS
        /MISSING=LISTWISE.
```

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age	5000	100.0%	0	.0%	5000	100.0%

Boxplot of Age



HISTOGRAM



Tests of Normality

	Shapiro-Wilk		
	Statistic	df	Sig.
Age	.96	5000	1.94E-036

```
EXAMINE
         /VARIABLES= Internet_Usage_Hours
         /PLOT = BOXPLOT HISTOGRAM
         /COMPARE = GROUPS
         /MISSING=LISTWISE.
```

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Internet_Usage_Hou	5000	100.0%	0	.0%	5000	100.0%


Boxplot of Internet_Usage_Hours
10
9
8
7
6
5
4
3
2
1
0



Tests of Normality

	Shapiro-Wilk		
	Statistic	df	Sig.
Internet_Usage_Hours	.94	5000	3.66E-040

```
CROSSTABS
        /TABLES= Gender BY       Marital_Status
        /FORMAT=AVALUE TABLES
        /STATISTICS=CHISQ
        /CELLS=COUNT ROW COLUMN TOTAL.
```

Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Gender × Marital_Status	5000	100.0%	0	.0%	5000	100.0%

Gender × Marital_Status

			Marital_Status				Total
			Divorced	Married	Single	Widowed	
Gender	Female	Count	579	599	567	616	2361
		Row %	24.5%	25.4%	24.0%	26.1%	100.0%
		Column %	47.7%	46.3%	46.8%	48.2%	47.2%

			Marital_Status				Total
			Divorced	Married	Single	Widowed	
		Total %	11.6%	12.0%	11.3%	12.3%	47.2%
	Male	Count	585	655	603	613	2456
		Row %	23.8%	26.7%	24.6%	25.0%	100.0%
		Column %	48.1%	50.6%	49.8%	47.9%	49.1%
		Total %	11.7%	13.1%	12.1%	12.3%	49.1%
	Other	Count	51	40	42	50	183
		Row %	27.9%	21.9%	23.0%	27.3%	100.0%
		Column %	4.2%	3.1%	3.5%	3.9%	3.7%
		Total %	1.0%	.8%	.8%	1.0%	3.7%
Total		Count	1215	1294	1212	1279	5000
		Row %	24.3%	25.9%	24.2%	25.6%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	24.3%	25.9%	24.2%	25.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Sig. (2-tailed)
Pearson Chi-Square	4.31	6	.634
Likelihood Ratio	4.33	6	.632
N of Valid Cases	5000		

```
CROSSTABS
        /TABLES= Region BY       Owns_Home
        /FORMAT=AVALUE TABLES
        /STATISTICS=CHISQ
        /CELLS=EXPECTED.
```

Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Region × Owns_Home	5000	100.0%	0	.0%	5000	100.0%

Region × Owns_Home

			Owns_Home		Total
			No	Yes	
Region	Central	Expected	447.60	640.40	.22
	East	Expected	404.82	579.18	.20
	North	Expected	410.17	586.83	.20
	South	Expected	384.66	550.34	.19
	West	Expected	409.75	586.25	.20
Total		Expected	.41	.59	1.00

Chi-Square Tests

	Value	df	Asymptotic Sig. (2-tailed)
Pearson Chi-Square	3.23	4	.520
Likelihood Ratio	3.23	4	.519

	Value	df	Asymptotic Sig. (2-tailed)
N of Valid Cases	5000		

```
RECODE  Age
        (18 THRU 29 = 1) (30 THRU 44 = 2) (45 THRU 59 = 3) (60 THRU 100 = 4)
        INTO AgeGroup .

VARIABLE LABELS AgeGroup "Age Group".

EXECUTE.

FREQUENCIES
        /VARIABLES= AgeGroup
        /FORMAT=AVALUE TABLE.
```

Statistics

		Age Group
N	Valid	5000
	Missing	0
Mean		2.45
Std Dev		1.04
Minimum		1.00
Maximum		4.00

Age Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1.00	1136	22.7%	22.7%	22.7%
	2.00	1446	28.9%	28.9%	51.6%
	3.00	1467	29.3%	29.3%	81.0%
	4.00	951	19.0%	19.0%	100.0%
Total		5000	100.0%		

```
CROSSTABS
        /TABLES= VAR012 BY       Region
        /FORMAT=AVALUE TABLES
        /STATISTICS=CHISQ
        /CELLS=EXPECTED.
```

Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
VAR012 × Region	5000	100.0%	0	.0%	5000	100.0%

VAR012 × Region

			Region					Total
			Central	East	North	South	West	
VAR012	Conservative	Expected	269.82	244.03	247.26	231.88	247.01	.25
	Independent	Expected	272.44	246.39	249.65	234.12	249.40	.25
	Liberal	Expected	279.83	253.08	256.43	240.48	256.17	.26
	Other	Expected	265.91	240.49	243.67	228.51	243.42	.24

		Region					Total
		Central	East	North	South	West	
Total	Expected	.22	.20	.20	.19	.20	1.00

Chi-Square Tests

	Value	df	Asymptotic Sig. (2-tailed)
Pearson Chi-Square	15.85	12	.198
Likelihood Ratio	15.73	12	.204
N of Valid Cases	5000		

```
SAVE OUTFILE="C:\Users\PC\Documents\school of statistics\pspp\pspp week 17.sav".
```