



Universié Abdel Malek Essaadi

Facultés des sciences et techniques de Tanger

Département Génie Informatique

Mini-Projet: Mini-Market Online



Réalisée par :

BOUGHDAD Oumaima

KACIMI Wiame

BENYAICH Hajar

Encadré par :

Mr.ELYUSUFI Yassin

Lien de GitHub : ?????????????????????????????

HEADER (mini-market) :

Header de la partie login user :

On a commencé par créer la page user_header.PHP . Elle contient en haut de la page une bar (une balise div) et aussi une partie navbar qui contient notre propre logo (Scencity x BKB) et aussi les éléments de navbar qui sont : HOME- ABOUT- PRODUCTS- YOUR ORDER- CONTACT et des icons : search – shopping bag – userprofile.

```
<header class="header">
  <div class="part1" id="prt" style="height:60px;">
    <h1 style="text-align:center;padding-top:10px;">
  </div>
  <section class="flex">

    <a href="home.php" class="logo"></a>

    <nav class="navbar">
      <a href="home.php">Home</a>
      <a href="about.php">About</a>
      <a href="menu.php">Products</a>
      <a href="orders.php">Your order</a>
      <a href="contact.php">Contact</a>
    </nav>

    <div class="icons">
      <?php
        $count_cart_items = $conn->prepare("SELECT * FROM `cart` WHERE user_id = ?");
        $count_cart_items->execute([$user_id]);
        $total_cart_items = $count_cart_items->rowCount();
      <?>
      <a href="search.php"><i class="fas fa-search"></i></a>
      <a href="cart.php"><i class="fas fa-shopping-cart"></i><span>(<?= $total_cart_items; ?></span></a>
      <div id="user-btn" class="fas fa-user"></div>
      <div id="menu-btn" class="fas fa-bars"></div>
    </div>
```

On a utilisé javascript pour changer la propriété display du « none » vers « inline-block » pour faire apparaître la partie LOGIN qui est dans la page login.PHP .

```
JS script.js × Settings
js > JS script.js > ...
1 navbar = document.querySelector('.header .flex .navbar');
2
3 document.querySelector('#menu-btn').onclick = () =>{
4     navbar.classList.toggle('active');
5     profile.classList.remove('active');
6 }
7
8 profile = document.querySelector('.header .flex .profile');
9
10 document.querySelector('#user-btn').onclick = () =>{
11     profile.classList.toggle('active');
12     navbar.classList.remove('active');
13 }
14
15 window.onscroll = () =>{
16     navbar.classList.remove('active');
17     profile.classList.remove('active');
18 }
19
```

Partie PHP :

Pour la partie PHP qui sert a lier entre notre base de donnée : food_db et ces table et notre page PHP ,en utilisant la requêtes **SELECT * FROM USERS** et **FETCH** pour ouvrir le profile de l'utilisateur.

```

45 <div class="profile">
46 <?php
47 $select_profile = $conn->prepare("SELECT * FROM `users` WHERE id = ?");
48 $select_profile->execute([$user_id]);
49 if ($select_profile->rowCount() > 0) {
50     $fetch_profile = $select_profile->fetch(PDO::FETCH_ASSOC);
51     ?>
52     <p class="name"><?= $fetch_profile['name']; ?></p>
53     <div class="flex">
54         <a href="profile.php" class="btn">profile</a>
55         <a href="components/user_logout.php" onclick="return confirm('logout from this website?');" class="delete-btn">logout</a>
56     </div>
57     <p class="account">
58         <a href="login.php">login</a> or
59         <a href="register.php">register</a>
60     </p>
61 <?php
62 } else {
63     ?>
64     <p class="name">please login first!</p>
65     <a href="login.php" class="btn">login</a>
66 <?php
67 }
68 ?>
69 </div>
70
71 </section>
72
73 </header>

```

On a aussi crée la page user_logout.php qui sert a commencer la sessions de login et la fermer .

```

user_logout.php X Settings
components > user_logout.php
1 < ?php
2
3 include 'connect.php';
4
5 session_start();
6 session_unset();
7 session_destroy();
8
9 header('location:../home.php');
10
11 ?>

```

HOME :

On a crée la page home.php qui contient en plus de ce qu'on avait déjà une balise div qui contient deux fashion vidéos suivit par un div qui contient l'ensemble des photo en il y a le solde

```
<section class="hero">

  <div class="swiper hero-slider">

    <div class="swiper-wrapper" style="display: flex; width:fit-content;">

      <div class="swiper-slide slide" style="display:flex;">
        <div class="image">
          
        </div>
        <div class="image" style="padding-left: 10px;">
          
        </div>
        <div class="image" style="padding-left: 10px;">
          
        </div>
      </div>

      <div class="swiper-slide slide" style="display: flex; width:fit-content;">

        <div class="image">
          
        </div>
        <div class="image">
          
        </div>
        <div class="image">
          
        </div>
      </div>

      <div class="swiper-slide slide" style="display: flex; width:fit-content;">
        <div class="image">
          
        </div>
      </div>
    </div>
  </div>
</section>
```

```

        <div class="image">
        |   
        </div>
        <div class="image">
        |   
        </div>
        </div>

        </div>

        <div class="swiper-pagination"></div>

    </div>

</section>

```

Et après on la partie qui contient tout les produits de toutes les catégories . Et on a utilise le tag php pour extraire les produits qu'on a dans notre table qu'on crée dans notre base food_db .

```

<section class= "products" >

    <h1 class="title">latest Fashiom</h1>

    <div class="box-container">

        <?php
        $select_products = $conn->prepare("SELECT * FROM `products` LIMIT 6");
        $select_products->execute();
        if ($select_products->rowCount() > 0) {
            while ($fetch_products = $select_products->fetch(PDO::FETCH_ASSOC)) {
                <?>
                <form action="" method="post" class="box">
                    <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
                    <input type="hidden" name="name" value="<?= $fetch_products['name']; ?>">
                    <input type="hidden" name="price" value="<?= $fetch_products['price']; ?>">
                    <input type="hidden" name="image" value="<?= $fetch_products['image']; ?>">
                    <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-eye"></a>
                    <button type="submit" class="fas fa-shopping-cart" name="add_to_cart"></button>
                    
                    <a href="category.php?category=<?= $fetch_products['category']; ?>" class="cat"><?= $fetch_products['category']; ?></a>
                    <div class="name"><?= $fetch_products['name']; ?></div>
                    <div class="flex">
                        <div class="price"><span><?= $fetch_products['price']; ?></span></div>
                        <input type="number" name="qty" class="qty" min="1" max="99" value="1" maxlength="2">
                    </div>
                </form>
            }
        } else {
            echo '<p class="empty">no products added yet!</p>';
        }
        <?>

    </div>

```

Suivit par les 4 categories : electronics - accessories- books – clothes .

```
<section class="category">

  <h1 class="title">clothes category</h1>

  <div class="box-container">

    <a href="category.php?category=Electronics" class="box">
      
      <h3>Electronics</h3>
    </a>

    <a href="category.php?category=Accessories" class="box">
      
      <h3>Accessories</h3>
    </a>

    <a href="category.php?category=Clothes" class="box">
      
      <h3>Clothes</h3>
    </a>

    <a href="category.php?category=Books" class="box">
      
      <h3>Books</h3>
    </a>

  </div>
</section>
```

MENU PAGE :

Cette page contient les differents produits :

```
<div class="heading">
  <h3>our menu</h3>
  <p><a href="home.php">home</a> <span> / menu</span></p>
</div>

<!-- menu section starts -->

<section class="products">

  <h1 class="title">latest fashion</h1>

  <div class="box-container">

    <?php
      $select_products = $conn->prepare("SELECT * FROM `products`");
      $select_products->execute();
      if($select_products->rowCount() > 0){
        while($fetch_products = $select_products->fetch(PDO::FETCH_ASSOC)){
          ?>
          <form action="" method="post" class="box">
            <input type="hidden" name="pid" value="<?= $fetch_products['id']; ?>">
            <input type="hidden" name="name" value="<?= $fetch_products['name']; ?>">
            <input type="hidden" name="price" value="<?= $fetch_products['price']; ?>">
            <input type="hidden" name="image" value="<?= $fetch_products['image']; ?>">
            <a href="quick_view.php?pid=<?= $fetch_products['id']; ?>" class="fas fa-eye"></a>
            <button type="submit" class="fas fa-shopping-cart" name="add_to_cart"></button>
            
            <a href="category.php?category=<?= $fetch_products['category']; ?>" class="cat"><?= $fetch_products['category']; ?></a>
            <div class="name"><?= $fetch_products['name']; ?></div>
            <div class="flex">
              <div class="price"><span><?= $fetch_products['price']; ?></div>
              <input type="number" name="qty" class="qty" min="1" max="99" value="1" maxlength="2">
            </div>
          </form>
        <?php
        |
        |
        }
```

```
1 <?php
2
3 include 'components/connect.php';
4
5 session_start();
6
7 if(isset($_SESSION['user_id'])){
8   $user_id = $_SESSION['user_id'];
9 }else{
10   $user_id = '';
11 }
12
13 include 'components/add_cart.php';
14
15 ?>
16
17 <!DOCTYPE html>
18 <html lang="en">
19 <head>
20   <meta charset="UTF-8">
21   <meta http-equiv="X-UA-Compatible" content="IE=edge">
22   <meta name="viewport" content="width=device-width, initial-scale=1.0">
23   <title>menu</title>
24
25   <!-- font awesome cdn link -->
26   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.1.1/css/all.min.css">
27
28   <!-- custom css file link -->
29   <link rel="stylesheet" href="css/style.css">
30
31 </head>
32 <body>
33
34 <!-- header section starts -->
35 <?php include 'components/user_header.php'; ?>
36 <!-- header section ends -->
```


About :

About tout les informations de notre mini market :

```
1 </php
2 include 'components/connect.php';
3 session_start();
4 if(isset($_SESSION['user_id'])){
5 |   $user_id = $_SESSION['user_id'];
6 }else{
7 |   $user_id = '';
8 };
9 ?>
10 <!DOCTYPE html>
11 <html lang="en">
12 <head>
13 |   <meta charset="UTF-8">
14 |   <meta http-equiv="X-UA-Compatible" content="IE=edge">
15 |   <meta name="viewport" content="width=device-width, initial-scale=1.0">
16 |   <title>about</title>
17 |   <link rel="stylesheet" href="https://unpkg.com/swiper@8/swiper-bundle.min.css" />
18 |   <!-- font awesome cdn link -->
19 |   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.1.1/css/all.min.css">
20 |   <!-- custom css file link -->
21 |   <link rel="stylesheet" href="css/style.css">
22 </head>
23 <body>
24 <!-- header section starts -->
25 <?php include 'components/user_header.php'; ?>
26 <!-- header section ends -->
27 <div class="heading">
28 |   <h3>about us</h3>
29 |   <p><a href="home.php">Home</a> <span> / about</span></p>
30 </div>
31 <!-- about section starts -->
32 <section class="about">
33 |   <div class="row">
34 |   |   <div class="content" style="text-align: center;">
35 |   |   |   <h3>why choose us?</h3>
36 |   |   |   <p style="font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;font-size:25px;">Why choose us? <br>
```

```
37 |   |   |   <h3>why choose us?</h3>
38 |   |   |   <p style="font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;font-size:25px;">Why choose us? <br>
39 |   |   |   If you're looking for branded and promotional clothing, it's worth choosing your supplier with care. With Brand My Clothing you'll enjoy the be
40 |   |   |   <br><br>
41 |   |   |   Outstanding products at competitive prices
42 |   |   |   we never compromise on quality
43 |   |   |   We're proud to develop enduring supplier relationships that keep quality high and prices keen. We'll never cut corners: instead, we'll take the
44 |   |   |   <br><br>
45 |   |   |   Orders of any size welcome
46 |   |   |   from small consignments to many thousands
47 |   |   |   With huge stock levels, we can service organisations of all sizes, from small businesses to large schools and colleges, government bodies and
48 |   |   |   <br><br>
49 |   |   |   Superb in-house design and production facilities
50 |   |   |   for best possible results - fast!
51 |   |   |   With huge stock levels, we can service organisations of all sizes, from small businesses to large schools and colleges, government bodies and
52 |   |   |   <br><br>
53 |   |   |   Friendly, helpful and professional service
54 |   |   |   capability, flexibility and unwavering attention to detail.
55 |   |   |   At Brand My Clothing we combine all the convenience of online selection and ordering with the best in personal, attentive customer care. Why we
56 |   |   |   |   <a href="menu.php" class="btn">our Products</a>
57 |   |   |   </div>
58 |   </div>
59 </section>
60 <!-- reviews section starts -->
61 <section class="reviews">
62 |   <h1 class="title">customer's reivews</h1>
63 |   <div class="swiper reviews-slider">
64 |   |   <div class="swiper-wrapper">
65 |   |   |   <div class="swiper-slide slide" style="height: 400px;border-radius:15px;">
66 |   |   |   |   
67 |   |   |   |   <p>BKB is a great place to shop if you're looking for affordable fast fashion but. If the item doesn't have any reviews then you're
68 |   |   |   |   <div class="stars">
69 |   |   |   |   |   <i class="fas fa-star"></i>
70 |   |   |   |   |   <i class="fas fa-star"></i>
```

```

    </div>
    <h3>walid kacimi</h3>
  </div>

  <div class="swiper-slide slide" style="height: 400px;border-radius:15px;">
    
    <p>I ordered 2 pairs of flip flops, I love them & will definitely order some more. Quick delivery, no problems whatsoever.</p>
    <div class="stars">
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star-half-alt"></i>
    </div>
    <h3>malak Benyaich</h3>
  </div>

  <div class="swiper-slide slide" style="height: 400px;border-radius:15px;">
    
    <p>I have ordered many items from this company and never had any trouble returning. I've found the quality and price very good so I
    Highly recommended</p>
    <div class="stars">
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star-half-alt"></i>
    </div>
    <h3>Ahmed Boughdad</h3>
  </div>

  <div class="swiper-slide slide">
    
    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Quos voluptate eligendi laborum molestias ut earum nulla sint voluptate
    <div class="stars">
      <i class="fas fa-star"></i>

```

Admin:

```

1  <?php
2  include '../components/connect.php';
3  session_start();
4  if(isset($_POST['submit'])){
5      $name = $_POST['name'];
6      $name = filter_var($name, FILTER_SANITIZE_STRING);
7      $pass = sha1($_POST['pass']);
8      $pass = filter_var($pass, FILTER_SANITIZE_STRING);
9      $select_admin = $conn->prepare("SELECT * FROM `admin` WHERE name = ? AND password = ?");
10     $select_admin->execute([$name, $pass]);
11     if($select_admin->rowCount() > 0){
12         $fetch_admin_id = $select_admin->fetch(PDO::FETCH_ASSOC);
13         $_SESSION['admin_id'] = $fetch_admin_id['id'];
14         header('location:dashboard.php');
15     }else{
16         $message[] = 'incorrect username or password!';
17     }
18 }
19 ?>
20
21 <!DOCTYPE html>
22 <html lang="en">
23 <head>
24     <meta charset="UTF-8">
25     <meta http-equiv="X-UA-Compatible" content="IE=edge">
26     <meta name="viewport" content="width=device-width, initial-scale=1.0">
27     <title>login</title>
28
29     <!-- font awesome cdn link -->
30     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.1.1/css/all.min.css">
31
32     <!-- custom css file link -->
33     <link rel="stylesheet" href="../css/admin_style.css">
34
35 </head>
36 <body>

```

```

<?php
if(isset($message)){
    foreach($message as $message){
        echo '
        <div class="message">
            <span>'. $message. '</span>
            <i class="fas fa-times" onclick="this.parentElement.remove();"></i>
        </div>
        ';
    }
}
?>

<!-- admin login form section starts -->

<section class="form-container">

    <form action="" method="POST">
        <h3>login now</h3>
        <p>default username = <span>admin</span> & password = <span>111</span></p>
        <input type="text" name="name" maxlength="20" required placeholder="enter your username" class="box" oninput="this.value = this.value.replace(/[^a-zA-Z0-9]/g, '')"/>
        <input type="password" name="pass" maxlength="20" required placeholder="enter your password" class="box" oninput="this.value = this.value.replace(/[^a-zA-Z0-9]/g, '')"/>
        <input type="submit" value="login now" name="submit" class="btn">
    </form>
</section>

<!-- admin login form section ends -->

```

Product :

On a cree plusieurs produits de differrent cattegories et voila sont code.php.

```

1  <?php
2  include '../components/connect.php';
3  session_start();
4  $admin_id = $_SESSION['admin_id'];
5  if (!isset($admin_id)) {
6      header('location:admin_login.php');
7  }
8  if (isset($_POST['add_product'])) {
9
10     $name = $_POST['name'];
11     $name = filter_var($name, FILTER_SANITIZE_STRING);
12     $price = $_POST['price'];
13     $price = filter_var($price, FILTER_SANITIZE_STRING);
14     $category = $_POST['category'];
15     $category = filter_var($category, FILTER_SANITIZE_STRING);
16
17     $image = $_FILES['image']['name'];
18     $image = filter_var($image, FILTER_SANITIZE_STRING);
19     $image_size = $_FILES['image']['size'];
20     $image_tmp_name = $_FILES['image']['tmp_name'];
21     $image_folder = '../uploaded_img/' . $image;
22
23     $select_products = $conn->prepare("SELECT * FROM `products` WHERE name = ?");
24     $select_products->execute([$name]);
25
26     if ($select_products->rowCount() > 0) {
27         $message[] = 'product name already exists!';
28     } else {
29         if ($image_size > 2000000) {
30             $message[] = 'image size is too large';
31         } else {
32             move_uploaded_file($image_tmp_name, $image_folder);
33
34             $insert_product = $conn->prepare("INSERT INTO `products` (name, category, price, image) VALUES(?,?,?,?)");
35             $insert_product->execute([$name, $category, $price, $image]);
36

```

```

if (isset($_GET['delete'])) {
    $delete_id = $_GET['delete'];
    $delete_product_image = $conn->prepare("SELECT * FROM `products` WHERE id = ?");
    $delete_product_image->execute([$delete_id]);
    $fetch_delete_image = $delete_product_image->fetch(PDO::FETCH_ASSOC);
    unlink('../uploaded_img/' . $fetch_delete_image['image']);
    $delete_product = $conn->prepare("DELETE FROM `products` WHERE id = ?");
    $delete_product->execute([$delete_id]);
    $delete_cart = $conn->prepare("DELETE FROM `cart` WHERE pid = ?");
    $delete_cart->execute([$delete_id]);
    header('location:products.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>products</title>
    <!-- font awesome cdn link -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.1.1/css/all.min.css">
    <!-- custom css file link -->
    <link rel="stylesheet" href="../css/admin_style.css">
</head>
<body>
    <?php include '../components/admin_header.php' ?>
    <!-- add products section starts -->
    <section class="add-products">
        <form action="" method="POST" enctype="multipart/form-data">
            <h3>add product</h3>
            <input type="text" required placeholder="enter product name" name="name" maxlength="100" class="box">
            <input type="number" min="0" max="9999999999" required placeholder="enter product price" name="price" onkeypress="if(this.value.length
            <select name="category" class="box" required>
                <option value="" disabled selected>select category --</option>
                <option value="Electronics">Electronics</option>
        </form>
    </section>

```

```

    <!-- add products section ends -->
    <!-- show products section starts -->
    <section class="show-products" style="padding-top: 0px">
        <div class="box-container">
            <?php
            $show_products = $conn->prepare("SELECT * FROM `products`");
            $show_products->execute();
            if ($show_products->rowCount() > 0) {
                while ($fetch_products = $show_products->fetch(PDO::FETCH_ASSOC)) {
                    <?php
                    <div class="box">
                        
                        <div class="flex">
                            <div class="price"><span><?=$fetch_products['price']; ?></span></div>
                            <div class="category"><?=$fetch_products['category']; ?></div>
                        </div>
                        <div class="name"><?=$fetch_products['name']; ?></div>
                        <div class="flex-btn">
                            <a href="update_product.php?update=<?=$fetch_products['id']; ?>" class="option-btn">update</a>
                            <a href="products.php?delete=<?=$fetch_products['id']; ?>" class="delete-btn" onclick="return confirm('delete this product')">delete</a>
                        </div>
                    </div>
                <?php
                }
            } else {
                echo '<p class="empty">no products added yet!</p>';
            }
            <?php
        </div>
    </section>

```

ORDERS :

Ces ou tout les demandes ou bien (orders se place) chez le clients on a utilise le script php suivant dans placed_order.php

```
1  <?php
2  include '../components/connect.php';
3  session_start();
4  $admin_id = $_SESSION['admin_id'];
5  if(!isset($admin_id)){
6      header('location:admin_login.php');
7  };
8  if(isset($_POST['update_payment'])){
9      $order_id = $_POST['order_id'];
10     $payment_status = $_POST['payment_status'];
11     $update_status = $conn->prepare("UPDATE `orders` SET payment_status = ? WHERE id = ?");
12     $update_status->execute([$payment_status, $order_id]);
13     $message[] = 'payment status updated!';
14 }
15 if(isset($_GET['delete'])){
16     $delete_id = $_GET['delete'];
17     $delete_order = $conn->prepare("DELETE FROM `orders` WHERE id = ?");
18     $delete_order->execute([$delete_id]);
19     header('location:placed_orders.php');
20 }
21 ?>
22 <!DOCTYPE html>
23 <html lang="en">
24 <head>
25     <meta charset="UTF-8">
26     <meta http-equiv="X-UA-Compatible" content="IE=edge">
27     <meta name="viewport" content="width=device-width, initial-scale=1.0">
28     <title>placed orders</title>
29     <!-- font awesome cdn link -->
30     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.1.1/css/all.min.css">
31     <!-- custom css file link -->
32     <link rel="stylesheet" href="../css/admin_style.css">
33
34 </head>
35 <body>
```

```

<body>
<?php include '../components/admin_header.php' ?>
<!-- placed orders section starts -->
<section class="placed-orders">
  <h1 class="heading">placed orders</h1>
  <div class="box-container">
    <?php
      $select_orders = $conn->prepare("SELECT * FROM `orders`");
      $select_orders->execute();
      if($select_orders->rowCount() > 0){
        | while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){
      ?>
    <div class="box">
      <p> user id : <span><?=$fetch_orders['user_id']; ?></span> </p>
      <p> placed on : <span><?=$fetch_orders['placed_on']; ?></span> </p>
      <p> name : <span><?=$fetch_orders['name']; ?></span> </p>
      <p> email : <span><?=$fetch_orders['email']; ?></span> </p>
      <p> number : <span><?=$fetch_orders['number']; ?></span> </p>
      <p> address : <span><?=$fetch_orders['address']; ?></span> </p>
      <p> total products : <span><?=$fetch_orders['total_products']; ?></span> </p>
      <p> total price : <span><?=$fetch_orders['total_price']; ?></span> </p>
      <p> payment method : <span><?=$fetch_orders['method']; ?></span> </p>
      <form action="" method="POST">
        <input type="hidden" name="order_id" value="<?=$fetch_orders['id']; ?>">
        <select name="payment_status" class="drop-down">
          <option value="" selected disabled><?=$fetch_orders['payment_status']; ?></option>
          <option value="pending">pending</option>
          <option value="completed">completed</option>
        </select>
        <div class="flex-btn">
          <input type="submit" value="update" class="btn" name="update_payment">
          <a href="placed_orders.php?delete=<?=$fetch_orders['id']; ?>" class="delete-btn onclick="return confirm('delete this order?');">
        </div>
      </form>
    </div>
    <?php
  }

```

Messages:

C'est la partie ou tout les messages envoyées par les clients il seront reçu par l'admin.

```

<body>
<?php include '../components/admin_header.php' ?>
<!-- placed orders section starts -->
<section class="placed-orders">
  <h1 class="heading">placed orders</h1>
  <div class="box-container">
    <?php
      $select_orders = $conn->prepare("SELECT * FROM `orders`");
      $select_orders->execute();
      if($select_orders->rowCount() > 0){
        | while($fetch_orders = $select_orders->fetch(PDO::FETCH_ASSOC)){
      ?>
    <div class="box">
      <p> user id : <span><?=$fetch_orders['user_id']; ?></span> </p>
      <p> placed on : <span><?=$fetch_orders['placed_on']; ?></span> </p>
      <p> name : <span><?=$fetch_orders['name']; ?></span> </p>
      <p> email : <span><?=$fetch_orders['email']; ?></span> </p>
      <p> number : <span><?=$fetch_orders['number']; ?></span> </p>
      <p> address : <span><?=$fetch_orders['address']; ?></span> </p>
      <p> total products : <span><?=$fetch_orders['total_products']; ?></span> </p>
      <p> total price : <span><?=$fetch_orders['total_price']; ?></span> </p>
      <p> payment method : <span><?=$fetch_orders['method']; ?></span> </p>
      <form action="" method="POST">
        <input type="hidden" name="order_id" value="<?=$fetch_orders['id']; ?>">
        <select name="payment_status" class="drop-down">
          <option value="" selected disabled><?=$fetch_orders['payment_status']; ?></option>
          <option value="pending">pending</option>
          <option value="completed">completed</option>
        </select>
        <div class="flex-btn">
          <input type="submit" value="update" class="btn" name="update_payment">
          <a href="placed_orders.php?delete=<?=$fetch_orders['id']; ?>" class="delete-btn onclick="return confirm('delete this order?');">
        </div>
      </form>
    </div>
    <?php
  }

```

```

<?php include '../components/admin_header.php' ?>
<!-- messages section starts -->
<section class="messages">
  <h1 class="heading">messages</h1>
  <div class="box-container">
    <?php
      $select_messages = $conn->prepare("SELECT * FROM `messages`");
      $select_messages->execute();
      if($select_messages->rowCount() > 0){
        while($fetch_messages = $select_messages->fetch(PDO::FETCH_ASSOC)){
          ?>
        <div class="box">
          <p> name : <span><?= $fetch_messages['name']; ?></span> </p>
          <p> number : <span><?= $fetch_messages['number']; ?></span> </p>
          <p> email : <span><?= $fetch_messages['email']; ?></span> </p>
          <p> message : <span><?= $fetch_messages['message']; ?></span> </p>
          <a href="messages.php?delete=?= $fetch_messages['id']; ?>" class="delete-btn" onclick="return confirm('delete this message?');">delete</a>
        </div>
        <?php
          }
        }else{
          echo ' <p class="empty">you have no messages</p>';
        }
      }
    </div>
  </section>
<!-- messages section ends -->
<!-- custom js file link -->
<script src="../js/admin_script.js"></script>

</body>
</html>

```

FOOTER :

Le footer cotient tout les informations de notre site web (OUR EMAIL- OUR ADRESS- OUR NUMBER-OPENING HOURES).



```



<footer class="footer">
  <section class="grid">
    <div class="box">
      
      <h3>our email</h3>
      <a href="mailto:oumaima.boughdad@gmail.com">oumaima.boughdad@gmail.com</a>
      <a href="mailto:wame.kacimi@gmail.com">wame.kacimi@gmail.com</a>
      <a href="mailto:Hajar.benyaich@gmail.com">Hajar.benyaich@gmail.com</a>
    </div>
    <div class="box">
      
      <h3>opening hours</h3>
      <p>24h/7j</p>
    </div>
    <div class="box">
      
      <h3>our address</h3>
      <a href="#">maroc,Tanger 91000</a>
    </div>
    <div class="box">
      
      <h3>our number</h3>
      <a href="tel:0773133787">0773133787</a>
      <a href="tel:0777253648">0777253648</a>
    </div>
  </section>
  <div class="credit">&copy; copyright @ <?= date('Y'); ?> by <span>ScenCity x BKB </span> | all rights reserved!</div>
</footer>
<div class="loader">
  
</div>

```



LE DERNIERS RESULTAT DE NOTRE MINI- MARKET :

Voila le résultat finale de notre
mini-market nommée : Scencity x
BKB .








CATEGORIES :





FOOTER :





ABOUT US:



PRODUCTS :



ORDERS :



CONTACT US :

WhatsApp x localhost / 127.0.0.1 x Josefin Sans - Go x login x contact x bar - Recherche x Upload files - Ou x

localhost/foodWeb/contact.php

CREATE YOUR ACCOUNT-SAVE \$5 !


ScenCity x BKB

Home About Products Your Order Contact

Search (2) User

Contact Us

home / contact



Tell Us Something!

enter your name

enter your number

enter your email

enter your message

WhatsApp x localhost / 127.0.0.1 x Josefin Sans - Go x login x contact x bar - Recherche x Upload files - Ou x


localhost/foodWeb/contact.php

CREATE YOUR ACCOUNT-SAVE \$5 !


ScenCity x BKB

Home About Products Your Order Contact

Search (2) User




Send Message




Our Email

oumaima.boughdad@gmail.com
wiame.kacimi@gmail.com
Hajar.benyaich@gmail.com




Opening Hours

24h/7j



Our Address


maroc,Tanger 91000





Our Number

0773133787
0777253648


SEARCH BAR :



SHOPPING CARDS :



REGISTER ACCOUNT :



A screenshot of a web browser displaying the registration page for 'ScenCity x BKB'. The browser's address bar shows 'localhost/foodWeb/register.php'. The page has a pink header with the text 'CREATE YOUR ACCOUNT-SAVE \$5!'. Below the header, the site logo 'ScenCity x BKB' is on the left, and navigation links 'Home', 'About', 'Products', 'Your Order', and 'Contact' are in the center. On the right, there are icons for a search, a shopping cart with '(2)' items, and a user profile. The main content area features a 'REGISTER NOW' form with five input fields: 'enter your name', 'enter your email', 'enter your number', 'enter your password', and 'confirm your password'. A yellow 'Register Now' button is below the fields, followed by the text 'already have an account? login now'.

CREATE YOUR ACCOUNT-SAVE \$5!

ScenCity x BKB

Home About Products Your Order Contact

REGISTER NOW

enter your name

enter your email

enter your number


enter your password

confirm your password

Register Now

already have an account? login now

LOGIN :



A screenshot of a web browser displaying the login page for 'ScenCity x BKB'. The browser's address bar shows 'localhost/foodWeb/admin/admin_login.php'. The page has a light gray background. In the center, there is a 'Login Now' form. Above the form, it says 'default username = admin & password = 111'. The form contains two input fields: 'admin' and 'enter your password'. Below the fields is a pink 'Login Now' button.

Login Now


default username = admin & password = 111

admin


enter your password

Login Now


DASHBOARD :



ADDING A PRODUCT :



PLACED ORDER :




AdminInterface

home products orders admins users messages

Placed Orders

user id : 1
placed on : 2023-01-31
name : oumaima boughdad
email : boughdadboughdad@gmail.com
number : 23
address : HHA, AJJA, JJA, J, J, J, J - 91000
total products : Necklace (99 x 1)
total price : \$99/
payment method : cash on delivery
completed
Update Delete

ADMIN ACOUNT : (INTERFACE)



AdminInterface

home products orders admins users messages


Admins Account

register new admin
Register

admin id : 1
username : admin
Delete Update

admin id : 2
username : oumaima_boughdad
Delete

USER ACCOUNT : (INTERFACE)



BOITE de MESSAGES :

