

OutSystems UI Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version

OutSystems UI v2.28.1 (OS 11)

Report Date

May 20, 2026

Prepared by

Diana Marques, Adelino José Couceiro, and Alexandre Santos

Contact Information

Mediaweb Creations, Lda.

info@mediaweb.global

Product Description

OutSystems UI is a collection of reusable UI patterns used to build responsive web applications on the OutSystems platform. The library includes navigation patterns, form elements, modals, popovers, action sheets, cards, lists, media patterns, and layout structures designed to accelerate application development.

Notes

This evaluation focuses on the accessibility of OutSystems UI when used in web applications. The scope also includes selected OutSystems built-in widgets that are not part of the OutSystems UI library but are commonly used alongside OutSystems UI components and patterns. These widgets were assessed only in the context of their use with OutSystems UI and should not be interpreted as a comprehensive evaluation of all OutSystems built-in widgets.

This evaluation does not represent a full assessment of complete application pages, final page structures, page-level content, page metadata, or implementation-specific configurations.

Conformance may depend on how developers configure the patterns and widgets and provide semantic markup, ARIA attributes, keyboard behaviour, accessible names, labels, instructions, page titles, language attributes, media alternatives, validation messages, and accessible content in the final application.

Because OutSystems UI is a reusable pattern library, the accessibility of final applications may vary depending on implementation decisions, customisations, content, media assets, and integrations with other systems.

Conformance Summary

This Accessibility Conformance Report covers OutSystems UI v2.28.1 (OS 11), evaluated at pattern level against WCAG 2.2 Level A and AA, Revised Section 508, and EN 301 549 v3.2.1.

Conformance Level	WCAG 2.2 Criteria (Level A + AA)
Supports	13
Partially Supports	12
Does Not Support	0
Not Applicable	0
Not Evaluated	29
Total	54

Important scope reminder

This is a pattern-level evaluation, not a full application audit. 29 criteria were marked Not Evaluated because they depend on page-level implementation, content, media, validation logic, or developer configuration rather than the patterns themselves. Final application accessibility depends on how developers configure patterns, provide accessible content, manage focus, and validate the complete application with assistive technologies.

Evaluation Methods Used

The evaluation was conducted using a combination of automated and manual accessibility testing methods. The following table specifies the test environment and tools used:

Area	Details
Operating Systems	Windows 11
Browsers	Google Chrome, Mozilla Firefox
Screen Readers	NVDA 2024.1 (Windows)
Automated Tools	axe DevTools, browser developer tools, contrast checkers
Input Methods	Keyboard-only navigation, mouse, screen reader keyboard commands
Viewports Tested	Desktop (1920×1080) and reflow testing at reduced viewport widths
Themes	Default OutSystems UI theme only
Test Artifacts	OutSystems UI pattern library test pages in isolation

Note: If certain browser, operating system, or screen reader combinations were not tested (e.g., Safari, Edge, JAWS, VoiceOver), see the "Scope Limitations" section above for details.

Assessment Scope and Boundaries

This evaluation focuses specifically on the accessibility of OutSystems UI patterns in isolation and within the context of a pattern library. The following details define the scope and limitations of this assessment:

Product and Platform Versions Tested

- OutSystems UI version: v2.28.1
- OutSystems platform: OS 11
- Evaluation date: May 16, 2026

Evaluated Theme

- Default OutSystems UI theme only
- Custom theme variants were not evaluated as part of this assessment

Pattern Testing Context

- Patterns were evaluated in isolation using OutSystems UI pattern library test pages
- Patterns were not evaluated within the context of complete application pages or page-level implementations
- This is a component/pattern-level evaluation, not a full application-level accessibility audit

Interactive States Tested

The following interactive states were evaluated for applicable patterns:

- Default state
- Hover state

- Focus state
- Active state
- Disabled state
- Selected state
- Expanded/Collapsed states
- Open/Closed states
- Invalid state
- Error state
- Success state
- Keyboard-only navigation
- Screen reader interaction

Viewports and Responsive Testing

- Desktop viewport (1920×1080)
- Tablet viewport (768×1024)
- Mobile viewport (375×667)
- Responsive breakpoints across the full range
- Zoom functionality at 200% magnification
- Minimum viewport width of 320 pixels

Browsers Tested

- Google Chrome
- Mozilla Firefox

Screen Readers and Assistive Technologies Tested

- NVDA (NonVisual Desktop Access) with Chrome on Windows

Test methodology

- Manual inspections:
 - keyboard navigation
 - focus visibility
 - focus order
 - semantic inspection
 - ARIA validation
 - accessible name computation
 - zoom
 - reflow
 - screen reader interaction
- Automated:
 - axe DevTools Pro
 - Color contrast checker
- Assistive technologies:
 - NVDA

Scope Limitations

This evaluation does not assess the following:

- Complete application-level implementation and configuration
- Page-level features such as page titles, language attributes, bypass links, or skip navigation
- Application-level content, media assets, custom code, or third-party integrations
- Final application accessibility, which depends on how developers configure patterns, provide content, implement ARIA, manage focus, and customize styling
- Theme customization or non-default color schemes
- Testing with additional browsers (Safari, Edge) or screen readers (JAWS, VoiceOver)
- Mobile-specific or touch-only interaction patterns

Developer Responsibility

The accessibility of final applications built with OutSystems UI depends on implementation decisions made by developers. Developers are responsible for:

- Providing appropriate accessible names, labels, and instructions
- Configuring correct ARIA attributes and relationships
- Implementing proper keyboard behavior and focus management
- Ensuring sufficient color contrast after theme customization
- Providing page-level features (titles, language, bypass links)
- Creating accessible content and media alternatives
- Testing complete applications with multiple assistive technologies

The following patterns were evaluated as part of the assessment on which this report is based:

- Accordion
- Alert
- Blank Slate
- Card
- Card Background
- Card Item
- Card Sectioned
- Chat Message
- Flip Content
- Floating Content
- List Item Content
- Section
- Section Group
- Tag
- Tooltip
- User Avatar
- Action Sheet
- Animated Label
- Carousel
- Date Picker
- Dropdown Search
- Dropdown Tags
- Floating Actions
- Input With Icon
- Lightbox Image
- Notification
- Range Slider
- Range Slider Interval
- Scrollable Area
- Search
- Sidebar
- Stacked Cards
- Button Loading
- Inline SVG
- Separator
- Badge
- Counter
- Icon Badge
- Progress Bar
- Progress Circle
- Rating Button
- Button Group
- Checkbox
- Dropdown
- Feedback Message
- Form
- Input
- Link
- List
- Popover
- Popup
- Radio Group
- Switch
- Table
- TextArea
- Upload
- Bottom Bar Item
- Breadcrumbs
- Overflow Menu
- Pagination
- Section Index
- Submenu
- Tabs
- Timeline Item
- Wizard
- Master Detail
- Dropdown Server Side

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services – v3.2.1 (2021)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The evaluated pattern behavior was assessed and no accessibility exceptions were identified for the criterion within the defined scope.
- **Partially Supports:** The evaluated patterns generally provide a foundation for meeting the criterion, but some exceptions or implementation considerations were identified.
- **Does Not Support:** The majority of evaluated pattern functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the evaluated pattern behavior.
- **Not Evaluated:** The criterion depends mainly on final application/page implementation, content, page structure, labels, media, timing behavior, validation logic, or developer configuration, and was not assessed as part of the pattern evaluation.

WCAG 2.2 Report

Notes

This report covers WCAG 2.2 Level A and Level AA criteria within the scope of a pattern-level evaluation.

Criteria that depend primarily on complete pages, final content, media assets, page metadata, application navigation, validation flows, or developer-provided implementation were marked as Not Evaluated, unless they were directly assessed at pattern level.

WCAG Level AAA criteria were not evaluated.

Accessibility Features of OutSystems UI Patterns

OutSystems UI provides reusable patterns that support accessible web application development when implemented and configured correctly. The evaluated patterns include built-in structures and behaviors that can contribute to accessibility, such as responsive layouts, keyboard-operable interactions, semantic HTML support, ARIA configuration options, focusable interactive elements, and reusable form, navigation, modal, and content patterns.

Because OutSystems UI is a pattern library, many accessibility outcomes depend on the final application implementation. Developers are responsible for providing meaningful content, accessible names, labels, instructions, page titles, language attributes, media alternatives, validation messages, correct ARIA configuration, and sufficient color contrast when using or customizing the patterns.

The evaluation identified that the patterns generally provide a foundation for accessible implementation, while some patterns require refinement or additional configuration to fully support specific accessibility criteria, particularly around non-text content, semantic relationships, keyboard access, modal focus behavior, name/role/value, contrast, and target size.

Developer Responsibilities and Accessibility Guidance

OutSystems UI provides accessible building blocks for developing web applications. However, the accessibility of the final application depends on how these patterns are configured and implemented.

Developers are responsible for, among other things:

- Providing meaningful accessible names for controls and interactive elements.
- Preserving semantic HTML structure and heading hierarchy.
- Associating labels, helper text, validation messages, and form controls.
- Ensuring keyboard interaction and focus management remain intact when customizing patterns.
- Maintaining sufficient color contrast when applying custom themes.
- Validating accessibility of the complete application, including application-specific content, workflows, and third-party integrations.

Additional implementation guidance and best practices are available in the [OutSystems documentation for UI patterns](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content	Partially Supports	One exception was identified: the Progress Bar pattern's ARIA progress bar does not expose an accessible name, so screen reader users hear a percentage with no indication of what it measures. See EX-17 (Known Exceptions appendix).
1.2.1 Audio-only and Video-only (Prerecorded)	Not Evaluated	Audio descriptions or media alternatives depend on the media content and implementation provided in the final application. These were not evaluated as part of this component/pattern-level assessment.

Criteria	Conformance Level	Remarks and Explanations
1.2.2 Captions (Prerecorded)	Not Evaluated	Captions depend on the media content and implementation provided in the final application. Caption availability and correctness were not evaluated as part of this component/pattern-level assessment.
1.2.3 Audio Description or Media Alternative (Prerecorded)	Not Evaluated	Audio descriptions or media alternatives depend on the media content and implementation provided in the final application. These were not evaluated as part of this component/pattern-level assessment.
1.3.1 Info and Relationships	Partially Supports	Exceptions were identified in the Stacked Cards/Carousel pattern (a role="list" container missing required child roles), the Submenu pattern (a popup container not contained by its required ARIA parent role), and the Timeline Item pattern (role="listitem" not contained by a required parent list role). These affect how screen reader users perceive component relationships. See EX-09, EX-13, EX-14 (Known Exceptions appendix).
1.3.2 Meaningful Sequence	Partially Supports	One exception was identified: in the Modal/Popup pattern, screen readers can read background page content while the modal is open, breaking the intended reading sequence. See EX-03 (Known Exceptions appendix).
1.3.3 Sensory Characteristics	Supports	The evaluated patterns do not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey instructions within the assessed pattern scope.
1.4.1 Use of Color	Supports	The evaluated patterns do not use color as the only means of conveying information within the assessed pattern scope.
1.4.2 Audio Control	Not Evaluated	Audio behavior depends on final media content and implementation. This evaluation did not assess application-level audio playback or audio control behavior.
2.1.1 Keyboard	Partially Supports	Exceptions were identified in the List/List Item pattern (list items not reachable by keyboard alone) and the Scrollable Area pattern (scrollable

Criteria	Conformance Level	Remarks and Explanations
		region not keyboard-focusable, notably in Safari). The Modal/Popup pattern also does not support ESC-to-close. See EX-05, EX-08, EX-09 (Known Exceptions appendix).
2.1.2 No Keyboard Trap	Partially Supports	The evaluated patterns generally allow users to move focus away from components using standard keyboard navigation. One exception was identified in the Modal/Popup pattern, where keyboard focus is not contained within the modal while it is open and does not return to the triggering element on close, which may cause users to lose context or become disoriented. See EX-04, EX-06 (Known Exceptions appendix).
2.1.4 Character Key Shortcuts	Not Evaluated	Character key shortcuts depend on final application behavior and developer implementation. This evaluation did not assess application-level shortcut behavior.
2.2.1 Timing Adjustable	Not Evaluated	Timing behavior depends on the final application implementation. This evaluation did not assess application-level time limits, session behavior, or time-dependent interactions.
2.2.2 Pause, Stop, Hide	Not Evaluated	Moving, blinking, scrolling, auto-updating, or animated behavior depends on the final implementation and content configuration. This was not evaluated as part of this pattern-level assessment.
2.3.1 Three Flashes or Below Threshold	Not Evaluated	Flashing behavior depends on the final content, media, animation, and implementation choices. This evaluation did not assess application-level flashing content.
2.4.1 Bypass Blocks	Not Evaluated	Bypass mechanisms are defined at page or application layout level rather than by individual UI patterns. The implementation of skip links or equivalent bypass mechanisms was not evaluated as part of this pattern-level assessment.

Criteria	Conformance Level	Remarks and Explanations
2.4.2 Page Titled	Not Evaluated	Page titles are defined at the application page level rather than by individual OutSystems UI patterns. This criterion depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
2.4.3 Focus Order	Partially Supports	Exceptions were identified in the Modal/Popup pattern: focus is not placed on the modal when it opens, focus is not contained within the modal (Tab can move focus to background content), and focus is not returned to the triggering element when the modal closes. See EX-02, EX-04, EX-06 (Known Exceptions appendix).
2.4.4 Link Purpose (In Context)	Not Evaluated	Link purpose depends on final link text, surrounding content, and navigation implementation provided by developers. This evaluation focused on patterns and did not assess final application-level link text or page context.
2.5.1 Pointer Gestures	Supports	The evaluated patterns do not require complex pointer gestures as the only method of operation within the assessed pattern scope.
2.5.2 Pointer Cancellation	Supports	Standard click or tap interactions are used by the evaluated patterns and can generally be cancelled before completion.
2.5.3 Label in Name	Not Evaluated	Label in Name depends on how visible labels, accessible names, and interactive content are implemented in the final application. This evaluation focused on OutSystems UI patterns and did not assess specific application-level implementations of visible labels and accessible names.
2.5.4 Motion Actuation	Not Evaluated	Motion-based behavior depends on the final application implementation and device interaction configuration. This was not evaluated as part of this pattern-level assessment.

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page	Not Evaluated	Page language is defined at the application page level rather than by individual UI patterns. The use of language attributes depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
3.2.1 On Focus	Supports	The evaluated patterns do not trigger unexpected changes of context when patterns receive focus within the assessed pattern scope.
3.2.2 On Input	Supports	The evaluated patterns do not trigger unexpected changes of context solely when users change the value of form controls within the assessed pattern scope.
3.2.6 Consistent Help	Not Evaluated	Consistent Help depends on the availability and placement of help mechanisms across complete application pages. This was not evaluated as part of the component and pattern-level assessment.
3.3.1 Error Identification	Partially Supports	Form patterns (Input, Dropdown, Radio Group, Checkbox, etc.) support error identification through aria-invalid, aria-describedby, and visual state indicators. Patterns have been evaluated for their ability to present errors accessibly. Developers are responsible for error detection, validation logic, and providing error messages in the final application.
3.3.2 Labels or Instructions	Partially Supports	Form patterns support accessible label and instruction mechanisms through semantic associations and ARIA attributes. However, developers are responsible for providing meaningful label text and instructions in the final application. Patterns have been evaluated for their support of these mechanisms; actual labels and instructions depend on application content and configuration.

Criteria	Conformance Level	Remarks and Explanations
3.3.7 Redundant Entry	Not Evaluated	Redundant Entry depends on complete application workflows and how previously entered user data is reused or requested again. This was not evaluated as part of the component and pattern-level assessment.
4.1.2 Name, Role, Value	Partially Supports	This is the most frequently affected criterion in the underlying assessment. Exceptions were identified across multiple patterns, including: Modal/Popup (missing dialog role/attributes), List Item (missing/incorrect role), Carousel (disallowed tabpanel role on slides), Floating Actions Button (missing role despite aria-haspopup), Search Input (missing/incorrect role), Tabs (inappropriate tabpanel role), Upload (missing role and missing accessible name), Dropdown display (missing role), Popover trigger (missing role), and Switch (missing role). See EX-01, EX-07, EX-10, EX-11, EX-12, EX-16, EX-18, EX-19, EX-20, EX-21, EX-22 (Known Exceptions appendix).

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	Not Evaluated	If live media is implemented using the Video pattern or another media implementation, captions depend on the final application configuration and media source. Live captions were not evaluated as part of this pattern-level assessment.
1.2.5 Audio Description (Prerecorded)	Not Evaluated	OutSystems UI includes a Video pattern, but audio description support depends on the media content and implementation provided in the final application. This was not evaluated as part of this pattern-level assessment.

Criteria	Conformance Level	Remarks and Explanations
1.3.4 Orientation	Supports	The evaluated patterns are designed for responsive web applications and do not restrict content to a single display orientation within the assessed pattern scope.
1.3.5 Identify Input Purpose	Partially Supports	Input patterns support the identification of common input purposes through the autocomplete attribute where applicable (e.g., name, email, password). Developers must properly configure this attribute in the final application.
1.4.3 Contrast (Minimum)	Partially Supports	The evaluated patterns generally support accessible color contrast. Testing identified minimum contrast failures in the Button, Tag, User Avatar, Card Background, Badge, and Counter patterns. These issues affect specific text or visual states where the contrast ratio does not consistently satisfy WCAG 2.2 Success Criterion 1.4.3 (Contrast (Minimum)). Addressing these issues will require refinements to the affected pattern styles or theme values. See EX-23 (Known Exceptions Appendix)
1.4.4 Resize Text	Supports	The evaluated patterns generally support browser zoom and text resizing when implemented with responsive layouts.
1.4.5 Images of Text	Not Evaluated	Images of text depend on final application content and assets provided by developers or content editors. This evaluation did not assess application-level image content.
1.4.10 Reflow	Supports	The evaluated patterns are designed for responsive layouts and can reflow across different viewport sizes when used as intended.
1.4.11 Non-text Contrast	Supports	The evaluated patterns support accessible non-text contrast when default or accessible theme styles are used. Developers should validate customized colors, states, and visual indicators in the final implementation.

Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing	Supports	The evaluated patterns do not prevent users from applying increased text spacing within the assessed pattern scope.
1.4.13 Content on Hover or Focus	Partially Supports	Tooltip and Popover patterns support content visibility on hover and focus. Patterns have been evaluated for dismissibility (Escape key), hoverable behavior, and persistence. Developers must ensure these behaviors are properly implemented in the final application.
2.4.5 Multiple Ways	Not Evaluated	Multiple ways to locate content are defined at application information architecture and navigation level. This evaluation focused on patterns and did not assess complete application navigation structures.
2.4.6 Headings and Labels	Partially Supports	OutSystems UI patterns support descriptive headings and labels through semantic markup and accessible naming mechanisms. Pattern components have been evaluated for their ability to display descriptive text and labels. Developers are responsible for providing meaningful heading hierarchy at the page level and descriptive label text for interactive controls in the final application.
2.4.7 Focus Visible	Supports	The evaluated patterns can expose visible focus indicators. Developers should preserve visible focus styles when customizing themes.
2.4.11 Focus Not Obscured (Minimum)	Supports	No specific issues were identified where focused elements are fully obscured by other content in the evaluated pattern scope.
2.5.7 Dragging Movements	Not Evaluated	Dragging behavior depends on the final application implementation and on whether developers use patterns or custom interactions that require drag-and-drop. This evaluation focused on OutSystems UI components and patterns and did not assess complete application-level dragging interactions or alternative input methods.

Criteria	Conformance Level	Remarks and Explanations
2.5.8 Target Size (Minimum)	Partially Supports	Partially Supports. Exceptions were identified in navigation link patterns (e.g., Submenu items such as "Dashboard" and "List") where touch target size or spacing falls below the WCAG 2.2 minimum target size requirement. See EX-15 (Known Exceptions appendix).
3.1.2 Language of Parts	Not Evaluated	Language of Parts depends on final application content and any text in a language different from the page language. This criterion depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
3.2.3 Consistent Navigation	Not Evaluated	Consistent navigation depends on how navigation patterns are implemented across complete application pages. This evaluation did not assess full application-level navigation consistency.
3.2.4 Consistent Identification	Not Evaluated	Consistent identification depends on final application content, labels, icons, and repeated interaction patterns. This evaluation did not assess consistency across a complete application implementation.
3.3.3 Error Suggestion	Not Evaluated	Error suggestions depend on application-level validation logic and error message content provided by developers. This criterion was not evaluated as it is outside the scope of pattern-level assessment.
3.3.4 Error Prevention (Legal, Financial, Data)	Not Evaluated	Error prevention depends on complete application workflows involving legal, financial, or data submission processes. Such workflows were not evaluated as part of this pattern-level assessment.
4.1.3 Status Messages	Partially Supports	Notification and Feedback Message patterns support status message announcement through ARIA live region attributes (role="status", aria-live="polite"). However, developers must configure these patterns and provide the appropriate message content in the final application.

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. OutSystems UI was not assessed for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Notes

The evaluation against the Revised Section 508 standards focuses on requirements applicable to reusable web-based software patterns. Criteria related to hardware, closed functionality, telecommunications, support documentation, or full application/page-level implementation are considered not applicable or not evaluated, depending on the criterion.

Chapter 3: Functional Performance Criteria

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Exceptions were identified in the following patterns: Progress Bar (missing accessible name), Stacked Cards/Carousel (missing ARIA roles), Modal/Popup (focus management and ARIA issues), List/List Item and Scrollable Area (keyboard navigation), Submenu (ARIA relationships), and Timeline Item (semantic structure). These exceptions may affect screen reader users.
302.2 With Limited Vision	Partially Supports	Exceptions were identified in Button Group (contrast) and Modal/Popup (focus visibility). Low-vision users may experience difficulty distinguishing or selecting these elements.
302.3 Without Perception of Color	Supports	The evaluated patterns do not rely on color alone to convey information within the assessed pattern scope.

Criteria	Conformance Level	Remarks and Explanations
302.4 Without Hearing	Not Evaluated	OutSystems UI includes media-related patterns, but audio and media content were not evaluated. Hearing-related accessibility depends on the final media content, captions, transcripts, and implementation provided by developers.
302.5 With Limited Hearing	Not Evaluated	OutSystems UI includes media-related patterns, but audio and media content were not evaluated. Hearing-related accessibility depends on the final media content, captions, transcripts, and implementation provided by developers.
302.6 Without Speech	Supports	Speech input is not required to operate the evaluated patterns within the assessed pattern scope.
302.7 With Limited Manipulation	Partially Supports	Exceptions were identified in List/List Item (items not keyboard-reachable), Scrollable Area (keyboard navigation within scrolling regions), and Modal/Popup (ESC key behavior and focus return on close). Keyboard-only users may not be able to access or navigate these components without workarounds.
302.8 With Limited Reach and Strength	Partially Supports	Exceptions were identified in Submenu patterns (target size and spacing below WCAG 2.2 requirements), Modal/Popup (keyboard operation and focus management), and List/List Item (keyboard access). Users relying on alternative input methods may experience difficulty activating or navigating these components.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Exceptions were identified in Modal/Popup (semantic structure and focus placement), Stacked Cards/Carousel (semantic list structure), List/List Item (information relationships), and Submenu/Timeline Item (semantic structure). These exceptions may affect users who rely on document structure and logical navigation.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	Partially Supports	The evaluated product partially supports incorporated WCAG requirements within the pattern-level scope. Exceptions are documented in the WCAG 2.2 report and the Known Exceptions appendix, most notably affecting Name/Role/Value, Info and Relationships, Keyboard, Focus Order, Contrast, and Target Size.
502 Interoperability with Assistive Technology	Partially Supports	Exceptions were identified primarily in ARIA role and accessible-name implementation (Modal/Popup, List Item, Carousel, Upload, Dropdown, Popover, Switch) and in Modal/Popup focus-management behavior. See EX-01, EX-02, EX-04, EX-06, EX-07, EX-10, EX-18, EX-19, EX-20, EX-21, EX-22 (Known Exceptions appendix).
503 Applications	Partially Supports	Exceptions were identified in keyboard operability (List Item, Scrollable Area, Modal/Popup ESC behavior), focus management (Modal/Popup), contrast (Button theme), and target size (Submenu navigation links). Complete application-level implementation was not evaluated. See EX-05, EX-08, EX-09, EX-02, EX-04, EX-06, EX-15, EX-23 (Known Exceptions appendix).
504 Authoring Tools	Not Applicable	OutSystems UI is a reusable UI patterns library, not an authoring tool for creating accessibility content within the meaning of this criterion.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Not Evaluated	Product documentation and support services were not evaluated as part of this report.
602.2 Accessibility and Compatibility Features	Not Evaluated	Documentation describing accessibility and compatibility features was not evaluated as part of this report.
602.3 Electronic Support Documentation	Not Evaluated	Electronic support documentation was not evaluated as part of this report.
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Evaluated	Alternate formats for support documentation were not evaluated as part of this report.
603.2 Information on Accessibility and Compatibility Features	Not Evaluated	Support service information was not evaluated as part of this report.
603.3 Accommodation of Communication Needs	Not Evaluated	Support services were not evaluated as part of this report.

EN 301 549 Report

Notes

The evaluation against EN 301 549 focuses on requirements applicable to reusable web-based UI patterns. Requirements related to hardware, telecommunications, closed functionality, documentation, support services, media content, or full application/page-level implementation are considered not applicable or not evaluated, depending on the criterion.

Chapter 4: Functional Performance Statements

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Exceptions were identified primarily around accessible names, ARIA roles, semantic relationships, and modal dialog focus behavior. See the WCAG 2.2 and EN 301 549 Chapter 9/11 tables and the Known Exceptions appendix for full details.
4.2.2 Usage with limited vision	Partially Supports	Exceptions were identified related to contrast, focus visibility/management, and target size. See the WCAG 2.2 and EN 301 549 Chapter 9/11 tables and the Known Exceptions appendix for full details.
4.2.3 Usage without perception of color	Supports	The evaluated patterns do not rely on color alone to convey information within the assessed pattern scope.
4.2.4 Usage without hearing	Not Evaluated	OutSystems UI includes media-related patterns, but audio and media content were not evaluated. Hearing-related accessibility depends on the final media content, captions, transcripts, and implementation provided by developers.
4.2.5 Usage with limited hearing	Not Evaluated	OutSystems UI includes media-related patterns, but audio and media content were not evaluated. Hearing-related accessibility depends on the

Criteria	Conformance Level	Remarks and Explanations
		final media content, captions, transcripts, and implementation provided by developers.
4.2.6 Usage without vocal capability	Supports	Speech input is not required to operate the evaluated patterns within the assessed pattern scope.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Exceptions were identified in keyboard operability and target size. See the WCAG 2.2 and EN 301 549 Chapter 9/11 tables and the Known Exceptions appendix for full details.
4.2.8 Usage with limited reach	Partially Supports	Exceptions were identified related to target size and keyboard operation. See the WCAG 2.2 and EN 301 549 Chapter 9/11 tables and the Known Exceptions appendix for full details.
4.2.9 Minimise photosensitive seizure triggers	Not Evaluated	Photosensitive seizure triggers depend on final content, media, animation, and implementation. This was not evaluated as part of the pattern-level assessment.
4.2.10 Usage with limited cognition	Partially Supports	Exceptions were identified in semantic structure and modal dialog behavior that may affect predictability and comprehension. See the WCAG 2.2 and EN 301 549 Chapter 9/11 tables and the Known Exceptions appendix for full details.

Chapter 9: Web

Criteria	Conformance Level	Remarks and Explanations
9.1.1.1 Non-text Content	Partially Supports	Equivalent to WCAG 1.1.1. One exception was identified: the Progress Bar pattern's ARIA progressbar does not expose an accessible name. See EX-17 (Known Exceptions appendix).
9.1.2.1 Audio-only and Video-only (Prerecorded)	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.2.1. Media content and implementation were not evaluated as part of this component/pattern-level assessment.
9.1.2.2 Captions (Prerecorded)	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.2.2. Caption availability and correctness depend on the final media content and implementation.
9.1.2.3 Audio Description or Media Alternative (Prerecorded)	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.2.3. Audio descriptions or media alternatives depend on the final media content and implementation.
9.1.3.1 Info and Relationships	Partially Supports	Equivalent to WCAG 1.3.1. Exceptions were identified in the Stacked Cards/Carousel, Submenu, and Timeline Item patterns involving incorrect ARIA parent-child relationships. See EX-09, EX-13, EX-14 (Known Exceptions appendix).
9.1.3.2 Meaningful Sequence	Partially Supports	Equivalent to WCAG 1.3.2. One exception was identified in the Modal/Popup pattern, where screen readers can read content outside the active dialog. See EX-03 (Known Exceptions appendix).
9.1.3.3 Sensory Characteristics	Supports	Equivalent to WCAG 2.1 criterion 1.3.3. No exceptions were identified for this criterion in the evaluated component and pattern scope.
9.1.4.1 Use of Color	Supports	Equivalent to WCAG 2.1 criterion 1.4.1. No exceptions were identified for this criterion in the evaluated component and pattern scope.

Criteria	Conformance Level	Remarks and Explanations
9.1.4.2 Audio Control	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.4.2. Audio behavior depends on final media content and implementation.
9.2.1.1 Keyboard	Partially Supports	Equivalent to WCAG 2.1.1. Exceptions were identified in the List/List Item patterns, and in Modal/Popup ESC-key dismissal. See EX-04, EX-06 (Known Exceptions appendix).
9.2.1.2 No Keyboard Trap	Partially Supports	Equivalent to WCAG 2.1 criterion 2.1.2. Exceptions were identified in Modal/Popup. See EX-05, EX-08, EX-09 (Known Exceptions appendix).
9.2.1.4 Character Key Shortcuts	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.1.4. Application-level shortcut behavior was not evaluated.
9.2.2.1 Timing Adjustable	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.2.1. Timing behavior depends on final application implementation and was not evaluated.
9.2.2.2 Pause, Stop, Hide	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.2.2. Moving, blinking, scrolling, auto-updating, or animated behavior depends on final implementation and content configuration.
9.2.3.1 Three Flashes or Below Threshold	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.3.1. Flashing behavior depends on final content, media, animation, and implementation choices.
9.2.4.1 Bypass Blocks	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.4.1. Bypass mechanisms are defined at page or application layout level.
9.2.4.2 Page Titled	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.4.2. This criterion depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.

Criteria	Conformance Level	Remarks and Explanations
9.2.4.3 Focus Order	Partially Supports	Equivalent to WCAG 2.4.3. Exceptions were identified in the Modal/Popup pattern's focus placement, containment, and return behavior. See EX-02, EX-04, EX-06 (Known Exceptions appendix).
9.2.4.4 Link Purpose (In Context)	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.4.4. Link purpose depends on final link text, surrounding content, and implementation.
9.2.5.1 Pointer Gestures	Supports	Equivalent to WCAG 2.1 criterion 2.5.1. No exceptions were identified for this criterion in the evaluated component and pattern scope.
9.2.5.2 Pointer Cancellation	Supports	Equivalent to WCAG 2.1 criterion 2.5.2. No exceptions were identified for this criterion in the evaluated component and pattern scope.
9.2.5.3 Label in Name	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.5.3. Label in Name depends on final visible labels and accessible names.
9.2.5.4 Motion Actuation	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.5.4. Motion-based behavior depends on final implementation and was not evaluated.
9.3.1.1 Language of Page	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.1.1. Page language depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
9.3.2.1 On Focus	Supports	Equivalent to WCAG 2.1 criterion 3.2.1. No unexpected change of context on focus was identified within the assessed component scope.
9.3.2.2 On Input	Supports	Equivalent to WCAG 2.1 criterion 3.2.2. No unexpected change of context on input was identified within the assessed component scope.
9.3.3.1 Error Identification	Partially Supports	Equivalent to WCAG 2.1 criterion 3.3.1. Error identification depends on final validation logic and content.

Criteria	Conformance Level	Remarks and Explanations
9.3.3.2 Labels or Instructions	Partially Supports	Equivalent to WCAG 2.1 criterion 3.3.2. Labels and instructions depend on final application configuration and content.
9.4.1.1 Parsing	Supports	Equivalent to WCAG 2.1 criterion 4.1.1. No parsing issues were identified in the evaluated component and pattern scope. This criterion is included in EN 301 549 v3.2.1 Chapter 9 but is not included in the WCAG 2.2 report.
9.4.1.2 Name, Role, Value	Partially Supports	Equivalent to WCAG 4.1.2. Exceptions were identified across multiple patterns, primarily missing or incorrect ARIA roles and missing accessible names. See the Known Exceptions appendix (EX-01, EX-07, EX-10, EX-11, EX-12, EX-16, EX-18, EX-19, EX-20, EX-21, EX-22) for the full pattern-by-pattern breakdown.
9.1.2.4 Captions (Live)	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.2.4. Live captions depend on the final media content and implementation.
9.1.2.5 Audio Description (Prerecorded)	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.2.5. Audio description support depends on the final media content and implementation.
9.1.3.4 Orientation	Supports	Equivalent to WCAG 2.1 criterion 1.3.4. No exceptions were identified for this criterion within the evaluated component scope.
9.1.3.5 Identify Input Purpose	Partially Supports	Equivalent to WCAG 1.3.5. Input patterns support the identification of common input purposes through the autocomplete attribute where applicable (e.g., name, email, password). Developers must properly configure this attribute in the final application.
9.1.4.3 Contrast (Minimum)	Partially Supports	Equivalent to WCAG 1.4.3. The evaluated patterns generally support accessible color contrast. Some exceptions were identified in the Button, Tag, User Avatar, Card Background, Badge, and Counter patterns, where specific text or visual states may require refinement to meet WCAG AA minimum contrast requirements. Low-vision users may have difficulty

Criteria	Conformance Level	Remarks and Explanations
		distinguishing button states if color contrast falls below AA thresholds. Developers should validate contrast ratios when applying theme customizations. See EX-23 (Known Exceptions appendix).
9.1.4.4 Resize Text	Supports	Equivalent to WCAG 2.1 criterion 1.4.4. No exceptions were identified for this criterion in the evaluated component scope.
9.1.4.5 Images of Text	Not Evaluated	Equivalent to WCAG 2.1 criterion 1.4.5. Images of text depend on final application content and assets.
9.1.4.10 Reflow	Supports	Equivalent to WCAG 2.1 criterion 1.4.10. No exceptions were identified for this criterion in the evaluated component scope.
9.1.4.11 Non-text Contrast	Supports	Equivalent to WCAG 2.1 criterion 1.4.11. No exceptions were identified for this criterion in the evaluated component scope.
9.1.4.12 Text Spacing	Supports	Equivalent to WCAG 2.1 criterion 1.4.12. No exceptions were identified for this criterion in the evaluated component scope.
9.1.4.13 Content on Hover or Focus	Supports	Equivalent to WCAG 2.1 criterion 1.4.13. No exceptions were identified for this criterion in the evaluated component scope.
9.2.4.5 Multiple Ways	Not Evaluated	Equivalent to WCAG 2.1 criterion 2.4.5. Multiple ways depend on complete application navigation and information architecture.
9.2.4.6 Headings and Labels	Partially Supports	Equivalent to WCAG 2.4.6. OutSystems UI patterns support descriptive headings and labels through semantic markup and accessible naming mechanisms. Developers are responsible for providing meaningful heading hierarchy at the page level and descriptive label text for interactive controls in the final application.

Criteria	Conformance Level	Remarks and Explanations
9.2.4.7 Focus Visible	Supports	Equivalent to WCAG 2.1 criterion 2.4.7. No exceptions were identified for this criterion in the evaluated component scope
9.3.1.2 Language of Parts	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.1.2. This criterion depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
9.3.2.3 Consistent Navigation	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.2.3. Consistent navigation depends on complete application implementation.
9.3.2.4 Consistent Identification	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.2.4. Consistent identification depends on final application content and repeated interaction patterns.
9.3.3.3 Error Suggestion	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.3.3. Error suggestions depend on final validation logic and content.
9.3.3.4 Error Prevention (Legal, Financial, Data)	Not Evaluated	Equivalent to WCAG 2.1 criterion 3.3.4. Error prevention depends on complete application workflows.

Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.1.1.1 Non-text Content	Partially Supports	Equivalent to WCAG 1.1.1. One exception was identified: the Progress Bar pattern's ARIA progressbar does not expose an accessible name. See EX-17 (Known Exceptions appendix).

Criteria	Conformance Level	Remarks and Explanations
11.1.2.1 Audio-only and Video-only (Prerecorded)	Not Evaluated	Equivalent to WCAG 1.2.1. OutSystems UI includes media-related patterns, but the accessibility of media content and its implementation was not evaluated.
11.1.2.2 Captions (Prerecorded)	Not Evaluated	Equivalent to WCAG 1.2.2. Captions depend on the media content and implementation provided in the final application.
11.1.2.3 Audio Description or Media Alternative (Prerecorded)	Not Evaluated	Equivalent to WCAG 1.2.3. Audio descriptions or media alternatives depend on the media content and implementation provided in the final application.
11.1.3.1 Info and Relationships	Partially Supports	Equivalent to WCAG 1.3.1. Exceptions were identified in the Stacked Cards/Carousel, Submenu, and Timeline Item patterns involving incorrect ARIA parent-child relationships. See EX-09, EX-13, EX-14 (Known Exceptions appendix).
11.1.3.2 Meaningful Sequence	Partially Supports	Equivalent to WCAG 1.3.2. One exception was identified in the Modal/Popup pattern, where screen readers can read content outside the active dialog. See EX-03 (Known Exceptions appendix).
11.1.3.3 Sensory Characteristics	Supports	Equivalent to WCAG 1.3.3. The evaluated patterns do not rely solely on sensory characteristics to convey instructions within the assessed pattern scope.
11.1.4.1 Use of Color	Supports	Equivalent to WCAG 1.4.1. The evaluated patterns do not use color as the only means of conveying information within the assessed pattern scope.
11.2.1.1 Keyboard	Partially Supports	Equivalent to WCAG 2.1.1. Exceptions were identified in the List/List Item and Scrollable Area patterns, and in Modal/Popup ESC-key dismissal. See EX-04, EX-06 (Known Exceptions appendix).
11.2.1.2 No Keyboard Trap	Partially Supports	Equivalent to WCAG 2.1 criterion 2.1.2. Exceptions were identified in Modal/Popup. See EX-05, EX-08, EX-09 (Known Exceptions appendix).

Criteria	Conformance Level	Remarks and Explanations
11.2.2.1 Timing Adjustable	Not Evaluated	Equivalent to WCAG 2.2.1. Timing behavior depends on final application implementation and was not evaluated as part of this pattern-level assessment.
11.2.2.2 Pause, Stop, Hide	Not Evaluated	Equivalent to WCAG 2.2.2. Moving, blinking, scrolling, auto-updating, or animated behavior depends on final implementation and content configuration.
11.2.3.1 Three Flashes or Below Threshold	Not Evaluated	Equivalent to WCAG 2.3.1. Flashing behavior depends on final content, media, animation, and implementation choices.
11.2.4.1 Bypass Blocks	Not Evaluated	Equivalent to WCAG 2.4.1. Bypass mechanisms are defined at page or application layout level rather than by individual UI patterns.
11.2.4.2 Page Titled	Not Evaluated	Equivalent to WCAG 2.4.2. This criterion depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
11.2.4.3 Focus Order	Partially Supports	Equivalent to WCAG 2.4.3. Exceptions were identified in the Modal/Popup pattern's focus placement, containment, and return behavior. See EX-02, EX-04, EX-06 (Known Exceptions appendix).
11.2.4.4 Link Purpose (In Context)	Not Evaluated	Equivalent to WCAG 2.4.4. Link purpose depends on final link text, surrounding content, and navigation implementation.
11.3.1.1 Language of Page	Not Evaluated	Equivalent to WCAG 3.1.1. Page language depends on application-specific content, page structure, or developer implementation rather than the reusable UI patterns evaluated in this assessment.
11.3.2.1 On Focus	Supports	Equivalent to WCAG 3.2.1. The evaluated patterns do not trigger unexpected changes of context when patterns receive focus within the assessed pattern scope.

Criteria	Conformance Level	Remarks and Explanations
11.3.2.2 On Input	Supports	Equivalent to WCAG 3.2.2. The evaluated patterns do not trigger unexpected changes of context solely when users change the value of form controls within the assessed pattern scope.
11.3.3.1 Error Identification	Partially Supports	Equivalent to WCAG 3.3.1. Error identification depends on final application-level validation logic and content.
11.3.3.2 Labels or Instructions	Partially Supports	Equivalent to WCAG 3.3.2. Labels and instructions depend on final application configuration and content.
11.4.1.1 Parsing	Supports	Equivalent to WCAG 2.1 criterion 4.1.1. No parsing issues were identified in the evaluated component and pattern scope. This criterion is included in EN 301 549 v3.2.1 Chapter 11 but is not included in the WCAG 2.2 report.
11.4.1.2 Name, Role, Value	Partially Supports	Equivalent to WCAG 4.1.2. Exceptions were identified across multiple patterns, primarily missing or incorrect ARIA roles and missing accessible names. See the Known Exceptions appendix (EX-01, EX-07, EX-10, EX-11, EX-12, EX-16, EX-18, EX-19, EX-20, EX-21, EX-22) for the full pattern-by-pattern breakdown.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product Documentation	Not Evaluated	Product documentation was not evaluated as part of this report.
12.2 Accessible Documentation	Not Evaluated	Accessibility of documentation was not evaluated as part of this report.
12.3 Support Services	Not Evaluated	Support services were not evaluated as part of this report.

Prioritised Accessibility Risks and Remediation Focus

This section consolidates the most significant accessibility risks identified during the pattern-level assessment and prioritises them for remediation. The items below are derived from the conformance tables and Known Exceptions appendix, and are ordered based on user impact, affected user groups, frequency across patterns, and whether resolution depends on product-level changes, theme adjustments, or developer configuration. This section is intended to support remediation planning and should be read together with the detailed exceptions listed in the appendix.

1. Modal and Popup focus management

Six interlocking product-level issues were identified in the Modal/Popup pattern: focus is not placed on the modal when it opens, is not contained while it is open, and is not returned to the trigger on close; the ESC key does not dismiss the modal; and screen readers can browse background content while the modal is active. This affects keyboard-only users and screen reader users completely. A modal that does not manage focus correctly is effectively unusable without a mouse. This is the highest-priority risk because it cannot be resolved through developer configuration alone and requires a product-level fix. See EX-01 through EX-06.

2. Name, Role, Value across multiple patterns

Missing or incorrect ARIA roles and accessible names were identified across ten patterns, including Carousel, Upload, Dropdown, Popover, Switch, Tabs, Floating Actions Button, and Search Input. Screen reader users may not be able to identify or operate these controls correctly. This is the most frequently affected criterion in the assessment (23 of 50 audit findings). See EX-07, EX-10, EX-11, EX-12, EX-16, EX-18, EX-19, EX-20, EX-21, EX-22.

3. Keyboard operability gaps

List items and scrollable regions are not reachable by keyboard alone, and the Modal/Popup pattern does not support ESC-to-close. Keyboard-only users (including users who cannot use a mouse due to motor impairments) cannot access or operate these patterns without a workaround. See EX-05, EX-08, EX-09.

4. Semantic relationship issues

ARIA parent-child relationship violations were identified in the Stacked Cards/Carousel, Submenu, and Timeline Item patterns. Assistive technologies rely on these relationships to communicate component structure. When they are broken, screen reader users may not understand the grouping or hierarchy of content. See EX-09, EX-13, EX-14.

5. Contrast failures in default theme

The default OutSystems UI theme produces contrast ratios below the WCAG AA minimum in Button, Tag, User Avatar, Card Background, Badge, and Counter patterns. Low-vision users may not be able to read text or distinguish interactive states in applications using the default theme without customization. See EX-23.

6. Target size below minimum

Submenu navigation link targets fall below the WCAG 2.2 minimum target size requirement. Users with limited dexterity or motor impairments, and touch screen users, may have difficulty activating these targets reliably. See EX-15.

7. Developer-dependent labels, validation, and status messages

Several criteria (including Error Identification (3.3.1), Labels or Instructions (3.3.2), Status Messages (4.1.3), and Identify Input Purpose (1.3.5)) are rated Partially Supports because the patterns provide the necessary mechanisms but require developers to configure them correctly. Applications

built without proper label association, error messages, or live region configuration will not meet these criteria regardless of the pattern's capabilities.

Known Exceptions and Accessibility Risks (Appendix)

ID	Criterion	Severity	Pattern	Issue	User Impact	Conformance Impact	Responsibility
EX-01	4.1.2	Moderate	Modal / Popup	Missing dialog role and required ARIA attributes	Screen reader users aren't told they've entered a dialog	Partially Supports	Product issue
EX-02	2.4.3	Serious	Modal / Popup	Focus not placed on the modal when it opens	Keyboard/screen reader users stay on background content and lose context	Partially Supports	Product issue
EX-03	1.3.2	Serious	Modal / Popup	Screen reader can read content outside the modal while it's open	Users may interact with background content unintentionally	Partially Supports	Product issue
EX-04	2.4.3	Serious	Modal / Popup	Keyboard focus is not contained. Tab moves focus out of the modal	Keyboard users can tab into background page while modal is "active"	Partially Supports	Product issue
EX-05	2.1.1	Serious	Modal / Popup	ESC key does not close the modal	Keyboard users have no standard way to dismiss the dialog	Partially Supports	Product issue
EX-06	2.4.3	Serious	Modal / Popup	Focus is not returned to the triggering element when the modal closes	Keyboard/screen reader users lose their place in the page	Partially Supports	Product issue

ID	Criterion	Severity	Pattern	Issue	User Impact	Conformance Impact	Responsibility
EX-07	4.1.2	Critical	List / List Item (Employee List)	List item role missing/incorrect on custom list markup	Screen reader users may not perceive list items as list items	Partially Supports	Product/ Configuration
EX-08	2.1.1	Critical	List / List Item	List items not reachable by keyboard alone	Keyboard-only users cannot operate list item actions	Partially Supports	Product issue
EX-09	1.3.1	Critical	Stacked Cards / Carousel	role="list" container missing required child roles	AT may not announce card group as a list correctly	Partially Supports	Product issue
EX-10	4.1.2	Best Practices	Carousel (Splide)	Slide images use disallowed role="tabpanel"	Screen readers may misinterpret carousel structure	Partially Supports	Product issue
EX-11	4.1.2	Critical	Floating Actions Button	Menu button role missing/incorrect despite aria-haspopup/aria-expanded	Screen reader users may not recognize it as a menu trigger	Partially Supports	Product issue
EX-12	4.1.2	Critical	Search Input	Input role missing/incorrect	Screen reader users may not get correct input semantics	Partially Supports	Product/ Configuration
EX-13	1.3.1	Critical	Submenu	aria-haspopup container not contained by its required ARIA parent role	AT relationship between menu item and submenu may be broken	Partially Supports	Product issue

ID	Criterion	Severity	Pattern	Issue	User Impact	Conformance Impact	Responsibility
EX-14	1.3.1	Critical	Timeline Item	role="listitem" not contained by a required parent list role	AT may not announce timeline as a coherent list	Partially Supports	Product issue
EX-15	2.5.8	Serious	Navigation links (List)	Touch targets below 24px minimum / insufficient spacing	Users with limited dexterity, touch users may mis-tap	Partially Supports	Theme/ Spacing
EX-16	4.1.2	Best Practices	Tabs	Tab panel role not appropriate for the element	Screen reader users may get incorrect tab/tabpanel announcement	Partially Supports	Product issue
EX-17	1.1.1	Serious	Progress Bar	ARIA progressbar has no accessible name	Screen reader users hear a percentage/state with no label for what it measures	Partially Supports	Product/ Configuration
EX-18	4.1.2	Critical	Upload	Upload control role missing/incorrect	Screen reader users may not recognize it as a file input	Partially Supports	Product issue
EX-19	4.1.2	Critical	Upload	Accessible name missing/incorrect	Screen reader users don't know the purpose of the control	Partially Supports	Product issue
EX-20	4.1.2	Critical	Dropdown (display)	Custom dropdown display missing appropriate role	Screen reader users may not recognize it as a dropdown control	Partially Supported	Product issue
EX-21	4.1.2	Critical	Popover	Popover trigger missing appropriate role	Screen reader users may not recognize the trigger as interactive/expandable	Partially Supports	Product issue

ID	Criterion	Severity	Pattern	Issue	User Impact	Conformance Impact	Responsibility
EX-22	4.1.2	Critical	Switch	Switch control role missing/incorrect	Screen reader users may not perceive it as a toggle	Partially Supports	Product issue
EX-23	1.4.3	Serious	Button, Tag, User Avatar, Card Background, Badge, Counter (global/theme)	Text/background contrast below AA threshold. See Contrast Failure Detail (EX-23) for a full breakdown by pattern, color variant, and failure condition.	Low-vision users may not read button label	Partially Supports	Theme/ Product design

Understanding Responsibility Classifications

Each exception in the table below is classified by where the fix belongs:

- **Product issue:** The OutSystems UI pattern's default behavior or markup does not meet the criterion, regardless of how a developer configures it. Remediation requires a product-level fix (or, in the interim, a documented workaround applied by the developer on top of the pattern).
- **Product/configuration:** The pattern supports the criterion, but only if the developer supplies the required configuration (e.g., an accessible name, a label, or correct field setup). The pattern is not broken by default, but does not enforce correct usage.
- **Theme/spacing:** The exception stems from the default visual theme (color tokens, spacing values) rather than the pattern's markup or behavior. A custom theme could resolve it without a product code change.
- **Implementation/content:** The exception depends on how content authors or developers use the pattern in a specific page (e.g., choosing the right semantic element for a heading). The pattern itself imposes no defect.

Of the 23 known exceptions, the majority are product-level issues requiring OutSystems UI product updates to resolve. The remaining exceptions can be addressed through developer configuration, theme adjustments, or design-token refinements.

Contrast Failure Detail (EX-23)

This section documents the specific color contrast failures identified in the default OutSystems UI theme. All failures relate to EX-23 in the Known Exceptions appendix and affect WCAG 2.2 Success Criterion 1.4.3 Contrast (Minimum).

Pattern	Variant / colors	Contrast Ratio	Failure Condition	Required Ratio
Card Background	All colors	1.08:1	Visible text, not bold, rendered size $\geq$ 24px	3:1
Tag	Orange, Yellow, Lime, Green, Neutral-5, Neutral-6, Light Yellow, Light Lime, Light Transparent, Light Neutral-5, Light Neutral-6	3.04:1	Visible text, not bold, rendered size $<$ 24px	4.5:1
User Avatar	Orange, Yellow, Lime, Green, Neutral-5, Neutral-6, Light Yellow, Light Lime, Light Transparent, Light Neutral-5, Light Neutral-6	3.04:1	Visible text, not bold, rendered size $<$ 24px	4.5:1
Badge	Orange, Yellow, Lime, Green, Neutral-5, Neutral-6, Light Yellow, Light Lime, Light Transparent, Light Neutral-5, Light Neutral-6	3.04:1	Visible text, not bold, rendered size $<$ 24px	4.5:1
Counter	Orange, Yellow, Lime, Green, Transparent, Neutral-6	3.04:1	Visible text, not bold, rendered size $<$ 24px	4.5:1

Pattern	Variant / colors	Contrast Ratio	Failure Condition	Required Ratio
Button (Primary)	Orange, Yellow, Lime, Green, Transparent, Neutral-0, Neutral-1, Neutral-2, Neutral-3, Neutral-4, Neutral-5, Neutral-6	3.04:1	Visible text, not bold, rendered size < 24px	4.5:1
Button (Secondary)	Orange, Yellow, Lime, Green, Transparent, Neutral-0, Neutral-1, Neutral-2, Neutral-3, Neutral-4, Neutral-5, Neutral-6	3.04:1	Visible text, not bold, rendered size < 24px	4.5:1

Note: Card Background failures are particularly severe (1.08:1) and structural in nature. The pattern consists of a container with a colored gradient layered over a background image, with text placed on top of both layers. Because the underlying image is unknown at pattern level and varies by implementation, consistent contrast cannot be guaranteed regardless of the gradient color applied. This is not resolvable through theme token adjustments alone; developers using this pattern are responsible for ensuring sufficient contrast between text and the actual background image used in their application. All other failures share a measured contrast ratio of 3.04:1, affecting standard body text (rendered size below 24px) and falling below the WCAG AA minimum of 4.5:1. Failures apply to the default OutSystems UI theme only. Custom themes may resolve these issues for non-image-based patterns if sufficient contrast values are applied.

Accessibility Dependency Disclaimer

The accessibility of applications built using OutSystems UI Patterns depends on both the default behavior of the patterns and on how developers implement, configure, and customize them in the final application.

Where exceptions have been identified as product-level issues, remediation requires updates to OutSystems UI itself. These are documented in the Known Exceptions appendix and classified by responsibility.

Where exceptions are classified as developer configuration dependencies, developers are responsible for providing meaningful content, accessible names, semantic HTML, correct ARIA attributes, keyboard support, focus management, page titles, language attributes, media alternatives, captions, transcripts, labels, instructions, validation messages, and sufficient color contrast in the final application.

Final application accessibility should always be validated through testing with real users and assistive technologies, independently of this pattern-level assessment.

Legal Disclaimer (OutSystems)

This report describes the accessibility conformance of the evaluated OutSystems UI Patterns at the time of testing and within the scope of a pattern-level assessment. It does not represent a full accessibility evaluation of any complete application built with OutSystems UI.

Accessibility may vary depending on configuration, implementation, content, custom code, media assets, third-party integrations, and future product changes.

This report is intended to support accessibility planning and procurement decisions and does not constitute legal advice.