




VISUAL STUDIO  
CODESPACES

@rorypreddy



## AGENDA

1. WHAT IS VS ONLINE?

2. SECURITY


3. CONFIGURATION

4. PRICING


5. Demo

6. Roadmap

# TRENDS



# WHAT IS VS ONLINE?




## MANAGED ENVIRONMENTS FOR ANY PROJECT

Fully-managed,  
on-demand dev environments that  
dramatically reduce setup and  
maintenance



## FEEL AT HOME EVEN WHEN AWAY

Environment requirements are  
auto-detected, but can be  
configured, and your settings,  
themes, Git identity, and dotfiles  
are roamed so the experience  
looks and feels like local



## DEVELOP FROM ANYWHERE

Connect from anywhere:  
Visual Studio, Visual Studio Code,  
browser-based companion editor



## SUPERCHARGED COLLABORATIVE DEVELOPMENT

Fully collaborative environment,  
complete with  
AI-assisted development support

# WHAT IS A DEV ENVIRONMENT?



# WHAT IS A DEV ENVIRONMENT?


Editor



# WHAT IS A DEV ENVIRONMENT?



# WHAT IS A DEV ENVIRONMENT?






# WHAT IS A DEV ENVIRONMENT?



# WHAT IS A DEV ENVIRONMENT?



# WHAT IS A DEV ENVIRONMENT?




# WHAT IS A DEV ENVIRONMENT?



# WHAT IS A DEV ENVIRONMENT?




# WHAT IS A DEV ENVIRONMENT?



# DEV ENVIRONMENT REVIEW

## VS ONLINE ENVIRONMENT




## CUSTOMIZED FOR YOUR PROJECT

- |   |            |   |          |
|---|------------|---|----------|
| 1 | SOURCE     | 5 | TERMINAL |
| 2 | DEBUGGER   | 6 | RUNTIMES |
| 3 | PACKAGES   | 7 | TOOLS    |
| 4 | EXTENSIONS | 8 | CONFIG   |

## PERSONALIZED FOR YOU



# VISUAL STUDIO ONLINE





# VISUAL STUDIO ONLINE COMPUTE

1

## AZURE HOSTED

Environments are hosted in Azure, the [most trusted cloud](#).


1

AZURE




# VISUAL STUDIO ONLINE COMPUTE

- 1 AZURE HOSTED**  
Environments are hosted in Azure, the most trusted cloud.
- 2 VIRTUAL MACHINE ISOLATION**  
Each environment runs on a dedicated VM which is automatically suspended and deleted when not in use to reduce costs.




# VISUAL STUDIO ONLINE COMPUTE

- 1 AZURE HOSTED**  
Environments are hosted in Azure, the [most trusted cloud](#).
- 2 VIRTUAL MACHINE ISOLATION**  
Each environment runs on a dedicated VM which is automatically suspended and deleted when not in use to reduce costs.
- 3 ENVIRONMENT CUSTOMIZATION**  
Environments run in containers based on our [default image](#), or [your own custom Dockerfile or image](#).




# VISUAL STUDIO ONLINE COMPUTE

- 1 AZURE HOSTED**  
Environments are hosted in Azure, the [most trusted cloud](#).
- 2 VIRTUAL MACHINE ISOLATION**  
Each environment runs on a dedicated VM which is automatically suspended and deleted when not in use to reduce costs.
- 3 ENVIRONMENT CUSTOMIZATION**  
Environments run in containers based on our [default image](#), or [your own custom Dockerfile or image](#).



# VISUAL STUDIO ONLINE COMPUTE

- 1 AZURE HOSTED**  
Environments are hosted in Azure, the [most trusted cloud](#).
- 2 VIRTUAL MACHINE ISOLATION**  
Each environment runs on a dedicated VM which is automatically suspended and deleted when not in use to reduce costs.
- 3 ENVIRONMENT CUSTOMIZATION**  
Environments run in containers based on our [default image](#), or [your own custom Dockerfile or image](#).
- 4 COMPOSED ENVIRONMENTS**  
Compose together complex development environments with [Docker Compose](#) support.\*




# VISUAL STUDIO ONLINE NETWORK

1

## NO PUBLIC IP ADDRESS

Environments are not addressable via a public IP.



# VISUAL STUDIO ONLINE NETWORK

1

## NO PUBLIC IP ADDRESS


Environments are not addressable via a public IP.

2

## NO INBOUND TRAFFIC


Environments make outbound-only connections to [Azure Relay](#) and are:

- ✓ End-to-end Encrypted
- ✓ Authenticated
- ✓ Authorized



# VISUAL STUDIO ONLINE NETWORK


- 1 NO PUBLIC IP ADDRESS**  
Environments are not addressable via a public IP.
- 2 NO INBOUND TRAFFIC**  
Environments make outbound-only connections to [Azure Relay](#) and are:
  - ✓ End-to-end Encrypted
  - ✓ Authenticated
  - ✓ Authorized
- 3 CONNECTED CLIENTS**  
Clients also leverage Azure Relay to eliminate intrusive changes to firewall and network infrastructure.





# VISUAL STUDIO ONLINE NETWORK

- 1 NO PUBLIC IP ADDRESS**  
Environments are not addressable via a public IP.
- 2 NO INBOUND TRAFFIC**  
Environments make outbound-only connections to [Azure Relay](#) and are:
  - ✓ End-to-end Encrypted
  - ✓ Authenticated
  - ✓ Authorized
- 3 CONNECTED CLIENTS**  
Clients also leverage Azure Relay to eliminate intrusive changes to firewall and network infrastructure.
- 4 HYBRID CLOUD**  
Private [virtual networks](#) and connections (via [ExpressRoute](#)).



# VISUAL STUDIO ONLINE STORAGE

1

## SOURCE OF TRUTH


VS Online leverages existing [Git](#) repositories as the source of truth.



# VISUAL STUDIO ONLINE STORAGE


**1 SOURCE OF TRUTH**  
VS Online leverages existing [Git](#) repositories as the source of truth.

**2 DEDICATED STORAGE**  
Each environment runs in its own dedicated and isolated storage account, which is mounted to the VM when active.




# VISUAL STUDIO ONLINE STORAGE

- 1 SOURCE OF TRUTH**  
VS Online leverages existing [Git](#) repositories as the source of truth.
- 2 DEDICATED STORAGE**  
Each environment runs in its own dedicated and isolated storage account, which is mounted to the VM when active.
- 3 ENCRYPTED AT REST**  
Environment [storage is encrypted](#) with Microsoft managed keys to protect data.



# VISUAL STUDIO ONLINE STORAGE

- 1 SOURCE OF TRUTH**  
VS Online leverages existing [Git](#) repositories as the source of truth.
- 2 DEDICATED STORAGE**  
Each environment runs in its own dedicated and isolated storage account, which is mounted to the VM when active.
- 3 ENCRYPTED AT REST**  
Environment [storage is encrypted](#) with Microsoft managed keys to protect data.
- 4 SAFEGAURDED SECRETS**  
Configured variables and keys are stored within [Azure Key Vault](#) and exposed within the container.\*



# VISUAL STUDIO ONLINE PERMISSIONS


1

## FLEXIBLE ORGANIZATION

Use [Azure Subscriptions and Resource Groups](#) to organize across cost centers, divisions and users.

1


AZURE



# VISUAL STUDIO ONLINE PERMISSIONS

**1 FLEXIBLE ORGANIZATION**  
Use [Azure Subscriptions and Resource Groups](#) to organize across cost centers, divisions and users.

**2 CONTROL WITH PLANS**  
[VS Online Plans](#) group environments together to allow simple role-based access control and policy enforcement.\*




# VISUAL STUDIO ONLINE PERMISSIONS

**1 FLEXIBLE ORGANIZATION**  
Use [Azure Subscriptions and Resource Groups](#) to organize across cost centers, divisions and users.

**2 CONTROL WITH PLANS**  
[VS Online Plans](#) group environments together to allow simple role-based access control and policy enforcement.\*

**3 AUDIT LOGS**  
Creation, deletion and access to environments is logged for increased transparency.\*





# VISUAL STUDIO ONLINE CONFIG

1

## "GIT-OPS"


Configuration is versioned in Git. Git credentials are proxied from the client machine, not stored in the environment.

1

SOURCE



ENV CONFIG



# VISUAL STUDIO ONLINE CONFIG

1


## "GIT-OPS"

Configuration is versioned in Git. Git credentials are proxied from the client machine, not stored in the environment.

2

## SECURE BY DEFAULT

[Configure devcontainer.json](#) to expose ports to client machine and customize environment container/user.



# VISUAL STUDIO ONLINE CONFIG

1


## "GIT-OPS"

Configuration is versioned in Git. Git credentials are proxied from the client machine, not stored in the environment.

2

## SECURE BY DEFAULT

[Configure devcontainer.json](#) to expose ports to client machine and customize environment container/user.



# VISUAL STUDIO ONLINE CONFIG

1

## "GIT-OPS"

Configuration is versioned in Git. Git credentials are proxied from the client machine, not stored in the environment.

2


## SECURE BY DEFAULT

[Configure devcontainer.json](#) to expose ports to client machine and customize environment container/user.

3

## COST CONTROL

Select the virtual machine (Basic, Standard, Premium or GPU) and the auto-suspension policy per environment.



# VISUAL STUDIO ONLINE CONFIG

1

## "GIT-OPS"

Configuration is versioned in Git. Git credentials are proxied from the client machine, not stored in the environment.

2

## SECURE BY DEFAULT

[Configure devcontainer.json](#) to expose ports to client machine and customize environment container/user.

3


## COST CONTROL

Select the virtual machine (Basic, Standard, Premium or GPU) and the auto-suspension policy per environment.

4

## NETWORK SECURITY GROUP

Filter outbound network traffic by destination, protocol or port.\*



# VISUAL STUDIO ONLINE GEOGRAPHIES



# VISUAL STUDIO ONLINE PRICING

## INSTANCE TYPES / HR


**25**  
¢ **BASIC**  
CORES: 2  
RAM: 4 GB  
DISK: 64 GB SSD

**46**  
¢ **STANDARD**  
CORES: 4  
RAM: 8 GB  
DISK: 64 GB SSD

**88**  
¢ **PREMIUM**  
CORES: 8  
RAM: 16 GB  
DISK: 64 GB SSD

**2.75**  
\$ **GPU\***  
CORES: 6  
RAM: 56 GB  
GPU: 1 w/ 12 GB  
DISK: 64 GB SSD

## AZURE-HOSTED




## EDITORS





# VISUAL STUDIO ONLINE PRICING





# DEMO



## DEMO

1. GITHUB
2. LOCAL ENVIRONMENT
3. DEVCONTAINER
4. DEVOPS
5. CODESPACES

# ROADMAP



## BUILD

- Basic & GPU instances
- Sharable Plans
- Docker Compose support
- Secrets management
- VS Code Settings sync

- Windows environments\*
- VS IDE support\*

## IGNITE

- General availability
- Offline environments
- Retention policies
- vNet Support
- Audit logging

- Windows environments\*
- VS IDE support\*

# SUMMARY + QUESTIONS

PUBLIC PREVIEW

## VISUAL STUDIO ONLINE



PRIVATE PREVIEW

## VISUAL STUDIO ONLINE



GENERAL AVAILABILITY

## LIVE SHARE & INTELLICODE



LEARN MORE



<https://aka.ms/vso-docs>