Step 3: hipbelt pocket (make 3, keep 2) - PAGE MAP

Paper: LETTER 215.9 x 279.4 mm, 1 rows x 3 cols = 3 tiles (+ this map = 4 pages).

Print at 100% / ACTUAL SIZE (no 'fit to page'). Verify the 100 mm and 4 in squares.

Assemble: rows A.. top to bottom, columns 1.. left to right; overlap 12 mm.

Lines: solid = CUT, grey dashed = SEW, red = notches, blue arrow = grain, circle+cross = drill hole.



100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

A2 >



ID: HP-01
PIECE: hipbelt pocket face
SIZE: M
MATERIAL: cordura_330d_nylon66
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first

A2 >

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

< A1

A3 >

< A1

A3 >

ID: H
PIEC
SIZE
MATI
CUT
FACE
KNIF

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< A2

Measure: must be exactly 100 mm / 4 in

< A2

ID: HP-02
PIECE: hipbelt pocket gusset
SIZE: M
MATERIAL: cordura_330d_nylon66
CUT 2
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first