
Step 7: back panel + shoulder straps (J and S) - PAGE MAP

Paper: LETTER 215.9 x 279.4 mm, 11 rows x 3 cols = 33 tiles (+ this map = 34 pages).

Print at 100% / ACTUAL SIZE (no 'fit to page'). Verify the 100 mm and 4 in squares.

Assemble: rows A.. top to bottom, columns 1.. left to right; overlap 12 mm.


Lines: solid = CUT, grey dashed = SEW, red = notches, blue arrow = grain, circle+cross = drill hole.



100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

PRINT AT 100% / ACTUAL SIZE - check test square



< A1

A3 >

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

ulder strap comfort foam

< A1

va_foam_perforated
AIR L+R)

from the grain-arrow head; cut inside windows/slots first

Measure: must be exactly 100 mm / 4 in

v B2

ID: HS-S4
PIECE: shoulder strap comfort foam
SIZE: S
MATERIAL: eva_foam_perforated
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots

A3 >

v B2

PRINT AT 100% / ACTUAL SIZE - check test square

< A2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)


< A2

Measure: must be exactly 100 mm / 4 in

v B3

v B3


PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

Step 7: back panel + shoulder straps (J and S) PAGE B2 (6 of 34)

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ A3

^ A3

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< B2

Measure: must be exactly 100 mm / 4 in


< B2

v C3

v C3


Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square




Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.


PRINT AT 100% / ACTUAL SIZE - check test square



ID: HS-S2
PIECE: shoulder strap face
SIZE: S
MATERIAL: spacer_mesh_3d
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first


ID: HS-J3
PIECE: shoulder strap load foam
SIZE: J
MATERIAL: eva_foam_45c
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.


PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

Step 7: back panel + shoulder straps (J and S) PAGE D3 (13 of 34)

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ D1

^ D1

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

E2 >

E2 >

v F1

v F1

Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ D2

^ D2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

< E1

E3 >

ID: HS-J1
PIECE: shou
SIZE: J
MATERIAL:
CUT 2 (1 PA
FACE UP
KNIFE: CW

< E1

E3 >

v F2

v F2

PRINT AT 100% / ACTUAL SIZE - check test square

^ D3

^ D3

< E2

HS-J1
CE: shoulder strap shell
E: J
TERIAL: cordura_330d_nylon66
T 2 (1 PAIR L+R)
CE UP
FE: CW from the grain-arrow head; cut inside windows/slots first

< E2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)


Measure: must be exactly 100 mm / 4 in

v F3

v F3


Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ E3

^ E3

< F2

< F2


100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

v G3


v G3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

^ F3

^ F3

< G2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)


< G2

v H3

Measure: must be exactly 100 mm / 4 in

v H3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ G2

^ G2

ID: BP-07
PIECE: upper back pad back
MATERIAL: robic_210d_ripstop
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

< H1

H3 >

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< H1

H3 >

Measure: must be exactly 100 mm / 4 in

v I2

v I2

Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ G3

^ G3

first

< H2

< H2


100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

v I3


v I3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

^ H3

back pad foam
lpe_foam

om the grain-arrow head; cut inside windows/slots first
/3.1

< I2

^ H3

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)


Measure: must be exactly 100 mm / 4 in

< I2

v J3

v J3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

^ I2

^ I2

< J1

J3 >

D: BP-01
PIECE: back panel mesh
MATERIAL: spacer_mesh_3d
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< J1

J3 >

Measure: must be exactly 100 mm / 4 in

v K2

v K2

PRINT AT 100% / ACTUAL SIZE - check test square

^ I3

^ I3

< J2

ID: BP-02
PIECE: stay-rail foam
MATERIAL: xlpe_foam
CUT 2
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< J2


Measure: must be exactly 100 mm / 4 in

v K3

v K3


Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square




Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.