Step 8: hipbelt size L - PAGE MAP

Paper: LETTER 215.9 x 279.4 mm, 5 rows x 3 cols = 15 tiles (+ this map = 16 pages).

Print at 100% / ACTUAL SIZE (no 'fit to page'). Verify the 100 mm and 4 in squares.

Assemble: rows A.. top to bottom, columns 1.. left to right; overlap 12 mm.

Lines: solid = CUT, grey dashed = SEW, red = notches, blue arrow = grain, circle+cross = drill hole.



100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

PRINT AT 100% / ACTUAL SIZE - check test square

ID: SH-05
PIECE: hipbelt wing-tip shard
MATERIAL: polyester_ht_630d_printable
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
NOTE: same all sizes; tip edges caught in the binding, inner edge turned 8 mm
PACK: 5200 v3.1

A2 >

ID: R-03
PIECE: rifle-boot mount tab
MATERIAL: hypalon_coated_nylon
CUT 4
FACE UP
KNIFE: CW from the grain-arrow head;
PACK: 5200 v3.1

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

ID: H-08
PIECE: lumbar pad foam, stage 1
MATERIAL: eva_foam_45c
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

A2 >

Measure: must be exactly 100 mm / 4 in

v B1

v B1

Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

< A1

A3 >

< A1

A3 >

ID: H-09
PIECE: lumbar stage-2 wedge insert (removable)
MATERIAL: eva_foam_45c
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

v B2

v B2

PRINT AT 100% / ACTUAL SIZE - check test square

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

Measure: must be exactly 100 mm / 4 in

< A2

< A2

ID: H-10
PIECE: lumbar wedge sleeve
MATERIAL: robic_210d_ripstop
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1

v B3

v B3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.


KNIFE: CW from the grain-arrow head; cut inside windows/slots first
PACK: 5200 v3.1
^ A2
^ A2
< B1
B3 >
ID: H-07
PIECE: lumbar pad face (grippy)
MATERIAL: spacer_mesh_3d
CUT 1
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slo
PACK: 5200 v3.1
100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)
< B1
B3 >
Measure: must be exactly 100 mm / 4 in
v C2
v C2

^ A3

^ A3

< B2

dows/slots first

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< B2

v C3

Measure: must be exactly 100 mm / 4 in

v C3


^ B1
^ B1
ID: H-04
PIECE: hipbelt wing comfort foam
SIZE: L
MATERIAL: eva_foam_30c
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside win
C2 >
100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)
C2 >
ID: H-02
PIECE: hipbelt wing body face
SIZE: L
MATERIAL: spacer_mesh_3d
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cu
Measure: must be exactly 100 mm / 4 in
v D1
v D1

PRINT AT 100% / ACTUAL SIZE - check test square



PRINT AT 100% / ACTUAL SIZE - check test square

^ B3

^ B3

< C2

ID: H-05
PIECE: hipbelt wing stiffener
SIZE: L
MATERIAL: hdpe_sheet
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< C2

Measure: must be exactly 100 mm / 4 in

v D3

ID: H-03
PIECE: hipbelt wing load foam
SIZE: L

v D3

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square



Trim neighbour page on its border; align to dashed line; match diamonds.

PRINT AT 100% / ACTUAL SIZE - check test square

ID: H-03
PIECE: hipbelt wing load foam
SIZE: L
MATERIAL: eva_foam_45c
CUT 2 (1 PAIR L+R)
FACE UP
KNIFE: CW from the grain-arrow head; cut inside windows/slots first

^C3

^ C3

< D2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< D2

Measure: must be exactly 100 mm / 4 in

v E3

v E3

Trim neighbour page on its border; align to dashed line; match diamonds.


^ D1
^ D1
E2 >
E2 >
100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)
Measure: must be exactly 100 mm / 4 in

PRINT AT 100% / ACTUAL SIZE - check test square

^ D2

^ D2

< E1

E3 >

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< E1

E3 >

Measure: must be exactly 100 mm / 4 in

^ D3

^ D3

< E2

100 mm TEST SQUARE (solid)
4 in TEST SQUARE (dashed)

< E2

Measure: must be exactly 100 mm / 4 in