

Министерство науки и высшего образования Российской Федерации
НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ
ТОМСКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ (НИ ТГУ)
Институт прикладной математики и информатики

ОТЧЕТ ПО ЛАБОРАТОРНОЙ РАБОТЕ
по дисциплине «Системы управления базами данных»

Запросы с условием

Бриц Владислав Олегович

Специалитет, 10.05.01,
Направленность «Компьютерная Безопасность»

Руководитель работы
Старший преподаватель кафедры
теоретических основ информатики

_____ Е.Е. Мокина

подпись

«17» ноября 2022 г.


Автор работы
студент группы № 932025

_____ В.О. Бриц

подпись

«17» ноября 2022 г.


1. Найти все записи, у которых LAST_NAME заканчивается буквой 'а'.
SELECT * FROM HR.employees WHERE last_name LIKE '%а';



The screenshot shows a SQL Worksheet interface with a query entered in the Query Builder: `SELECT * FROM HR.employees WHERE last_name LIKE '%а';`. The Query Result pane shows 4 rows fetched in 0,006 seconds. The results are as follows:

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
106	Valli	Pataballa	VPATABAL	590.423.4560	05.02.06	IT_PROG	4800	(null)	103	60
111	Ismael	Sciarra	ISCIARRA	515.124.4369	30.09.05	FI_ACCOUNT	7700	(null)	108	100
116	Shelli	Baida	SBAIDA	515.127.4563	24.12.05	FU_CLERK	2900	(null)	114	30
167	Amit	Banda	ABANDA	011.44.1346.729268	21.04.08	SA_REP	6200	0,1	147	80

2. Найти все записи, в которых FIRST_NAME содержит букву 'l'.
SELECT * FROM HR.employees WHERE first_name LIKE '%l%';




The screenshot shows a SQL Worksheet interface with a query entered in the Query Builder: `SELECT * FROM HR.employees WHERE first_name LIKE '%l%';`. The Query Result pane shows 37 rows fetched in 0,003 seconds. The results are as follows:

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
23	162 Clara	Vishney	CVISHNEY	011.44.1346.129268	11.11.05	SA_REP	10500	0,25	147	80
24	163 Danielle	Greene	DGREENE	011.44.1346.229268	19.03.07	SA_REP	9500	0,15	147	80
25	170 Tayler	Fox	TFOX	011.44.1343.729268	24.01.06	SA_REP	9600	0,2	148	80
26	171 William	Smith	WSMITH	011.44.1343.629268	23.02.07	SA_REP	7400	0,15	148	80
27	172 Elizabeth	Bates	EBATES	011.44.1343.529268	24.03.07	SA_REP	7300	0,15	148	80
28	174 Ellen	Abel	EABEL	011.44.1644.429267	11.05.04	SA_REP	11000	0,3	149	80
29	175 Alyssa	Hutton	AHUTTON	011.44.1644.429266	19.03.05	SA_REP	8800	0,25	149	80
30	178 Kimberely	Grant	KGRANT	011.44.1644.429263	24.05.07	SA_REP	7000	0,15	149	(null)
31	179 Charles	Johnson	CJOHNSON	011.44.1644.429262	04.01.08	SA_REP	6200	0,1	149	80
32	185 Alexis	Bull	ABULL	650.509.2876	20.02.05	SH_CLERK	4100	(null)	121	50
33	186 Julia	Dellinger	JDELLING	650.509.3876	24.06.06	SH_CLERK	3400	(null)	121	50
34	188 Kelly	Chung	KCHUNG	650.505.1876	14.06.05	SH_CLERK	3800	(null)	122	50
35	191 Randall	Perkins	RPERKINS	650.505.4876	19.12.07	SH_CLERK	2500	(null)	122	50
36	194 Samuel	McCain	SMCCAIN	650.501.3876	01.07.06	SH_CLERK	3200	(null)	123	50
37	196 Alana	Walsh	AWALSH	650.507.9811	24.04.06	SH_CLERK	3100	(null)	124	50

3. Найти все записи, в которых supplier_id состоит из 3 цифр и начинается с '10' и FIRST_NAME начинается на «D» (сравните с «d»)


SELECT * FROM HR.employees WHERE (employee_id LIKE '10_' AND first_name LIKE 'D%');



The screenshot shows an SQL Worksheet interface. The query entered is: `SELECT * FROM HR.employees WHERE (employee_id LIKE '10_' and first_name LIKE 'D%');`. The results pane shows 3 rows fetched in 0,006 seconds. The data is as follows:

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	105	David	Austin	DAUSTIN	590.423.4569	25.06.05	IT_PROG	4800	(null)	103	60
2	109	Daniel	Faviet	DFAVIET	515.124.4169	16.08.02	FI_ACCOUNT	9000	(null)	108	100
3	107	Diana	Lorentz	DLORENTZ	590.423.5567	07.02.07	IT_PROG	4200	(null)	103	60

SELECT * FROM HR.employees WHERE (employee_id LIKE '10_' AND first_name LIKE 'd%');



The screenshot shows the same SQL Worksheet interface. The query entered is: `SELECT * FROM HR.employees WHERE (employee_id LIKE '10_' and first_name LIKE 'd%');`. The results pane shows 0 rows fetched in 0,004 seconds. The column headers are visible at the bottom of the results pane:

EMPLOYEE...	FIRST_NA...	LAST_NAME	EMAIL	PHONE_N...	HIRE_DATE	JOB_ID	SALARY	COMMISS...	MANAGER...	DEPARTM...
-------------	-------------	-----------	-------	------------	-----------	--------	--------	------------	------------	------------

4. Найти все записи, в которых salary принимает значения от 3000 до 3500
- SELECT * FROM HR.employees WHERE salary BETWEEN 3000 and 3500;

local.sql script.sql local EMPLOYEES

SQL Worksheet History

Worksheet Query Builder

```
SELECT * FROM HR.employees WHERE salary BETWEEN 3000 and 3500;
```

Query Result

All Rows Fetched: 14 in 0,003 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	115	Alexander	Khoo	AKHOO	515.127.4562	18.05.03	PU_CLERK	3100	(null)	114	30
2	125	Julia	Nayer	JNAYER	650.124.1214	16.07.05	ST_CLERK	3200	(null)	120	50
3	129	Laura	Bissot	LBISSOT	650.124.5234	20.08.05	ST_CLERK	3300	(null)	121	50
4	133	Jason	Mallin	JMALLIN	650.127.1934	14.06.04	ST_CLERK	3300	(null)	122	50
5	138	Stephen	Stiles	SSTILES	650.121.2034	26.10.05	ST_CLERK	3200	(null)	123	50
6	141	Trenna	Rajs	TRAJS	650.121.8009	17.10.03	ST_CLERK	3500	(null)	124	50
7	142	Curtis	Davies	CDAVIES	650.121.2994	29.01.05	ST_CLERK	3100	(null)	124	50
8	180	Winston	Taylor	WTAYLOR	650.507.9876	24.01.06	SH_CLERK	3200	(null)	120	50
9	181	Jean	Fleaur	JFLEAUR	650.507.9877	23.02.06	SH_CLERK	3100	(null)	120	50
10	186	Julia	Dellinger	JDELLING	650.509.3876	24.06.06	SH_CLERK	3400	(null)	121	50
11	187	Anthony	Cabrio	ACABRIO	650.509.4876	07.02.07	SH_CLERK	3000	(null)	121	50
12	194	Samuel	McCain	SMCCAIN	650.501.3876	01.07.06	SH_CLERK	3200	(null)	123	50
13	196	Alana	Walsh	AWALSH	650.507.9811	24.04.06	SH_CLERK	3100	(null)	124	50
14	197	Kevin	Feeney	KFEENEY	650.507.9822	23.05.06	SH_CLERK	3000	(null)	124	50

5. Найти все записи, в которых department_id принимает значения 20 или 30
 SELECT * FROM HR.employees WHERE (department_id = 20 or department_id = 30);

local.sql script.sql local EMPLOYEES

SQL Worksheet History

Worksheet Query Builder

```
SELECT * FROM HR.employees WHERE (department_id = 20 or department_id = 30);
```

Query Result

All Rows Fetched: 8 in 0,005 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	201	Michael	Hartstein	MHARTSTE	515.123.5555	17.02.04	MK_MAN	13000	(null)	100	20
2	202	Pat	Fay	PFAY	603.123.6666	17.08.05	MK_REP	6000	(null)	201	20
3	114	Den	Raphaely	DRAPHEAL	515.127.4561	07.12.02	PU_MAN	11000	(null)	100	30
4	115	Alexander	Khoo	AKHOO	515.127.4562	18.05.03	PU_CLERK	3100	(null)	114	30
5	116	Shelli	Baida	SBAIDA	515.127.4563	24.12.05	PU_CLERK	2900	(null)	114	30
6	117	Sigal	Tobias	STOBIAS	515.127.4564	24.07.05	PU_CLERK	2800	(null)	114	30
7	118	Guy	Himuro	GHIMURO	515.127.4565	15.11.06	PU_CLERK	2600	(null)	114	30
8	119	Karen	Colmenares	KCOLMENEA	515.127.4566	10.08.07	PU_CLERK	2500	(null)	114	30

6. Найти записи со значением job_id AD_ASST, AC_MGR, AD_VP, PU_MAN и ST_MAN

SELECT * FROM HR.employees WHERE job_id IN ('AD_ASST', 'AC_MGR', 'AD_VP', 'PU_MAN', 'ST_MAN');

The screenshot shows a SQL Worksheet interface with a query entered in the Query Builder. The query is: `SELECT * FROM HR.employees WHERE job_id IN ('AD_ASST', 'AC_MGR', 'AD_VP', 'PU_MAN', 'ST_MAN');`. The results are displayed in a table below the query.

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	205	Shelley	Higgins	SHIGGINS	515.123.8080	07.06.02	AC_MGR	12008	(null)	101	110
2	200	Jennifer	Whalen	JWHALEN	515.123.4444	17.09.03	AD_ASST	4400	(null)	101	10
3	101	Neena	Kochhar	NKOCHHAR	515.123.4568	21.09.05	AD_VP	17000	(null)	100	90
4	102	Lex	De Haan	LDEHAAN	515.123.4569	13.01.01	AD_VP	17000	(null)	100	90
5	114	Den	Raphaely	DRAPHEAL	515.127.4561	07.12.02	PU_MAN	11000	(null)	100	30
6	120	Matthew	Weiss	MWEISS	650.123.1234	18.07.04	ST_MAN	8000	(null)	100	50
7	121	Adam	Fripp	AFRIPP	650.123.2234	10.04.05	ST_MAN	8200	(null)	100	50
8	122	Payam	Kaufling	PKAUFLIN	650.123.3234	01.05.03	ST_MAN	7900	(null)	100	50
9	123	Shanta	Vollman	SVOLLMAN	650.123.4234	10.10.05	ST_MAN	6500	(null)	100	50
10	124	Kevin	Mourgos	KMOURGOS	650.123.5234	16.11.07	ST_MAN	5800	(null)	100	50

7. Найти все записи со значениями manager_id или department_id NULL

The screenshot shows a SQL Worksheet interface with a query entered in the Query Builder. The query is: `SELECT * FROM HR.employees WHERE (manager_id is null or department_id is null);`. The results are displayed in a table below the query.

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	100	Steven	King	SKING	515.123.4567	17.06.03	AD PRES	24000	(null)	(null)	90
2	178	Kimberely	Grant	KGRANT	011.44.1644.429263	24.05.07	SA REP	7000	0,15	149	(null)