

ContextLens

An Evidence-Grounded Agent for Verifiable Historical Address Investigation

Shilin Ou⁺ Sean Wan⁺ Yutian Wang Polina Postnikova Luyao Zhang^{*}

September 2026

Duke Kunshan University (DKU)

Submitted to AAAI-27 Demonstrations. Do not circulate or distribute.

⁺ Joint first authors. ^{*} Corresponding author: lz183@duke.edu.




Why historical addresses are difficult to verify



Dated place names change meaning over time

- Street names change across time.
- Numbers and landmarks remain ambiguous.
- Archival coverage is uneven.
- Fluent answers exceed available evidence.

Research Question: How can an agent resolve a dated place before retrieval and keep each claim inspectable?



The interface starts from one address and asks four source-backed questions.

Place identity resolution before retrieval



Core design

A dated address becomes a typed, replayable investigation.

01 Temporal place resolution

Dated aliases and competing candidates remain visible.

02 Relation and claim gates


Only place- and time-compatible evidence can support a claim.

03 Source Passports

Provider, dataset, period, evidence ID, normalization state, and original URI travel with each record.




Evidence compiler: four controlled stages



Control boundary: The optional model interpreter receives only evidence IDs admitted after relation and claim auditing.

Provenance across seven pipeline stages



Evidence ID, source URI, temporal scope, and normalization state persist across every stage.

Demo case: 436 Avenue Joffre in 1934



← New search

Avenue Joffre (now Huaihai Middle Road)

Built 3 spatiotemporal nodes and 2 verifiable claims around Avenue Joffre (now Huaihai Middle Road), covering 1927–1934.

Print / save PDF

Download evidence

01 Address identity

Old name → current name

02 What happened

In chronological order

03 Then and now

Original map + modern map

04 Evidence sources

Open every record

ANSWER 01 • ADDRESS IDENTITY

Avenue Joffre



Huaihai Middle Road

Exact match on the historic road name; historical event records explicitly identify Avenue Joffre as today's Huaihai Middle Road.

Address resolution confidence

96%

How this road acquired its current name

- 01 Xijiang Road**
1901—1906
- 02 Baochang Road**
1906—1915
- 03 Avenue Joffre**
1915—1943
- 04 Taishan Road**
1943—1945
- 05 Linsen Middle Road**
1945—1950
- 06 Huaihai Middle Road**
1950—present

WHAT WE CAN SAY

2 direct claims

Founding of Kangjian Bookstore has a verifiable place-event relationship with Avenue Joffre (1934–1950).

[View evidence ↗](#)

At least 3 independent sources connect Avenue Joffre (now Huaihai Middle Road) to events or buildings from different periods.

[View evidence ↗](#)

Nothing unsupported by a source is filled in as a story.

Evidence-bounded events and spatial context



Three evidence-linked nodes

ContextLens
SHANGHAI LIBRARY

VERIFIED ADDRESS DOSSIER

New search Avenue Joffre (now Huaihai Middle Road)
Built 3 spatiotemporal nodes and 2 verifiable claims around Avenue Joffre (now Huaihai Middle Road), covering 1927–1934.

Address identity
Old name → current name

What happened
In technological order

Then and now
Original map → modern map

ANSWER Q1 - WHAT HAPPENED HERE

3 verifiable place nodes

Ordered by dates in the records; items marked "date under review" are not forced into a definite timeline.

1927
Event
Liu Haisu Recent Works Exhibition
Shanglian Hall, Avenue Joffre
View original evidence →

1934–1950
Event
Founding of Kangjian Bookstore
439 Avenue Joffre
View original evidence →

Date under review
Pending
Cathay Theatre

1927: Liu Haisu exhibition

1934–1950: Kangjian Bookstore

Undated: Cathay Theatre under review

Two distinct map roles

ContextLens
SHANGHAI LIBRARY

Official Shanghai Library data Method ZH

VERIFIED ADDRESS DOSSIER

New search Avenue Joffre (now Huaihai Middle Road)
Built 3 spatiotemporal nodes and 2 verifiable claims around Avenue Joffre (now Huaihai Middle Road), covering 1927–1934.

Print / save PDF Download evidence

Address identity
Old name → current name

What happened
In technological order

Then and now
Original map → modern map

Evidence sources
Open every record

ANSWER Q1 - THEN AND NOW

Read the historical original beside today's location.

An unfinished georeferencing is not presented as a precise overlay. The source map is on the left; today's location is on the right.

1943 Modern original

2026 Present-day location

The 1943 scan supports visual orientation. The current map locates the resolved address. Exact house-number alignment remains unverified.

Source Passports link claims to original records



A claim and its evidence card share one identifier

For the Kangjian Bookstore claim, the interface exposes:

- Shanghai Library and the Historical and Cultural Events dataset.
- the 1934–1950 temporal scope.
- evidence ID event–kangjian–1934.
- normalization state and original URI.

The normalized record preserves the source boundary.





The system treats uncertainty as an output state

Input state	Example	System response	Claim behavior
Resolved	436 Avenue Joffre, 1934	One temporally compatible candidate	Admit two direct claims
Ambiguous	Nanjing Road department store	Retain East and West Nanjing Road candidates	Request more context
Unresolved	9999 Mars Road	Return unresolved and ask for evidence	Generate no historical fact

No candidate, no claim. Competing candidates remain available for review.



154

verified snapshot records

0

demo-seed records on the
reviewed path

29

local Python test functions passed

Implementation

- Python controller with a deterministic evidence compiler
- TypeScript UI, local HTTP API, and SQLite evidence index
- Credential-free local run with optional live adapters
- Model assistance occurs after relation and claim auditing

Verified behavior

- dated address resolution, ambiguity, and negative cases
- relation gating and evidence-bounded model citations
- network failure, TLS, and privacy-safe audit logs
- asynchronous states and interface contracts

Interpretation: These checks verify implementation behavior. They do not establish retrieval accuracy or user-study outcomes.



Supported in the current demo

- Shanghai-specific packaged snapshot
- inspectable evidence and Source Passports
- explicit ambiguity and unresolved states
- offline interaction and failure-safe dossier output

Open research questions

- resolution quality across a broader address benchmark
- expert correction workflows and historian evaluation
- claim-citation precision and contradiction handling
- more precise georeferencing for historical maps

ContextLens is an investigation interface, not a general historical geocoder.

Some coordinates remain coarse. The system has not yet completed a historian or public-user study.



Project and scholarship support



Related foundations,
distinct deliverables

Sean Wan, Shilin Ou, Yutian Wang, and Polina Postnikova acknowledge support from the Summer Research Scholars Program at Duke Kunshan University and the DKU Library grant for the Shanghai Library Open Data Contest project **StableTradeAtlas**, supervised by Prof. Luyao Zhang.

ContextLens was developed beyond the contest as a separate intelligent research and demonstration deliverable.

StableTradeAtlas



Shanghai Library Open Data Contest 2026

DKU Team:

Lead and Co-lead: Sean Wan and Shilin Ou

Members: Claire Wang, Polina Postnikova

Faculty Mentor: Prof. Luyao Zhang

Acknowledgments:

External Advisers: Shiping Chen, Dongping Liu, Xuechao Wang

StableTradeAtlas Team Profile: Sean Wan

Project Lead / Agent Architecture / Trustworthy Evaluation



Sean Wan

Project leadership
and trustworthy agent
evaluation

Contribution highlight

Sean leads StableTradeAtlas's trustworthy-agent architecture. His StableEval Arena experience informs prediction-quality, risk, and evidence-aware evaluation.

Relevant expertise

- Agentic AI evaluation and benchmarks
- RAG workflows and structured answers
- Cost, latency, citation, and risk auditing
- Full-stack MVP and GitHub coordination

Key contributions

- **Historical Evidence Compiler:** Connects old Shanghai addresses with traceable people, places, events, and documents.
- **Trustworthy AI:** Adds claim-level citations, uncertainty auditing, privacy protection, and evidence-based guardrails.
- **Spatiotemporal public experience:** Integrates historical maps, modern 3D geography, and bilingual interactive storytelling.

StableTradeAtlas Team Profile: Shilin Ou

Blockchain Infrastructure / Security / Agent Audit Layer



Shilin Ou

Secure infrastructure
and auditable agent
systems

Contribution highlight

Shilin brings SolarChain experience to a secure, modular, auditable evidence agent designed to extend beyond one prototype.

Relevant expertise

- SolarChain and blockchain infrastructure
- Secure data flows and audit design
- Agent reliability and technical-risk analysis
- System integration and prototype testing

Expected contribution

- Co-develop the agent architecture with Sean.
- Design audit checkpoints for API keys, logs, citations, and outputs.
- Develop the secure-agent and technical-risk narrative.
- Test the MVP workflow and document failure modes.

StableTradeAtlas Team Profile: Yutian (Claire) Wang

Governance / Open-Source Community / Developer Ecosystem



**Yutian (Claire)
Wang**

Governance and
developer-community
strategy

Contribution highlight

Claire brings a governance and developer-community perspective, moving the internal prototype toward a reproducible, open-source, public-facing AI application.

Related expertise

- DAO and decentralized governance research direction
- Open-source collaboration workflows
- Developer-community positioning and documentation

Key contributions

- Draft the open-source contribution and governance workflow.
- Review the GitHub structure, README, and public setup guide.
- Compare DevPost and hackathon examples for demo expectations.

StableTradeAtlas Team Profile: Polina Postnikova

Public Policy / User Needs / Community Impact



**Polina
Postnikova**

Public policy, user
needs, and
community impact

Contribution highlight

Polina brings a policy and user-community lens, translating historical evidence into public questions about Silk Road, Belt and Road, governance, and local communities.

Related expertise

- Data-to-policy research direction
- Public-policy interpretation and user needs
- Cross-border mobility and community impact

Key contributions

- Draft user personas and policy-oriented demo questions.
- Review the UX walkthrough from a non-developer perspective.
- Prepare the SDGs, local-community, and public-value narrative.
- Separate evidence, interpretation, and modern analogy.

StableTradeAtlas Faculty Mentor: Luyao Zhang

Interdisciplinary Framing / Open Science / Ecosystem Strategy



Prof. Luyao Zhang

Faculty mentor

Interdisciplinary
framing, open science,
and ecosystem strategy

Contribution highlight

Mentored StableTradeAtlas from incubation to external engagement, aligning the team's strengths with open science, responsible innovation, community impact in China, and technology frontiers.

Related expertise

- Responsible AI, blockchain, intelligent economics, and data governance
- Open science, SDGs, and global collaboration
- Standards, industry partnerships, Web3/AI, and open-source tools

Key contributions

- Shaped the vision, interdisciplinary framing, and intellectual coherence.
- Connected industry, developer, open-source, standards, and responsible-AI networks.
- Guided advising, proposal, deck, submission, seminars, and roadmap.

StableTradeAtlas External Advisers

Acknowledgments • In alphabetical order by last name



Prof. Shiping Chen

- External academic advising
- Distributed-systems perspective
- Trustworthy infrastructure guidance
- Blockchain / Web3 architecture insight
- Research scalability feedback



Dr. Dongping Liu

- Industry advising
- AWS Open Data guidance
- Secure-agent architecture
- AI guardrails review
- MCP / cloud infrastructure input



Prof. Xuechao Wang

- External academic advising
- AI security perspective
- Agent safety and guardrails feedback
- Evaluation methodology guidance
- Responsible AI research input



- [1] H. Southall, R. Mostern, and M. L. Berman, "On historical gazetteers," *International Journal of Humanities and Arts Computing*, vol. 5, no. 2, pp. 127–145, 2011.
- [2] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Kuttler, M. Lewis, W.-t. Yih, T. Rocktaschel, S. Riedel, and D. Kiela, "Retrieval-augmented generation for knowledge-intensive nlp tasks," in *Advances in Neural Information Processing Systems*, vol. 33, 2020, pp. 9459–9474.
- [3] T. Gao, H. Yen, J. Yu, and D. Chen, "Enabling large language models to generate text with citations," in *Proceedings of EMNLP*, 2023, pp. 6465–6488.
- [4] C. Grover, R. Tobin, K. Byrne, M. Woollard, J. Reid, S. Dunn, and J. Ball, "Use of the edinburgh geoparser for georeferencing digitized historical collections," *Philosophical Transactions of the Royal Society A*, vol. 368, no. 1925, pp. 3875–3889, 2010.
- [5] G. DeLozier, J. Baldridge, and L. London, "Gazetteer-independent toponym resolution using geographic word profiles," in *Proceedings of the Twenty-Ninth AAAI Conference on Artificial Intelligence*, 2015, pp. 2382–2388.
- [6] L. Isaksen, R. Simon, E. T. E. Barker, and P. de Soto Canamares, "Pelagios and the emerging graph of ancient world data," in *Proceedings of the 2014 ACM Conference on Web Science*, 2014, pp. 197–201.
- [7] R. Simon, E. Barker, L. Isaksen, and P. de Soto Canamares, "Linked data annotation without the pointy brackets: Introducing recogito 2," *Journal of Map and Geography Libraries*, vol. 13, no. 1, pp. 111–132, 2017.
- [8] E. Hyvonen, "Using the semantic web in digital humanities: Shift from data publishing to data-analysis and serendipitous knowledge discovery," *Semantic Web*, vol. 11, no. 1, pp. 187–193, 2020.
- [9] T. Lebo, S. Sahoo, and D. McGuinness, "PROV-O: The PROV ontology," W3C Recommendation, 2013. [Online]. Available: <https://www.w3.org/TR/prov-o/>
- [10] IIIF Consortium, "IIIF Image API 3.0," 2020. [Online]. Available: <https://iiif.io/api/image/3.0/>
- [11] Shanghai Library, "Shanghai library open data platform," 2026. [Online]. Available: <https://data.library.sh.cn/>