SLIDE SWITCHES



SPECIFICATIONS

Contact Resistance: Less than 20 milliohms

Insulation Resistance: 500VDC – 100 milliohms

Dielectric Strength: 500V AC for 1 minute between any terminal and frame

Operating Temperature: -20°C to +70°C (-4°F to +158°F)

FEATURES & BENEFITS

- Variety of package styles & sizes
- ▶ Up to 6 poles
- > Variety of functions
- Positive detent
- ► SMT options

APPLICATIONS/MARKETS

- ► Computer servers/peripherals
- ► Consumer electronics
- ► Instrumentation
- ▶ Test & measurement

MATERIALS

Contact: Silver plated copper alloy

> > >

Example Ordering Number

EG-1201A



HOW TO ORDER





Specifications subject to change without notice.


EG 1201




Model No.	- 1
EG1201	4
EG1201A	5.5











PANEL MOUN





EG 1205





Model No.	L
EG1205	4
EG1205A	5.5
















186







13.0



www.e-switch.com info@e-switch.com

SW

NAVIGATIO SWITCHES

PUSHBUTTON SWITCHES

TOGGLE F

NS SV

ROCKER SWITCHES

SLIDE SWITCHES

> IAP-ACTION SWITCHES

DIP SWITCHES

KEYLOCK SWITCHES

ROTARY SWITCHES

DETECTOR SWITCHES

CAP OPTIONS

187

PUSHBUTTON SWITCHES

SLIDE SWITCHES


DIP


SERIES EG SWITCHES

SLIDE SWITCHES


EG 1224









4.30










EG 1247


















EG 1248














188


EG 1249











SLIDE SWITCHES

WITCHES

AVIGATION

PUSHBUTTON

ROCKER

WAP-ACTION SLIDE SWITCHES

SWITCHES


FS SW


SWITCHES


DPTIONS


EG 1270

















EG 1271














190



NAVIGATION SWITCHES

PUSHBUTTON SWITCHES

TOGGLE

SWITCHES


SLIDE SWITCHES

SWITCHES


DIP


S


CAP



















Model No.	L
EG2201	3
EG2201A	6
EG2201B	9
EG2201C	12
EG2201D	4.5









NAVIGATION SWITCHES

PUSHBUTTON SWITCHES

SLIDE SWITCHES

DIP


SERIES EG SWITCHES


SLIDE SWITCHES


EG 2202



Model No.	L
EG2202	5
EG2202A	7.5
EG2202B	9










EG 2205








23.0-







3.00 [0.118]

0.30 [0.012] Typ. — 1.20 [0.047]

- 2.00 [0.079]


7.5-






EG 2207






Phone: 800-867-2717



P.C. MOUNTING





DETECTOR SWITCHES


192

Fax: 763-531-8235









www.e-switch.com info@e-switch.com 193

0.30 Typ.

-1.20 Typ.

0.30

0.50 Typ

4.00

NAVIGATION SWITCHES

HES SY

PUSHBUTT

TOGGLE

ROCKER

SLIDE SWITCHES

> NAP-ACTION SWITCHES

> > WITCHES

KEYLOCK SWITCHES

ROTARY SWITCHES

DETECTOR SWITCHES

PTIONS

1 2 Com 3

SLIDE SWITCHES

TACT


PUSHBUTTON SWITCHES


ROCKER SWITCHES


EG 2211




Model No.	L
EG2211	4
EG2211A	2













EG 2214












EG 2215




Model No.	L
EG2215	3.5
EG2215A	6





12.00


2.00

-6.20-










Fax: 763-531-8235


194









12.0









EG 2301





Model No.	ı.
EG2301	3
EG2301A	6
EG2301B	9
EG2301C	12











TACT

NAVIGATION SWITCHES

PUSHBUTTON SWITCHES

ROCKER SWITCHES

SLIDE SWITCHES

SNAP-ACTION SWITCHES

DIP

KEYLOCK SWITCHES

ROTARY SWITCHES

DETECTOR SWITCHES


SERIES EG SWITCHES


SLIDE SWITCHES


EG 2305




Model No.	L
EG2305	4
EG2305A	2












EG 2308





Model No.	L
EG2308	4
EG2308A	6














EG 2310





Model No.	L
EG2310	6
EG2310A	4














TOGGLE

SUIDE









SLIDE SWITCHES


EG 2323




Model No.	Mtg. Hole
EG2323	None
EG2323A	M2.6 x P0.45












EG 2325





Model No.	L
EG2325	2
EG2325A	6













198

E+SWITCH*







SLIDE SWITCHES

EG 4319




Model No.	L
EG4319	5
EG4319A	6






6.0

20.8 -







EG 6201









mm

0.40 Typ

