



A dark blue vertical bar runs down the left side of the page. A blue arrow points to the right from the bar, containing the date.

3/18/2026

World Suicide Rate Report

Several thin, curved lines in dark blue and light grey originate from the bottom left and sweep upwards and to the right.

Harron Wanga
STATISTICIAN

Executive summary

This report provides an analysis of suicide rates per 100,000 persons for a period of 20 years (2001-2021). The key findings were: there is a high variation of suicide rates across all countries (CV=66%), males had the highest suicide rate (76%) while females had the lowest suicide rate (5%), and there was a 37% spike in suicide rates from 2020 to 2021. The recommendations suggested were to develop male-centric mental health programs that address specific barriers to help-seeking, such as social stigma around vulnerability, implement social connection programs to combat isolation, and provide better pain management care for people aged 70-plus.

Introduction

This report analyses suicide rates worldwide for a period of 20 years (2001-2021). This report aims to help governments and organizations save lives by reducing suicide rates. The data was downloaded from the Kaggle website. The dataset had 8 variables and 18,315 observations. Variables were country iso code, country, year, sex, age group, and suicide rate per 100,000 individuals.

Data collection

The dataset was obtained from the Kaggle website.

Methodology

The data were summarized using Excel PivotTables; each categorical variable was grouped by suicide rates. The histogram plot was used to visualize the distribution of the suicide rate variable. The IQR method was used to identify outliers in the suicide rate variable, which was positively skewed. Segmentation of the countries by suicide rate was done using the RFM method.

Data Analysis

The gender suicide ratio was 318.

Descriptive Statistics

Gender	Count of sex %
female	50
male	50

Table 1

Age Group	Count of age group %
10_19	9.09%
15_19	9.09%
15_29	9.09%
20_29	9.09%
30_39	9.09%
30_49	9.09%
40_49	9.09%
50_59	9.09%
50_69	9.09%
60_69	9.09%
70_PLUS	9.09%

Table 2


Suicide Rate

Mean	10.4078
Standard Error	0.512173
Median	9.36309
Standard Deviation	6.966302
Minimum	0.746881
Maximum	33.12681
CV	66%

Table3


Segment	Count of segment %
e_low	24.86%
high	24.86%
low	24.86%
midium	25.41%

Table 4




Suicide rates declined steadily throughout the years, then spiked from 2020 to 2021.

Suicide Rate By Gender



Males had 76% suicide rate while females had 24% suicide rate.



The age group of 70 plus had the highest suicide rate across all genders, while the age group of 10-19 had the lowest suicide rate.

Russia (33.127) had the highest suicide rate, while Syria (0.75) had the lowest suicide rate.

Key Insights

- There is high variation in suicide rates across all countries (CV=66%)
- 24.86% of the countries had extremely low suicide rates, while 24.86% had high suicide rates
- Males had the highest suicide rates (75%) compared to females (5%)
- People aged 70 years and above had the highest suicide rate, while those aged 10-19 had the lowest suicide rate worldwide across all genders.
- Russia had the highest suicide rate (33.127), while Syria had the lowest suicide rate (0.75)
- There was a spike of 37% in suicide rates from 2001 to 2021.

Recommendations

- Develop male-centric mental health programs that address specific barriers to help-seeking, such as social stigma around vulnerability.
- Implement social connection programs to combat isolation and provide better pain management care for people aged 70plus.
- Create High-Burden country support initiatives specifically for the top 25% countries segmented as high risk.

- 37% spike in 2020 to 2021 must be investigated further.