

1.

```
~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc bubble_sort_array.c -o bubble_sort_array

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc bubble_sort_struct.c -o bubble_sort_struct

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./bubble_sort_array
Before sort:
42 7 13 99 1 55 23 8 64 31

After sort:
1 7 8 13 23 31 42 55 64 99

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./bubble_sort_struct
Before sort:
Alice          500      3
Bob            120      1
Charlie        999      5
Dave           50       2
Eve            750      4
Frank          300      2
Grace          880      5
Hank           10       1
Ivy            440      3
Jack           670      4

After sort:
Hank           10       1
Dave           50       2
Bob            120      1
Frank          300      2
Ivy            440      3
Alice          500      3
Jack           670      4
Eve            750      4
Grace          880      5
Charlie        999      5
```

2.

```
~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog1.c -o prog1

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog1
program 1 finished

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog2.c -o prog2

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog2
program 2 finished

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog3.c -o prog3

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog3
program 3 finished

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog1.c -o prog1 -DMY_DEBUG

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog1
program 1 finished

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog2.c -o prog2 -DMY_DEBUG

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog2
prog2.c:7: main: my_assert: value >= 0: value must be non-negative
fish: Job 1, './prog2' terminated by signal SIGABRT (Abort)

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> gcc prog3.c -o prog3 -DMY_DEBUG

~/University/Innopolis/Programming for gamedeveloping/Homework/Homework 2 master*
> ./prog3
prog3.c:7: main: my_assert: index < size: index must fit array
fish: Job 1, './prog3' terminated by signal SIGABRT (Abort)
```