



**OWN
YOUR
AI**

RUN · LOCAL · SOVEREIGN

Nothing Leaves the Room

local · isolated · private

coding agent

Andreas Burner

Management Advisor for AI & Cloud Strategy, Court-Certified Expert

Working 25+ years in enterprise technology

Active since 2000 with ML / AI


Current projects

Program for sovereign AI for 8M+ Austrians

AI Strategies for small – medium – large



WHAT ?



WHY ?

Full Control

No Data & IP Exposure

No Vendor Lock-In

No Outage Risk

No Trace

Control Model Drift

Why not configuration ?

Configuration is soft coded

May have bugs

Can we trust software ?

GROG event

Who got it 100% right ?

Weak moments

Similarity to Browser Cookies

Hardening Options

Execute harness and LLM locally
No security

Physical isolation
Bullet proof, but not practical

Config and property files
Build on trust

Firewalls and OS restrictions
Very cumbersome and hard to maintain

Container isolation
Best practice for high security
Proven and trusted concept

Best Practices for Secure Coding

Isolated containers

LLM single-user runtime: Llama.cpp

Re-use tuned container images

llama.cpp:server-cuda

llama.cpp:server-rocm

etc.

Container setup:

Isolated network

LLM model: mounted as read-only

Working dir: specific, small, read/write

Best Practices


Docker / Podman



*isolated network
no external routes*



~/myProject



Qwen3.6

Installation

```
$ git clone https://github.com/ndburn/SITU-Agent
Cloning into 'SITU-Agent'...
remote: Enumerating objects: 246, done.
remote: Counting objects: 100% (246/246), done.
remote: Compressing objects: 100% (163/163), done.
remote: Total 246 (delta 115), reused 204 (delta 73), pack-reused 0 (from 0)
Receiving objects: 100% (246/246), 67.97 KiB | 2.12 MiB/s, done.
Resolving deltas: 100% (115/115), done.
$ cd SITU-Agent
$ scripts/build.sh
Building SITU ...
ca2ae88f6e6b50b402340c8775ad15a0e19bb319370aa9de027bdb62b9556f5f
localhost/situ          latest          ca2ae88f6e6b  Less than a second ago  496 MB
$ scripts/situ.sh -t
SITU v0.11.0

Config      : /Users/burner/siturecording/SITU-Agent/scripts/../situ.conf
LM server   : POD (llama.cpp official image)
Model       : gemma-4-E4B-it-Q4_K_M.gguf
Ctx size    : 0
Mountpoint  : /Users/burner/siturecording/SITU-Agent
Mode        : RESTRICTED

Connected

[PASSED] LM server is reachable    http://situ-llama-60431-1779370417:8080/v1/models
[INFO]   Model in use              gemma-4-E4B-it-Q4_K_M.gguf
[PASSED] External HTTP is blocked  http://example.com
[PASSED] External HTTPS is blocked https://example.com
[PASSED] External DNS is blocked   example.com
[PASSED] External TCP is blocked   8.8.8.8:53
```

Local Agent

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Tic-Tac-Toe</title>
<style>
  /* --- Global Styles & Layout --- */
  body {
    font-family: 'Arial', sans-serif;
... (339 more lines, 349 total, ctrl+o to expand)
```

The file `tictactoe.html` has been created containing the complete, single-file implementation of the polished Tic-Tac-Toe game.

This file includes:

1. **HTML Structure:** The layout for the title, status message, game board, and restart button.
2. **CSS Styling:** Full styling for a modern, full-screen, dark-themed, and responsive look, including animations for better polish.
3. **JavaScript Logic:**
 - **Game State Management:** Tracks the board, current player, and game status.
 - **Human Player (X):** Handles clicks on the board.
 - **Computer Player (O):** Implements basic AI logic (prioritizing winning moves, blocking opponent wins, taking center/corners).
 - **Game Logic:** Correctly detects wins across all 8 axes and handles draws.
 - **UI Feedback:** Updates the status message and highlights winning cells upon game conclusion.
 - **Restart Functionality:** Resets the

∴ Working...

/workspace
↑1.3k ↓3.2k 3.5%/131k (auto)

gemma-4-E4B-it-Q4_K_M.gguf

Result


Connect Four

You: 0

Draw: 0

CPU: 1

🤖 Computer wins!



New Game



<https://github.com/ndburn/SITU-Agent>

situ Agent

<https://www.situagent.com> (MIT License)

“On Site” · local agent · ephemeral · isolation

