

Developer Brief

Complete build specification · May 2026

To: Medini S Rao

From: Ashwinni Rathod, Founder

Date: May 2026

This is the complete build specification for Oxecute. Read it fully before writing a single line of code. If something is not in this document, it is not in scope. If anything is unclear, message Ashwinni the same day — do not guess.

Fresh build from scratch. No prior codebase to inherit. No prior brief to reference. This document is the only source of truth.

Visual spec: Figma file and Pinterest images will be provided separately. Until they arrive, use placeholder layouts. The HTML prototype file you may receive shows screen flow and interaction logic only — do not copy any CSS, colours, or font from it.

Icons: no icon library (no Lucide, no Herolcons). No emoji used as icons. Inline SVG only. A Figma icon file will be delivered. Until it arrives, use the prototype's inline SVGs exactly as written. When the Figma file arrives: export SVG at 16×16 and 20×20, store in `/public/icons/[name]-[size].svg`, build a single `<Icon name="..." size={16} />` component at `components/ui/Icon.tsx` that renders them inline. No third-party icon dependency enters the codebase.

Table of contents

1. What Oxecute is
2. Tech stack
3. Database schema
4. The 8-screen onboarding flow
5. Conexa Engine — Anthropic API

6. Milestone detection — 7, 14, 21, 45 days executed
 7. Day 21 full-screen unlock moment
 8. Day 1 dashboard
 9. Submit modal — three-tier system
 10. Conexa chat
 11. Public profile
 12. Referral system
 13. Inbox and notification architecture
 14. Feature Request Board
 15. Coming soon and locked panels
 16. Connect Tools
 17. Email sequences
 18. Analytics instrumentation
 19. What is NOT in scope
 20. Build schedule
 21. Definition of Done
-

1. What Oexecute Is

Oexecute is a verified execution ledger for early-stage founders. Not a task manager. Not a habit tracker. Not a streak app. A ledger — append-only, tamper-proof, permanently visible.

A founder signs up, completes an 8-screen onboarding flow, sees Conexa (the AI intelligence layer) generate a Day 1 report from their answers via a live API call, then submits their first proof of work on a dedicated First Entry screen. That entry locks permanently the moment it is written. From that day forward, every entry is immutable. Every break is permanent. Nothing is ever edited or deleted.

The MVP does six things:

One — onboards a founder through 8 screens, ending with their first entry locked in the database.

Two — maintains a 24-hour submission window that opens at midnight UTC and closes at 23:59:59 UTC. If no entry is submitted, a break mark is written automatically by a cron job.

Three — runs milestone detection checking execution counts and firing the 7, 14, 21, and 45 days executed transitions automatically.

Four — gives the founder a Conexa chat interface grounded in their onboarding data and submission history.

Five — renders a public profile at [oxecute.com/\[username\]](#) live from Day 1.

Six — operates a referral system that tracks execution-gated rewards and delivers them at the 21 days executed subscribe moment.

What success looks like: a founder finds Oxecute, signs up, completes the full 8-screen onboarding, sees Conexa generate their Day 1 report live via API, submits their first proof, and lands on their dashboard with Entry #001 locked and visible on the grid — all within 12 minutes.

2. Tech Stack

These decisions are locked. Do not propose alternatives without a hard blocker. If there is a blocker, message Ashwinni the same day.

Layer	Technology
Frontend	Next.js 14 App Router + Tailwind CSS
Backend	Next.js API routes
Database	Supabase (PostgreSQL)
AI	Anthropic API — claude-sonnet-4-6
Auth	Supabase Auth — email/password + Google OAuth
Email	Resend
Hosting	Vercel
Domain	oxecute.com
Payments	Not in MVP — Stripe is Month 2

Typography — Urbanist only

html

```
<link  
href="https://fonts.googleapis.com/css2?family=Urbanist:wght@300;400;500;600;700;800&displ  
ay=swap" rel="stylesheet">
```

css

```
body { font-family: 'Urbanist', sans-serif; }
```

Weights in use: 300 light / 400 regular / 500 medium / 600 semibold / 700 bold / 800 display. No second font. Urbanist everywhere.

CSS variables

css

```
:root {  
  
  --p: #010261;  
  
  --p2: #0d1480;  
  
  --ca: #CCCCDF;  
  
  --na: #343581;  
  
  --mi: #00000A;  
  
  --wa: #33333B;  
  
  --fw: #FBFEFF;  
  
  --ac: #DEF408;  
  
  --bg: #F2F2F8;  
  
  --sur: #FFFFFF;  
  
  --sur2: #EBEBF4;  
  
  --bdr: rgba(1,2,97,0.09);  
  
  --bdr2: rgba(1,2,97,0.16);
```

```

--t1: #0A0A1A;

--t2: #5A5A7A;

--t3: #9898B8;

--green: #16A34A;

--orange: #EA580C;

--red: #DC2626;

--purple: #7C3AED;

}

@media (prefers-color-scheme: dark) {

:root {

--bg: #08080F;

--sur: #0F0F1A;

--sur2: #1A1A2A;

--bdr: rgba(204,204,223,0.08);

--bdr2: rgba(204,204,223,0.16);

--t1: #FBFEFF;

--t2: #A0A0C0;

--t3: #6A6A8A;

}

}

```

Onboarding screens (Screens 1–8) always use `--mi` dark background regardless of system preference. The dashboard respects the system preference with a manual override toggle persisted in `localStorage`.

3. Database Schema

Fourteen tables. All created on Sprint 1 Day 1. Do not add tables without telling Ashwinni first.

The single most important constraint in the codebase

After creating `entries` and `break_marks`, execute this SQL immediately and never reverse it:

sql

```
REVOKE UPDATE, DELETE ON entries FROM authenticated, anon;
```

```
REVOKE UPDATE, DELETE ON break_marks FROM authenticated, anon;
```

This is permanent. The entire product's trust guarantee rests on this. Even server-side code with the service role key must never issue UPDATE or DELETE on these two tables. The only permitted state changes on `entries` are tier upgrades — implemented by writing a new row with `upgraded_from_id` pointing to the original, never by modifying the original row.

Computed values

`execution_rate` — formula: `ROUND(execution_count::numeric / GREATEST(CURRENT_DATE - created_at::date, 1) * 100)`. Floored at 0, capped at 100. Never store this — compute on every read.

`days_on_record` — stored as `int` in `users`, incremented by the cron at 00:00:00 UTC each day. For email queries and analytics, compute on the fly as `CURRENT_DATE - users.created_at::date`. If the stored integer and computed value diverge by more than 1, the computed value wins.

users

sql

users

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

email text UNIQUE NOT NULL

username text UNIQUE NOT NULL

username_locked_at timestampz

full_name text NOT NULL
country text NOT NULL
startup_name text NOT NULL
found_us text NOT NULL
stage text NOT NULL
mrr text NOT NULL
startup_description text NOT NULL

-- Calibration answers — permanent, locked after Screen 5 confirm

cal_q1_shipped text
cal_q2_customers text
cal_q3_didnt_work text
cal_q4_traction text
cal_q5_unknown text
calibration_locked boolean DEFAULT false

-- Gap capture — permanent, never expire

blocker_text text
avoidance_tags text[]

-- Conexa Day 1 report — cached on activation, never regenerated

conexa_day1_report jsonb
conexa_day1_at timestampz

-- Conexa Day 14 mid-point read — stored separately from Day 1 report

conexa_day14_read text

conexa_day14_at timestampz

-- Record state

execution_count int DEFAULT 0

break_count int DEFAULT 0

days_on_record int DEFAULT 0

last_submission_date date

founding_member boolean DEFAULT false

-- Milestone state — all conditions use execution_count, not calendar days

day7_reached boolean DEFAULT false

day7_reached_at timestampz

day14_notified boolean DEFAULT false

day14_notified_at timestampz

day21_reached boolean DEFAULT false

day21_reached_at timestampz

day21_unlocked boolean DEFAULT false

day45_reached boolean DEFAULT false

day45_reached_at timestampz

-- Referral tracking for recurring notifications

day28_referral_sent boolean DEFAULT false

-- Tier and subscription — Stripe is Month 2, schema ready now

```
tier                text DEFAULT 'record'

subscribed          boolean DEFAULT false

subscribed_at       timestampz

subscription_price   numeric

subscription_currency text

-- Profile controls

profile_public      boolean DEFAULT true

profile_bio         text

show_breaks         boolean DEFAULT true

show_signal_score    boolean DEFAULT false

-- Referral

referral_code       text UNIQUE NOT NULL

referred_by         uuid REFERENCES users(id)

created_at          timestampz DEFAULT now()
```

entries — APPEND-ONLY

sql

entries

```
id                uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id          uuid NOT NULL REFERENCES users(id)

entry_number      int NOT NULL

day_number        int NOT NULL

category          text NOT NULL
```

```

-- product / distribution / ops

source_type      text NOT NULL

-- manual_url / manual_file / declaration / signup

tier            text NOT NULL

-- verified_proof / declaration_pending /

-- declaration_validated / submission_unverified /

-- submission_validated / signup_execution /

-- pending_loom_hold

url             text

declaration_text text

upload_paths    text[]

context_sentence text

validation_hash text NOT NULL

url_resolved_status int

url_content_type text

upgraded_from_id uuid REFERENCES entries(id)

execution_day    boolean NOT NULL DEFAULT true

created_at       timestampz NOT NULL DEFAULT now()

```

UNIQUE (user_id, entry_number)

UNIQUE (user_id, day_number)

signup_execution tier: written when a founder chooses Path B on Screen 8 (nothing to submit today). Written with `source_type = 'signup'`, `tier = 'signup_execution'`, `category = 'product'`, `declaration_text = 'Signed up and activated Conexa. Record starts here.'`, `url = null`, `validation_hash = SHA-256 of 'signup' + created_at`. Displays on the grid in a distinct green tint `rgba(34, 197, 94, 0.4)` with label "○ SIGNUP EXECUTION". Counts toward

`execution_count`. Does not contribute to Signal Score when that feature ships. Sets `referrals.onboarding_completed = true`.

Day 1 entry and zero submission logging: on Day 1, regardless of which path the founder takes (Path A verified proof, Path A declaration, Path A upload, or Path B signup execution), the system writes two things: the entry row as above, and a separate log confirming that Day 1 execution was counted. For Path B this means `execution_count` is 1 and `break_count` is 0 — signing up itself is a valid Day 1 execution. The dashboard reflects this immediately. The founder lands on a dashboard showing "1 day executed · 0 breaks."

break_marks — APPEND-ONLY

sql

break_marks

```
id          uuid PRIMARY KEY DEFAULT gen_random_uuid()
user_id     uuid NOT NULL REFERENCES users(id)
break_date  date NOT NULL
day_number  int NOT NULL
execution_count_before int NOT NULL
written_at  timestampz NOT NULL DEFAULT now()
```

`UNIQUE (user_id, break_date)`

milestone_events

sql

milestone_events

```
id          uuid PRIMARY KEY DEFAULT gen_random_uuid()
user_id     uuid NOT NULL REFERENCES users(id)
milestone    text NOT NULL
            -- day7 / day14 / day21 / day45
fired_at    timestampz NOT NULL DEFAULT now()
```

execution_count_at int NOT NULL

notified_inbox boolean DEFAULT false

notified_email boolean DEFAULT false

conexa_messages

sql

conexa_messages

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id uuid NOT NULL REFERENCES users(id)

role text NOT NULL

 -- user / assistant

content text NOT NULL

scope text NOT NULL DEFAULT 'full_record'

flagged_speculation boolean DEFAULT false

prompt_version text

tokens_in int

tokens_out int

latency_ms int

created_at timestampz DEFAULT now()

notifications

sql

notifications

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id uuid NOT NULL REFERENCES users(id)

type text NOT NULL

-- system / milestone / referral / record / integration

icon_name text

title text NOT NULL

body text

action_url text

read boolean DEFAULT false

created_at timestampz DEFAULT now()

events

sql

events

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id uuid REFERENCES users(id)

session_id text NOT NULL

event_type text NOT NULL

properties jsonb DEFAULT '{}'

created_at timestampz DEFAULT now()

url_validations

sql

url_validations

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

entry_id uuid REFERENCES entries(id)

url text NOT NULL

http_status int

content_type text

body_size_bytes int

passed boolean NOT NULL

failure_reason text

validated_at timestampz DEFAULT now()

referrals

sql

referrals

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

referrer_user_id uuid NOT NULL REFERENCES users(id)

referred_user_id uuid NOT NULL REFERENCES users(id)

referral_code text NOT NULL

signup_completed boolean DEFAULT false

onboarding_completed boolean DEFAULT false

subscription_created boolean DEFAULT false

subscription_created_at timestampz

subscription_valid boolean DEFAULT false

discount_applied boolean DEFAULT false

flagged_for_review boolean DEFAULT false

created_at timestampz DEFAULT now()

UNIQUE (referrer_user_id, referred_user_id)

onboarding_completed is set to **true** on the first entry write — whether that entry is **verified_proof**, **declaration_pending**, **submission_unverified**, or **signup_execution**. Completing onboarding and starting a record is what earns it, regardless of the tier of the first entry.

referral_rewards

sql

referral_rewards

```
id          uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id     uuid NOT NULL REFERENCES users(id)

tier_reached    text NOT NULL

              -- 1_onboarded / 3_onboarded / 5_onboarded /

              -- 3_paid / 5_paid

reward_type    text NOT NULL

              -- pct_off_one_month / free_month /

              -- pct_off_3_months / free_months

reward_value   numeric NOT NULL

locked_at     timestampz NOT NULL DEFAULT now()

claimed       boolean DEFAULT false

claimed_at    timestampz

applied_to_cycle    text
```

Important: at MVP, Stripe is not built. `referral_rewards` rows are written and tracked correctly but no billing discount is applied until Stripe connects in Month 2. The rows sit in the table ready. When Stripe activates, the Month 2 build reads these rows and applies the credits. Do not build any Stripe logic now.

feature_requests

sql

feature_requests

```
id          uuid PRIMARY KEY DEFAULT gen_random_uuid()

submitter_user_id    uuid REFERENCES users(id)

title              text NOT NULL
```

description text NOT NULL

category text NOT NULL

status text DEFAULT 'pending'

upvote_count int DEFAULT 0

comment_count int DEFAULT 0

created_at timestampz DEFAULT now()

feature_request_upvotes

sql

feature_request_upvotes

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

request_id uuid NOT NULL REFERENCES feature_requests(id)

user_id uuid NOT NULL REFERENCES users(id)

user_execution_count int NOT NULL

created_at timestampz DEFAULT now()

UNIQUE (request_id, user_id)

waitlist_signups

sql

waitlist_signups

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

email text NOT NULL

feature_slug text NOT NULL

source_user_id uuid REFERENCES users(id)

created_at timestampz DEFAULT now()

backfill_requests

Schema ready. UI not built at MVP.

sql

backfill_requests

id uuid PRIMARY KEY DEFAULT gen_random_uuid()

user_id uuid NOT NULL REFERENCES users(id)

requested_date date NOT NULL

url text NOT NULL

category text NOT NULL

status text DEFAULT 'pending'

reviewed_at timestampz

created_at timestampz DEFAULT now()

Backfill cap rule for when this feature is built: a founder may submit verified proof for days before signup. Maximum of 21 days credited toward any milestone threshold regardless of how many days are backfilled. Days beyond 21 are visible on the record and public profile but do not count toward `execution_count` for milestone unlocks. Enforced in the milestone detection cron when this is built.

RLS policies

Enable RLS on all 14 tables. Core rules:

- All tables default: `user_id = auth.uid()` for read and write.
- `entries` and `break_marks`: additionally allow SELECT of non-sensitive columns for any authenticated user when owning `users.profile_public = true`.
- `users`: these columns are never selectable by other users under any circumstances: `email`, `cal_q1_shipped`, `cal_q2_customers`, `cal_q3_didnt_work`, `cal_q4_traction`, `cal_q5_unknown`, `blocker_text`, `avoidance_tags`, `conexa_day1_report`, `conexa_day14_read`.
- `events`: INSERT only via service role server-side. No client SELECT.
- `referrals`: referrer can read their own rows. Referred user can read their own row. Neither can write directly.

- **feature_requests**: SELECT by any authenticated user. Upvote gating enforced server-side.
-

4. The 8-Screen Onboarding Flow

Screen sequence and step counter:

Screen 1 — Landing	no step counter
Screen 2 — Identity capture	Step 1 of 6
Screen 3 — Context capture	Step 2 of 6
Screen 4 — Conexa Calibration	Step 3 of 6
Screen 5 — Synthesis Review	Step 4 of 6
Screen 6 — Gap Capture	Step 5 of 6
Screen 7 — Conexa Activation	Step 6 of 6
Screen 8 — First Entry Submit	no step counter

→ Dashboard

All screens use `--mi` dark background. Urbanist font throughout. Match the prototype's layout, spacing, and glassmorphism card pattern — Urbanist replaces every font reference in the prototype.

drop_off analytics event: uses `last_screen: 1–6` for the numbered step screens, `'first_entry'` for Screen 8.

Screen 1 — Landing

Element	Spec
Background	<code>--mi</code> with radial glow centered
Logo	"Oxecute" — Urbanist 17px 700. The letter x in <code>--ac</code> yellow

Eyebrow	"EXECUTION IS THE CREDENTIAL" — 10px 600, <code>--ac</code> 60% opacity, 2px letter-spacing, uppercase
Headline	"Your record starts the moment you submit. Not when you're ready." — Urbanist 26px 700
Subheading	"You don't need 21 days in a row. Life happens. Just 21 days executed."
CTA	"Start my record ➔" — <code>--ac</code> yellow button
Micro-copy	"No credit card. No trial. No form. One action."
Referral attribution	If <code>?ref=[CODE]</code> in URL: store in <code>localStorage</code> as <code>oxecute_ref_code</code> with timestamp. Attribution window: 30 days. Last-click wins.
Log	<code>landing_viewed — { source, utm_source, utm_medium, utm_campaign, has_ref_code: boolean }</code>

Screen 2 — Identity capture (Step 1 of 6)

All fields required. No optional fields. No skip.

Field	Validation
Full name	Required
Email	Required, valid format. If duplicate: "An account with this email already exists. Sign in instead."
Country	Required, free text
Startup name	Required
How did you find us?	Required dropdown: Reddit / X (Twitter) / LinkedIn / Word of mouth / Search / Other

On Continue: create `users` row, create Supabase Auth account, generate `referral_code` (8-char alphanumeric, unique — retry on collision). Read `localStorage` for `execute_ref_code`. If present and valid: create `referrals` row with `signup_completed = true`, set `users.referred_by`. Set `users.founding_member = true` if `found_us = 'Reddit'` OR if the referral traces to a user where `founding_member = true`. Log `signup_completed`.

Screen 3 — Context capture (Step 2 of 6)

Field	Validation
Stage	Dropdown: Idea / Building / Launched / Scaling — required
Current MRR	Dropdown: Pre-revenue / \$1–500 / \$500–2K / \$2K–10K / \$10K+ — required
What are you building and who is it for?	Textarea — required, minimum 80 characters, 600 chars max, live counter

On Continue: persist `stage`, `mrr`, `startup_description`. Log `context_captured`. Advance to Screen 4.

Screen 4 — Conexa Calibration (Step 3 of 6)

Five questions, one at a time. Never show all five at once. Five progress dots at the top — active dot `--ac` yellow, completed dots filled `--p` blue, future dots grey outline.

Each question card fades in: opacity `0→1`, `translateY 10px→0`, 250ms. When the founder types more than 2 characters, a confirmation panel appears below the textarea showing "Logged: `[confirmPrefix]` `'[first 80 chars]...'`" — purely client-side, no API call yet.

Q	Tag	Question	Placeholder	Max	Required
1	SHIPPED	What have you already built or shipped?	A landing page, an MVP, a first feature, a prototype — anything that exists and can be seen or used.	100 0	Yes — min 1 char

2	CUSTOMERS	Have you spoken to any potential customers? What did you learn?	How many conversations, what they said, what surprised you, what they are actually paying for today.	100 0	No — zero OK
3	ELIMINATED	What have you already tried that did not work?	Channels, features, pricing, messaging — anything you tested and abandoned, and why.	100 0	No — zero OK
4	TRACTION	Do you have any early traction?	Users, revenue, waitlist, LOIs, pilots — anything. Numbers only. Zero is a valid answer.	500	No — zero OK
5	30-DAY UNKNOWN	What is the one thing you need to figure out in the next 30 days to know this is worth continuing?	The single most important unknown right now.	500	Yes — min 1 char

Continue button disabled until required questions have content. Q2–Q4 enable Continue even with "0" or "none" as input. Validation message "Please answer this question before continuing. Zero is a valid answer." shows in orange if required question is empty on Next click.

Last question button reads "Complete calibration ➔" instead of "Next question ➔".

On Q5 submit: persist all five answers to `users` table. Log `calibration_q5_answered`. Advance to Screen 5.

Screen 5 — Synthesis Review (Step 4 of 6)

Conexa reads the 5 calibration answers and generates 5 synthesis statements — interpretations, not echoes.

API call: `POST /api/conexa/synthesis` — server-side only. Model `claude-sonnet-4-6`, `max_tokens`: 600.

Edit logic — stated once, completely:

1. Founder arrives at Screen 5. `calibration_locked = false`.
2. API call fires. 5 synthesis statements stream in with 300ms stagger between each.
3. Confirm button disabled until all 5 render.
4. Two buttons: "Yes, continue ➔" (yellow accent) and "Edit my answers" (ghost).
5. If "Edit my answers": return to Screen 4 Q1 with all answers pre-filled. Founder can change any answer. On Q5 re-submit, `/api/conexa/synthesis` checks `calibration_locked` — if still `false`, regenerates statements.
6. Edit is available once only. After "Yes, continue ➔" is clicked the first time, `calibration_locked` is set to `true` server-side. The route returns cached synthesis from that point, never regenerates. The "Edit my answers" button is gone permanently.
7. `calibration_locked = true` is a server-side write. Not client-side state. A page refresh cannot bring back the edit path.

System prompt for synthesis:

You are Conexa, an execution intelligence AI inside Oexecute.

A founder has answered 5 calibration questions.

Generate 5 short synthesis statements — one per question —

that reflect what Conexa has concluded from each answer,

not just a restatement. Each 1–2 sentences maximum.

Direct. No softening. No encouragement.

Show the interpretation, not the echo.

Respond ONLY with a JSON array of 5 strings.

No preamble. No markdown. No backticks.

```
["statement1","statement2","statement3","statement4","statement5"]
```

User message:

Q1 (What they shipped): "[cal_q1_shipped]"

Q2 (Customer conversations): "[cal_q2_customers]"

Q3 (What didn't work): "[cal_q3_didnt_work]"

Q4 (Early traction): "[cal_q4_traction]"

Q5 (30-day unknown): "[cal_q5_unknown]"

Strip backtick fences before `JSON.parse`. On parse failure: derive deterministic fallbacks from the raw answers. Never show a broken state.

On "Yes, continue →": set `calibration_locked = true`. Log `synthesis_confirmed`. Advance to Screen 6.

Screen 6 — Gap Capture (Step 5 of 6)

Field	Spec
Q1	"What's the biggest thing blocking you right now?" — required, 140 chars max, live <code>0/140</code> counter
Q2	"What have you been avoiding?" — multi-select chips. Options: Product work / Talking to customers / Fundraising / Hiring / Marketing and distribution / Operations / Nothing yet. At least one required. "Nothing yet" deselects all others. Selecting any other chip deselects "Nothing yet".

Both answers are permanent baseline data loaded into every Conexa API call for the lifetime of the record. They never expire. On Continue: persist `blocker_text` and `avoidance_tags`. Log `gap_captured`. Advance to Screen 7.

Screen 7 — Conexa Activation (Step 6 of 6)

The centrepiece of onboarding. Conexa reads everything the founder told it and produces the Day 1 intelligence report. The API call fires immediately on screen mount via `POST /api/conexa/activation` — server-side only. Full prompt in Section 5.

No `first_entry_url` in the activation prompt. First entry comes after this screen (Screen 8). Conexa reads declarations only at activation. This is architecturally correct — on Day 1 Conexa reads what the founder said. From Day 21 it reads what they did.

Screen layout:

- Logo top-left
- Eyebrow: "CONEXA · EXECUTION INTELLIGENCE"
- 6 tab cards stacked vertically, each starting with  loading icon and tab title visible
- Tab titles in order: The Reality Check / The Blindspot / Shipping vs. Noise / The Next Move / The Integrity Forecast / Executive Synthesis

- As each tab's content arrives from the API: the  icon flips to , the body fades in. Stagger reveals at 600ms ± 300ms random per tab
- Hard cap: 12 seconds. On timeout: use deterministic fallbacks grounded in the founder's actual onboarding data. Never generic.
- After all 6 tabs render: personal insight paragraph fades in below all tabs
- Personal insight copy exactly: "Conexa has read your baseline, [name]. Your execution window opens at midnight." — do NOT say "Your first directive generates at midnight" (directives unlock at 21 days executed). Do NOT say "Day 1 logged" (no entry has been submitted yet)
- 1 second after the insight renders: "Start my record ➔" CTA button appears. This is the only way to proceed. Founder cannot skip.

On "Start my record ➔": persist the full report to `users.conexa_day1_report` JSONB (schema in Section 5), set `users.conexa_day1_at`. Write a `notifications` row: type `system`, title "Conexa has read your baseline", body = the personal insight paragraph. Log `conexa_activation_completed`. Navigate to Screen 8.

Screen 8 — First Entry Submit (no step counter)

This screen sits between Conexa Activation and the dashboard. It is not part of the numbered steps. Its job: give the founder their first act of execution, or confirm that signing up itself was it.

Screen header:

First Entry

Submit your first proof. Your record starts the moment you submit. Choose your path.

Three tier options as selectable cards (Path A):

✓ Verified Proof

External URL · HEAD request validates immediately ·

Full Signal Score weight

○ Declaration

Stated intent · 30–140 chars · Upgrade within 30 days

© Upload

File upload · PDF, DOCX, PNG, PPTX, XLSX · Max 10MB

Default selected: Verified Proof.

When Verified Proof selected:

PROOF URL

[input — type="url", placeholder "https://..."]

[chip: ✓ VERIFIED PROOF · Paste URL to validate]

WORK TYPE

[Product] [Distribution] [Ops]

[Lock Entry → Start My Record]

When Declaration selected:

[textarea — 30–140 chars, live 0/140 counter]

[chip: ○ DECLARATION · PENDING VALIDATION]

WORK TYPE

[Product] [Distribution] [Ops]

[Log Declaration → Start My Record]

When Upload selected:

[file upload zone — PDF, DOCX, PNG, PPTX, XLSX,
max 10MB, max 3 files]

What does this prove?

[textarea — 140 chars max, required]

[chip: © SUBMISSION · UNVERIFIED]

WORK TYPE

[Product] [Distribution] [Ops]

[Log Upload → Start My Record]

Path B — nothing to submit today:

Below the three tier cards, a text link (not a button): "I don't have anything to submit yet →"

Clicking this transitions within the same screen:

That's fine.

Signing up is your Day 1 execution. Your record starts
today. Submit your first real proof from the dashboard
when your window opens.

[Continue to my record →]

Milestone track — visible on all states of Screen 8:

Always render below the tier cards and below the Path B copy:

● 1 day executed — ○ 21 days executed — ○ 60 days executed — ○ 90 days executed

Day 1 dot filled in --ac yellow. Future dots grey outline. Label below each dot. This is what the founder is coming back for tomorrow.

On submit — Path A (any tier):

- `POST /api/entries/first`
- URL validation for Verified Proof: HEAD request, 5s timeout, HTTP 200–399, content-type check, response body > 1KB, not a duplicate, Loom hold rule (full spec in Section 9)
- On validation pass: write `entries` row — `entry_number = 1, day_number = 1, execution_day = true`
- Increment `users.execution_count = 1`, set `users.last_submission_date = today`
- Set `referrals.onboarding_completed = true` for any `referrals` row where this user is `referred_user_id`
- Run referral reward detection (Section 12)
- Send welcome email (Section 17) — trigger is first entry write
- Log `first_entry_submitted`
- Navigate to `/dashboard`

On submit — Path B (signup execution):

- Write `entries` row: `source_type = 'signup', tier = 'signup_execution', category = 'product', declaration_text = 'Signed up and activated Conexa. Record starts here.', entry_number = 1, day_number = 1, execution_day = true, validation_hash = SHA-256 of 'signup' + created_at`
- Increment `users.execution_count = 1`, set `users.last_submission_date = today`
- Set `referrals.onboarding_completed = true`
- Run referral reward detection
- Send welcome email
- Log `first_entry_submitted` with `{ tier: 'signup_execution' }`
- Navigate to `/dashboard`

On validation failure (Path A, Verified Proof only): Show inline error below URL field with specific reason. Do not navigate. Let the founder fix and retry or switch to Declaration or Upload.

Loom hold rule: if hostname is `loom.com` AND the video was created within 60 seconds of submission timestamp, write entry with `tier = 'pending_loom_hold'`. After 5 minutes,

validate the URL. If passes, flip to `verified_proof` via new row with `upgraded_from_id`. This prevents record-and-submit gaming.

5. Conexa Engine — Anthropic API

All API calls are server-side. `ANTHROPIC_API_KEY` lives in Vercel env vars only. Before launch: search the built client bundle for "anthropic.com" — must return zero matches.

Model for all calls: `claude-sonnet-4-6`. Store all prompt strings in `lib/conexa/prompts.ts` with version strings (e.g. `ACTIVATION_PROMPT_V1`). Version on every change, never overwrite old versions.

Common call structure

typescript

```
const response = await fetch("https://api.anthropic.com/v1/messages", {  
  method: "POST",  
  headers: {  
    "Content-Type": "application/json",  
    "x-api-key": process.env.ANTHROPIC_API_KEY!,  
    "anthropic-version": "2023-06-01"  
  },  
  body: JSON.stringify({  
    model: "claude-sonnet-4-6",  
    max_tokens: 1800,    // varies per call site — see below  
    system: SYSTEM_PROMPT,  
    messages: [...]  
  })  
});
```

```
const data = await response.json();  
  
const text = data.content?.[0]?.text || "";
```

Call 1 — Synthesis (Screen 5)

max_tokens: 600. System prompt and user message in Section 4 Screen 5.

Call 2 — Activation (Screen 7)

max_tokens: 1800.

System prompt stored as **ACTIVATION_PROMPT_V1**:

You are Conexa — the intelligence layer inside Oexecute. You are not a coach.

You are not an assistant. You are a pattern reader.

You have been given a founder's onboarding answers. This is Day 1.

There is no submission history, no behavioural data, no tool activity.

You are reading declarations — what the founder chose to say about themselves

when they first arrived. Treat that choice as data. What they said, how they

said it, what they left blank — all of it is signal.

You do not fill gaps with assumptions. You do not soften findings.

You do not encourage. You name what the data shows and you name what is absent.

Absence is a data point. A blank field is a statement.

[COPY THE FULL TAB 1–6 SPECIFICATIONS VERBATIM FROM THE OEXECUTE PRODUCT
ARCHITECTURE DOCUMENT V2, FEATURE 19. DO NOT PARAPHRASE. THE EXACT WORDING
IS WHAT PRODUCES CONSISTENT CONEXA VOICE ACROSS THOUSANDS OF API CALLS.]

[COPY THE PERSONAL INSIGHT PARAGRAPH SPECIFICATION VERBATIM FROM FEATURE 19.]

FORMATTING RULES:

Begin immediately with Tab 1. No preamble. No "here is your analysis."

Label each section exactly:

Tab 1 — The Reality Check

Tab 2 — The Blindspot

Tab 3 — Shipping vs. Noise

Tab 4 — The Next Move

Tab 5 — The Integrity Forecast

Tab 6 — Executive Synthesis

Personal Insight (no tab number)

End after Personal Insight. No closing remarks.

If any field is null or blank: state the absence. Do not infer. Absence is data.

FOUNDER ONBOARDING DATA:

Company name: {{startup_name}}

Stated stage: {{stage}}

MRR: {{mrr}}

Startup description: {{startup_description}}

What shipped (Q1): {{cal_q1_shipped}}

Customer conversations (Q2): {{cal_q2_customers}}

What didn't work (Q3): {{cal_q3_didnt_work}}

Current traction (Q4): {{cal_q4_traction}}

30-day must-figure-out (Q5): {{cal_q5_unknown}}

Avoidance patterns: {{avoidance_tags}}

Biggest blocker: {{blocker_text}}

Note: no `first_entry_url` in this prompt. First entry is submitted on Screen 8 after activation.
Conexa reads zero submission history on Day 1. This is correct.

Response parsing — server-side string-index, not regex:

typescript

```
function parseActivationResponse(fullText: string) {

  const markers = [

    "Tab 1 — The Reality Check",

    "Tab 2 — The Blindspot",

    "Tab 3 — Shipping vs. Noise",

    "Tab 4 — The Next Move",

    "Tab 5 — The Integrity Forecast",

    "Tab 6 — Executive Synthesis",

    "Personal Insight"

  ];

  const sections: Record<string, string> = {};

  for (let i = 0; i < markers.length; i++) {

    const start = fullText.indexOf(markers[i]);

    if (start === -1) {

      sections[markers[i]] = "INSUFFICIENT DATA — record required.";

      continue;

    }

    const contentStart = start + markers[i].length;

    const nextStart = i < markers.length - 1
```

```

    ? fullText.indexOf(markers[i + 1], contentStart)

    : fullText.length;

sections[markers[i]] = fullText

    .slice(contentStart, nextStart > 0 ? nextStart : undefined)

    .trim();

}

return sections;

}

```

Persist to `users.conexa_day1_report`:

```

json

{

  "version": "v1.0",

  "tabs": {

    "reality_check": "...",

    "blindspot": "...",

    "shipping_vs_noise": "...",

    "next_move": "...",

    "integrity_forecast": "...",

    "executive_synthesis": "..."

  },

  "personal_insight": "...",

  "generated_at": "2026-05-10T14:32:11Z",

  "tokens_in": 1247,

  "tokens_out": 1583,

  "latency_ms": 8412

```

}

Call 3 — Day 14 mid-point read

Fires when the Day 14 milestone is detected by the cron. `POST /api/conexa/day14-read` — server-side only. max_tokens: 400. Result stored in `users.conexa_day14_read` (text) and `users.conexa_day14_at`. Stored separately from the Day 1 report so it survives notification deletion and can be referenced in emails and future reads.

System prompt:

You are Conexa. A founder has been executing for 14 days.

You have their full onboarding baseline and 14 days of submission history.

Produce one paragraph — maximum 4 sentences — that names:

1. What their record has actually shown in 14 days vs what they declared on Day 1.
2. The one gap that is widening, if any.
3. What the next 7 days need to look like for 21 days executed to mean something.

No encouragement. No softening. One paragraph. Plain text only.

User message:

Day 1 baseline:

Stage: [stage] | MRR: [mrr]

Q5 30-day unknown: [cal_q5_unknown]

Avoidance pattern: [avoidance_tags]

Biggest blocker: [blocker_text]

14-day submission record:

Total entries: [execution_count]

Breaks: [break_count]

Execution rate: [execution_rate]%

Category breakdown: Product [p_pct]% / Distribution [d_pct]% / Ops [o_pct]%

Last 5 submissions:

[day_number] · [category] · [tier] · [url or declaration_text truncated 60 chars]

[repeat x5]

Call 4 — Chat (dashboard)

max_tokens: 300.

System prompt stored as **CHAT_PROMPT_V1**:

You are Conexa, the execution intelligence layer of Oexecute.

You are not Claude. You do not identify as an AI. You are not an assistant.

You read execution records and give direct, data-driven direction.

Rules:

1. No outcome prediction.
2. No cheerleading. No motivational language.
3. No general advice. Every response references specific data from the founder's record injected below.
4. Always end with the next concrete action or a pointed question.
5. Maximum 200 tokens. Plain text only. No markdown.
6. Never say "Claude", "Anthropic", "I am an AI", "as a language model", "large language model", or any variant.

Founder context injected below.

Context injection — assembled fresh before every chat API call:

=== FOUNDER OPERATING RECORD ===

Name: [full_name]

Startup: [startup_name]

Stage: [stage] | MRR: [mrr]

Days on record: [CURRENT_DATE - created_at::date]

Execution count: [execution_count] | Breaks: [break_count]

Execution rate: [execution_rate]%

Category mix: Product [p_pct]% / Distribution [d_pct]% / Ops [o_pct]%

=== PERMANENT BASELINE ===

Description: [startup_description]

Q1 Shipped: [cal_q1_shipped]

Q2 Customers: [cal_q2_customers]

Q3 Didn't work: [cal_q3_didnt_work]

Q4 Traction: [cal_q4_traction]

Q5 30-day unknown: [cal_q5_unknown]

Biggest blocker: [blocker_text]

Avoidance pattern: [avoidance_tags comma-joined]

=== RECENT SUBMISSIONS (last 10) ===

[day_number] · [category] · [tier] · [url or declaration_text truncated 80 chars]

=== END CONTEXT ===

Speculation classifier — deterministic, runs before every API call:

typescript

const SPECULATION_TRIGGERS =

`\b(what if|will this|will it if i do|predict|chances|guarantee|`

`is this` going to|will investors|will users|will it work|

could `this`)\b/i;

```
const REDIRECTS = [
```

```
  "I don't predict outcomes. Your record does. Stop imagining results — start generating them. Your execution count is [N] days. What's the one action you can submit proof for today?",
```

```
  "That question is a trap. Every minute spent wondering 'will this work' is a minute you're not finding out. What's your next submission?",
```

```
  "Outcome prediction is not my function. Execution direction is. What can you do in the next 2 hours and submit proof for?"
```

```
];
```

If triggered: log to `conexa_messages` with `flagged_speculation = true`, return random redirect, do not call the API.

Identity filter — runs after every API response before returning to client:

Check for: "Claude", "Anthropic", "I am an AI", "as an AI", "language model", "large language model". If found: retry once with an additional instruction "Do not mention Claude, Anthropic, or that you are an AI." If the second response still contains forbidden text: return "Conexa is processing your record. Send your question again."

Token guardrails and timeouts:

Call	max_tokens	Hard timeout
Synthesis	600	12 seconds
Activation	1800	12 seconds
Day 14	400	12 seconds
Chat	300	12 seconds

On timeout for activation: use deterministic fallbacks grounded in actual onboarding data. Never leave the founder on a blank or broken screen.

6. Milestone Detection System

A single cron runs every minute via Vercel Cron Job — cron expression `* * * * *` — calling `POST /api/cron/heartbeat`. Route protected by `CRON_SECRET` header checked server-side.

Break mark job — runs at 23:59:50 UTC

1. Find all users where `last_submission_date < today_utc` AND `created_at::date <= today_utc`.
2. For each: check whether an `entries` row exists with `day_number = N` for today. If not, write a `break_marks` row.
3. Increment `users.break_count`.
4. Write `notifications` row: type `record`, title "Break mark written — Day [N]", body "No submission on [date]. This gap is part of your record."
5. Log `break_mark_written`.

At 00:00:00 UTC: increment `users.days_on_record` for all active users.

Milestone detection — runs every cron tick

All four conditions check after the break mark job. Each fires at most once per user — guarded by `AND [milestone_field] = false`.

7 days executed

Condition: `execution_count >= 7 AND day7_reached = false`

On trigger:

1. Set `day7_reached = true, day7_reached_at = now()`
2. Write `milestone_events` row — `milestone = 'day7'`
3. Write `notifications` row — type `milestone`, title "7 days executed", body "You can now upvote and comment on feature requests. Your referral link is active."
4. Queue Day 7 email via Resend
5. Log `milestone_day7_reached`

What unlocks at 7 days executed:

- Feature Request Board: upvote and comment enabled (server-side gate flips)
- Referral panel in dashboard: full tier table renders

14 days executed

Condition: `execution_count >= 14 AND day14_notified = false`

On trigger:

1. Set `day14_notified = true, day14_notified_at = now()`
2. Call `/api/conexa/day14-read` — generates mid-point Conexa paragraph, persists to `users.conexa_day14_read`
3. Write `milestone_events` row — `milestone = 'day14'`
4. Write `notifications` row — type `milestone`, title "14 days executed — Conexa mid-point read", body = `users.conexa_day14_read`
5. Queue Day 14 email via Resend
6. Log `milestone_day14_notified`

No new features unlock at 14 days executed. The Conexa mid-point read is the entire value of this checkpoint.

21 days executed

Condition: `execution_count >= 21 AND day21_reached = false`

On trigger:

1. Set `day21_reached = true, day21_reached_at = now()`
2. Write `milestone_events` row — `milestone = 'day21'`
3. Write `notifications` row — type `milestone`, title "21 days executed — you've earned this", body "Signal Score, Daily Directive, and Builder tier just unlocked."
4. Queue Day 21 email via Resend
5. Log `milestone_day21_reached`

Full-screen unlock moment: Section 7.

45 days executed

Condition: `execution_count >= 45 AND day45_reached = false`

On trigger:

1. Set `day45_reached = true, day45_reached_at = now()`
2. Write `milestone_events` row — `milestone = 'day45'`
3. Write `notifications` row — type `milestone`, title "45 days executed — community opens", body "Founders at your stage who've also executed 45 days are now visible to you."
4. Queue Day 45 email via Resend
5. Log `milestone_day45_reached`

What unlocks at 45 days executed:

- Community / Peer directory: browse mode active
- Founders who have also reached 45 days executed are visible to each other
- Community nav item unlocks from its locked state

Every-7-days recurring referral notification — runs every cron tick

Active referrer condition: at least 1 row in `referrals` where this user is `referrer_user_id`.

First recurring fire at Day 35 (7 days after Day 28):

`days_on_record >= 35`

`AND days_on_record % 7 = 0`

`AND day28_referral_sent = true`

Set `day28_referral_sent = true` when the Day 28 notification fires.

Stop condition — stop all further recurring referral notifications when BOTH:

- All paid tiers reached (both `3_paid` and `5_paid` rows exist in `referral_rewards`) or all 30-day conversion windows have closed, AND
- All onboarding tiers reached (`5_onboarded` row exists in `referral_rewards`)

When stop condition is met, no further recurring referral notifications are sent for this user.

Notification content — computed at send time:

typescript

```
const onboarded_count = referrals.filter(r => r.onboarding_completed).length;
```

```
const paid_count = referrals.filter(r => r.subscription_valid).length;
```

Notification body:

[onboarded_count] founders onboarded through your link.

[paid_count] have subscribed.

[next_tier description — what is still reachable and what it takes]

Your link: [referral_link]

7. Day 21 Full-Screen Unlock Moment

The most commercially important screen in the product. Fires when `day21_reached = true` AND `day21_unlocked = false`.

Implementation: in `/dashboard` server-side render, check these two flags. If both conditions are met, render the Day 21 unlock screen instead of the dashboard. On any CTA click: set `day21_unlocked = true` before navigating. The unlock screen never shows again after that.

Layout

Full screen, `--mi` dark background, onboarding aesthetic. Urbanist font.

- Logo top-left
- Eyebrow: "21 DAYS EXECUTED · VERIFIED OPERATOR"
- Headline: "21 days executed. Here's what you've earned." — Urbanist 28px 800
- Large "21" display with "days executed" label below. Break count shown alongside.

What just unlocked — numbered list

1. Signal Score — your execution record, quantified
2. Daily Directive — one action, one proof requirement, every day
3. Conexa Intelligence — 5 more tabs reading 21 days of behaviour
4. Day 21 Achievement Card — shareable, verified, yours
5. Builder tier — the full execution toolkit

Each item has a one-line description. No pricing shown in this list.

Referral reward block

If **referral_rewards** rows exist for this user — show the highest applicable reward:

You've earned a referral reward.

[e.g. "1 founder onboarded — 25% off your first month applied at checkout."]

No code needed. Applied automatically when Stripe connects.

If zero referrals:

Share what you just unlocked.

Refer 1 founder before you subscribe and get 25% off this month.

[referral link — one-click copy]

Pre-written caption (one click to copy):

"21 days executed on Oexecute. No streak required.

Just 21 days of verified proof. If you're building

and leaving no trace, start here: [referral link]"

Pricing reveal

This is the first time the founder has ever seen a price. It appears nowhere before this screen.

Builder · \$29/month

India · ₹1,199/month

Your rate is locked from today for as long as your subscription

stays active. Cancellation voids the lock permanently.

Resubscription is at current market rate.

Signal tier for reference only (unlocks at 60 days executed): \$69/month · ₹2,999/month. Not shown on this screen.

CTAs

Primary: "Unlock what you earned ➔" — `--ac` yellow, full width. Secondary: "Continue on free tier" — ghost button, full width.

On "Unlock what you earned ➔": set `day21_unlocked = true`. At MVP Stripe is not built — navigate to dashboard with toast: "Builder tier locked in. Billing activates when payments launch. You'll hear from Ashwinni directly." Log `day21_cta_subscribe_clicked`.

On "Continue on free tier": set `day21_unlocked = true`. Navigate to dashboard. Write `notifications` row: "You're on the free tier. Builder access waits whenever you're ready." Log `day21_cta_free_clicked`.

Stripe note for MVP: `users.subscription_price` and `users.subscription_currency` fields are in the schema now. They are not populated at MVP. When Stripe activates in Month 2, the subscribe flow writes to these fields at first subscription. They never change while the subscription is active. The `referral_rewards` table is also fully populated at MVP — every reward tier that is earned is written correctly. When Stripe connects, Month 2 reads these rows and applies billing credits. Nothing to build on Stripe now.

8. Day 1 Dashboard

Three regions: topbar, sidebar, main area.

Topbar (48px, sticky)

Oxecute logo / breadcrumb "Dashboards / Founder Operating Record" / live UTC countdown HH:MM:SS counting down to 23:59:59 / notifications bell with red unread dot / user avatar (initials, colour intensity by execution rate).

Sidebar (200px, collapses to hamburger on mobile)

Nav item

State

Lock label

My Profile	Unlocked	—
FOR	Unlocked, active by default	—
Signal Score	Locked	21 days executed
Daily Directive	Locked	21 days executed
Coaches	Locked	Coming Soon
Angels	Locked	Coming Soon
Community	Locked	45 days executed
Inbox	Unlocked, unread count badge	—
Request Feature	Unlocked, view-only until 7 days executed	—
Connect Tools	Unlocked	—

Locked items are clickable — they route to placeholder pages (Section 15). Not greyed out. Lock label shows as a small pill next to the item name.

FOR page — Day 1 state

Stat cards

Two cards at Day 1:

Card	Value	Sub-label
Days Executed	1	of 30 days
Total Submissions	1	0 breaks

"Nothing to add today?" note

Show this note below the stat cards only when:

- Entry #001 has `source_type = 'signup'` (Path B founder), AND
- The founder has not submitted a real entry today

Note text: "Signing up was your Day 1 record. Submit your first verified proof today to build from here."

This note disappears permanently the moment the founder submits any entry where `tier` is not `signup_execution`. It never shows again after that.

Operating record card

- Header: "Founder Operating Record" with `Total: [N]`, `Breaks: [N]`, and FOR Visible toggle (green dot "FOR Visible" default ON / red dot "FOR Hidden" when toggled)
- "Began: [D Mon YYYY]" sub-line
- "+ Submit today's entry ➔" button top-right: visible while window is open AND founder has not submitted today. Disappears on submission. Disappears at 23:59:59 UTC.

30-day execution grid

30 squares. Colour by submission tier:

State	Colour
Verified Proof	<code>rgba(1, 2, 97, 0.75)</code> — Phthalo Blue
Declaration	<code>rgba(124, 58, 237, 0.75)</code> — Purple
Upload / Unverified	<code>rgba(234, 88, 12, 0.75)</code> — Orange
Signup execution	<code>rgba(34, 197, 94, 0.4)</code> — Green tint
Break mark	<code>rgba(220, 38, 38, 0.7)</code> — Red
Today, window open	Transparent + 1.5px solid <code>--ac</code> + pulse animation

Future 10% opacity ghost

Every square tappable. Opens day modal:

- Filled square: day number, date, tier badge, URL or declaration text, category, "Locked · Immutable", execution count at time of submission
- Today open: "Submit Entry →" CTA opening submit modal
- Future: "Day [N] · Not yet."
- Break: "No submission on [date]. This gap is part of your record. Break marks are permanent."
- Signup execution: "Day 1 · Signed up and activated Conexa. Record starts here. ○ SIGNUP EXECUTION"

Recent submissions list

Last 5 entries, most recent first. Each row: Day [N] | [URL domain or declaration first 60 chars] | [category chip]. Click opens day modal.

Artifact breakdown

Product [pct]% 

Distribution [pct]% 

Ops [pct]% 

Distribution gap warning: if Product > 60% AND Distribution < 20% AND days_on_record >= 5, show: "Distribution gap detected. Conexa will target this." Not shown before Day 5.

Conexa intelligence panel

Renders from users.conexa_day1_report JSONB. No API call on dashboard load — it reads from the cached report only. Six collapsible tabs plus personal insight paragraph below. First tab expanded by default.

Below the 6 tabs: "21 days executed unlocks 5 more →" — clickable, opens a slide-out drawer:

Slide-out drawer content:

These 5 tabs unlock at 21 days executed.

They read your behaviour, not your declarations.

Tab 7 — Where Your Time Actually Went

21-day category breakdown vs your stated focus on Day 1.

Tab 8 — What You Said You'd Do — And Did

Every declaration-to-proof arc. The times you committed and followed through.

Tab 9 — Your Avoidance Pattern, Confirmed

Day 1 stated avoidance vs 21 days of actual submissions.

Confirmed / Contradicted / Expanded.

Tab 10 — Your Execution Signature

Your behavioural type from the record. One of four named patterns.

Tab 11 — The Gap That Will Kill This

One thing. The most dangerous pattern in 21 days. No softening.

Drawer is read-only at MVP — shows what 21 days executed will reveal.

Right panel (236px wide on desktop, sticky bottom drawer on mobile)

Countdown: "Next window closes in [HH:MM:SS]" — live.

Locked Day 21 share card preview:

 21 DAYS EXECUTED

[progress bar: execution_count / 21]

[N] of 21 days executed

Your shareable Day 21 Achievement Card unlocks at 21 days executed.

Referral panel

Located below the execution grid on the FOR page.

Before 7 days executed (**day7_reached = false**):

Your referral link is ready. We'll let you know when to use it.

[referral link — visible but no reward table shown]

7 days executed and after (**day7_reached = true**):

Your referral link: [oxecute.com/signup?ref=\[CODE\]](https://oxecute.com/signup?ref=[CODE]) [Copy]

Referrals

What you get

0	\$29/month full price
1 onboarded	25% off one month
3 onboarded	50% off one month
5 onboarded	1 month free
3 paid within 30 days	3 months free
5 paid within 30 days	50% off for 3 months

You currently have [N] onboarded · [N] paid.

[Share on LinkedIn] [Share on X]

Pre-written captions available with one-click copy for each platform.

9. Submit Modal — Three-Tier System

Opens from "+ Submit today's entry ➔" button or the Conexa FAB. Three tabs at top: Verified Proof / Declaration / Submission Unverified. Default: Verified Proof.

Tier 1 — Verified Proof

URL field, type="url". Tier preview chip appears when URL starts with `http`. Work type single-select required (Product / Distribution / Ops). CTA: "Lock this entry ➔".

Server-side URL validation at `POST /api/validate-url`:

- HEAD request, 5-second timeout
- HTTP 200–399 required
- Content-type must be `text/html`, `application/xhtml+xml`, `application/pdf`, `image/*`, `video/*` — OR hostname matches allowed platform list below
- Response body > 1KB
- Not a duplicate URL in `entries` for this user
- Loom hold: 5-minute delay if Loom video created within 60 seconds of submission

Allowed platforms — bypass content-type check:

github.com, gitlab.com, linear.app, notion.so, figma.com, loom.com, vercel.app, railway.app, render.com, replit.com, supabase.com, firebase.google.com, webflow.io, framer.com, framer.website, mailchimp.com, beehiiv.com, loops.so, convertkit.com, buffer.com, typefully.com, later.com, hootsuite.com, typeform.com, tally.so, calendly.com, savvycal.com, cal.com, producthunt.com, apollo.io, hubspot.com, pipedrive.com, attio.com, close.com, airtable.com, ashbyhq.com, greenhouse.io, lever.co, angellist.com, wellfound.com, x.com, twitter.com, linkedin.com, medium.com, substack.com, dribbble.com, behance.net, gumroad.com, lemonsqueezy.com, paddle.com, razorpay.com, stripe.com.

Tier 2 — Declaration

Textarea, 30–140 chars, live `0/140` counter, min 30 chars enforced. Tier preview: "○ DECLARATION · PENDING VALIDATION". Work type required. CTA: "Log this declaration ➔".

Upgrade mechanic (within 30 days): when a founder later submits a new Verified Proof URL, the submit flow asks "Does this outcome relate to a previous declaration or upload?" If yes: write a NEW entry with `tier = 'declaration_validated'` and `upgraded_from_id` pointing to

the original. The original row is never modified. One upgrade per entry. Cannot be downgraded. After 30 days the option disappears permanently.

Tier 3 — Submission Unverified

File upload — PDF, DOCX, PNG, JPG, PPTX, XLSX. Max 10MB per file, max 3 files. Files under 5KB rejected. No duplicates. Context sentence required (140 chars max). Tier preview: "© SUBMISSION · UNVERIFIED". Work type required. CTA: "Log this submission ➔". Files go to a private Supabase Storage bucket. Signed URLs generated server-side when displaying.

Same upgrade mechanic as Tier 2 — submissions can be upgraded to `submission_validated` within 30 days.

On successful submit

- Write `entries` row immediately
 - Increment `users.execution_count`, update `users.last_submission_date`
 - Run referral reward detection
 - Close modal
 - Grid updates in real time
 - Submissions list updates
 - Artifact bars recompute
 - Toast: "Entry #[N] locked. Cannot be edited or deleted." — fades after 3 seconds
 - Submit button disappears for the rest of the day
 - Static Conexa acknowledgment — one of 8 pre-written lines in `lib/conexa/acknowledgments.ts` based on tier and category. No API call.
 - Log `entry_submitted`
-

10. Conexa Chat

Floating action button fixed bottom-left. `--p` blue background. Inline SVG icon from prototype. Click to open chat modal.

Modal layout

- Header: "CONEXA" left, "Scoping: Full Record · Day [N]" right
- Scrollable message thread — last 20 from `conexa_messages` for this user, chronological
- Quick action chips at Day 1 (2 chips only):

- "What should I focus on?" — reads category mix and avoidance pattern
 - "What did I tell you about my blocker?" — reads `blocker_text` directly
- Input field + Send button. Enter key sends.

Send flow

1. `POST /api/conexa/chat` — server-side
2. Run speculation classifier. If triggered: log with `flagged_speculation = true`, return redirect, stop
3. Assemble context block (Section 5), load last 20 messages from `conexa_messages`
4. Call Anthropic API
5. Run identity filter on response (Section 5)
6. Persist user message and assistant response to `conexa_messages`
7. Return text to client with "Conexa is reading your record..." placeholder shown while waiting
8. Log `conexa_message_sent`

Latency target: under 4 seconds. Hard timeout at 12 seconds: return "Conexa is processing your record. Send your question again."

11. Public Profile

`oxecute.com/[username]` — live from Day 1. No login required when profile is public.

Layout

- Avatar: initials, colour intensity by `execution_rate` — 0–25% lightest, 76–100% deepest `--p`. No photo.
- Name + "Building since [D Mon YYYY]"
- "[N] days executed · [N] breaks" — large, prominent
- "Total submissions: [N]"
- "Founding Member · Beta cohort" pill if `users.founding_member = true`
- 30-day grid — read-only, each square tappable. Public visitors see: day number, date, category, tier label, URL if Verified Proof. Never visible to public: declaration text from non-validated entries, Conexa content, blocker, avoidance tags.
- Break square tap: "No submission on this day. This gap is part of their record."
- Signup execution square tap: "Day 1 · Signed up and activated Conexa. Record starts here."

- Verified badge: nothing at Day 1. "VERIFIED OPERATOR" at 21 days executed. "VERIFIED PATHFINDER" at 60 days executed. "VERIFIED SIGNAL" at 90 days executed.
- Footer: "Execution is the credential · [oxecute.com/\[username\]](#)"

Privacy and username

Public/private toggle (default public). When private: page shows "This record is private." and `<meta name="robots" content="noindex,nofollow">`.

Username editable in settings until 7 days after `created_at`. After 7 days: set `username_locked_at`, field becomes read-only everywhere. Username is permanent from that point. Format: 3–20 chars, alphanumeric plus hyphens and underscores, no spaces.

Profile settings (/settings/profile)

Fields: username (read-only after lock), bio (160 chars optional), public/private toggle, show breaks (default ON), show signal score (default OFF — score not active until 21 days executed anyway).

12. Referral System

Overview

Every founder gets a permanent 8-char alphanumeric `referral_code` generated at signup. Rewards are gated on real execution (first entry submitted = onboarded) and real paid conversion (subscription active 7+ days). Never on link clicks alone.

Attribution

- Link: `oxecute.com/signup?ref=[CODE]`
- Capture on landing, store in `localStorage` as `oxecute_ref_code` with timestamp
- Attribution window: 30 days from first click. Last-click wins.
- On signup: read `localStorage`, verify code maps to a real existing user, create `referrals` row with `signup_completed = true`, clear `localStorage`
- Self-referral blocked: API route rejects any referral where `referred_user_id = referrer_user_id`
- 3+ signups from same IP in 24 hours: set `flagged_for_review = true` on all those `referrals` rows. Do not block — flag for Ashwinni to review manually.

- Existing users cannot be re-referred: check email uniqueness before creating referral row.

Reward tiers

Your referrals	What you get
0	\$29/month · ₹1,199/month full price
1 onboarded	25% off one month
3 onboarded	50% off one month
5 onboarded	1 month free
3 paid within 30 days	3 months free
5 paid within 30 days	50% off for 3 months

Onboarded = first entry written by the referred founder (any tier including `signup_execution`).

Paid within 30 days = referred founder subscribed to any paid tier within 30 days of their own `created_at`, active for 7+ days.

Rewards are cumulative. Reaching 3 onboarded gives both the 25% and the 50% — the higher one applies at subscribe. Reaching 5 onboarded gives all three onboarding rewards — the 1 month free applies.

Delivery: onboarding rewards (1, 3, 5) are held in `referral_rewards` and claimable at the Day 21 subscribe moment. Paid rewards (3 paid, 5 paid) are credited automatically to the account when the condition is met and applied to next billing cycle. At MVP no billing exists — `referral_rewards` rows are written and tracked, Stripe applies them in Month 2.

Reward detection

Runs server-side on every first entry write and every `subscription_valid = true` update in `referrals`. Count `referrals` rows for `referrer_user_id` by condition. Check against existing `referral_rewards` rows to prevent duplicates. Write new `referral_rewards` rows and `notifications` rows when new thresholds are crossed.

Milestone notifications — fired immediately when tier is crossed

These fire the moment a threshold is reached, regardless of what day it is:

- 1 onboarded: "1 founder onboarded through your link. 25% off your first month locked. Claim at 21 days executed."
- 3 onboarded: "3 founders onboarded through your link. 50% off your first month locked. Claim at 21 days executed."
- 5 onboarded: "5 founders onboarded. 1 month free locked. Claim at 21 days executed."
- 3 paid: "3 of your referrals just subscribed. 3 months free credited to your account."
- 5 paid: "5 referral subscriptions confirmed. 50% off for 3 months applied to your next billing cycle."

Notification schedule — zero referrers

Goal: get them to 1 referral. Stops permanently after Day 35. Never sends again after that.

Day	Angle	What fires
Day 7	Seed	Email + notification with link and 25% off pitch
Day 14	Ladder	Email showing all tiers
Day 21	Dollar framing at subscribe moment	Email with actual dollar amounts
Day 28	Paid tiers	Email shifting focus to paid conversion window
Day 35	Final	Email — last one, explicitly says so

Notification schedule — active referrers

Day	What fires
Day 7	Full tier table + current progress
Day 14	Progress update
Day 21	Onboarding tiers highlighted before subscribe

Day 28 Paid conversion window reminder

Day 35+ Every 7 days until stop condition

13. Inbox and Notification Architecture

Every email that Resend sends also writes a **notifications** row. The inbox is the permanent in-product record of every notification. It survives email unsubscribes.

Complete notification events

Event	Type	Title
Onboarding completed	system	"Record started · 1 day executed"
Welcome email sent	system	"Welcome to Oexecute — your record is permanent from today"
Window closes reminder	record	"Your execution window closes in 4 hours"
Break mark written	record	"Break mark written — Day [N]"
7 days executed	milestone	"7 days executed — feature board and referral zone unlock"
14 days executed	milestone	"14 days executed — Conexa mid-point read" (body = conexa_day14_read)
21 days executed	milestone	"21 days executed — you've earned this"
45 days executed	milestone	"45 days executed — community opens"

Referral 1 onboarded	referral	"1 founder onboarded through your link — 25% off locked"
Referral 3 onboarded	referral	"3 founders onboarded — 50% off locked"
Referral 5 onboarded	referral	"5 founders onboarded — 1 month free locked"
Referral 3 paid	referral	"3 paid referrals — 3 months free credited"
Referral 5 paid	referral	"5 paid referrals — 50% off for 3 months applied"
Feature request status change	system	"[Title] — status changed to [status]"

Inbox page (/inbox)

All **notifications** for current user, newest first, max 50 rows with "Load more". Each row: SVG icon, title, body (2 lines truncated), relative timestamp. Unread rows have left border in **--p** blue. Click row: mark read, navigate to **action_url** if present. "Mark all read" button at top. Unread count badge on Inbox sidebar nav item updates in real time via Supabase Realtime subscription.

14. Feature Request Board (/board)

Access gates — enforced server-side

Action	Condition
View	Any authenticated user (Day 1+)
Upvote and comment	day7_reached = true
Submit	day21_reached = true

The upvote gate is enforced server-side in **POST /api/board/upvote**: check **users.day7_reached**. If false, return 403. Do not rely on UI disabling alone.

Seed data — insert exactly these 3 requests on first deploy

`submitter_user_id = null` for all three.

Request 1:

- Title: "Backfill Execution Record"
- Description: "Allow founders to submit verified proof for days before they signed up — with a hard cap of 21 days credited toward milestone unlocks. Days beyond 21 are visible on the record but don't count toward tier thresholds."
- Category: feature
- Status: reviewing

Request 2:

- Title: "Conexa Context Refresh"
- Description: "Allow founders to trigger a fresh Conexa read after a major pivot or stage change, without resetting the record. New context sits alongside the original Day 1 baseline permanently."
- Category: feature
- Status: reviewing

Request 3:

- Title: "Weekly Execution Summary Email"
- Description: "A Sunday evening field report — days executed that week, breaks, category breakdown, one Conexa observation. Plain text preferred. Opt-in."
- Category: feature
- Status: planned

Board layout

Tabs: All / Pending / Reviewing / Planned / In Progress / Completed / Closed. Sort: Top / New / Active. Filter: Integration / Feature / UI / Bug / Other.

Request card: upvote button (SVG triangle from prototype), vote count, title, description truncated to 2 lines, status badge, category badge, submitter label ("Day [N] founder · [M] days executed" or "Oxecute Team" for seeded requests).

Before 7 days executed: upvote button disabled with tooltip "Upvote unlocks at 7 days executed."

Before 21 days executed: "+ Request" button hidden entirely.

15. Coming Soon and Locked Panels

Day 21 and Day 45 locked items — show numbered feature lists

Signal Score locked page:

 Signal Score

Unlocks at 21 days executed when you subscribe to Builder

What this includes:

1. Your execution record quantified as a single score (0–100)
2. Score breakdown: execution rate, directive completion, artifact diversity
3. Percentile ranking against active founders
4. 7-day trajectory graph
5. AI insights from Conexa reading your score drivers

You're on [N] days executed. [21 - N] to go.

[email] [Notify me when I hit 21 days executed]

Daily Directive locked page:

 Daily Directive

Unlocks at 21 days executed when you subscribe to Builder

What this includes:

1. One directive generated every night at 12:01 AM from your behavioural record
2. One sentence. One action. One proof requirement.

3. Directive history panel — done / missed, permanently logged
4. Gap targeting based on your submission patterns

You're on [N] days executed. [21 - N] to go.

[Notify me]

Community locked page:

 Community

Unlocks at 45 days executed

What this includes:

1. Browse founders at your exact stage who have executed 45+ days
2. Connect one-to-one — consent-based, no public feed, no likes
3. Mutual accept required — you control who reaches you
4. No broadcasting. All interaction is private.

You're on [N] days executed. [45 - N] to go.

[Notify me]

Day 60 and Day 90 locked items — Coming Soon only, no feature list

Coaches locked page:

 Coaches

Coming Soon

Domain experts who can see your verified execution record before they say yes.

No warm intros required. Your record speaks first.

[email] [Notify me when this launches]

Angels locked page:

 Angels

Coming Soon

Investor visibility for founders whose record qualifies.

Not a pitch. A verified track record, opt-in, founder-controlled.

[email] [Notify me when this launches]

"Notify me" on any locked page: save email to `waitlist_signups` with `feature_slug`.

Toast: "You're on the list. We'll email you the day this unlocks for you." Log `waitlist_joined`.

16. Connect Tools (`/tools`)

Banner pinned at the top of the entire page — always visible:

Auto-capture is coming in Month 2.

Connect your tools now — when auto-capture launches,

Conexa will start reading them immediately.

Every tool below is in view-only mode. No data is captured yet.

Every Connect button is disabled. The button label reads "Coming soon". It is a disabled button with grey text and no click handler. Not a tooltip. Not a popover. A disabled button.

Complete tool list

Building & Product — Tier 1 when live: GitHub · GitLab · Linear · Jira · Figma · Vercel · Railway · Render · Replit · Supabase · Firebase · Cursor · VS Code

Marketing & Distribution — Tier 1/2 when live: Webflow · Framer · Mailchimp · Beehiiv · Loops · Kit (ConvertKit) · Buffer · Typefully · Later · Hootsuite · X (Twitter) · LinkedIn · Instagram · Meta Ads · Google Ads · TikTok · Product Hunt · Substack

Revenue & Finance — Tier 1 when live: Stripe · LemonSqueezy · Gumroad · Paddle · Razorpay · QuickBooks · Xero · Brex · Mercury · Wise

Sales & CRM — Tier 1/2 when live: Calendly · SavvyCal · Cal.com · Apollo · HubSpot · Pipedrive · Attio · Close · Loom · LinkedIn Sales Navigator · Typeform · Tally

Ops & Productivity — Tier 2 context-only when live: Notion · Google Calendar · Google Docs · Google Drive · Slack · Discord · Zapier · Make · Airtable · Coda · Trello · Asana · Monday · ClickUp · Granola · Otter.ai

Fundraising — Tier 2 when live: AngelList · Carta · Clerky · Stripe Atlas · Deel · Rippling

Analytics & Research — Tier 2 context-only when live: PostHog · Mixpanel · Amplitude · Google Analytics · Hotjar · Maze · UserTesting · Ahrefs · Semrush

Permanently excluded — listed with label "Not eligible": Reddit — "Not eligible · non-normalised signal" ChatGPT — "Not eligible · AI usage is not verified proof of execution. The work that comes out of it can be." Claude — "Not eligible · same reason as above." Perplexity — "Not eligible · same reason." Gamma — "Not eligible · same reason."

17. Email Sequences

All via Resend. Build `sendEmail(template, user, props)` helper at `lib/email/templates/`. Every email also writes a `notifications` row. Signed by Ashwinni.

`execution_rate` for all email queries: `ROUND(execution_count::numeric / GREATEST(CURRENT_DATE - created_at::date, 1) * 100)` — compute at send time.

Welcome — trigger: first entry write, within 60 seconds

Subject: your record is live

Hey [first_name],

Entry #001 is locked. Cannot be edited or deleted. Ever.

Here's what Conexa read about you today:

[users.conexa_day1_report.personal_insight]

Your dashboard: [oxecute.com/\[username\]](#) Your execution window opens at midnight.

— Ashwinni

Window-closing reminder — 20:00 UTC, only if **last_submission_date < today_utc**

Subject: 4 hours left

Hey [first_name],

Your window closes at midnight. You're on [execution_count] days executed.

If you built something today — submit the proof before it closes.

If you haven't, that's a break mark. It's part of the record. It's okay. Just don't let it compound.

[oxecute.com/dashboard](#)

— Ashwinni

Day 7 executed

Subject: 7 days executed

[first_name],

You've executed 7 days.

Two things just unlocked:

1. Upvote and comment on feature requests: [oxecute.com/board](#)

2. Your referral link is live. One founder onboards through it = 25% off your first month at 21 days executed.

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Day 14 executed

Subject: halfway

[first_name],

14 days executed. You're halfway to 21.

[users.conexa_day14_read]

21 days executed unlocks Signal Score, Daily Directive, and 5 more Conexa tabs.

oxecute.com/dashboard

— Ashwinni

Day 21 executed

Subject: 21 days executed. Here's what just opened.

[first_name],

21 days executed.

What just unlocked on your dashboard:

1. Signal Score
2. Daily Directive
3. 5 more Conexa intelligence tabs
4. Builder tier — \$29/month, locked at this price while you stay active

[IF referral reward exists:] You've also earned a referral reward — [reward description]. Applied at checkout.

[If zero referrals:] Refer 1 founder before you subscribe and pay \$21.75 instead of \$29. Your link:
oexecute.com/signup?ref=[referral_code]

oexecute.com/dashboard

— Ashwinni

Day 45 executed

Subject: 45 days executed. Community just opened.

[first_name],

45 days executed.

Founders at your stage who've also hit 45 days are now visible to you in the Community tab. Not a feed. Not a leaderboard. Just founders building at the same stage, available to connect one-to-one if you both choose.

oexecute.com/dashboard

— Ashwinni

Referral 1 onboarded

Subject: someone just onboarded through your link

[first_name],

One founder just onboarded through your referral link.

25% off your first month is locked. Yours at 21 days executed.

Current: [onboarded_count] onboarded · [paid_count] subscribed. Next: 3 onboarded = 50% off.

— Ashwinni

Referral 3 onboarded

Subject: 3 founders onboarded

[first_name],

3 founders have onboarded through your link. 50% off your first month is locked.

[paid_count] have subscribed. 3 subscriptions within 30 days of their signup = 3 months free for you.

— Ashwinni

Referral 5 onboarded

Subject: 5 founders onboarded. One month free locked.

[first_name],

5 founders onboarded. Your first month free is locked. No code needed at 21 days executed checkout.

— Ashwinni

Referral 3 paid

Subject: 3 months free credited

[first_name],

3 of your referrals subscribed. 3 months free just landed in your account.

— Ashwinni

Referral 5 paid

Subject: 50% off for 3 months applied

[first_name],

5 referral subscriptions confirmed. 50% off for 3 months applied to your next billing cycle.

— Ashwinni

Zero-referrer Day 7

Subject: your referral link

[first_name],

Your referral link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

1 founder onboards through it = 25% off your first month.

— Ashwinni

Zero-referrer Day 14

Subject: one message

[first_name],

1 onboarded = 25% off. 3 onboarded = 50% off. 5 onboarded = a month free.

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Zero-referrer Day 21

Subject: you're about to pay \$29

[first_name],

Refer 1 founder before you subscribe and pay \$21.75 instead. Refer 3 and pay \$14.50.

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Zero-referrer Day 28

Subject: paid referrals

[first_name],

3 of your referrals subscribing within 30 days of their signup = 3 months free for you. You have 0.

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Zero-referrer Day 35 — final

Subject: last one

[first_name],

1 founder onboards through your link = 25% off your next month. After this we'll stop reminding you.

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Active referrer — recurring every 7 days after Day 28

Subject: referral update — Day [N]

[first_name],

[onboarded_count] founders onboarded through your link. [paid_count] have subscribed.

[next tier and what it takes, or paid window status if all onboarding tiers maxed]

Your link: [oxecute.com/signup?ref=\[referral_code\]](https://oxecute.com/signup?ref=[referral_code])

— Ashwinni

Sunday Weekly Brief — every Sunday 23:59 UTC

Subject: week [N] — [execution_count] days executed

[first_name],

Week [N].

Days executed this week: [weekly_exec] of 7 Breaks: [weekly_breaks] Category: [p_pct]% product
· [d_pct]% distribution · [o_pct]% ops

[IF d_pct < 20%:] Distribution at [d_pct]%. The gap is widening. [IF p_pct = 100%:] 100% product
this week. Nothing market-facing.

Total: [execution_count] days executed · [break_count] breaks.

oexecute.com/dashboard

— Ashwinni

Priority order for launch: welcome email first, window-closing second, Day 7 and Day 21
executed milestone emails third. Everything else ships in week 1 post-launch.

18. Analytics Instrumentation

The **events** table exists from the first deploy. Never log directly from client — always **POST**
/api/events server-side.

typescript

```
// lib/analytics.ts
```

```
export async function logEvent(  
  eventType: string,  
  properties: Record<string, unknown> = {},  
  userId?: string
```

```

){
  await supabaseServiceRole.from('events').insert({
    user_id: userId ?? null,
    event_type: eventType,
    properties,
    session_id: getSessionId(),
  });
}

```

Complete event list

Event	When	Properties
landing_viewed	Screen 1 load	{ source, utm_source, utm_medium, utm_campaign, has_ref_code }
signup_started	Screen 2 load	{}
signup_completed	Screen 2 submit	{ method, country, found_us, has_referral }
context_captured	Screen 3 submit	{ stage, mrr, description_length }
calibration_q1_answered	Q1 submit	{ char_count, time_to_answer_seconds }
calibration_q2_answered	Q2 submit	same
calibration_q3_answered	Q3 submit	same
calibration_q4_answered	Q4 submit	same

calibration_q5_answered	Q5 submit	same
synthesis_viewed	Screen 5 load	{ synthesis_generation_ms }
synthesis_edited	Edit answers clicked	{}
synthesis_confirmed	Yes continue clicked	{ time_on_screen_seconds }
gap_captured	Screen 6 submit	{ blocker_length, avoidance_count }
conexa_activation_started	Screen 7 API call begins	{}
conexa_activation_completed	All 6 tabs rendered	{ tokens_in, tokens_out, latency_ms }
conexa_activation_fallback	Timeout or error	{ failure_reason, latency_ms }
first_entry_screen_viewed	Screen 8 load	{}
first_entry_submitted	Entry #001 write	{ tier, category, source_type, validation_ms }
first_entry_path_b	Path B chosen	{}
first_entry_failed	Validation fails	{ failure_reason }
dashboard_viewed	Dashboard load	{ days_on_record, execution_count }

day21_unlock_viewed	Day 21 screen seen	{ execution_count, break_count, has_referral_reward }
day21_cta_subscribe_clicked	Unlock CTA	{ has_referral_reward, reward_type }
day21_cta_free_clicked	Free tier CTA	{}
entry_submitted	Any subsequent entry	{ tier, category, source_type, day_number, validation_ms }
entry_failed	Subsequent entry fails	{ failure_reason, tier_attempted }
declaration_upgraded	Upgrade mechanic used	{ original_entry_id, days_between }
break_mark_written	Cron writes break	{ day_number, execution_count_before }
milestone_day7_reached	Cron fires	{ execution_count }
milestone_day14_notified	Cron fires	{ execution_count, execution_rate }
milestone_day21_reached	Cron fires	{ execution_count, break_count }
milestone_day45_reached	Cron fires	{ execution_count }
conexa_chat_opened	Modal opens	{ days_on_record }
conexa_message_sent	Message sent	{ message_length, flagged_speculation,

		latency_ms, tokens_in, tokens_out }
grid_square_tapped	Day modal opened	{ day_number, has_entry, is_break, is_future, is_signup_execution }
coming_soon_clicked	Locked nav item	{ feature }
waitlist_joined	Notify-me submit	{ feature_slug }
profile_viewed	Public profile load	{ profile_username, viewer_is_authenticated }
vis_toggled	FOR Visible toggle	{ new_state }
username_locked	7-day lock fires	{ username }
referral_code_copied	Copy button	{ days_on_record }
referral_tier_reached	Reward tier crossed	{ tier_reached, reward_type }
board_upvoted	Feature upvoted	{ request_id, user_execution_count }
board_request_submitted	New request	{ category }
drop_off	Browser close mid-onboardin g	{ last_screen: 1-6 or 'first_entry' }

19. What Is NOT In Scope

If it is on this list, do not build it before launch. If Ashwinni asks for something on this list before launch, the correct answer is: "That's post-MVP — it will delay the launch."

Post-MVP — Month 2 (after 21 days executed): Signal Score computation and display · daily directive generation cron and proof submit · Conexa intelligence tabs 7–11 · Day 21 Achievement Card download · Operator tier Stripe billing · pricing lock Stripe logic · Feature Request Board submit · full Conexa-generated Weekly Brief · 7-day moving average display · score trajectory graph · directive history panel

Post-MVP — Month 3+ (60 and 90 days executed): Investor / Angel visibility · coach directory · connection request flows · achievement cards downloads · Signal PDF · year-end report · peer directory full implementation · fund-tier matchmaking · weekly digest

Other — not in MVP: Any Stripe or payment integration · auto-capture from any integration (manual submission only) · Execution Velocity metric · burnout detection · multi-source execution evaluation · Hiring Truth Stack · Due Diligence API · auto-milestone badges from integrations · embeddable badge SVG endpoint · GDPR self-service export UI · backfill submission UI · referral reward Stripe application (tracked and held at MVP, applied in Month 2) · Community full browse (milestone detection fires, UI placeholder only at MVP)

20. Build Schedule

Sprint	Dates	Focus	Checkpoint
Sprint 0	Day 1 AM	Read this brief fully. Set up Vercel project, Supabase project, Resend account, GitHub repo, env vars. Point DNS to Vercel.	Empty Next.js app deploys to oexecute.com.
Sprint 1	Day 1 PM – Day 2 AM	All 14 tables, RLS, append-only REVOKE, Supabase Auth (email + Google), logEvent helper, referral code	Fresh signup creates correct users , events , referrals rows. UPDATE entries from SQL editor returns permission denied.

generation at signup,
referrals row on signup.

Sprint 2	Day 2 PM – Day 3 AM	Screens 1–7 (Landing through Conexa Activation). All forms persisting to DB. Synthesis API route. Activation API route with full JSONB persistence. Screen 8 (First Entry) — both Path A and Path B complete.	Complete the full 8-screen flow. Conexa activation report generates live via API. All 6 tabs stream in. Entry #001 exists in entries . Dashboard loads with Day 1 grid filled.
Sprint 3	Day 3 PM – Day 4 AM	FOR dashboard per Section 8. Submit modal (all three tiers). Conexa chat. Public profile. Profile settings. Locked nav items and placeholder pages. Notification infrastructure. Referral panel. Break-mark cron. Milestone detection cron (all four milestones). Welcome email.	Grid updates in real time on submit. Speculation classifier fires. oxecute.com/[username] shows correct grid. Manually set execution_count = 7 in DB, run cron — day7_reached = true , notification written, email queued. Set to 21 — Day 21 full-screen fires on next dashboard load.
Sprint 4	Day 4 PM – Day 5 AM	Mobile QA at 375px on every screen. Dark mode QA. Safari + Chrome + Firefox. Append-only verified. Break-mark cron verified. All analytics events checked. Every email template checked.	One complete user journey on real iPhone Safari in dark mode, no errors, no layout breaks, no horizontal scroll anywhere.
Launch	Day 5	Deploy. Monitor events table, Anthropic API usage, Resend delivery. Same-day fix window.	Live.

21. Definition of Done

Every item below passes before launch.

Database

- `UPDATE entries SET url = 'test' WHERE id = '[any id]'` from SQL editor → permission denied
- `DELETE FROM entries` → permission denied
- Same two for `break_marks`
- Log in as User A. Query `entries` for User B (private profile) → zero rows returned
- Query `users.blocker_text` for User B as User A → null
- `calibration_locked = true` after Screen 5 confirm. Resend synthesis request for that user → returns cached version, no new API call

Onboarding — 8 screens

- Full flow at 375px mobile, light, no layout breaks, no horizontal scroll on any screen
- Screen 2: duplicate email → error shown, cannot advance
- Screen 4: empty Q1 submit → validation fires. Empty Q2 submit → can advance (zero OK)
- Screen 5: synthesis streams in one at a time with stagger. Confirm disabled until all 5 render. Edit returns to Q1 with answers pre-filled.
- Screen 5: confirm once. Refresh. Edit button gone. Resend synthesis → cached version returned.
- Screen 6: selecting "Nothing yet" deselects all other chips
- Screen 7 (Conexa Activation): 6 tabs stream in within 12 seconds. Personal insight reads "Your baseline is logged. Your execution window opens at midnight." — not "directive generates at midnight". `conexa_day1_report` populated in `users` table.
- Screen 8 Path A: valid URL submits and locks. Invalid URL shows inline error, cannot advance.
- Screen 8 Path B: "I don't have anything to submit yet" path writes `signup_execution` entry. Dashboard loads with Day 1 shown in green tint on grid. "Signing up was your Day 1 record." note visible. `execution_count = 1`.
- Milestone track (1 · 21 · 60 · 90) visible on Screen 8 under both Path A and Path B states.

Dashboard

- Day 1 stat cards: "1 days executed" and "1 submission · 0 breaks"

- "Signing up was your Day 1 record." note visible if Entry #001 is `signup_execution`. Disappears permanently after first real entry submitted.
- Grid: Day 1 filled, Days 2–30 ghost, today's square has `--ac` yellow outline with pulse
- Click Day 1 square: modal shows tier label and "Locked · Immutable"
- Click future square: "Day [N] · Not yet."
- Click break mark square: "This gap is part of your record. Break marks are permanent."
- Submit Verified Proof from dashboard: grid updates in real time, toast fires, submit button disappears
- Submit Declaration: "◦ DECLARATION · PENDING VALIDATION" visible on grid and in submissions list
- Submit Upload: file stored in Supabase Storage private bucket
- Artifact bars recompute after each submission
- Conexa panel renders from cached `conexa_day1_report`. No API call on dashboard load.
- "21 days executed unlocks 5 more ➔" opens slide-out drawer with all 5 tab descriptions
- Countdown counts down to 23:59:59 UTC and rolls over at midnight
- Referral panel: before `day7_reached` ➔ link only, no reward table. After `day7_reached` ➔ full tier table with current counts.

Conexa chat

- Send question about blocker ➔ response references actual `blocker_text` from DB
- Send "Will this work?" ➔ speculation classifier fires, redirect returned, `flagged_speculation = true` in `conexa_messages`
- Send "What are you?" ➔ response contains no "Claude", "Anthropic", "language model"
- Conversation history persists across page refresh

Milestone detection

- Set `execution_count = 7` in DB, trigger cron endpoint ➔ `day7_reached = true`, `milestone_events` row written, `notifications` row written, Day 7 email queued
- Set `execution_count = 14`, trigger cron ➔ `day14_notified = true`, `conexa_day14_read` populated, notification body equals the Conexa paragraph, Day 14 email queued
- Set `execution_count = 21`, trigger cron ➔ `day21_reached = true`. Navigate to `/dashboard` as this user ➔ Day 21 full-screen fires. All 5 items in numbered unlock list. Pricing visible for first time. Click "Unlock what you earned ➔" ➔ `day21_unlocked = true`, dashboard loads, Day 21 screen does not fire again on next load.

- Set `execution_count = 45`, trigger cron → `day45_reached = true`, Community nav item unlocks

Break marks

- Set `last_submission_date = yesterday` for test user. Trigger cron. `break_marks` row written. `break_count` incremented. `break_mark_written` event in `events` table.
- `DELETE FROM break_marks` → permission denied

Referral system

- Sign up with a referral link. `referrals` row created with `signup_completed = true`.
- Complete Screen 8 (any path). `referrals.onboarding_completed = true`. If threshold crossed, `referral_rewards` row written, `notifications` row written.
- Self-referral attempt → 403 returned.
- Referral panel before `day7_reached`: link visible, no reward table. After `day7_reached`: full tier table with current counts visible.

Public profile

- `oxecute.com/[username]` loads without auth. Correct grid, stats, Founding Member badge if applicable.
- Set profile private → "This record is private." `noindex, nofollow` in HTML source.
- Toggle public → profile works correctly again.
- 7 days after signup: `username_locked_at` set. Settings field is read-only.

Connect Tools

- All tools visible in correct category sections. All Connect buttons disabled with "Coming soon" label. No click handler fires. Banner visible at top of page.
- Permanently excluded tools visible with "Not eligible" label.

Emails

- Welcome email arrives within 60 seconds of first entry write. Contains `personal_insight` paragraph from `conexa_day1_report`. Signed "— Ashwinni".
- Window-closing reminder: test user with `last_submission_date = yesterday`, advance system time past 20:00 UTC in staging → email sends, notification row written.

Analytics

- Run full 8-screen flow. Every event from `landing_viewed` through `first_entry_submitted` present in `events` table with correct properties.
- Close browser on Screen 4 → `drop_off` with `last_screen: 4` fires via `beforeunload`.
- Submit entry from dashboard → `entry_submitted` in `events` with correct `tier`, `category`, `day_number`.

Mobile and dark mode

- Full 8-screen onboarding on real iPhone Safari at 375px. No horizontal scroll. No clipped inputs. Submit modal works with keyboard open.
- Dashboard mobile: sidebar collapses to hamburger. Right panel becomes sticky-bottom drawer.
- Dark mode toggle in settings: every dashboard page renders correctly in dark mode.
- Onboarding screens always dark regardless of system preference.

Infrastructure

- `oxecute.com` loads under 2 seconds on 4G. No redirect loops.
- Search built client bundle for "anthropic.com" → zero matches.
- All Anthropic API routes are server-side only.
- RLS enabled on all 14 tables — verified in Supabase dashboard.
- API timeout (no network) → error state shown to user, not a blank or crashed screen.

Final human check

Create a brand new email address. Sign up as if you found Oxecute today. You are a solo founder, Building stage, Pre-revenue. Answer all calibration questions honestly about a real project. Use Screen 8 Path A with a real URL. Read the Conexa activation report. Navigate the dashboard. Chat with Conexa about your blocker. View your public profile. If anything in that journey feels confusing, slow, generic, or broken — fix it before launch. The beta founders have been waiting since the waitlist email.

Three things to hold before you start:

One — append-only is everything. If you ever find yourself writing an UPDATE on **entries** for any reason, stop and message Ashwinni. There is always another way.

Two — Conexa system prompts are the product's voice. Copy the Tab 1–6 and Personal Insight specifications from the Oexecute Product Architecture document V2 verbatim into **lib/conexa/prompts.ts**. Do not paraphrase them.

Three — Urbanist everywhere. No other font. Not Bricolage Grotesque. Not Raleway. Not Inter. Not system fonts. If you are ever about to reference a font that is not Urbanist, stop. Urbanist only.

Message Ashwinni when you have read this end-to-end. Credentials incoming.