

What

Oxecute is the performance ledger where founders build an immutable, verified execution record that acts as a global credential for capital and opportunity.

Summary of User Journey

- 01 Prove you can build (Day 1)
- 02 Earn the intelligence (Day 21)
- 03 Open the market/ Let the market find you (Day 60)
- 04 Become the credential (Day 90)

Philosophy

Oxecute is built on a single, uncompromising philosophy: Execution is the only credential that matters.

We believe that professional success shouldn't depend on how well you can pitch, who you know, or how you "brand" yourself. Instead, we believe in a world where:

1. Truth is Immutable

You don't need to "sell" your startup; your track record of daily, verified progress does the talking for you.

2. Consistency is a superpower

Success isn't about the perfect pitch; it's about the habit of shipping every single day.

3. The Power of "Earned" Access

You shouldn't have to chase investors or mentors. If you build it well, the market should come to you.

4. Directivity Over Advice (Action beats advice)

You don't need more pep talks. You need honest, data-driven feedback that points you to the exact next step you need to take.

Your story is your vision, but your record is your proof. At Oxecute, we don't ask you to choose between the two. **We help you build a record that makes your story impossible to ignore.**

Product

WHO USES IT

FOUNDERS

The primary user. Solo or early-team. Pre-seed to Series A. Builds the execution record daily. The product exists for

INVESTORS

Secondary user. Angel to VC. Browses anonymised founder execution data. Requests connection based on proof, not

COACHES

Tertiary user. Domain experts. Observes anonymised records. Requests connection based on execution quality they can help.

them.

pitch.

Complete Feature List

Onboarding

01 Landing screen

1. Single CTA, zero distraction, no navigation, no pricing, no features list.
2. Headline: "Your record starts the moment you submit. Not when you're ready."
3. CTA: "Start my record →"
4. Micro-copy: "No credit card. No trial. No form. One action."

02 Identity capture

1. Full name
2. Email
3. Country
4. Startup name.

All required. No optional fields. No skip.

03 Context capture

1. **Stage selector:** Idea / Building / Launched / Scaling
2. **Current MRR:** Pre-revenue / \$1-500 / \$500-2K / \$2K-10K / \$10K+
3. **Required:** "What are you building and who is it for?" Minimum 2-3 sentences.
4. **Optional Context — 5 Questions**
 - Label: "Help Conexa understand where you are. The more specific you are, the sharper your intelligence becomes."
 - Sub-label: "Optional. Skip any question. Founders who answer get significantly more specific outputs."

- Q1: "What have you already built or shipped?" Placeholder: "A landing page, an MVP, a first feature, a prototype – anything that exists and can be seen or used."
 - Free text, 300 chars max. Q2: "Have you spoken to any potential customers? What did you learn?" Placeholder: "How many conversations, what they said, what surprised you, what they are actually paying for today." Free text, 300 chars max.
 - Q3: "What have you already tried that did not work?" Placeholder: "Channels, features, pricing, messaging – anything you tested and abandoned, and why." Free text, 300 chars max.
 - Q4: "Do you have any early traction? Users, revenue, waitlist, LOIs, pilots – anything." Placeholder: "Numbers only. No story needed. Zero is a valid answer." Free text, 200 chars max.
 - Q5: "What is the one thing you need to figure out in the next 30 days to know this is worth continuing?" Placeholder: "The single most important unknown right now." Free text, 200 chars max.
5. **WHAT CONEXA DOES WITH THESE ANSWERS:** All five answers load into the intelligence report generation on Screen 07 and into every Conexa API call for the lifetime of the record alongside the avoidance pattern and blocker from Screen 04.
- Founders who answer all five get dramatically more specific outputs across all 12 intelligence tabs. Founders who skip get solid outputs based on stage, MRR, and startup description alone.
- These answers never expire. They are the permanent baseline context Conexa starts from.

04 Gap capture

1. **Question 1:** "What's the biggest thing blocking you right now?"
 - Free text, 140 chars, required.
2. **Question 2:** "What have you been avoiding?"
 - Multi-select: Product work / Talking to customers / Fundraising / Hiring / Marketing and distribution / Operations / Nothing yet

Both answers load into every Conexa API call for the lifetime of the record. Never expire. Never reset.

05 First entry submission

Three paths:

Path A — Verified Proof

- External URL input. HEAD request fires immediately on paste.
- Must resolve HTTP 200–399. Label auto-populates before confirm.
- Label: ✓ VERIFIED PROOF
- URL type chips (optional, help Conexa categorise):
- GitHub commit / Loom / Stripe / Published page / Tweet / Other

Path B — Declaration

1. Text only. Stated intent, 30–140 chars, required.
2. One Declaration per day maximum.
3. Label: ○ DECLARATION · PENDING VALIDATION
4. Founder must describe specifically what they are working on and what the expected outcome is.
5. Placeholder: "Be specific. What are you building today and what will prove it is done?"
6. Upgrades to ✓ VERIFIED DECLARATION when founder submits a Verified Proof URL and links it to this Declaration within 30 days. On upgrade: 0.5 Signal Score weight applied.
7. After 30 days without validation: permanently
8. ○ DECLARATION · UNVALIDATED. No exceptions.

Path C — Submission Unverified

- File upload: PDF, DOCX, PNG, PPTX, XLSX.
- Max 10MB per file, max 3 files.
- One context sentence required (140 chars) — what was made.
- Files under 5KB rejected. Duplicates from previous days rejected.
- Label: © SUBMISSION · UNVERIFIED
- Upgrades to ✓ VALIDATED SUBMISSION when founder submits a
- Verified Proof URL and links it to this Submission within 30 days. On

upgrade: 0.5 Signal Score weight applied.

- After 30 days without validation: permanently unvalidated.

SHARED RULES (all three paths)

1. Work type selector appears after path is chosen:
 - Product / Distribution / Ops
2. Tier label auto-populates before founder confirms.
3. Founder sees exactly what their submission counts as before locking it.
4. Entry locks immediately on confirm. Cannot be edited.

UPGRADE MECHANIC (Path B and Path C)

1. Triggered when founder submits a new Verified Proof URL and the system asks: "Does this outcome relate to a previous Declaration or Submission?"
2. Founder selects the entry to link. System validates the Verified Proof URL. On confirmation: tier upgrades,
3. 0.5 Signal Score weight applied, arc appears on public profile.
4. Upgrade is founder-initiated. System prompts, does not auto-link.
5. One upgrade per entry. Permanent. Cannot be downgraded.
6. Public profile arc:
7. Declaration:
 - "Declared [X] (Day N) → Verified [Y] (Day N+X) · N-day execution arc"
8. Submission:
 - "Built [X] (Day N) → Proven [Y] (Day N+X) · N-day execution arc"

06 Entry locked screen

1. Header: "ENTRY LOCKED · CANNOT BE EDITED OR DELETED"
2. Entry card: Entry #001 · Day 1 · LOCKED · URL, text, or filename · timestamp · category · tier label
3. 30-day grid preview. First square filled, 29 ghost squares beyond.
4. Execution count: 1 day executed · 0 breaks
5. Live countdown: Next Window Closes 23:58:57
6. Milestone track: Day 1 NOW → Day 21 → Day 60 → Day 90 Labels only. No prices.

07 Conexa activation

1. Label: "CONEXA · EXECUTION INTELLIGENCE"
2. 6 tabs generate in parallel via real API calls. Hard cap: 8 seconds.
3. Graceful degradation if slow — renders with available data, completes asynchronously.
4. Animated checklist:

✓ Market sizing complete

✓ Competitive landscape mapped

✓ ICP defined

✓ Execution gap identified

✓ First 30 days planned

✓ Executive synthesis ready

- After checklist: personal insight paragraph specific to this founder.
- Includes: what Conexa now knows, predicted behavioral gap, what Conexa will watch for.
- Then: "Your Day 2 directive generates at midnight."
- Founder cannot skip. CTA appears only after generation completes.

08 Record live screen

1. "Live at oexecute.com/[username]"
2. Record card:
 - username,
 - RECORD STARTED badge
 - 1 DAY EXECUTED · 0 BREAKS
 - mini 30-day grid
 - milestone track
 - Entry #001 LOCKED
3. Two CTAs: "Share my record" / "Open dashboard →"
4. Bottom: "Your next window closes in 23:58:47."

Operating Record

09 90-day execution grid

1. Every square is a day. Every colour is a category.
2. Blue: Product · Purple: Distribution · Orange: Ops
3. Pink/Red: Break mark · Light blue outline: today · Grey: future
4. Ghost squares (10% opacity) beyond active range — visible but clearly inactive, never read as missed days
5. Grid shows 30 days on load, expands to 60 at Day 21, 90 at Day 60
6. Updates in real-time on submission
7. Pulse animation on current day square while window is open
8. Fully interactive — every square tappable, desktop and mobile

10 Daily submission flow

1. "Submit today's entry" button visible at top of dashboard while window is open, disappears on submission or window close
2. URL input with Validate button OR text Declaration OR file upload
3. Same rules as onboarding feature 05
4. Work type selector: Product / Distribution / Ops
5. Tier label auto-populates before confirm
6. On submit: entry locks immediately, grid updates in real-time, execution count increments, button disappears,
7. Conexa acknowledges with one execution-focused sentence

11 Submission tier system

Tier 1 — Verified Proof

1. External URL resolving at submission moment.
2. Validated by HEAD request, HTTP 200–399, content-type check,
3. minimum response body > 1KB, duplicate URL check.
4. Full Signal Score weight. Streak maintained.
5. Label: ✓ VERIFIED PROOF

Tier 2 – Declaration

1. Stated intent, text only, 30–140 chars.
2. Available every day, one per day maximum.
3. Zero Signal Score weight until validated. Streak maintained.
4. Label: ○ DECLARATION · PENDING VALIDATION
5. Upgrades to ✓ VERIFIED DECLARATION at 0.5 weight within 30-day window.
6. After 30 days: permanently ○ DECLARATION · UNVALIDATED.

Tier 3 – Submission Unverified

1. File upload: PDF, DOCX, PNG, PPTX, XLSX.
2. Max 10MB per file, max 3 files.
3. Required context sentence: 140 chars.
4. Files under 5KB rejected. Duplicates rejected.
5. Excluded from Signal Score. Streak maintained.
6. Label: © SUBMISSION · UNVERIFIED
7. Upgrades to ✓ VALIDATED SUBMISSION at 0.5 weight within 30-day window.
8. After 30 days: permanently unvalidated.

UPGRADE MECHANIC (Tier 2 and Tier 3)

1. Triggered when founder submits new Verified Proof URL.
2. System asks: "Does this outcome relate to a previous
3. Declaration or Submission?"
4. Founder selects entry to link. Upgrade is permanent.
5. One upgrade per entry. Cannot be downgraded.
6. Arc shown on public profile after upgrade.
7. Loom URLs: 5-minute hold on videos created within 60 seconds of submission — prevents record-and-submit gaming.

12 Grid square tap interaction

Filled square modal:

- Full date (Monday, March 4, 2026)

- Day number (Day 23) · Entry number (Entry #023)

WHAT THEY WORKED ON:

1. If Verified Proof:

- URL (clickable, opens in new tab)
- URL type label (GitHub commit / Loom / Stripe /
- Published page / Tweet / Other)

2. If Declaration:

- "Declared: [their exact 30–140 char statement]"

3. If Verified Declaration:

- "Declared: [original statement]"
- Verified Proof URL (clickable)
- Arc: "Declared (Day N) → Verified (Day N+X) · N-day execution arc"
- If Submission Unverified:
- Filename(s)
- "Submitted: [their context sentence]"

4. If Validated Submission:

- Filename(s)
- "Submitted: [their context sentence]"
- Verified Proof URL (clickable)
- Arc: "Built (Day N) → Proven (Day N+X) · N-day execution arc"

5. Category: Product / Distribution / Ops

6. Tier label (one of five states above)

- Directive text (Day 21+): full directive shown
- Directive status: ✓ Completed [URL] or ✗ Missed · permanent
- Execution count at time of entry: "[N] days executed · [N] breaks at this submission"
- "Share this day →" button

7. Break mark modal:

- Full date, day number
- "No submission on this day."
- "This gap is part of your record."
- No edit option. No explanation field. No retroactive context.

8. **Future square modal:**

- Day number, date, "Not yet."
- Window open/closed status if today.

13 Break mark system

1. Permanent the moment the 24-hour window closes without any submission.
2. Written as a separate row type in the Ledger.
3. Visible on public profile when break marks enabled in settings.
4. Does not reset execution count.
5. Does not suspend investor visibility alone.
6. The gap is the data. It is recorded. It is visible. It is permanent.

14 24-hour submission window

1. Server-side countdown only – cannot be manipulated client-side
2. Window opens at midnight, closes at 11:59:59 PM
3. Streak evaluation runs at 11:59:50 PM across all sources
4. Break mark written at 11:59:55 PM if all sources empty
5. Countdown visible top right of dashboard at all times

15 Execution counter

1. Displays: "[N] days executed · [N] breaks"
2. Updates at midnight when window opens
3. Public on founder profile
4. Never resets – reflects total execution history
5. Break marks visible alongside execution count
6. Both numbers tell the full story

16 Entry log

1. Chronological list below grid
2. Each row: entry number · day · what they worked on

3. (URL / declared text / filename) · timestamp · category · tier label · LOCKED indicator
4. Every row tappable — opens same detail modal as grid square tap

17 Four progressive dashboard states

Day 1 State (Record Tier — Free):

1. Execution counter (large, prominent)
2. 30-day grid, first square filled
3. Submit button if window open
4. Entry log
5. Conexa intelligence panel (6 tabs, updates on new submission)
6. Countdown top right
7. Footer: "Directives + Signal Score unlock at Day 21 ·
8. Investor + Coach access from Day 60 · Full record at Day 90"

Day 21 State (Operator Tier):

1. Four stat cards:
2. Days Executed / Breaks / Directive Completion / Signal Score
3. Grid expands to 60 days, all submitted days colour-coded
4. Journey progress bar: Day 1 ✓ → Day 21 ✓ → Day 60 → Day 90
5. Directive panel (persistent, below grid)
6. Signal Score sidebar (right, breakdown bars)
7. Artifact breakdown panel with gap warnings
8. All 12 Conexa intelligence tabs visible
9. Directive history panel

Day 60 State (Pathfinder Tier):

1. Everything from Day 21, plus:
2. Investor Visibility panel in right sidebar
3. Coaches section unlocks in navigation

Day 90 State (Signal Tier):

1. Everything from Day 60, plus:
2. Grid shows full 90 days
3. VERIFIED SIGNAL badge top right
4. All milestones complete
5. Signal PDF, all achievement cards, year-end report available
6. Founders at Your Stage accessible
7. Fund-tier matchmaking active (Score 95+ required)

Conexa Intelligence

18 Conexa activation report

1. Generated at onboarding Screen 07
2. 6 tabs via real Claude API calls, 8-second hard cap
3. Graceful degradation if slow — renders with available data, completes asynchronously
4. Animated checklist:
 - ✓ Reality check complete
 - ✓ Blindspot identified
 - ✓ Shipping vs. noise mapped
 - ✓ Next move locked
 - ✓ Integrity forecast complete
 - ✓ Executive synthesis ready
5. Personal insight paragraph after generation. Includes: what Conexa now knows, predicted behavioral gap, what Conexa will watch for.
6. Day 2 directive previewed. Cannot be skipped.
7. Founder cannot skip. CTA appears only after generation completes.

19 6 intelligence tabs — active from Day 1

Data source for all 6: onboarding answers only. No submission history exists yet. These tabs are behavioral diagnostics, not strategic analysis. They read what the founder said. Day 21 tabs read what the founder did.

Tab 1: The Reality Check

Congruence between stated stage/MRR and their 30-day must-figure-out goal (Q5 from optional context). Flags misalignment immediately. If stage is Idea but focus is scaling infrastructure, Conexa states it directly. No softening. If Q5 is blank, Conexa flags that itself: "You did not answer what you need to figure out in 30 days. That is the first gap."

Tab 2: The Blindspot

Avoidance pattern (Screen 04 multi-select) + biggest blocker (Screen 04 free text) read together. Identifies where break marks will appear in their ledger before they happen. Conexa states explicitly what it will be watching. Ends with: what Conexa has calibrated directives to push through.

Tab 3: Shipping vs. Noise

Q1 (what they've already shipped) cross-referenced against Q4 (stated traction). Exposes Ghost Work — features built vs. business proven. Direct comparison. No encouragement. Flags explicitly if shipping activity has no corresponding market signal. If both Q1 and Q4 are blank: "You have not shipped anything and have no traction. Your record starts today."

Tab 4: The Next Move

Biggest blocker from Screen 04 transformed into a forced-choice 30-day execution roadmap. One category assigned for the first 7 days only. Everything else named as a distraction. Singular and directional. Not a list. Not options.

Tab 5: The Integrity

Forecast Pattern extrapolation from avoidance + blocker + shipping history. States the predicted stall point and the approximate week it's likely to hit. Framing: "Based on your pattern, Week [N] is your highest-risk window. Your directives are already calibrated for this." No percentage language. No market prediction. Speculation classifier does not fire — this is stated-behavior extrapolation, not hypothetical outcome.

Tab 6: Executive Synthesis

One paragraph. Where you are / what is already working against you / what Conexa will be watching from Day 2. No softening. No encouragement. Then: "Your Day 2 directive generates at midnight." Founder cannot skip. CTA appears only after all 6 tabs have rendered.

20 5 intelligence tabs – unlock at Day 21

1. **Data source for all 5:**

21 days of verified submission history. These tabs cannot be fabricated from onboarding answers alone. They require a record to read against. This is why they are separated.

2. **Unlock condition:**

Day 21 execution count reached AND Operator tier subscribed.

3. **Positioning:**

On Day 1, Conexa read what you said. On Day 21, Conexa reads what you did. These tabs are the difference.

4. **Tab 7: Where Your Time Actually Went**

21-day category breakdown: Product % / Distribution % / Ops %. Compared directly against stated focus at onboarding. Gap named without interpretation. "You said distribution was your priority. Your record is 76% product. These are not the same thing." If aligned: stated plainly. "Your record matches your stated focus. That is uncommon." No celebration. Just the fact.

5. **Tab 8: What You Said You'd Do – And Did**

Declaration-to-verified-proof arcs from the 21-day record only. Every instance where the founder declared something and followed through with a verified URL within the 30-day window. Listed as execution arcs: "Declared [X] · Day 4 → Verified · Day 6 · 2-day arc." No commentary. No encouragement. The record proving their word has weight. If no arcs exist: "You have no completed declaration arcs in 21 days. Every entry has been a verified proof URL with no prior declaration. You execute without committing in advance. That is a pattern Conexa will test."

6. **Tab 9: Your Avoidance Pattern, Confirmed**

Day 1 stated avoidance vs. 21-day category submission record. Three possible outputs: Confirmed: "You said you avoid [X]. Your record confirms it — [N] submissions in that category in 21 days." Contradicted: "You said you avoid [X]. Your record shows [N] submissions in that category. You were wrong about yourself." Expanded: "You said you avoid [X]. Your record also shows consistent avoidance of [Y] — you did not name this on Day 1." All three stated plainly. No interpretation beyond what the record shows.

7. **Tab 10: Your Execution Signature**

Directive completion rate, break pattern, category consistency, submission timing patterns over 21 days. Produces one named execution type from the record. Not a personality quiz — a behavioral read. Four signature types: "Consistent-narrow: you execute every day but only in one category." "Burst-and-crash: high submission weeks followed by break clusters." "Directive-resistant: you submit daily but complete fewer than 40% of directives." "Avoidant-then-sprint: long gaps followed by high-volume catch-up attempts." One signature only. Named. Explained in one sentence. "This is what your record says about how you work. Directives for the next 30 days are calibrated to this pattern."

8. **Tab 11: The Gap That Will Kill This**

One specific gap between what the 21-day record shows and what the founder's stated stage requires. Not a list. One thing. The most dangerous pattern identified across all four tabs above, named as a single risk. "You are building. You are not selling. At your stage that is the gap that ends startups." Or: "You are selling but have not shipped in 14 days. Customers will notice before you do." Singular. No softening. No second gap offered. One thing to fix.

1 intelligence tab — unlocks at Day 60

1. **Unlock condition:**

Day 60 execution count reached AND Pathfinder tier subscribed AND execution rate above 70%.

2. **Tab 12: Fundraising Readiness**

Locked until Day 60. Visible but grayed out from Day 21 with label: "60 days executed required." At Day 60: reads execution rate, directive completion rate, Signal Score, Stripe MRR if connected, and all five investor visibility conditions. States whether the record is fundraising-ready and names the specific gaps. "Your execution rate qualifies. Your directive completion rate does not. Investors who see this record will ask about the 8 missed directives in weeks 4 and 5. You need an answer or a better pattern before you open visibility." No encouragement. No projection. The record read against what investors actually look for.

3. All 12 tabs update when: new integration connected / milestone reached / Signal Score threshold crossed / significant pattern shift detected. Founder notified: "Conexa has updated your intelligence."

21 Unified Conexa chat interface

- Single interface. Context-scoping invisible in system prompt.
- Context header bar always visible: "CONEXA · Scoping: Today's Directive — Day 34" or "CONEXA · Scoping: Full Record — 34 days executed"
- Switching scope: one tap on header "Expand to full record →"
- Left sidebar: Conexa Tools panel (tool calls visible)
- Main area: conversation thread, chronological
- Bottom: quick action chips + input field + send

Three locations:

1. Location 1 — Onboarding Screen 07 (activation) Chat input locked during tab generation. Unlocks only after all 6 tabs render and CTA appears.
2. Location 2 — Directive panel on dashboard (daily)
3. Location 3 — Full Conexa screen in navigation (open chat)

22 Speculation classifier

Deterministic. Runs before every user message. Not the LLM.

Trigger patterns:

"what if / will this / will I / if I / predict / what are my chances / assume I / guarantee / is this going to / will investors / will users"

On trigger: 3 rotating redirects, never reaches Conexa engine.

A: "I don't predict outcomes. Your record does. Stop imagining results — start generating them. Your execution count is [N] days. What's the one action you can submit proof for today?"

B: "That question is a trap. Every minute spent wondering 'will this work' is a minute you're not finding out. Your record answers that question. What's your next submission?"

C: "Outcome prediction is not my function. Execution direction is. No one knows if it will work. The only thing that generates data is doing it. What can you do in the next 2 hours and submit proof?"

Flag: Speculation flagged. Execute first. Analyse after.

Retry path: "Flagged incorrectly? Rephrase as a specific action: 'I want to reach out to 3 customers — which channel?' versus 'Will outreach work for me?'"

3+ flags in one session: "Your questions keep triggering speculation detection. Try: 'What is my next action based on my record?' and build from there."

Classifier exemption: Does not fire on references to Integrity Forecast output. If a founder quotes Tab 5 language back into chat, it routes to the Conexa engine, not the classifier.

23 Conexa behavioral rules

10 rules. Hardcoded in versioned system prompt.

Rule 1: No outcome prediction — classifier catches before LLM.

Rule 2: No cheerleading.

Rule 2a: No strategy without record. Conexa does not advise on markets, competitors, or fundraising in the abstract. Every response references what is in the ledger — submissions made, categories avoided, directives missed. If the record is empty, Conexa references the onboarding answers. It does not fill the gap with general advice.

Rule 3: Off-topic gets one redirect then consistent re-redirect.

Rule 4: Never identifies as Claude or any other AI.

Rule 5: Always references real data in every response. Before Day 2: references onboarding answers only. From Day 2 onward: references submission history, directive completion, and Signal Score. Never fabricates record data that does not exist.

Rule 6: Always ends with next action or pointed question.

Rule 7: Abuse two-strike system — session suspended on second offence. Record unaffected. Only chat locked.

Rule 8: Response length guardrails. Directives: max 150 tokens. Analysis: max 300 tokens.

Rule 9: Context header always shows scope.

Rule 10: Execution Signature (Tab 10) informs directive tone and category targeting from Day 21 onward. Conexa does not announce this. It simply adjusts.

Versioned system prompts: New version on every change, never overwrites. Every directive tagged with prompt version that produced it. Full rollback capability.

24 Daily directive

Auto-generated nightly at 12:01 AM for every active founder.

One sentence. One action. One proof requirement.

Directive card: "AI DIRECTIVE · BASED ON BEHAVIORAL RECORD" Directive text Behavioral tag (e.g., "distribution gap · 67 days executed") Window closes timestamp Proof input field, submit button "No text. URL must resolve. Closes Done or Missed."

Generation inputs:

1. Last 30 days category ratios
2. Execution rate and recent break pattern
3. Directive completion rate
4. Avoidance pattern from onboarding (permanent)
5. Biggest blocker from onboarding (permanent)
6. Current stage, MRR trajectory, meeting cadence
7. Most recent submission type
8. Consecutive category pattern
9. Execution Signature (from Tab 10, available from Day 21 onward)

Gap targeting: Distribution / Product / Ops / Validation Investor gap targeting activates when investor visibility layer ships. Not built at MVP.

25 Directive proof submission

1. URL validated in real-time on submit
2. Resolves: directive closes ✓ DONE, proof URL locked permanently
3. Fails: error shown, founder must resubmit different URL
4. 11:59 PM without proof: directive closes ✗ MISSED, permanent
5. Directive close cron: 11:59:50 PM
6. Next generation cron: 12:01 AM

26 Directive history panel

1. Visible from Day 21.
2. Each row: identifier / directive text / proof URL / Done or Missed / behavioral tag
3. Summary: total issued, completed, completion rate, most-missed category
4. Threshold warning in red below 60%

27 Quick action chips

- Six chips available at the bottom of the full Conexa screen. Every chip reads from the founder's actual record before responding. No chip produces generic advice.
1. **Draft investor update**
Reads execution count, MRR, directive completion rate, and milestones achieved. Generates a specific update the founder can send today. No fabrication — only what the record contains. Does not reference investor visibility status or investor feed. Generates from execution record only. Founder decides where to send it.
 2. **What should I focus on?**
Reads last 30 days of submission categories, execution gap, and avoidance pattern from onboarding. Returns one specific next action. Not a list. Not general advice. One thing.
 3. **What did I avoid this week?**
Reads submission categories and directive completion for the last 7 days. Returns specifically what the founder deprioritised relative to their avoidance pattern from onboarding. Uncomfortable. Specific. Record-driven.
 4. **Write a developer brief**
Reads the record context and generates a specific technical brief from what the founder has actually been building. Grounded in submitted proof, not stated intentions.
 5. **Compare my benchmarks**
Reads execution rate, completion rate, and Signal Score. Compares against founders at the same stage and same day milestone. Specific percentile data. No commentary on whether the founder is doing well or badly — just where they rank and what the gap is.
 6. **What's my biggest risk?**
Reads submission patterns and flags record-based anomalies only.
Example: "You have not submitted a distribution entry in 19 days. That is your biggest execution risk right now." Constrained to pattern-based risks

only. Never speculates about market risks, competitive threats, or hypothetical scenarios not visible in the record.

Never speculates about market risks, competitive threats, or hypothetical scenarios not visible in the record.

28 Conexa tool calls

Visible below every response:

read_ledger()	full execution history
get_metrics()	MRR, commits, meeting cadence
flag_anomaly()	off-pattern detection
compare_benchmarks()	percentile ranking vs peers
draft_update()	investor update from real data
generate_brief()	developer or ops brief
score_execution()	Signal Score component analysis

29 Context injection

1. Assembled fresh before every API call:
2. Full submission history (categories, dates, URLs, tiers)
3. Declaration-to-proof upgrade arcs included in full submission history
4. Directive completion rate and history
5. Execution count, break count, break pattern
6. Signal Score breakdown
7. Stage and avoidance pattern (permanent)
8. Biggest blocker (permanent)

9. Connected tool data, MRR trajectory
10. Days on record, current tier
11. Activation tab outputs (permanent baseline, never expire)
12. Integrity Forecast predicted stall week (referenced in directives when that window approaches)
13. No memory between sessions. Context injection is the memory.

30 Weekly Brief

Every Sunday 11:59 PM. In-product notification. Email opt-in.

Format: field report.

1. Days executed this week: [N] of 7
2. Breaks this week: [N]
3. Directives completed: [N] of [N] · [N]%
4. Signal Score movement: +[N] · [N] → [N]
5. Category this week: Product [N]% · Distribution [N]% · Ops [N]%
6. Conexa observation: one line of pattern data
7. One line of implication
8. Week [N+1] directive pattern: one line of direction

Tone: debrief. Never motivational. Never congratulatory. Founder can disable in settings. On by default.

31 Light directive logic

1. Platform-wide: if miss rate exceeds 25% across all active founders on same day, shift to maintenance directives for 3 days.
2. Individual: 4 consecutive missed directives triggers one maintenance directive before resuming gap-targeting.
3. Both invisible to founders — no notification, no explanation.
4. Maintenance directives still require proof.
5. Still close Done or Missed.
6. The standard adjusts for sustainability, not leniency.

Signal Score

32 Signal Score calculation

Computed nightly at 12:01 AM after directive close cron.

Formula:

$(\text{Streak Depth} \times 0.40) + (\text{Directive Completion} \times 0.35) + (\text{Artifact Diversity} \times 0.25)$

Streak Depth (revised):

$(\text{total_days_executed} \div \text{days_on_record} \times 100) - (\text{breaks_in_last_30_days} \times 4)$

Floor: 0. Cannot go negative.

Examples:

1. 67 of 90 days executed, 0 breaks in last 30 days: $74.4 - 0 = 74.4$
2. 67 of 90 days executed, 2 breaks in last 30 days: $74.4 - 8 = 66.4$
3. 90 of 90 days executed, 0 breaks: $100 - 0 = 100$
4. 80 of 90 days executed, 1 break in last 30 days: $88.9 - 4 = 84.9$

Directive Completion: $\text{directives_done} \div \text{directives_issued} \times 100$

Artifact Diversity: $\text{distinct_categories_submitted} \div 3 \times 100$

Score: 0-100

Percentile: computed against active founders only (submitted at least one entry in last 30 days)

Score history: new row written daily, never updated.

Why these weights:

1. Streak Depth 40%: execution rate with recency penalty rewards consistent founders while making recent gaps consequential but not catastrophic.
2. Completion 35%: following through on gap-targeting work is harder than submitting what you enjoy. Directive completion proves the founder can work on what needs doing, not just what they prefer.
3. Diversity 25%: least weight because early-stage founders should be product-heavy. Diversity improves naturally as directives correct imbalances.

33 7-day moving average display

1. Raw score computed and stored nightly.
2. Displayed score = 7-day moving average.
3. Trajectory graph shows both: raw (lighter) and smoothed (bold).
4. Default view: smoothed only.
5. Raw score visible in Signal Score Report.

34 Signal Score screen

1. Header: "Signal Score · Computed nightly · execution rate × completion × diversity"
2. Large score display: number + percentile label
3. "Your record ranks above [N]% of active founders."
4. Visibility status line
5. Network position bar: 0–100 percentile, founder marked
6. Score breakdown panel:
7. Streak Depth bar:
8. Label: "Execution Rate"
9. Sub-label: "[N] days executed · [N] breaks in last 30 days"
10. Bar fills proportionally
11. Component score shown
12. Directive Completion bar:

13. Label: "Directive Completion"
14. Sub-label: "[N] of [N] completed"
15. Bar turns red if below 60%
16. Artifact Diversity bar:
17. Label: "Artifact Diversity"
18. Sub-label: "[N] of 3 categories"

35 AI insights panel

3 insights from Conexa reading the score breakdown:

1. Insight 1: What is dragging the score (specific)
2. Insight 2: What is strongest (brief)
3. Insight 3: One action to improve score in next 7 days

36 Score trajectory graph

30-day line graph, annotated with:

1. First directive completed
2. Execution milestones (Day 21, 60, 90)
3. First investor request received
4. Integration connection dates
5. Break marks (shown as dips, not cliffs)
6. Trend indicator: Improving / Declining / Flat

37 Score unlock thresholds

1. Score 45+: Investor visibility active
2. Score 75+: Priority rank in investor feed
3. Score 85+: Weekly digest feature slot
4. Score 95+: Fund-tier matchmaking

38 Signal Score Report

Two downloadable formats. Two different purposes.

1. PDF — For conversations that require depth

- The full plain-language breakdown of how the score was computed. Formula shown in full. Raw numbers per component.
- Execution rate calculation with break penalty applied. Specific actions to improve in next 7 and 30 days.
- Header includes: founder name, oexecute.com/[username], unique record ID, verified tier badge, and date generated.
- This means every PDF is traceable back to a specific founder's verified record — it cannot be fabricated or reused by someone else.
- Designed for: attaching to investor emails, including in data rooms, sharing with advisors before a meeting, handing to a coach before a session.
- The investor reads it privately before a conversation.
- It answers "how is your score calculated" before the question is even asked.

2. PNG (Image) — For public credibility signalling

- A clean, branded single-image summary of the score.
- Shows: Signal Score number, percentile, execution rate, directive completion rate, founder name, oexecute.com/[username], Oexecute verified badge.
- No formula. No breakdown. Just the credential.
- Designed for: sharing on LinkedIn, Twitter/X, Instagram,
- WhatsApp status, adding to a pitch deck cover slide, or embedding in a newsletter.
- Pre-written captions available alongside the image: LinkedIn variant and Instagram variant, one click to copy.
- The image does what a badge does — it signals standing without requiring the viewer to read anything.

3. The distinction in one sentence:

- The PDF proves the score to someone who needs to understand it. The image shows the score to everyone who needs to see it.

39 Execution Velocity metric

1. Computed nightly, stored in Access Layer.
2. Formula: (Verified Proof submissions last 30 days ÷ days active last 30 days) × average signal weight
3. Scale: 0–1.0
4. Labels: Low / Building / High / Elite
5. Shown to investors in feed alongside Signal Score.
6. Not shown to founders directly.

Investor Visibility

40 Investor visibility toggle

1. Master ON/OFF. Founder controls entirely.
2. When OFF: completely invisible to all investors.

41 Five visibility conditions

All five must be true simultaneously.

1. Toggle ON
2. Signal Score 45+
3. Total days executed 70%+ of days on record (execution rate, not consecutive streak)
4. Directive completion rate 60%+
5. No more than 2 breaks in last 14 days
 - Grace period for completion rate drops: 7 days.
 - Execution rate drops below 70%: visibility suspends immediately. No grace period. Reactivates automatically when rate recovers.
 - Visibility reactivates automatically when all conditions met.
 - No manual reactivation required.

42 Anonymised investor feed

1. Investors see: execution count, break count, execution rate, completion rate, Signal Score, Execution Velocity, stage, category.
2. Never before accept: name, company, URL, financials, specific submission

URLs, Conexa content.

3. Investor-facing API returns 404 for any founder who does not meet all five conditions.

43 Investor preview panel

1. Founders see exactly what investors see before enabling.
2. Label: "INVESTOR VIEW · IDENTITY HIDDEN"
3. Shows execution data, not identity.

44 Connection request flow

1. Investor browses feed, filters by Signal Score / Execution Velocity / stage / category / execution rate.
2. Investor submits request + note (200 chars, moderated).
3. Founder sees investor's full verified profile + note.
4. Accept or ignore. No time pressure.
5. Investor not notified on ignore. No retry for 90 days.
6. On accept: mutual identity reveal, messaging unlocks.
7. First message auto-populated from Conexa record summary: "[Founder] has been building [Startup] on Oxecute for [N] days. [N] days executed · [N] breaks. Signal Score: [N] · [N]th %ile.
8. Completion: [N]%. Stage: [stage]. MRR: [MRR].
9. This conversation starts from that record."

45 Investor profile view

1. Full verified profile visible before founder decides:
2. Verified badge, name, firm, tier, focus, geography, check size, stated interest, their note, past Oxecute connections (count only)

46 Mutual identity reveal

1. On accept: both sides see name and company simultaneously.

2. Messaging unlocks. Revoke access at any time.

47 Granular visibility controls

1. MRR and Revenue (Stripe verified): ON / OFF
2. Commit Activity (GitHub verified): ON / OFF
3. Investor Meeting Log (Calendly verified): ON / OFF
4. Auto-Milestones: ON / OFF
5. Signal Score visibility: ON / OFF
6. Manual submission patterns always visible when toggle ON.
7. Default when first enabled: all ON.

48 Observing count

1. Number of investors who bookmarked the anonymised profile.
2. Number only. No names. No details.

49 Visibility condition dashboard

1. Real-time status of all four conditions.
2. Status: Active (green) / Suspended (amber) / Inactive (grey)
3. When any condition failing — specific gap shown:
4. Execution rate Required: 70% Yours: 65% ✗
5. Completion rate Required: 60% Yours: 71% ✓
6. Signal Score Required: 45 Yours: 68 ✓
7. Recent breaks Required: ≤2 Yours: 3 ✗
8. Warning when at risk: specific condition and what to do.

50 VC-Founder Exchange

1. Investor-facing marketplace.
2. Filtered by Signal Score / Execution Velocity /
3. execution rate / stage / category.
4. The record does the pitching.

Coaches

51 Coaches directory

1. Day 60+ access. Locked before Day 60.
2. Filters: All / Product / GTM / Fundraising / Operations / Technical

52 Coach profiles

1. Background, specialisation, methodology, active founder count, star rating, endorsements with endorser's execution count shown, minimum record requirement (coach-set, platform-enforced)

53 Coach connection flow

1. Mirrors investor mechanic exactly.
2. Ignored: coach not notified, no retry for 60 days.
3. On accept: identity reveals, session booking opens.

54 Coach tiers

1. Observer: one connection request, first session only.
2. Partner: full ongoing engagement, record tracking.

55 Coach rating system

1. 1–5 stars, optional endorsement (300 chars, public).
2. Endorser's execution count shown next to endorsement.
3. Below 4.0: flagged. Below 3.5: removed.

Founders at you Stage

56 Peer directory

1. Browse: Day 30+
2. Appear: Day 90+ and execution rate above 70%
3. UI hidden until 20+ qualifying founders exist.
4. Auto-filtered: stage / 90+ days on record / category match
5. Founder card: name, "[N] days executed · [N] breaks", stage, category, connect button.

57 Peer connection flow

1. One-to-one. Consent-based.
2. Request + note (140 chars). Mutual accept required.
3. No retry for 30 days on ignore.

58 Community rules

1. No public feed. No likes. No reactions. No broadcasting.
2. All interaction one-to-one and consent-based.

Credentials

59 Day 21 achievement card — VERIFIED OPERATOR

1. Dark background (#08080F), Phthalo Blue, Calcium text,
2. Bricolage Grotesque typography.
3. Large "21" · "days executed"
4. Mini grid: 21 filled + 9 empty
5. Execution count badge: "[N] days executed · [N] breaks"
6. Signal Score badge
7. "Execution is the credential."

8. [oxecute.com/\[username\]](#) · VERIFIED OPERATOR
9. Download PNG + PDF. Two pre-written captions.

60 Day 60 achievement card — VERIFIED PATHFINDER

1. Large "60" · "days executed"
2. 60-day grid, execution count, Signal Score, investor visibility status. VERIFIED PATHFINDER.
3. Download PNG + PDF. Two pre-written captions.

61 Day 90 achievement card — VERIFIED SIGNAL

1. Large "90" · "days executed"
2. Full 90-square grid with break marks visible (the honest record — not a perfect grid, the real one)
3. All four stats: Days Executed / Breaks / Completion / Signal Score
4. "The record speaks."
5. VERIFIED SIGNAL badge (large, dominant)
6. Download PNG + PDF. Two pre-written captions.

62 Signal PDF

1. Full verified execution record document.
2. Founder name, record URL, verified badge tier
3. Stats: days executed / breaks / completion rate / signal score
4. Full 90-day grid with break marks shown
5. Artifact breakdown: Product % / Distribution % / Ops %
6. Verification statement: "Every submission validated against a live external URL at time of logging."
7. Footer: "Oxecute · execution is the credential · [oxecute.com/\[username\]](#)"

63 Year-end execution report

1. Signal tier, Day 90+ only.
2. Generated by Conexa. Real analysis, not template fill.
3. Contents: directive history and completion arc / artifact distribution over time / Signal Score trajectory / behavioral pattern summary / execution consistency analysis / fundraising conversation guide.
4. Downloadable PDF only. 30–60 second generation.
5. Public profile: summary card visible, full report private.
6. Founder grants specific investor or advisor read access.

64 Pre-written share captions

1. LinkedIn, Instagram, X variants per card.
2. Copy with one click. Founder writes nothing.

Founder Profile

65 Public profile

1. `oxecute.com/[username]` Live from Day 1. No login required. Username locked after 7 days. Permanent.
2. Public by default. Founder can set to Private in Profile Settings. When private, profile URL returns a blank page, badge links to locked state, search engine indexing disabled automatically, investor requests force-disabled. Switching back to public restores all settings instantly.
3. **Always visible:**
 - Founder name Initials avatar (colour-coded by execution rate depth)
 - "[N] days executed · [N] breaks" (real-time)
 - Total submissions
 - Building since date (permanent)
 - Full 90-day execution grid (interactive, break marks visible)
 - Verified badge (tier-based, auto-updates)
 - Auto-milestone badges (Stripe-triggered)
4. **Founder-controlled (ON/OFF):**
 - Break mark count — default ON
 - Directives issued — default ON

- Completion rate — default ON
 - Signal Score — default OFF
 - Investor requests accepted — default OFF
5. **Never visible:** Conexa history, directive text, score breakdown, financials, investor connections

66 Initials avatar

1. Colour-coded by execution rate: lower rate = lighter, higher rate = richer. No custom photo. The record is the identity. *(No change)*

67 Verified badge

1. VERIFIED OPERATOR / VERIFIED PATHFINDER / VERIFIED SIGNAL Auto-updates. Appears from Day 21 with Operator subscription. *(No change)*

68 Record statistics panel

1. Right side of public profile. Configurable per feature 65.
2. Not visible when profile is set to private.

69 Locked pricing display

1. Logged-in founder on own profile only.
2. "You are on [Tier] at \$[X]/month. Locked for life."
3. Shown every visit. Intentional retention design.
4. Visible regardless of public/private setting — shown to the founder only on their own profile.

70 Embeddable badge

1. SVG generated dynamically on every request. Real-time. Founder name,

- execution count, verified tier, link to record.
- 2. One-line embed code.
- 3. When profile is private, badge still renders but clicking through links to a locked state page instead of the profile.

71 Year-end report access control

- 1. Founder grants named individuals read access only. Separate from investor visibility toggle.
- 2. Access grants remain intact when profile is private. Named viewers can still access the report directly via its own URL; they cannot access the public profile.

72 Profile settings

- 1. Can change: bio (160 chars), tags, visible statistics, Signal Score display, year-end report viewer access, search engine indexing (ON by default), profile visibility (Public / Private).
- 2. Cannot change: username after 7 days, building since date, the grid, verified badge, break marks.
- 3. Note: Setting profile to Private overrides search engine indexing regardless of that toggle's state.

73 Grid square tap (public visitors)

- 1. Filled square: what they worked on (URL / declared text / filename + context), category, tier, directive completion status.
- 2. Break mark: date, "No submission. Break mark. Permanent."
- 3. Future square: day number, date, "Not yet."
- 4. Never shows: directive text, Score breakdown, Conexa content. (*No change*)

Milestone Tier System

74 Record tier — Day 1 — Free

1. Unlocks: operating record, public profile, three-tier submission system with upgrade mechanic, 8-screen onboarding, Conexa activation (6-tab report), 6 intelligence tabs, 24-hour submission window, entry locking, grid square tap,
2. Wave 1 integrations, Feature Request Board view.

75 Operator tier — Day 21 — price revealed at unlock

1. Requirement: Day 21 execution count AND subscribe.
2. Cannot subscribe before Day 21. Cannot be gifted.
3. Adds: daily directive, Conexa chat, Signal Score + insights + trajectory, directive history, artifact diversity tracking, remaining 6 intelligence tabs, Day 21 achievement card, Feature Request Board upvote/comment/submit.

76 Pathfinder tier — Day 60 — price revealed at unlock

1. Requirement: Day 60 AND execution rate above 70% AND subscribe.
2. Adds: investor visibility toggle, investor feed appearance, connection request inbox, coaches directory, Day 60 achievement card, granular visibility controls.

77 Signal tier — Day 90 — price revealed at unlock

1. Requirement: Day 90 AND execution rate above 70% AND subscribe.
2. Adds: Signal PDF, Day 90 achievement card, all three cards, Founders at Your Stage, year-end execution report, fund-tier matchmaking (Score 95+), weekly digest (Score 85+), locked pricing for life of subscription.

78 Pricing reveal mechanic

1. No pricing visible until milestone earned.
2. At each milestone — full-screen moment:
3. "You've reached Day [21/60/90]."
4. List of what just unlocked.
5. "[Tier]. [Price]/month. Your rate is locked from today."
6. CTA: "Unlock what you earned →"
7. Secondary: "Continue on free tier"

79 Locked pricing rule

1. Price at first subscription locked for life of active subscription.
2. Lost permanently on cancellation.
3. Resubscription at current market price.
4. Stated explicitly at every pricing reveal.

80 Execution rate threshold for tiers

1. Pathfinder and Signal require execution rate above 70%.
2. Below 70%: 7-day grace period before suspension.
3. During suspension: tier access paused, investor visibility
4. suspends, coaches access pauses.
5. Record continues. Submissions continue.
6. Reactivates automatically on recovery.

81 Suspension vs cancellation logic

1. On cancellation: subscription ends, tier access pauses.
2. Record intact. Submissions discontinue.
3. Public profile stays live.
4. On resubscription: tier access resumes immediately.
5. Locked rate is lost. Current market price applies.

82 Price-lock savings display

Account section:

1. Locked rate / current public rate / monthly saving / annual saving / days locked.
2. One-line reminder on own profile when logged in.

Integration: Truth Stack

83 Connect Tools screen

1. "Connect your truth stack." Eight category sections, vertically stacked.
2. Each category shows only tools that can be connected — tools with no integration capability are not shown.
3. Within each category, tools already connected are marked as connected. Tools appearing in multiple categories show once only in their primary category.
4. Layout: category label → tool cards → connection status. Context label beneath each Tier 2 tool: "Makes Conexa smarter. Does not replace your daily submission."
5. Manual URL submission required for Verified Proof."

84 Building & Product

1. **GitHub (Tier 1 — Product Truth)**
pull_request.merged → Verified Proof, Product, full weight
release.published → Verified Proof, Product, full weight push only → Verified Proof, Product, 0.5 weight (5+ meaningful commits required, lines changed > 10, excluding package-lock and auto-generated files)
2. **GitLab (Tier 1 — Product Truth)**
Same schema as GitHub. Alternative only. One code repository integration active at a time.

3. **Linear (Tier 1 – Product Truth)**
cycle.completed → Verified Proof, Product, full weight issue.completed → qualifies at 3+ per day minimum
4. **Jira (Tier 1 – Product Truth)**
Same schema as Linear. Alternative only. One issue tracker active at a time.
5. **Figma (Tier 1 – Product Truth)**
file.version_published (external public link only) → Verified Proof, Product, 0.7 weight Internal files do not qualify.
6. **Vercel / Railway / Render (Tier 2 → Manual Verified Proof)**
Context: deployment activity, environment, frequency. Verified Proof: founder manually submits the live deployment URL. Resolves HTTP 200–399. Full weight, Product.
7. **Supabase / Firebase (Tier 2 → Manual Verified Proof)**
Context: schema changes, function activity, database events. Verified Proof: founder manually submits a linked GitHub commit, migration URL, or published changelog. Full weight, Product.
8. **Notion / Confluence (Tier 2 – Context Only)**
page.created, database.updated Never qualifies as Verified Proof. Cannot maintain execution count alone.

85 Marketing & Growth

1. **Webflow / Framer (Tier 2 → Manual Verified Proof)**
Context: publish activity, page updates. Verified Proof: founder manually submits the live published page URL. Resolves HTTP 200–399. Full weight, Distribution.
2. **Mailchimp / Loops / Beehiiv (Tier 2 → Manual Verified Proof)**
Context: campaign activity, send volume, list size. Verified Proof: founder manually submits the public campaign URL or archive link. Full weight, Distribution.
3. **Buffer / Typefully / Later (Tier 2 → Manual Verified Proof)**

Context: scheduling activity, post volume. Verified Proof: founder manually submits the live published post URL. Full weight, Distribution.
Note: Scheduled posts do not qualify. Published and live only.

4. **Google Analytics / Mixpanel / PostHog (Tier 2 – Context Only)**

Usage data, traffic patterns, event counts. Never qualifies as Verified Proof. Enriches Conexa with growth signal context only.

5. **Ahrefs / Semrush (Tier 2 – Context Only)**

SEO data, ranking movement, keyword activity. Never qualifies as Verified Proof. Context only.

86 Revenue & Finance

1. **Stripe (Tier 1 – Revenue Truth)**

payment_succeeded → Verified Proof, Ops, full weight
subscription_created, mrr_change, refund, dispute captured Auto-milestones: First Revenue / £1K / £5K / £10K MRR / 10 Customers / 50 Customers

2. **LemonSqueezy (Tier 1 – Revenue Truth)**

Same schema as Stripe. Alternative only. One revenue integration active at a time.

3. **QuickBooks / Xero (Tier 1 – Revenue Truth)**

invoice_paid → Verified Proof, Ops, full weight burn_rate, runway → context only Auto-milestones: First Profitable Month / 6-Month Runway / 12-Month Runway

4. **Deel / Razorpay (Tier 2 → Manual Verified Proof)**

Context: contractor payments, payroll runs, transaction volume. Verified Proof: founder manually submits a payment confirmation URL or invoice link. Full weight, Ops.

5. **Brex / Mercury (Tier 2 – Context Only)**

Transaction activity, burn rate, runway signal. Never qualifies as Verified Proof. Financial context for Conexa only.

6. **Pilot (Tier 2 – Context Only)**

Bookkeeping summaries, expense categorisation. Never qualifies as Verified Proof. Context only.

87 Sales & CRM

1. **Apollo (Tier 1 – Market Truth)**

sequence.step_completed → Verified Proof, Distribution, full weight

contact.replied → Verified Proof, Distribution, highest trust

meeting.booked → Verified Proof, Distribution, full weight

2. **Calendly / SavvyCal (Tier 1 – Market Truth)**

meeting.completed (external Booker required) → Verified Proof, Distribution, full weight
Booking alone does not qualify. Meeting must occur. Auto-milestones: 10 Customer Conversations / First Investor Meeting

3. **Loom (Tier 1 – Market Truth)**

video.viewed (at least 1 external viewer) → Verified Proof, Distribution, full weight
0 external views does not qualify. 5-minute hold on videos created within 60 seconds.

4. **LinkedIn Sales Navigator (Tier 1 – Market Truth)**

message_sent, connection_sent → Verified Proof, Distribution, full weight

5. **HubSpot / Pipedrive / Attio (Tier 2 → Manual Verified Proof)**

Context: pipeline stage, deal activity, contact volume, meeting cadence.

Verified Proof: founder manually submits a deal confirmation, signed contract URL, or customer conversation proof. Full weight, Distribution.

6. **Typeform / Tally (Tier 2 → Manual Verified Proof)**

Context: response volume, form completion rate. Verified Proof: founder manually submits the public form URL with confirmed responses. 0.7 weight, Distribution.

7. **Airtable (Tier 2 – Context Only)** Investor CRM tracking, pipeline data.

Never qualifies as Verified Proof. Context only.

88 Communication & Ops

1. **Slack (Tier 2 — Context Only)**
message.sent. Team context only. Never qualifies as Verified Proof.
2. **Google Calendar (Tier 2 — Context Only)**
event.completed (lower trust — cannot distinguish real meetings from placeholder blocks) Context only. Never qualifies as Verified Proof alone.

89 AI & Productivity

1. **Zapier / Make (Tier 2 → Manual Verified Proof)**
Context: automation run frequency, workflow activity. Verified Proof: founder manually submits a URL proving the output of the automation (published page, sent campaign, completed action). Weight assigned by output category. Distribution or Ops depending on workflow type.
2. **Granola / Otter.ai (Tier 2 — Context Only)**
Meeting transcript activity, conversation volume. Never qualifies as Verified Proof. Enriches Conexa with meeting cadence context only.

90 Fundraising & Investor Relations

1. **AngelList / Carta (Tier 2 → Manual Verified Proof)** Context: cap table activity, round status, equity events. Verified Proof: founder manually submits a signed document URL, SAFE confirmation, or round close proof. Full weight, Ops.

91 Validation & Research

1. **ProductHunt (Tier 2 → Manual Verified Proof)**
Context: launch activity, upvote momentum. Verified Proof: founder manually submits the live ProductHunt launch URL. Full weight, Distribution. Note: Draft submissions do not qualify. Live and published only.

2. UserTesting / Maze (Tier 2 → Manual Verified Proof)

Context: test completion rate, session volume. Verified Proof: founder manually submits a shareable results URL or report link. 0.7 weight, Product.

92 Signal weight matrix

Source	Weight	Category	Trust
Stripe payment	Full	Ops	Highest
GitHub PR merged	Full	Product	Highest
Apollo reply	Full	Distribution	Highest
Calendly completed	Full	Distribution	High
Loom viewed	Full	Distribution	High
Linear cycle	Full	Product	High
Apollo step	Full	Distribution	High
LinkedIn Sales Nav	Full	Distribution	High
HubSpot manual URL	Full	Distribution	High
AngelList manual URL	Full	Ops	High
Vercel manual URL	Full	Product	High

Supabase manual URL	Full	Product	High
Webflow manual URL	Full	Distribution	High
Mailchimp manual URL	Full	Distribution	High
ProductHunt manual URL	Full	Distribution	High
Deel manual URL	Full	Ops	High
Zapier output URL	Full	Dist/Ops	Medium-high
Figma published	0.7	Product	Medium-high
Typeform manual URL	0.7	Distribution	Medium-high
UserTesting manual URL	0.7	Product	Medium-high
Buffer manual URL	Full	Distribution	Medium
GitHub push only	0.5	Product	High
Notion	Context only	—	Medium
Google Calendar	Context only	—	Medium

Slack	Context only	—	Low
Ahrefs / Semrush	Context only	—	Low
GA / Mixpanel / PostHog	Context only	—	Low
Brex / Mercury	Context only	—	Low
Pilot	Context only	—	Low
Granola / Otter.ai	Context only	—	Low
Airtable	Context only	—	Low

93 Multi-source execution logic

1. Evaluates at 11:59:50 PM in this order: Manual submission today → GitHub → Stripe → Calendly → Apollo → Loom → LinkedIn Sales Navigator → Linear → Figma → all other Tier 1 sources → all manual Tier 2 URL submissions → all sources empty → break mark written at 11:59:55 PM. Integration silence ≠ missed day. All sources checked before any break mark is written.

94 Auto-milestone badges

1. Stripe-triggered. Appear on public profile when achieved.
2. First Revenue / £1K MRR / £5K MRR / £10K MRR / 10 Paying Customers / 50 Paying Customers / First Profitable Month / 6-Month Runway / 12-Month Runway / 10 Customer Conversations / First Investor Meeting

95 Permanently excluded

1. Reddit — non-normalised signal
2. Docsend — pitch deck sharing
3. ChatGPT / Claude / Perplexity — AI tools Gamma — decks & presentations

4. Blockchain ledger — PostgreSQL append-only is sufficient
5. Social media platforms — scheduled ≠ distributed, no verifiable output event
6. AI idea validation tools — rewards idea-havers not executors

96 Hiring Truth Stack {future}

Ashby / Greenhouse / Lever (Tier 1 — Ops Truth)

These are the ATS tools serious early-stage founders use.

What to capture:

1. job_published — a role posted publicly
2. application_received — candidates applying
3. interview_scheduled — interview booked
4. offer_sent — offer extended to a candidate
5. hire_made — candidate accepted, role filled
6. job_published → Verified Proof, Ops, full weight
7. hire_made → Verified Proof, Ops, full weight (highest signal — a hire is a real business decision with financial consequence)
8. interview_scheduled → context only (meeting happened but outcome unknown)

Conexa uses for:

1. Team growth signal (is the founder building a team?)
2. Hiring velocity (how long from post to hire?)
3. Ops execution signal (are they building infrastructure or staying solo?)
4. Stage calibration (a founder hiring their first engineer is at a different stage than their record might show)

Auto-milestone:

1. First Hire — when hire_made fires for the first time Badge appears on public profile.
2. Significant signal to investors — founder is no longer a solo operator.

All sources checked before any break mark is written.

Feature Request Board

97 Board view

1. Tabs: All / Pending / Reviewing / Planned / In Progress / Completed / Closed
2. Sort: Top / New / Active
3. Filter: Integration / Feature / UI / Bug / Other
4. Request card: title, submitter label, category, status, upvote count, comment count, date

98 Access gates

1. Enforced by real-time ledger authentication.
2. View: Day 1+ founders / verified coaches / verified investors
3. Upvote and comment: Day 7+ founders / verified coaches
4. Submit: Day 21+ founders only
5. Investors: view only
6. Labels: "Day N founder · [N] days executed" or
7. "Coach · [specialisation]"

99 Request submission

1. Title: 80 chars, required
2. Description: 500 chars, required
3. Category: required
4. Duplicate detection before going live

100 Per request page

1. Full description, status history log, upvote count with record context, Oxecute Team response (pinned), bcommunity comments (flat, chronological), email notification on status change, per-request unsubscribe without removing upvote

101 Admin panel

1. Full submitter identity visible to team only
2. Status management, internal notes, moderation, pin, close with mandatory public reason, CSV export

102 Contributor recognition

1. Completed requests: "Contributed to Oxecute" marker
2. on submitting founder's public profile.
3. Opt-in. No Signal Score impact. No execution count impact.
4. Recognition only.

Pricing

103 No pricing visible pre-Day 21

1. Not on landing. Not in onboarding. Not in product before Day 21.

104 Pricing reveal at Day 21 / 60 / 90

1. Full-screen milestone moment.
2. "[Tier]. [Price]/month. Your rate is locked from today."
3. CTA: "Unlock what you earned →"

105 Price-lock savings display

1. Account section: locked rate / current rate /
2. monthly saving / annual saving / days locked.
3. One-line reminder on own profile when logged in.

Compliance & Trust

106 GDPR compliance

1. Deletion removes: name, email, username, bio, tags,
2. Conexa history, OAuth tokens.
3. Retained: anonymised execution patterns (no identifier link).
4. Public profile: 404 after deletion.
5. Search engine deindex filed automatically.
6. Full data export available at any time.
7. EU data residency enforced.
8. Stated clearly at onboarding Screen 02.

107 Due Diligence API

What it is:

A read-only API endpoint that allows verified investors to pull a founder's execution record directly into their own systems— CRM, deal tracking software, or internal due diligence tools —without manually copying data from the Oexecute interface.

Why it exists:

1. Investors doing due diligence on multiple founders simultaneously spend significant time manually extracting and reformatting data. The Due Diligence API removes that friction.
2. A founder's verified execution record becomes one-click importable
3. into any investor workflow.

What it returns (per founder, per request):

1. Total days executed
2. Total break count
3. Execution rate (percentage of days on record with a submission)
4. Directive completion rate
5. Signal Score (7-day average)
6. Execution Velocity (0–1.0 scale with label)
7. Artifact breakdown (Product % / Distribution % / Ops %)
8. Connected integration data (GitHub commits, Stripe MRR, Calendly meetings — only what the founder has enabled)
9. Milestones achieved (First Revenue, £1K MRR, etc. with dates)

Access rules:

1. Only available to verified investor accounts
2. Only returns data for a specific founder if:
 - that founder has investor visibility enabled AND
 - that investor has an accepted connection with that founder
3. If either condition is not met: request returns nothing.
4. The founder controls access entirely.
5. Revoking connection immediately cuts API access.

Investor account requirement:

1. Investors apply for API access through Oexecute.
2. Manual verification required before API keys are issued.
3. Each investor account has one API key.
4. Rate limited: 100 requests per day per investor account.

When it is built:

1. The data schema is designed from Day 1 so the ledger captures everything this API will need.
2. The endpoint itself is built when the investor pool on the platform is large enough that manual data extraction is a real friction point — estimated at 20+ active verified investors making regular connection requests.
3. Building it before that point serves no one.

Architecture Layers

Layer 1: The Ledger Service

What it is: The immutable, append-only store of all execution events. The single source of truth. Nothing is ever updated or deleted.

Why it exists: The entire product's credibility rests on one guarantee — the record cannot be faked retroactively. Every other feature derives meaning from this layer being inviolable.

Core Database

1. Append-only PostgreSQL
2. UPDATE and DELETE disabled at database role level
3. SHA-256 validation hash per entry (computed at write, never recomputed)
4. Server-side timestamps only
5. Daily merkle tree snapshot (cryptographic integrity proof)
6. Row-level audit triggers

Entry Schema

entry_id	UUID, immutable
founder_id	UUID, shared key across all services
event_id	UUID, shared key across all services
timestamp	server-side only
category	ENUM: product / distribution / ops

source_type	ENUM: manual_url / manual_file / declaration / auto_github / auto_stripe / auto_calendly / auto_loom / auto_apollo / auto_linear / auto_figma / auto_quickbooks
validation_hash	SHA-256 of URL + timestamp
tier	ENUM: verified_proof / declaration_pending / declaration_validated / submission_unverified / submission_validated
execution_day	boolean (true = counts toward execution total)
entry_number	sequential per founder

Break Mark Schema

break_id	UUID
founder_id	UUID
break_date	date
execution_count_before integer (count at point of break)	
permanent	boolean, always TRUE

Directive Schema

directive_id	UUID
founder_id	UUID
generated_at	timestamp
directive_text	string, max 200 chars
behavioral_tag	string
proof_url	nullable
status	ENUM: open / done / missed
closed_at	timestamp
prompt_version	reference

Immutability Rules

1. No editing of any entry after submission. Ever.
2. No deletion of any entry. Ever.
3. Break marks are permanent the moment the window closes.
4. Declaration → Verified Declaration and Submission Unverified → Validated Submission are the only two allowed state changes in the Ledger.
5. Both require a linked Verified Proof within 30 days. Both are founder-initiated.
6. Both permanent on upgrade. Nothing else can ever be changed.

URL Validation Service

1. HEAD request, 5-second timeout
2. HTTP 200–399 required
3. Content-type: HTML, video, PDF, known platform type Minimum response body > 1KB
4. Duplicate URL check across full founder record

5. Loom 5-minute hold for videos under 60 seconds old

Events fired onto Event Bus

1. SubmissionCreated
2. BreakMarkWritten
3. DirectiveClosed
4. IntegrationEventReceived
5. MilestoneReached
6. TierUpgraded (Declaration or Submission validated)

Infrastructure

1. Kafka or RabbitMQ
2. Minimum 2 brokers at launch
3. Sized for 50,000 events/day

Event Schema

1. event_id, founder_id, event_type,
2. payload (JSON), timestamp (server-side), source_service

Layer 2: The Event Bus

What it is: Async messaging infrastructure connecting the three decoupled services.

Why it exists: Without async events, services make synchronous HTTP calls creating tight coupling. The Event Bus decouples all three services so each processes independently without blocking the others.

Infrastructure

1. Kafka or RabbitMQ
2. Minimum 2 brokers at launch
3. Sized for 50,000 events/day

Event Schema

1. event_id, founder_id, event_type,
2. payload (JSON), timestamp (server-side), source_service

Subscription Map

SubmissionCreated	→ Conexa Engine (refresh context) → Access Layer (recheck conditions)
BreakMarkWritten	→ Access Layer (recheck conditions)
DirectiveClosed	→ Conexa Engine (update completion rate)
IntegrationEventReceived	→ Conexa Engine (refresh context) → Ledger (check auto-qualification)
MilestoneReached	→ Access Layer (unlock tier features) → Conexa Engine (milestone insight)
TierUnlocked	→ Conexa Engine (unlock tabs)
TierUpgraded	→ Access Layer (update profile display)
VisibilityStatusChanged	→ Ledger (audit trail)
IntelligenceUpdated	→ Access Layer (profile refresh)
DirectiveGenerated	→ Ledger (write to directive table)

Shared Identifiers

founder_id and event_id identical across all three services

Layer 3: The Conexa Engine

What it is: The intelligence layer. The only service that calls the Claude API.

Why it exists: Raw execution data is not actionable alone. Conexa turns execution patterns, completion rates, avoidance history, and tool data into directives, intelligence reports, and a conversational interface that holds founders accountable.

Speculation classifier

1. Deterministic. Pre-prompt. Not the LLM.
2. Intercepts speculation before it reaches Conexa.
3. Retry path shown on every flag.

Context Injection

1. Fresh assembly before every API call.
2. Execution count, break count, break pattern included.
3. No memory between sessions — context injection is the memory.

Versioned System Prompt

1. New version on every change. Never overwrites.
2. Full rollback capability.

Directive Generator (12:01 AM nightly)

1. One sentence. One action. One proof requirement.
2. Close cron: 11:59:50 PM.
3. Burnout detection: platform-wide and individual.

Signal Score Computation (12:01 AM after directive close)

Formula with revised Streak Depth component:

1. $(\text{execution_rate} - \text{recent_break_penalty}) \times 0.4 + (\text{completion} \times 0.35) + (\text{diversity} \times 0.25)$

EXECUTION VELOCITY (nightly, stored in Access Layer)

1. $(\text{Verified Proof submissions last 30 days} \div \text{days active}) \times \text{average signal weight}$

Weekly Breif (Sunday 11:59 PM)

1. Field report. Execution count, breaks, directives, score movement, Conexa observation.

Layer 4: The Access Layer

What it is: The rules engine controlling what every user type can see and do. The gatekeeper between founder data and the outside world.

Why it exists: Access rules enforced in the frontend can be circumvented. Rules enforced at API level cannot. If conditions are not met, the investor-facing endpoint returns 404.

REDIS CACHE

visibility_cache:{founder_id}:

1. status, execution_count, break_count, execution_rate, completion_rate, signal_score, recent_breaks_14d, toggle, computed_at
2. TTL: 5 minutes. Event-driven invalidation.

Tier Local Engine

1. Event-driven, not polling.
2. Day 21 gate enforced at database level — cannot be bypassed.

3. Execution rate threshold: 70% for Pathfinder and Signal.
4. 7-day grace period on rate drops.

Visibility Condition engine

1. Four conditions checked simultaneously.
2. Execution rate replaces consecutive streak.
3. Break pattern (≤ 2 in last 14 days) replaces "no break in last 7 days."
4. API returns 404 when conditions not met.

Investor Facing API

1. Returns: execution_count, break_count, execution_rate, completion_rate, signal_score, percentile, execution_velocity, stage, category
2. Never returns: name, company, URL, financials, Conexa content

Pricing lock Service (append-only)

1. Billing reads from pricing_lock, never current config.
2. Cancellation sets active = false only.
3. Resubscription writes new row at current price.

GDPR Compliance

1. Deletion removes identity, retains anonymised patterns.
2. Full export available. EU data residency enforced.

Embedable Badge

1. SVG generated dynamically on every request. Never cached.

Layer 5: The Integration Pipeline

What it is: Webhook and OAuth infrastructure connecting Oexecute to tools where founders actually work.

Why it exists: Manual submissions can be gamed. Integration events cannot be faked retroactively — they existed before Oexecute knew about them.

Tier 1 - Hard Signal (Verified Proof eligible)

Revenue: Stripe, LemonSqueezy, QuickBooks/Xero

Product: GitHub, GitLab, Linear, Jira, Figma

Market: Calendly/SavvyCal, Loom, Apollo, LinkedIn Sales Navigator

Tier 2 — Soft Signal (context only)

Notion, Google Calendar, Slack

Execution logic (11:59:50 PM evaluation)

Manual → GitHub → Stripe → Calendly → break mark

Hiring Truth (Tier 1)

Ashby / Greenhouse / Lever AngelList Talent / Wellfound

Hiring Context (Tier 2)

LinkedIn Jobs

Permanently Excluded

AI idea validation, Reddit, social scheduling tools, blockchain

Layer 6: The Credential Layer

What it is: The exportable and embeddable proof artifacts founders take into the world.

Why it exists: The record has value inside Oexecute. Credentials have value outside it. Every credential shared is an acquisition event.

ACHIEVEMENT CARDS	Day 21 / Day 60 / Day 90 Shows execution count and break count — the honest record, not a sanitised version PNG + PDF, two pre-written captions each
SIGNAL PDF	Full verified record including break marks Designed for investor sharing
YEAR-END REPORT	90-day longitudinal analysis by Conexa Signal tier, Day 90+ only. PDF only.
SIGNAL SCORE REPORT	Plain-language computation breakdown Downloadable PDF from Score screen
EMBEDDABLE BADGE	Real-time SVG. One-line embed code.

Layer 7: The Founder Profile

What it is: The public-facing execution record. Live from Day 1. No login required.

Why it exists: Retention mechanic (cancelling loses the only home of the verified record) and acquisition engine (every shared URL brings new

founders).

PUBLIC	oxecute.com/username, live Day 1
EXECUTION DISPLAY	"[N] days executed · [N] breaks" — real-time
ALWAYS VISIBLE	name, avatar, execution count, break count, building since, grid with break marks, verified badge, auto-milestones
GRID	Break marks visible and permanent on public grid The honest record. Not hidden. Not softened.
NEVER VISIBLE	Conexa history, directive text, score breakdown, financials, investor connections

Layer 8: The Feature Request Board

What it is: Product intelligence mechanism. Gated by execution record depth.

Why it exists: Feedback from founders who have actually used the product for weeks reflects real workflow gaps. Day count is visible on every contribution, the community self-regulates without algorithmic weighting.

ACCESS	View: Day 1+ founders / verified coaches / investors Upvote + comment: Day 7+ founders / verified coaches Submit: Day 21+ founders only Investors: view only
LABELS	"Day N founder · [N] days executed" or "Coach · [specialisation]"

How the Layers Connect

FOUNDER SUBMITS PROOF



[LAYER 5: INTEGRATION PIPELINE]

Auto-capture OR manual URL / declaration / file



[LAYER 1: LEDGER SERVICE]

Validates → writes entry → execution_day = true

→ fires SubmissionCreated



[LAYER 2: EVENT BUS]

Routes to all subscribers simultaneously



[LAYER 3: CONEXA ENGINE]

Refreshes context

Updates intelligence

Queues directive generation

Revised Streak Depth computed



Generates next directive



[LAYER 7: FOUNDER PROFILE]

Grid updates in real-time

Execution count increments

Break marks visible if present



[LAYER 8: FEATURE REQUEST BOARD]

Founder's execution count updates on all contributions



[LAYER 4: ACCESS LAYER]

Rechecks visibility conditions

Updates Redis cache

Recalculates Execution Velocity

Checks execution rate threshold



Updates investor feed if conditions met



[LAYER 6: CREDENTIAL LAYER]

Cards unlock at milestones

Signal PDF at Day 90

Badge updates live

What is Never Built

Blockchain ledger	PostgreSQL append-only is sufficient
Predictive analytics	Violates no-speculation philosophy

AI idea validation tools	Antithetical to the product
Reddit integration	Non-normalised signal
CRM integrations	Inputs not outputs
Social scheduling tools	Scheduled $\neq$ distributed
Copy protection / DevTools	Trust the moat, not the CSS
Consecutive streak resets	Replaced by execution rate
Signal-weighted upvoting	Day count visibility does the work

Streak freezes or grace days Breaks are recorded, not erased

The Trust Guarantees

1. The record cannot be altered after submission.
 - Append-only database. SHA-256 hash. Daily merkle snapshot.
2. The timestamps are real.
 - Server-side only. Client timestamp logged but never used.
3. The URLs resolved at submission time.
 - Validation hash at moment of HEAD request.
 - URL dying later does not change what it was at submission.
4. Break marks are permanent and honest.

- They are not hidden. They are not softened.
- They appear on the public profile, in the Signal PDF, on the achievement cards.
- The record shows what actually happened.

5. The Signal Score is calculated the same way for every founder.

- Fixed formula. Versioned computation.
- Score history stored as immutable rows.

6. Investor identity is hidden until the founder accepts.

- Investor API returns only anonymised fields.
- Name and company never appear before mutual accept.

7. Cancellation does not erase the record.

- Record persists regardless of subscription status.
- Public profile stays live.
- Only tier-gated features pause.

Oxecute Foundation Architecture · Final · April 2026 · Confidential This is the root document. Every build decision starts here. This is the one.