

[View on GitHub](#)

# Overflow

Use these shorthand utilities for quickly configuring how content overflows an element.



Your new development career awaits. Check out the latest listings.

ads via Carbon

Adjust the `overflow` property on the fly with four default values and classes. These classes are not responsive by default.

This is an example of using `.overflow-auto` on an element with set width and height dimensions. By design

This is an example of using `.overflow-hidden` on an element with set width and height dimensions.

This is an example of using `.overflow-visible` on an element with set width and height dimensions.

This is an example of using `.overflow-scroll` on an

```
<div class="overflow-auto">...</div>
<div class="overflow-hidden">...</div>
<div class="overflow-visible">...</div>
<div class="overflow-scroll">...</div>
```


Using Sass variables, you may customize the overflow utilities by changing the `$overflows` variable in `_variables.scss`.

## Sass

### Utilities API

Overflow utilities are declared in our utilities API in `scss/_utilities.scss`. [Learn how to use the utilities API.](#)

```
"overflow": (
  property: overflow,
  values: auto hidden visible scroll,
),
```



Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Analytics by Fathom.

### Links

Home

### Guides

Getting started

[Docs](#)

[Examples](#)

[Themes](#)

[Blog](#)

[Swag Store](#)

## Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

[npm starter](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

## Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)

[Stack Overflow](#)