Search docs... | Ctrl + / | v5.0 ▾ | ↕

View on GitHub

Select

Customize the native `<select>`s with custom CSS that changes the element's initial appearance.

On this page

Default
Sizing
Disabled
Sass
   Variables

Default

Custom `<select>` menus need only a custom class, `.form-select` to trigger the custom styles. Custom styles are limited to the `<select>`'s initial appearance and cannot modify the `<option>`s due to browser limitations.

Open this select menu

```
<select class="form-select" aria-label="Default select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
```

```
    <option value="2">Two</option>
    <option value="3">Three</option>
</select>
```

Sizing

You may also choose from small and large custom selects to match our similarly sized text inputs.

Open this select menu

Open this select menu

```
<select class="form-select form-select-lg mb-3" aria-label=".form-select-lg example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>

<select class="form-select form-select-sm" aria-label=".form-select-sm example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>
```

The `multiple` attribute is also supported:

Open this select menu
One
Two
Three

```
<select class="form-select" multiple aria-label="multiple select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
```

```
    <option value="3">Three</option>
</select>
```

As is the `size` attribute:


```
<select class="form-select" size="3" aria-label="size 3 select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>
```

Disabled

Add the `disabled` boolean attribute on a select to give it a grayed out appearance and remove pointer events.


```
<select class="form-select" aria-label="Disabled select example" disabled>
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>
```

Sass

Variables

```scss
$form-select-padding-y:              $input-padding-y;
$form-select-padding-x:              $input-padding-x;
$form-select-font-family:            $input-font-family;
$form-select-font-size:              $input-font-size;
$form-select-indicator-padding:      $form-select-padding-x * 3; // Extra padding for
$form-select-font-weight:            $input-font-weight;
$form-select-line-height:            $input-line-height;
$form-select-color:                  $input-color;
$form-select-bg:                     $input-bg;
$form-select-disabled-color:         null;
$form-select-disabled-bg:            $gray-200;
$form-select-disabled-border-color:  $input-disabled-border-color;
$form-select-bg-position:            right $form-select-padding-x center;
$form-select-bg-size:                16px 12px; // In pixels because image dimensions
$form-select-indicator-color:        $gray-800;
$form-select-indicator:              url("data:image/svg+xml,<svg xmlns='http://www.w

$form-select-feedback-icon-padding-end: $form-select-padding-x * 2.5 + $form-select-
$form-select-feedback-icon-position:    center right $form-select-indicator-padding;
$form-select-feedback-icon-size:        $input-height-inner-half $input-height-inner

$form-select-border-width:           $input-border-width;
$form-select-border-color:           $input-border-color;
$form-select-border-radius:          $border-radius;
$form-select-box-shadow:             $box-shadow-inset;

$form-select-focus-border-color:     $input-focus-border-color;
$form-select-focus-width:            $input-focus-width;
$form-select-focus-box-shadow:       0 0 0 $form-select-focus-width $input-btn-focus-co

$form-select-padding-y-sm:           $input-padding-y-sm;
$form-select-padding-x-sm:           $input-padding-x-sm;
$form-select-font-size-sm:           $input-font-size-sm;

$form-select-padding-y-lg:           $input-padding-y-lg;
$form-select-padding-x-lg:           $input-padding-x-lg;
$form-select-font-size-lg:           $input-font-size-lg;

$form-select-transition:             $input-transition;
```

B Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Analytics by Fathom.

Links

Home

Docs

Examples

Themes

Blog

Swag Store

Projects

Bootstrap 5

Bootstrap 4

Icons

RFS

npm starter

Guides

Getting started

Starter template

Webpack

Parcel

Community

Issues

Discussions

Corporate sponsors

Open Collective

Stack Overflow