

[View on GitHub](#)

Contents

Discover what's included in Bootstrap, including our precompiled and source code flavors.

On this page

Precompiled Bootstrap

CSS files

JS files

Bootstrap source code

Precompiled Bootstrap

Once downloaded, unzip the compressed folder and you'll see something like this:

```
bootstrap/
├─ css/
│   ├─ bootstrap-grid.css
│   ├─ bootstrap-grid.css.map
│   ├─ bootstrap-grid.min.css
│   ├─ bootstrap-grid.min.css.map
│   ├─ bootstrap-grid.rtl.css
│   ├─ bootstrap-grid.rtl.css.map
│   ├─ bootstrap-grid.rtl.min.css
│   ├─ bootstrap-grid.rtl.min.css.map
│   ├─ bootstrap-reboot.css
│   ├─ bootstrap-reboot.css.map
│   ├─ bootstrap-reboot.min.css
│   ├─ bootstrap-reboot.min.css.map
│   ├─ bootstrap-reboot.rtl.css
│   ├─ bootstrap-reboot.rtl.css.map
│   ├─ bootstrap-reboot.rtl.min.css
│   ├─ bootstrap-reboot.rtl.min.css.map
│   └─ bootstrap-utilities.css
```

```
| | bootstrap-utilities.css.map
| | bootstrap-utilities.min.css
| | bootstrap-utilities.min.css.map
| | bootstrap-utilities.rtl.css
| | bootstrap-utilities.rtl.css.map
| | bootstrap-utilities.rtl.min.css
| | bootstrap-utilities.rtl.min.css.map
| | bootstrap.css
| | bootstrap.css.map
| | bootstrap.min.css
| | bootstrap.min.css.map
| | bootstrap.rtl.css
| | bootstrap.rtl.css.map
| | bootstrap.rtl.min.css
| | bootstrap.rtl.min.css.map
└─ js/
    | bootstrap.bundle.js
    | bootstrap.bundle.js.map
    | bootstrap.bundle.min.js
    | bootstrap.bundle.min.js.map
    | bootstrap.esm.js
    | bootstrap.esm.js.map
    | bootstrap.esm.min.js
    | bootstrap.esm.min.js.map
    | bootstrap.js
    | bootstrap.js.map
    | bootstrap.min.js
    └─ bootstrap.min.js.map
```

This is the most basic form of Bootstrap: precompiled files for quick drop-in usage in nearly any web project. We provide compiled CSS and JS (`bootstrap.*`), as well as compiled and minified CSS and JS (`bootstrap.min.*`). [source maps](#) (`bootstrap.*.map`) are available for use with certain browsers' developer tools. Bundled JS files (`bootstrap.bundle.js` and minified `bootstrap.bundle.min.js`) include [Popper](#).

CSS files

Bootstrap includes a handful of options for including some or all of our compiled CSS.

CSS files	Layout	Content	Components	Utilities
<code>bootstrap.css</code>	Included	Included	Included	Included
<code>bootstrap.rtl.css</code>				
<code>bootstrap.min.css</code>				
<code>bootstrap.rtl.min.css</code>				

CSS files	Layout	Content	Components	Utilities
bootstrap-grid.css bootstrap-grid.rtl.css bootstrap-grid.min.css bootstrap-grid.rtl.min.css	<u>Only grid system</u>	—	—	<u>Only flex utilities</u>
bootstrap-utilities.css bootstrap-utilities.rtl.css bootstrap-utilities.min.css bootstrap-utilities.rtl.min.css	—	—	—	Included
bootstrap-reboot.css bootstrap-reboot.rtl.css bootstrap-reboot.min.css bootstrap-reboot.rtl.min.css	—	<u>Only Reboot</u>	—	—

JS files

Similarly, we have options for including some or all of our compiled JavaScript.


JS files	Popper
bootstrap.bundle.js bootstrap.bundle.min.js	Included
bootstrap.js bootstrap.min.js	—

Bootstrap source code

The Bootstrap source code download includes the precompiled CSS and JavaScript assets, along with source Sass, JavaScript, and documentation. More specifically, it includes the following and more:

```
bootstrap/
├── dist/
│   ├── css/
│   └── js/
├── site/
│   ├── content/
│   │   ├── docs/
│   │   └── 5.0/
│   │       └── examples/
└── js/
```

The `scss/` and `js/` are the source code for our CSS and JavaScript. The `dist/` folder includes everything listed in the precompiled download section above. The `site/docs/` folder includes the source code for our documentation, and `examples/` of Bootstrap usage. Beyond that, any other included file provides support for packages, license information, and development.



Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Analytics by Fathom.

Links

[Home](#)

[Docs](#)

[Examples](#)

[Themes](#)

[Blog](#)

[Swag Store](#)

Guides

[Getting started](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

[npm starter](#)

Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)

[Stack Overflow](#)