Search docs… `Ctrl + /` v5.0 ▾

View on GitHub

Visibility

Control the visibility of elements, without modifying their display, with visibility utilities.

Set the `visibility` of elements with our visibility utilities. These utility classes do not modify the `display` value at all and do not affect layout — `.invisible` elements still take up space in the page.

> Elements with the `.invisible` class will be hidden *both* visually and for assistive technology/screen reader users.

Apply `.visible` or `.invisible` as needed.

```html
<div class="visible">...</div>
<div class="invisible">...</div>
```

```scss
// Class
.visible {
  visibility: visible !important;
}
.invisible {
  visibility: hidden !important;
}
```

Sass

Utilities API

Visibility utilities are declared in our utilities API in `scss/_utilities.scss`. [Learn how to use the utilities API.](#)

```scss
"visibility": (
  property: visibility,
  class: null,
  values: (
    visible: visible,
    invisible: hidden,
  )
)
```

B Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Analytics by Fathom.

Links

Home

Docs

Examples

Themes

Blog

Swag Store

Guides

Getting started

Starter template

Webpack

Parcel

Projects

Bootstrap 5

Bootstrap 4

Icons

Community

Issues

Discussions

Corporate sponsors

RFS   Open Collective

npm starter   Stack Overflow