

ZOVU Master Data Schema (v3.4 - Comprehensive)

This schema defines the 6-table relational architecture required to power the ZOVU intelligent economy.

1. Traders Table (`traders_final.csv`)

Purpose: Profiling informal businesses and calculating creditworthiness.

Column	Data Type	Constraint	Description
<code>trader_id</code>	String	PK	Unique Identifier (e.g., T_100001).
<code>squad_account_number</code>	String	10 Digits	99-prefix virtual account for sales collection.
<code>business_name</code>	String	Required	Authentic market name (Mama/Alhaji prefixes).
<code>business_type</code>	Enum	Required	Wholesaler, Retailer, Small Kiosk, Online Vendor.
<code>first_name</code> / <code>last_name</code>	String	Required	Merchant's legal name.
<code>email</code> / <code>phone_number</code>	String	Unique	Starts with 0 (Phone) or ends in @gmail.com .
<code>password</code>	String	Hashed	PBKDF2 or BCrypt hash for authentication.
<code>nin_number</code> / <code>bvn_number</code>	String	11 Digits	Nigerian regulatory KYC identifiers.
<code>location</code>	String	Required	Market Hub (e.g., Mile 12, Idumota).
<code>stall_number</code>	String	Optional	e.g., "Block B-42".
<code>primary_language</code>	Enum	Required	Yoruba, Igbo, Hausa, Pidgin, English.

Financial Snapshots

<code>total_revenue_daily</code>	Float	Snapshot	Gross sales recorded in the current 24h window.
----------------------------------	-------	----------	---

total_revenue_monthly	Float	Benchmark	Gross sales recorded in the current month.
total_tx_daily	Integer	Snapshot	Customer frequency today.
total_tx_monthly	Integer	Benchmark	Customer frequency this month.
average_daily_revenue	Float	Calculated	$\text{total_revenue_daily} / \text{total_tx_daily}$ (Ticket Size).
average_monthly_revenue	Float	Calculated	$\text{total_revenue_monthly} / \text{total_tx_monthly}$.
Intelligence & Shield			
zovu_pulse_score	Float	0 - 100	AI-generated credit score.
max_credit_limit	Float	Calculated	Determined strictly by <code>zovu_pulse_score</code> amount.
shield_status	Enum	Tier	None, Bronze, Silver, Gold.
Ajo Savings			
ajo_savings_balance	Float	Financial	Current balance in digitized Ajo vault.
ajo_goal_name	String	UI	e.g., "Restock Bulk", "Shop Rent".
ajo_goal_amount	Float	Financial	Target savings for the active goal.
ajo_consistency_score	Float	0.0 - 1.0	Success rate of automated Ajo deductions.
Audit			
created_at	Timestamp	ISO 8601	Account creation date.
updated_at	Timestamp	ISO 8601	Last profile or financial state update.

2. Job Seekers Table (`seekers_final.csv`)

Purpose: Cataloging youth labor capital and tracking work-based trust.

Column	Data Type	Constraint	Description
seeker_id	String	PK	Unique Identifier (e.g., S_500001).
squad_account_number	String	10 Digits	99-prefix account for automated wage payouts.
first_name / last_name	String	Required	Youth worker identity.
email / phone_number	String	Unique	Starts with 0 (Phone).
nin_number / bvn_number	String	11 Digits	KYC identifiers for payment verification.
location	String	Required	Primary market operating base.
skills_list	Array	Required	Logistics, Sales, Biking, Packaging, etc.
languages_spoken	Array	Required	Cultural compatibility tags for AI matching.
zovu_pulse_score	Float	0 - 100	Derived from job consistency and auto-saving.
trust_score	Float	0.0 - 1.0	Reliability metric (Completion + Punctuality).
ajo_savings_balance	Float	Financial	Savings built from job percentage splits.
auto_save_pct	Float	0.0 - 0.15	Automatic divert (e.g., 10% of every wage).
shield_status	Enum	Tier	None, Personal (Accident Cover), Family.
total_earned_to_date	Float	Historical	Cumulative wealth created on ZOVU.
created_at / updated_at	Timestamp	ISO 8601	Record audit trail.

3. Unified Transactions Ledger (transactions_final.csv)

Purpose: The single source of truth for all Naira moved through Squad APIs.

Column	Data Type	Description
tx_id	String (PK)	Unique Transaction ID.
squad_ref	String	Actual reference string from Squad API.
user_id	String (FK)	Unified ID: Links to either <code>trader_id</code> or <code>seeker_id</code> .
category	Enum	Sale_Inflow, Ajo_Contribution, Shield_Premium, Health_Insurance_Premium, Accident_Cover_Premium, Loan_Disbursement, Loan_Repayment, Job_Payout_Inflow, Job_Payout_Debit.
amount_gross	Float	Total Naira value.
status	Enum	Success, Pending, Failed.
economic_context	Enum	Normal, Rainy_Day, Fuel_Scarcity.
timestamp	Timestamp	Initial execution time.
updated_at	Timestamp	Time of final status update (e.g., Pending -> Success).

4. Jobs Table (`jobs_final.csv`)

Purpose: Managing marketplace interactions and reputation signals.

Column	Data Type	Description
job_id	String (PK)	Unique Task ID.
trader_id	String (FK)	The hiring merchant.
seeker_id	String (FK)	The assigned youth worker.
job_type	Enum	Full-time, Part-time, On-call, One-off.
skill_required	String	Skill category for matching.
amount_paid	Float	Total wage (scaled based on <code>job_type</code>).
status	Enum	Open, Assigned, Completed, Paid.

trader_rating	Integer (1-5)	Seeker's rating of the employer (Merchant Reputation).
seeker_rating	Integer (1-5)	Trader's rating of the worker (Worker Trust).
economic_context	Enum	Normal, Rainy_Day, etc. (Used for weather-premium logic).
created_at	Timestamp	Job posting time.
updated_at	Timestamp	Audit for completion and payment.

5. Partners Table (zovu_partners_v2.csv)

Purpose: Mapping institutional liquidity and insurance providers.

Column	Data Type	Description
partner_id	String (PK)	e.g., PTN_L_001.
partner_name	String	e.g., GTBank, Leadway, Reliance HMO.
partner_type	Enum	Lender, Insurer, HMO.
min_pulse_score	Float	The threshold needed to unlock this partner's products.
total_capital_allocated	Float	Total liquidity committed to the ZOVU pool.

6. Products Table (zovu_products_v2.csv)

Purpose: The catalog of available financial offers.

Column	Data Type	Description
product_id	String (PK)	e.g., PRD_L_101.
partner_id	String (FK)	Links to the providing institution.
product_name	String	e.g., "Warehouse Scale-up Loan".
cost_premium	Float	Interest rate (for loans) or monthly cost (for insurance).

coverage_limit	Float	Max Naira amount (Loan limit or Insurance payout).
target_user	Enum	Trader, Seeker, Both.