Based on SLiMS-5* (MERANTI)†

May 20, 2013

Using free open source software / free software is like quoting statements from other people's work in the academic field, the original author ga ask anything at anyway, ask for money too engga, cuman have your name and work with him disebutin good and true, because I'm that much doang engga hard right? (Arie Nugroho, Core Programmer SLiMS)

Updated in Senayan5 (MERANTI):
 Added: Template admin and new OPAC
 Added: Z39.50 SRU: Search / Retrieval via URL
 Added: OAI / PMH feature
 Added: Statement of Responsibility in the bibliography
 Added: Item(s) batch barcode generator
 Added: Bibliographic Classification
 Added: Printing catalog cards
 Fixed: Bug in exporting and importing bibliographic items
 Added: Search result clustering
 Added: Brazilian-Portugese language
 Added: Orphaned publisher and place
 Added: MARC data Import
 Added: Member photos captured directly in the application
 Added: Keyboard shortcuts to modules and sub-modules
 Added: Mobile display
 Added: Setting a fine, and holiday count
 Added: Zend barcode

Important Note:

Sysconfig

`sysconfig.local.inc.php`, is a file that does the same configuration as sysconfig.inc.php. However, for local changes, it's recommended to just change the file sysconfig.local.inc.php . Logically, if there are two common configurations in the two files , SLiMS will read sysconfig.local.inc.php. as overriding sysconfig.inc.php.

For example:

If, in the file `sysconfig.inc.php` there is a line `$sysconf['ucs']['enable']=false;`

And in the file `sysconfig.local.inc.php` there is a line `$sysconf['ucs']['enable']=true;`

Then the SLiMS application will use the configuration of the value as = true.

Shortcuts

From SLiMS5 onwards, SLiMS has shortcut features that can be used to switch menus without using the mouse. Shortcuts apply to MODULES and Submodules. The modules use a combination of Shift + Function keys (F1-F8 and Esc), while in submodules , we use combinations of Ctrl + Number and also Ctrl + Alt + Number


Figure 0.1: Module Shortcuts

Figure 0.2: Submodule Hotkeys

Translation notes: This document has been translated from Bahasa Indonesia by a native speaker of English, using Google Translate and professional knowledge of library computer systems. As such, it is neither elegant nor likely to be completely accurate, since I have little knowledge of the Bahasa Indonesian language. I have followed almost completely the format and wording of the original document and whenever uncertain as to Google Translate's output, I cross-checked by accessing an operational Senayan SLiMS 5 (Meranti) installation. The graphic screen-shots are taken directly from the Indonesian language manual, and occasionally reflect this.

As readers find errors and think of possible improvements in this document , it would be most helpful if they could notify us about them via the SLiMS user forums (`http://forum.slims.web.id)`)

- jim richardson (gurujim)