# TeachHire — Teacher Recruitment Portal PRD

Oct 31, 2026 · @ANTHONY

## Overview

TeachHire (working name) is a two-sided web portal where teachers register verified profiles with a mandatory CV, and school directors or principals post vacancies, search teacher profiles and recruit them directly.

**Problem.** Schools fill teaching roles through word of mouth, WhatsApp groups and walk-in CVs. They cannot filter candidates by location or subject, and they cannot verify certificates. Teachers cannot find vacancies near them or see the pay before applying.

**Product.** One portal with three account types: Teacher, School (recruiter) and Admin. It is completely free for teachers and schools; revenue comes from Google AdSense on public pages, so organic search traffic is the growth engine. Teachers apply to vacancies; schools can also invite a teacher straight from a profile.

### The three pillars

| Pillar | What it means | Enforced where |
|---|---|---|
| Location | Every teacher, every school and every vacancy carries a structured location (country, state, LGA/city, area, optional coordinates). Search ranks by distance and filters by state/LGA. | Required at onboarding and on every vacancy; profile cannot be published without it |
| Qualification | Teachers must list highest qualification, subjects, work experience and certifications, and upload a CV (PDF, DOC or DOCX). Schools see the CV on the profile. | Onboarding cannot complete without at least one qualification and a CV; CV replaceable anytime |
| Identification | Teachers and schools verify identity (government ID for teachers; registration/approval document for schools). Verified accounts get a badge. | Verification queue reviewed by Admin; unverified schools cannot view full CVs or contact details |

### Vacancy rules

Title, salary range and job description are mandatory on every vacancy. The exact school address is optional: the poster chooses **Listed** (school name and address shown) or **Anonymous** (only state and LGA/city shown, school name hidden until the teacher is shortlisted).

## Goals, non-goals and metrics

**Goals**

- A school finds qualified, verified teachers within a chosen distance in under 2 minutes.
- A teacher completes onboarding (profile, qualifications, CV, location) in under 10 minutes.
- Every published profile and vacancy is searchable by location, subject and level.

**Non-goals (v1)**

- Any payment, fee or paid plan (no subscriptions, featured listings or payroll); the platform is free for everyone.
- Video interviews inside the platform (links to Google Meet/Zoom are allowed).
- Automated certificate verification against exam-body databases (manual admin review in v1).

**Success metrics (first 6 months)**

| Metric | Target |
|---|---|
| Teachers with complete profile (CV + qualification + location) | 80% of sign-ups |
| Schools that post at least one vacancy within 7 days of sign-up | 50% |
| Vacancies with at least 5 applications within 14 days | 60% |
| Median time from vacancy posted to first shortlist | ⩽ 5 days |
| Verification queue turnaround | ⩽ 48 hours |

## Users and roles

| Role | Who | Can do |
|---|---|---|
| Teacher | Any teacher seeking a job (nursery, primary, secondary, tertiary, private tutor) | Register, build profile, upload/replace CV, verify ID, search and save vacancies, apply, accept/decline invites, message shortlisting schools |
| School owner | Director, proprietor or principal who creates the school account | Everything a recruiter can, plus manage school profile, verification documents and team members |
| School recruiter | Staff added by the owner (e.g. vice principal, HR) | Post and manage vacancies, search teachers, view CVs, shortlist, invite, message, mark hired |

| Role | Who | Can do |
|---|---|---|
| Admin | Platform staff | Review verifications, moderate profiles and vacancies, handle reports, manage reference data (subjects, qualifications, locations), view analytics |

One email can hold only one role type. A school account can have many recruiter users; a teacher account belongs to one person.

# Functional requirements

## FR-1 Authentication

1. Sign up with email + password or phone + OTP; role chosen at sign-up (Teacher or School).
2. Email/phone verification required before onboarding starts.
3. Login, logout, refresh token, forgot/reset password, change password.
4. Optional Google sign-in (v1.1).

## FR-2 Teacher onboarding (multi-step, resumable)

The profile is **not published** until every required step is complete. Progress is saved per step.

1. **Personal details** — full name, gender, date of birth, phone, profile photo (optional), short bio.
2. **Location (required)** — country, state, LGA/city, area/street (street hidden from schools), optional map pin; willingness to relocate (yes/no + preferred states).
3. **Qualifications (required, min 1)** — degree/certificate type (e.g. NCE, B.Ed, B.Sc + PGDE, M.Ed), course, institution, year, optional certificate file.
4. **Teaching certifications (required where held)** — e.g. TRCN registration number and certificate, other professional certificates with issuer, number, issue/expiry date and file upload.
5. **Work experience (required; "no experience yet" allowed for fresh graduates with an NYSC/teaching-practice entry)** — school name, role, subjects taught, levels taught, start/end date, current job flag, description.

6. **Teaching preferences** — subjects, levels (nursery, primary, JSS, SSS, tertiary), job type (full-time, part-time, contract, tutoring), expected salary range, availability date.
7. **CV upload (required)** — PDF, DOC or DOCX, max 5 MB, virus-scanned. One active CV; previous versions kept for 90 days. Replaceable anytime from the dashboard.
8. **Identification** — government ID type (NIN slip, voter's card, driver's licence, international passport), ID number and document upload; selfie optional. Status: pending → verified / rejected (with reason).

Profile completeness score (0–100%) shown to the teacher; search ranks complete, verified profiles higher.

### FR-3 School onboarding

1. **School details** — school name, type (nursery, primary, secondary, combined, tertiary, tutorial centre), ownership (private, public, mission), curriculum (Nigerian, British, American, IB, Montessori), student population band, logo, website.
2. **Location (required)** — country, state, LGA/city, full address, optional map pin.
3. **Contact person** — name and title (Director, Proprietor, Principal, Head Teacher, HR), phone, email.
4. **Identification** — CAC certificate or state Ministry of Education approval letter, plus contact person's government ID.
5. Invite team members as recruiters by email.

Unverified schools can post vacancies, but their vacancies are labelled "unverified" and they see only a limited teacher profile (no CV download, no phone/email) until verified.

### FR-4 Vacancy posting

| Field | Required | Notes |
|---|---|---|
| Job title | Yes | e.g. "SS2 Physics Teacher" |
| Subjects, levels | Yes | From reference lists |
| Salary range (min–max, currency, period) | Yes | Monthly by default; min ≤ max |
| Job description | Yes | Rich text, min 100 characters |
| Job type | Yes | Full-time, part-time, contract, tutoring |

| Field | Required | Notes |
|---|---|---|
| Location (state, LGA/city) | Yes | Defaults to school location |
| Location visibility | Yes | Listed or Anonymous |
| Required qualifications, min years of experience, required certifications | No | Used for match score |
| Number of openings, application deadline, start date | No | Deadline defaults to 30 days |
| Benefits (accommodation, transport, feeding, HMO) | No | Checkboxes |
| Screening questions | No | Up to 5, text or yes/no |

Vacancy lifecycle: Draft → Published → Paused → Closed (filled or expired). Edits after publish are allowed; salary or title changes notify applicants.

**Anonymous mode:** public view shows title, salary, description, state and LGA/city, school type and "Confidential school". School name, logo and address are revealed to a teacher when shortlisted or invited.

## FR-5 Search and discovery

**Teachers search vacancies** by keyword, subject, level, job type, salary min, state, LGA/city, distance from their location (5, 10, 25, 50 km, anywhere), verified schools only, posted date. Sort by relevance, distance, newest, highest pay.

**Schools search teachers** by keyword, subject, level, qualification, min years of experience, certification (e.g. TRCN), state, LGA/city, distance from school, willing to relocate, availability, expected salary, verified only. Sort by match score, distance, experience, recently updated.

Both sides can save searches and get email/in-app alerts when new matches appear. Match score = weighted overlap of subjects, level, qualification, experience, certifications and distance.

## FR-6 Teacher profile view (recruiter side)

Shows photo, name, verified badge, location (city/LGA only), qualifications, certifications, work experience, preferences, completeness score and an embedded CV viewer with download. Each CV view/download is logged and the teacher sees "X schools viewed your

CV this week". Phone and email are hidden until the teacher is shortlisted or accepts an invite.

## FR-7 Applications and recruitment

1. Teacher applies with the current CV (a snapshot is stored on the application), optional cover note and screening answers. One application per vacancy.
2. School can also **invite** a teacher to a vacancy from the profile; teacher accepts or declines.
3. Application statuses: Applied → Viewed → Shortlisted → Interview scheduled → Offered → Hired; or Rejected / Withdrawn at any stage.
4. Recruiter can add private notes and a 1–5 rating per applicant, bulk-move applicants and export the list to CSV.
5. Interview scheduling: date, time, mode (in person with address, phone, video link); teacher confirms or proposes another time.
6. Marking Hired optionally closes the vacancy when openings are filled.

## FR-8 Messaging

In-app one-to-one conversation between a recruiter and a teacher, opened only after shortlist or accepted invite. Text and attachments (PDF/images, 5 MB). Block and report available.

## FR-9 Notifications

In-app, email and (v1.1) SMS/WhatsApp for: verification result, new application, status change, invite, interview, new message, saved-search match, vacancy expiring in 3 days, profile incomplete reminder.

## FR-10 Dashboards

- **Teacher:** completeness score, applications by status, invites, profile/CV views, saved jobs, recommended vacancies.
- **School:** open vacancies with applicant counts, pipeline by status, recommended teachers, verification status, team.

### FR-11 Admin and moderation

Verification queue (teacher IDs, certificates, school documents) with approve/reject + reason; user suspend/ban; vacancy and profile moderation; reports queue; reference data management (subjects, levels, qualifications, certification types, states/LGAs); audit log; platform analytics.

## Data model

Core entities and their key fields. All tables carry `id` (UUID), `created_at`, `updated_at`; soft delete via `deleted_at`.

| Entity | Key fields | Relations |
|---|---|---|
| User | email, phone, password_hash, role (teacher, school_owner, recruiter, admin), status (active, suspended), email_verified_at, last_login_at | 1–1 TeacherProfile or many SchoolMember |
| Location (embedded value) | country, state, lga_city, area, address_line (private), lat, lng | Used by TeacherProfile, School, Vacancy; geo index on lat/lng |
| TeacherProfile | user_id, full_name, gender, dob, photo_url, bio, location, willing_to_relocate, preferred_states[], subjects[], levels[], job_types[], expected_salary_min/max, available_from, years_experience (computed), completeness_score, verification_status, is_published, visibility | has many Qualification, Certification, WorkExperience, Cv, IdentityDocument |
| Qualification | teacher_id, type, course, institution, year_obtained, file_url | — |
| Certification | teacher_id, type (e.g. TRCN), issuer, number, issued_at, expires_at, file_url, verification_status | — |

| Entity | Key fields | Relations |
|---|---|---|
| WorkExperience | teacher_id, school_name, role, subjects[], levels[], start_date, end_date, is_current, description | — |
| Cv | teacher_id, file_url, file_name, mime_type (pdf, doc, docx), size_bytes, is_active, scan_status, uploaded_at | One active per teacher; old versions retained 90 days |
| IdentityDocument | owner_type (teacher, school), owner_id, doc_type, doc_number (encrypted), file_url, status (pending, verified, rejected), reviewed_by, reviewed_at, rejection_reason | — |
| School | name, type, ownership, curriculum[], population_band, logo_url, website, location, contact_name, contact_title, contact_phone, contact_email, verification_status | has many SchoolMember, Vacancy |
| SchoolMember | school_id, user_id, role (owner, recruiter), invited_by, status | — |
| Vacancy | school_id, created_by, title, subjects[], levels[], job_type, salary_min, salary_max, salary_currency, salary_period, description, location, location_visibility (listed, anonymous), required_qualifications[], min_experience_years, required_certifications[], openings, benefits[], screening_questions[], deadline, start_date, status (draft, published, paused, closed), views_count | has many Application |

| Entity | Key fields | Relations |
|---|---|---|
| Application | vacancy_id, teacher_id, cv_snapshot_id, cover_note, screening_answers[], source (applied, invited), status, rating, match_score | has many ApplicationNote, Interview, StatusHistory |
| Invitation | vacancy_id, teacher_id, invited_by, message, status (pending, accepted, declined, expired) | Accept creates an Application |
| Interview | application_id, scheduled_at, mode (in_person, phone, video), location_or_link, status (proposed, confirmed, rescheduled, cancelled, done) | — |
| ApplicationNote | application_id, author_id, body | Private to the school |
| SavedItem | user_id, item_type (vacancy, teacher), item_id | — |
| SavedSearch | user_id, scope (vacancies, teachers), filters (JSON), alert_frequency | — |
| Conversation / Message | conversation: school_id, teacher_id, application_id; message: sender_id, body, attachment_url, read_at | — |
| Notification | user_id, type, payload, channel, read_at | — |
| ProfileView | teacher_id, school_id, viewer_id, kind (profile, cv_view, cv_download) | Feeds "who viewed" |
| Report | reporter_id, target_type, target_id, reason, status | — |
| AuditLog | actor_id, action, target_type, target_id, metadata | — |

| Entity | Key fields | Relations |
|---|---|---|
| Reference data | subjects, levels, qualification_types, certification_types, states, lgas | Admin-managed |

## API endpoints

REST over HTTPS, base path `/api/v1`, JSON bodies, JWT bearer auth (access 15 min, refresh 30 days). File uploads use `multipart/form-data` or a signed-URL flow. List endpoints accept `page`, `limit` (max 50) and `sort`. Auth column: **Public**, **Any** (any signed-in user), **T** (teacher), **S** (school owner or recruiter), **SO** (school owner only), **A** (admin).

### Auth

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /auth/register | Public | Sign up with email/phone, password, role (teacher or school) |
| POST | /auth/verify-email | Public | Confirm email with token |
| POST | /auth/resend-verification | Public | Resend email or SMS code |
| POST | /auth/verify-phone | Public | Confirm phone with OTP |
| POST | /auth/login | Public | Returns access + refresh tokens |
| POST | /auth/refresh | Public | Exchange refresh token |
| POST | /auth/logout | Any | Revoke refresh token |
| POST | /auth/forgot-password | Public | Send reset link/OTP |
| POST | /auth/reset-password | Public | Set new password with token |
| POST | /auth/change-password | Any | Change password when signed in |
| POST | /auth/google | Public | Google sign-in (v1.1) |

## Current user

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /me | Any | Current user, role, onboarding status |
| PATCH | /me | Any | Update email, phone, notification settings |
| DELETE | /me | Any | Request account deletion |
| GET | /me/onboarding | Any | Step-by-step onboarding progress |

## Teacher profile and onboarding

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /teachers/me | T | Own full profile |
| PATCH | /teachers/me/personal | T | Personal details step |
| PUT | /teachers/me/location | T | Set location (required) |
| PUT | /teachers/me/preferences | T | Subjects, levels, job type, salary, availability |
| POST | /teachers/me/photo | T | Upload profile photo |
| GET | /teachers/me/completeness | T | Completeness score and missing items |
| POST | /teachers/me/publish | T | Publish profile (fails with list of missing required items) |
| POST | /teachers/me/unpublish | T | Hide profile from search |
| GET | /teachers/me/qualifications | T | List qualifications |
| POST | /teachers/me/qualifications | T | Add qualification (+ optional file) |
| PATCH | /teachers/me/qualifications/:id | T | Edit qualification |
| DELETE | /teachers/me/qualifications/:id | T | Remove (blocked if last one) |
| GET | /teachers/me/certifications | T | List certifications |
| POST | /teachers/me/certifications | T | Add certification + file |
| PATCH | /teachers/me/certifications/:id | T | Edit certification |

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| DELETE | /teachers/me/certifications/:id | T | Remove certification |
| GET | /teachers/me/experiences | T | List work experience |
| POST | /teachers/me/experiences | T | Add work experience |
| PATCH | /teachers/me/experiences/:id | T | Edit work experience |
| DELETE | /teachers/me/experiences/:id | T | Remove work experience |
| GET | /teachers/me/profile-views | T | Schools that viewed profile/CV |
| GET | /teachers/me/dashboard | T | Dashboard stats |

## CV

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /teachers/me/cv | T | Upload or replace CV (PDF/DOC/DOCX, ⩽ 5 MB); new file becomes active |
| GET | /teachers/me/cv | T | Active CV metadata + signed download URL |
| GET | /teachers/me/cv/history | T | Previous CV versions (90 days) |
| DELETE | /teachers/me/cv/:id | T | Delete an old version (active CV cannot be deleted, only replaced) |
| POST | /uploads/sign | Any | Get a signed upload URL for direct-to-storage uploads |

## Identity verification

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /verifications/identity | T, SO | Submit ID document (teacher) or registration document (school) |
| GET | /verifications/me | T, SO | Status of own submissions and rejection reasons |
| POST | /verifications/:id/resubmit | T, SO | Resubmit after rejection |

## Schools

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /schools | S | Create school during onboarding |
| GET | /schools/me | S | Own school profile |
| PATCH | /schools/me | SO | Update school details |
| PUT | /schools/me/location | SO | Set school location (required) |
| POST | /schools/me/logo | SO | Upload logo |
| GET | /schools/me/members | S | List team members |
| POST | /schools/me/members/invite | SO | Invite recruiter by email |
| POST | /schools/invites/:token/accept | Any | Accept team invite |
| PATCH | /schools/me/members/:userId | SO | Change member role |
| DELETE | /schools/me/members/:userId | SO | Remove member |
| GET | /schools/me/dashboard | S | Dashboard stats |
| GET | /schools/:id | Public | Public school page (hidden fields respected) |

## Vacancies

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /vacancies | Public | Search vacancies (q, subjects, levels, jobType, salaryMin, state, lga, lat, lng, radiusKm, verifiedOnly, postedWithin, sort) |
| GET | /vacancies/:id | Public | Vacancy detail (school hidden if anonymous) |
| GET | /vacancies/recommended | T | Vacancies matched to the teacher |
| POST | /vacancies | S | Create vacancy (draft or publish); title, salary range, description, location required |
| GET | /schools/me/vacancies | S | Own vacancies with applicant counts |
| PATCH | /vacancies/:id | S | Edit vacancy |
| POST | /vacancies/:id/publish | S | Publish draft |
| POST | /vacancies/:id/pause | S | Pause |
| POST | /vacancies/:id/close | S | Close (filled or cancelled) |
| POST | /vacancies/:id/duplicate | S | Copy as new draft |
| DELETE | /vacancies/:id | S | Delete draft only |

## Teacher search (recruiter side)

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /teachers | S | Search teachers (q, subjects, levels, qualification, minExperience, certification, state, lga, lat, lng, radiusKm, willingToRelocate, availableBy, salaryMax, verifiedOnly, sort) |

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /teachers/:id | S | Teacher profile (contact hidden until shortlisted/invite accepted); logs a view |
| GET | /teachers/:id/cv | S | Signed CV view/download URL; verified schools only; logs view or download |
| GET | /vacancies/:id/recommended-teachers | S | Teachers ranked by match score for a vacancy |

## Applications

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /vacancies/:id/applications | T | Apply (CV snapshot, cover note, screening answers) |
| GET | /applications/me | T | Own applications with status |
| GET | /applications/:id | T, S | Application detail |
| POST | /applications/:id/withdraw | T | Withdraw application |
| GET | /vacancies/:id/applications | S | Applicants for a vacancy (filter by status, rating; sort by match) |
| PATCH | /applications/:id/status | S | Move status (viewed, shortlisted, interview, offered, hired, rejected) with optional message |
| POST | /vacancies/:id/applications/bulk-status | S | Move several applicants at once |
| PATCH | /applications/:id/rating | S | Set 1–5 rating |
| GET | /applications/:id/notes | S | Private notes |
| POST | /applications/:id/notes | S | Add private note |
| DELETE | /applications/:id/notes/:noteId | S | Delete own note |
| GET | /applications/:id/history | T, S | Status change history |

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /vacancies/:id/applications/export | S | Export applicants as CSV |

## Invitations

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /invitations | S | Invite a teacher to a vacancy |
| GET | /invitations/me | T | Invitations received |
| GET | /schools/me/invitations | S | Invitations sent |
| POST | /invitations/:id/accept | T | Accept (creates application) |
| POST | /invitations/:id/decline | T | Decline |
| DELETE | /invitations/:id | S | Cancel pending invitation |

## Interviews

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /applications/:id/interviews | S | Schedule interview |
| GET | /interviews/me | T, S | Upcoming interviews |
| PATCH | /interviews/:id | S | Reschedule or update |
| POST | /interviews/:id/confirm | T | Confirm time |
| POST | /interviews/:id/propose | T | Propose another time |
| POST | /interviews/:id/cancel | T, S | Cancel |
| POST | /interviews/:id/complete | S | Mark done |

## Saved items and saved searches

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /saved | T, S | Saved vacancies (teacher) or saved teachers (school) |
| POST | /saved | T, S | Save item |
| DELETE | /saved/:id | T, S | Unsave |
| GET | /saved-searches | T, S | List saved searches |
| POST | /saved-searches | T, S | Save a search with alert frequency |
| PATCH | /saved-searches/:id | T, S | Edit filters or frequency |
| DELETE | /saved-searches/:id | T, S | Delete |

## Messaging

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /conversations | T, S | List conversations |
| POST | /conversations | S | Start conversation (requires shortlist or accepted invite) |
| GET | /conversations/:id/messages | T, S | Messages (cursor paginated) |
| POST | /conversations/:id/messages | T, S | Send message / attachment |
| POST | /conversations/:id/read | T, S | Mark read |
| POST | /conversations/:id/block | T, S | Block other party |
| WS | /ws | T, S | Real-time messages and notifications |

## Notifications

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /notifications | Any | List notifications |
| GET | /notifications/unread-count | Any | Unread badge count |
| POST | /notifications/:id/read | Any | Mark one read |
| POST | /notifications/read-all | Any | Mark all read |
| GET | /notifications/preferences | Any | Channel preferences |
| PUT | /notifications/preferences | Any | Update preferences |

## Reports

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /reports | Any | Report a profile, vacancy or message |

## Reference data (public lookups)

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /meta/subjects | Public | Subject list |
| GET | /meta/levels | Public | Education levels |
| GET | /meta/qualification-types | Public | Qualification types |
| GET | /meta/certification-types | Public | Certification types (e.g. TRCN) |
| GET | /meta/locations/countries | Public | Countries |
| GET | /meta/locations/states | Public | States (filter by country) |
| GET | /meta/locations/lgas | Public | LGAs/cities (filter by state) |
| GET | /meta/geocode | Any | Address → lat/lng (proxied geocoder) |

## Admin

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /admin/stats | A | Platform analytics |
| GET | /admin/users | A | Search users |
| GET | /admin/users/:id | A | User detail |
| POST | /admin/users/:id/suspend | A | Suspend user |
| POST | /admin/users/:id/reinstate | A | Reinstate user |
| GET | /admin/verifications | A | Verification queue (filter by type, status) |
| GET | /admin/verifications/:id | A | Document detail with signed file URL |
| POST | /admin/verifications/:id/approve | A | Approve |
| POST | /admin/verifications/:id/reject | A | Reject with reason |
| GET | /admin/vacancies | A | All vacancies |
| POST | /admin/vacancies/:id/takedown | A | Remove vacancy with reason |
| GET | /admin/teachers | A | All teacher profiles |
| POST | /admin/teachers/:id/unpublish | A | Hide profile |
| GET | /admin/reports | A | Reports queue |
| PATCH | /admin/reports/:id | A | Resolve or dismiss report |
| POST | /admin/meta/:type | A | Add reference item |
| PATCH | /admin/meta/:type/:id | A | Edit reference item |
| DELETE | /admin/meta/:type/:id | A | Remove reference item |
| GET | /admin/audit-logs | A | Audit trail |

## System

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /health | Public | Liveness/readiness |
| POST | /webhooks/storage/scan-result | Internal | Virus-scan callback for uploaded files |
| POST | /webhooks/email | Internal | Email delivery/bounce events |

## SEO, blog and ads

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| GET | /robots.txt | Public | Crawl rules (served by web app at domain root) |
| GET | /ads.txt | Public | AdSense authorised seller line (domain root) |
| GET | /sitemap.xml | Public | Sitemap index |
| GET | /sitemaps/vacancies.xml | Public | Live job URLs with lastmod |
| GET | /sitemaps/schools.xml | Public | Listed school pages |
| GET | /sitemaps/landing.xml | Public | State, LGA and subject pages with ⩾ 3 live jobs |
| GET | /sitemaps/blog.xml | Public | Blog articles |
| GET | /api/v1/vacancies/by-slug/:slug | Public | Job detail by SEO slug, includes JobPosting JSON-LD fields |
| GET | /api/v1/schools/by-slug/:slug | Public | School page by slug |
| GET | /api/v1/seo/landing-pages | Public | State × LGA × subject combinations with live job counts |
| GET | /api/v1/seo/meta?path= | Public | Title, description, canonical and breadcrumbs for a public path |
| GET | /api/v1/posts | Public | Blog list (category, page) |
| GET | /api/v1/posts/:slug | Public | Blog article |

| Method | Endpoint | Auth | Purpose |
|---|---|---|---|
| POST | /api/v1/admin/posts | A | Create article |
| PATCH | /api/v1/admin/posts/:id | A | Edit or publish article |
| DELETE | /api/v1/admin/posts/:id | A | Delete article |
| POST | /api/v1/admin/seo/reindex | A | Re-submit URLs to Google Indexing API and rebuild sitemaps |
| GET | /api/v1/ads/config | Public | Ad client ID and enabled slots per page type |
| GET | /api/v1/admin/ads/settings | A | Ad settings per page type |
| PUT | /api/v1/admin/ads/settings | A | Turn ad slots on/off, set slot IDs |

## Non-functional requirements, security and privacy

- **Performance:** search responses p95 ⩽ 500 ms at 100k teacher profiles; pages usable on 3G and low-end Android (mobile-first, page weight ⩽ 1 MB).
- **Availability:** 99.5% monthly uptime; daily database backups kept 30 days.
- **Files:** CVs and ID documents in private object storage, served only through signed URLs that expire in 10 minutes; MIME and extension checked server-side; virus scan before the file is visible to schools.
- **Access control:** role-based checks on every endpoint; schools can only touch their own vacancies and applicants; teacher contact details and CVs gated as described in FR-6.
- **Sensitive data:** ID numbers encrypted at rest; street address of teachers never exposed; admin access to documents logged in the audit log.
- **Privacy and law:** compliant with the Nigeria Data Protection Act 2023 — consent at sign-up, privacy policy, data export and account deletion within 30 days.
- **Abuse:** rate limiting on auth (5 attempts/min) and messaging; report and block; fake-vacancy detection by admin review of first vacancy from unverified schools.
- **Accessibility:** WCAG 2.1 AA on core flows.
- **Observability:** structured logs, error tracking, uptime alerts.

# SEO

Every public page is server-rendered, fast and marked up so jobs rank in Google Search and Google for Jobs; private pages are never indexed.

### What is indexed and what is not

| Page | Indexed | Notes |
|---|---|---|
| Home, /jobs search, job detail, school pages, state/LGA/subject landing pages, blog | Yes | SSR/ISR in Next.js; revalidate job pages on edit |
| Teacher profiles | No | Private data; visible only to signed-in schools. `noindex` + blocked in robots.txt |
| Login, register, onboarding, dashboards, CV viewer, messages, admin, API | No | `noindex`, disallowed in robots.txt |
| Landing pages with fewer than 3 live jobs | No | `noindex` until they have content, to avoid thin pages |
| Closed or expired jobs | No | Remove JobPosting markup, add `noindex`, show "position closed" + similar jobs; return 410 after 30 days |

**URL structure** (lowercase, hyphenated, stable)

- `/jobs` — all vacancies
- `/jobs/rivers` · `/jobs/rivers/port-harcourt` — by state and LGA/city
- `/jobs/subject/mathematics` · `/jobs/rivers/mathematics-teacher` — subject and state × subject
- `/jobs/ss2-physics-teacher-port-harcourt-a1b2c3` — job detail (slug + short id)
- `/schools/greenfield-academy-lekki` — school page (listed schools only)
- `/blog/teacher-salary-in-lagos-2026` — articles

### On-page and technical

- Unique title and meta description templates, e.g. "SS2 Physics Teacher job in Port Harcourt — ₦120k–₦180k/month | TeachHire".
- One `h1` per page, canonical URLs, Open Graph and X cards, `lang="en-NG"`.

- Structured data: `JobPosting` on job pages (title, description, datePosted, validThrough, employmentType, hiringOrganization, jobLocation with locality/region/country, baseSalary in NGN with min/max and unit MONTH), `Organization` on school pages, `BreadcrumbList` everywhere, `WebSite` + `SearchAction` on home, `Article` on blog posts.
- Notify Google on job publish, edit and close via the Indexing API (supported for job postings) and keep sitemaps fresh.
- Sitemap index split into vacancies, schools, landing pages and blog; robots.txt points to it.
- Core Web Vitals targets on mobile: LCP ⩽ 2.5 s, INP ⩽ 200 ms, CLS ⩽ 0.1. Images via `next/image`, fonts self-hosted.
- Internal links: job detail links to its state, LGA and subject pages and to 5 similar jobs.
- Content engine: blog with salary guides by state, interview tips, TRCN registration guide, lesson-planning resources — the main source of non-job search traffic.
- Google Search Console and GA4 connected from launch; weekly check of coverage and Core Web Vitals reports.

## Monetisation: Google AdSense

The only revenue source is display ads on public, content-rich pages; ads must never interfere with applying or recruiting.

**Ad placement**

| Page | Placement |
|---|---|
| Job search and landing pages | In-feed unit after every 6th result; one sidebar unit on desktop |
| Job detail | One unit below the job description; sidebar on desktop. Never directly beside or above the Apply button |
| School pages | One unit below the school's vacancy list |
| Blog posts | In-article units every ~4 paragraphs, max 3 per article |
| Home | One unit below the fold |

**No ads on:** login, register, onboarding, dashboards, CV viewer, applications, messages, admin, error pages and empty-result pages.

**Requirements before applying to AdSense**

- [ ] Own domain live with HTTPS
- [ ] Privacy policy (mentions Google cookies and ads), terms, about and contact pages
- [ ] Enough original content: live job listings plus blog articles
- [ ] `ads.txt` at the domain root with the AdSense publisher ID
- [ ] Cookie consent banner; a Google-certified consent tool for visitors from the EEA, UK and Switzerland; NDPA consent for Nigerian users

**Implementation rules**

- Manual ad units with fixed-size, reserved slots so ads never cause layout shift; lazy-load below-the-fold units.
- Start with manual units; if Auto ads are tried, exclude every no-ads page above.
- Ad client and slot IDs come from environment config; admin can switch ads off per page type without a deploy.
- Track page RPM, impressions and CTR per page type in the admin analytics; earnings depend on traffic volume, so SEO metrics are the leading indicator.

**Data model additions:** `slug` on Vacancy and School; `Post` (title, slug, body, cover_image, meta_title, meta_description, status, published_at); `AdSettings` (page_type, enabled, slot_id).

## Release plan and open questions

| Phase | Scope | Exit criteria |
|---|---|---|
| MVP | Auth, teacher onboarding with CV + location + qualifications, school onboarding, vacancy posting (listed/anonymous), both searches with location filters, apply, application status pipeline, admin verification queue, email notifications, SEO foundation (server-rendered public pages, sitemaps, JobPosting structured data) | 100 teachers and 10 schools in one pilot state complete the full flow |

| Phase | Scope | Exit criteria |
|---|---|---|
| v1.0 | Invitations, interviews, messaging, saved searches + alerts, dashboards, profile-view tracking, CSV export, blog/career guides, Google AdSense application once ~50 live vacancies and 15+ articles are up | Pilot schools hire through the platform |
| v1.1 | Google sign-in, SMS/WhatsApp notifications, mobile apps, state × subject landing pages at scale | AdSense approved and earning on public pages |

### Open questions

- [ ] Product name and domain.
- [ ] Anonymous vacancies in Google for Jobs: Google expects a hiring organisation name, so decide whether anonymous jobs get JobPosting markup with "Confidential school" or are left out of it.
- [ ] Is TRCN registration mandatory for all teachers, or only for those applying to secondary roles?
- [ ] Launch state(s) for the pilot.
- [ ] Should anonymous vacancies require the school to be verified first?
- [ ] Tech stack confirmation (proposed in the SKILL.md: Next.js + Node/NestJS + PostgreSQL/PostGIS).