

NAME- PRATHMESH DANAGE

CLASS-TEIT 11

PRACTICAL :- 1A

Index.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Client Website</title>
```

```
<!-- Bootstrap CSS -->
```

```
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
```

```
<!-- Internal CSS -->
```

```
<style>
```

```
/* Custom styling */
```

```
body {
```

```
font-family: Arial, sans-serif;
```

```
}
```

```
header,
```

```
footer {
```

```
background-color: lightgray;
```

```
padding: 10px;
```

```
text-align: center;
```

```
}
```

```
nav a {  
  
margin: 0 10px;  
  
text-decoration: none;  
  
font-weight: bold;  
  
}  
  
section {  
  
margin: 20px 0;  
  
}  
  
</style>  
  
</head>  
  
<body>  
  
<header class="bg-dark text-white">  
  
<div class="container">  
  
<h1>Welcome to Our Client's Website</h1>  
  
</div>  
  
</header>  
  
<nav class="navbar navbar-expand-lg navbar-light bg-light">  
  
<div class="container">  
  
<a class="navbar-brand" href="#">Home</a>  
  
<button class="navbar-toggler" type="button" data-toggle="collapse" data-  
target="#navbarNav"  
  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">  
  
<span class="navbar-toggler-icon"></span>  
  
</button>  
  
<div class="collapse navbar-collapse" id="navbarNav">  
  
<ul class="navbar-nav">
```

```
<li class="nav-item"><a class="nav-link" href="#about">About</a></li>

<li class="nav-item"><a class="nav-link" href="#services">Services</a></li>

<li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>

</ul>

</div> </div> </nav>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">

<div class="container-fluid">

<button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-
target="#sidebar" aria-controls="sidebar">

<span class="navbar-toggler-icon"></span>

</button>

<a class="navbar-brand" href="#">Admin Dashboard</a>

</div> </nav>

<div id="sidebar" class="offcanvas collapse">

<ul class="nav flex-column">

<li class="nav-item">

<a class="nav-link text-light" href="#">Dashboard</a>

</li>

<li class="nav-item">

<a class="nav-link text-light" href="#">Users</a>

</li>

<li class="nav-item">

<a class="nav-link text-light" href="#">Products</a>

</li>

<!-- Add more sidebar items as needed -->

</ul>
```

```
</div>

<div id="content">

<h2>Dashboard</h2>

<div class="row">

<div class="col-md-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Total Users</h5>

<p class="card-text">1500</p>

</div> </div> </div>

<div class="col-md-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Total Products</h5>

<p class="card-text">500</p>

</div> </div> </div>

<div class="col-md-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Revenue</h5>

<p class="card-text">$50,000</p>

</div> </div> </div> </div> </div>

<!-- Bootstrap JS and Popper.js (for Bootstrap) -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

<section id="home" class="text-center">
```

```
<div class="container">

<h2 class="text-success">Home</h2>

<p>This is the homepage of our client's website.</p>



</div>

</section>

<section id="about" class="bg-light">

<div class="container">

<h2>About Us</h2>

<p>We are dedicated to providing quality services to our clients.</p>

</div>

</section>

<section id="services" class="text-center">

<div class="container">

<h2>Our Services</h2>

<ul class="list-group">

<li class="list-group-item bg-success text-white">Web Design</li>

<li class="list-group-item bg-success text-white">Graphic Design</li>

<li class="list-group-item bg-success text-white">SEO Optimization</li>

</ul>

</div>

</section>
```

```
<section id="statistics" class="bg-light">

<div class="container">

<h2>Statistics</h2>

<div class="row">

<div class="col-md-4 mb-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Clients Served</h5>

<p class="card-text">1000+</p>

</div>

</div>

</div>

<div class="col-md-4 mb-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Projects Completed</h5>

<p class="card-text">500+</p>

</div>

</div>

</div>

<div class="col-md-4 mb-4">

<div class="card">

<div class="card-body">

<h5 class="card-title">Team Members</h5>

<p class="card-text">20+</p>
```

</div>

</div>

</div>

</div>

</div>

</section>

<section id="contact" class="text-center">

<div class="container">

<h2>Contact Us</h2>

<form action="/submit" method="post">

<div class="form-group">

<label for="name">Name:</label>

<input type="text" id="name" name="name" class="form-control" required>

</div>

<br>

<div class="form-group">

<label for="email">Email:</label>

<input type="email" id="email" name="email" class="form-control" required>

</div>

<button type="submit" class="btn btn-success">Submit</button>

</form>

</div>

</section>

<footer class="bg-light">

<div class="container">

<p>&copy; 2024 Client Website. All rights reserved.</p>

</div>

</footer>

<!-- Bootstrap JS and dependencies -->

<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>

<script  
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.3/dist/umd/popper.min.js"></script>

<script  
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>

</body>

</html>