Københavns Universitet PoP Assignment 2

Contents

1	section 1															3							
	1.1	allah e	er stor																				3
		1.1.1	yeet					•															3
2																							3

1 section 1

1.1 question 1

1.1.1 question 1.1

$$\left(82x + 2y^{2} \frac{1}{2}\right)$$

$$\left(82x + 2y^{2} \frac{1}{x}\right)$$

$$\left(2x + 2y^{2} \frac{0}{a_{1}}\right)$$

$$\lim_{n \to \infty} \left(\frac{1}{n}\right)$$

$$\lim_{n \to \infty} \left\{\frac{1}{n}\right\}$$

math is cool = true

$$e^{x\cdot 0} \bullet \nabla f \circ g$$

$$\frac{\partial u}{\partial x} = y\cos(xy+1) = -1\cos(1\cdot(-1)+1) = -1\cos(0) = -1$$
$$\frac{\partial v}{\partial x} = 2x = 2\cdot 1 = 2$$

2 I den sidste afleveringsopgave betragtede vi
 funktionen $f:\mathbb{R}^2\to\mathbb{R}$ givet ved

$$f(x,y) = \begin{cases} \frac{x^2y}{x^4 + y^2}, & (x,y) \neq \leq (0,0) \\ 0, & (x,y) = (0,0) \end{cases}$$

hassan

1 **if** (1==2) then kys



Figure 1: Maple plot af funktionen fra opgave 4: $f(x,y) = \begin{cases} \frac{x^2y}{x^4 + y^2}, (x,y) \neq (0,0) \\ (0,0), (x,y) = (0,0) \end{cases}$



Figure 2: Maple kode til at finde de partielt afledte af f(x,y) ved (x,y)=(5,5)