

Informe

Nombre: Pablo Camacho

NRC: 1323


Fecha de entrega: 22/11/2024

Proceso realizado para subir archivos a GitHub mediante la consola de comandos.


1. Ingreso a la plataforma de GitHub.



2. Me dirijo a la pestaña Repositorios.



3. Selecciono New



4. Configuro el nombre del repositorio y el acceso al repositorio a Publico.

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner * P4B10-Camacho / Repository name *

Great repository names are short and memorable. Need inspiration? How about [didactic-fiesta](#) ?

Description (optional)

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☐ **Add a README file**
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

You are creating a public repository in your personal account.

[Create repository](#)

5. Al crear el repositorio, obtengo una configuración paso a paso de lo que tengo que seguir desde la consola del ordenador.

Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

[Get started with GitHub Copilot](#)

Add collaborators to this repository

Search for people using their GitHub username or email address.

[Invite collaborators](#)

Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) <https://github.com/P4B10-Camacho/Control.git>

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line


```
echo "# Control" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/P4B10-Camacho/Control.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/P4B10-Camacho/Control.git
git branch -M main
git push -u origin main
```

Una vez obtenida la información procedo con la configuración en la consola de ordenador siguiendo los siguientes pasos.

1. Selecciono una carpeta que me servirá para conectar con el repositorio




2. Accedo a la carpeta desde la consola.



3. Ejecuto los siguientes comandos para configurar mi correo.

```
git config --global user.email "@gmail.com"
```

```
git config --global user.name "Your user Name"
```



4. Ejecuto los siguientes comandos.

git init “Esto inicializará la carpeta/repositorio que tienes en tu computador local”

git branch -M main “Esto permite crear una rama nueva”

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Versión 10.0.26100.2314]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\MSI\Downloads\GitHub>git config --global user.email "camachopablo198@gmail.com"

C:\Users\MSI\Downloads\GitHub>git config --global user.name "P4B10-Camacho"

C:\Users\MSI\Downloads\GitHub>git init
Initialized empty Git repository in C:/Users/MSI/Downloads/GitHub/.git/

C:\Users\MSI\Downloads\GitHub>git branch -M main

C:\Users\MSI\Downloads\GitHub>
```

5. Ejecuto el siguiente comando.

git remote add origin git@github.com:cushico/POO.git “Esto conectará la carpeta existente del sistema local al repositorio de Github recién creado”

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Versión 10.0.26100.2314]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\MSI\Downloads\GitHub>git config --global user.email "camachopablo198@gmail.com"

C:\Users\MSI\Downloads\GitHub>git config --global user.name "P4B10-Camacho"

C:\Users\MSI\Downloads\GitHub>git init
Initialized empty Git repository in C:/Users/MSI/Downloads/GitHub/.git/

C:\Users\MSI\Downloads\GitHub>git branch -M main

C:\Users\MSI\Downloads\GitHub>git remote add origin git@github.com:P4B10-Camacho/Control-de-Lectura1.git

C:\Users\MSI\Downloads\GitHub>
```

6. Una vez configurado, procederé a realizar las pruebas para subir mi primer archivo a GitHub.

Con el comando:

git status -s “podemos observar el estado de los archivos”

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Versión 10.0.26100.2314]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\MSI\Downloads\GitHub>git config --global user.email "camachopablo198@gmail.com"

C:\Users\MSI\Downloads\GitHub>git config --global user.name "P4B10-Camacho"

C:\Users\MSI\Downloads\GitHub>git init
Initialized empty Git repository in C:/Users/MSI/Downloads/GitHub/.git/

C:\Users\MSI\Downloads\GitHub>git branch -M main

C:\Users\MSI\Downloads\GitHub>git remote add origin git@github.com:P4B10-Camacho/Control-de-Lectura1.git

C:\Users\MSI\Downloads\GitHub>git status -s
?? CD1_2_Camacho_Pablo_1323_PO0.pdf
?? CD1_Camacho_Pablo_1323_PO0.pdf
?? hola_mundo.java

C:\Users\MSI\Downloads\GitHub>
```

7. Al ejecutar el comando git add “se añadirán los archivos al repositorio”

```
C:\Windows\System32\cmd.exe x + v
?? hola_mundo.java

C:\Users\MSI\Downloads\GitHub>git add hola_mundo.java
warning: in the working copy of 'hola_mundo.java', LF will be replaced by CRLF the next time Git touches it

C:\Users\MSI\Downloads\GitHub>git status -s
A hola_mundo.java
?? CD1.2_Camacho_Pablo_1323_P00.pdf
?? CD1_Camacho_Pablo_1323_P00.pdf

C:\Users\MSI\Downloads\GitHub>git add CD1_Camacho_Pablo_1323_P00.pdf

C:\Users\MSI\Downloads\GitHub>git add CD1.2_Camacho_Pablo_1323_P00.pdf

C:\Users\MSI\Downloads\GitHub>git status -s
A CD1.2_Camacho_Pablo_1323_P00.pdf
A CD1_Camacho_Pablo_1323_P00.pdf
A hola_mundo.java

C:\Users\MSI\Downloads\GitHub>
```

8. Con el comando git commit “puedo colocarle algún comentario al archivo”

```
C:\Windows\System32\cmd.exe x + v
C:\Users\MSI\Downloads\GitHub>git init
Initialized empty Git repository in C:/Users/MSI/Downloads/GitHub/.git/

C:\Users\MSI\Downloads\GitHub>git branch -M main

C:\Users\MSI\Downloads\GitHub>git remote add origin https://github.com/P4B10-Camacho/Control-de-Lectura1.git

C:\Users\MSI\Downloads\GitHub>git status -s
C:\Users\MSI\Downloads\GitHub>git status -s
?? hola_mundo.java

C:\Users\MSI\Downloads\GitHub>git add hola_mundo.java
warning: in the working copy of 'hola_mundo.java', LF will be replaced by CRLF the next time Git touches it

C:\Users\MSI\Downloads\GitHub>git commit -m "primer comentario"
[main (root-commit) 2507b85] primer comentario
1 file changed, 6 insertions(+)
create mode 100644 hola_mundo.java
```

9. Para subir el repositorio local a la nube, utilizo el comando.

git push -u origin main

```
C:\Windows\System32\cmd.exe x + v
C:\Users\MSI\Downloads\GitHub>git add hola_mundo.java
warning: in the working copy of 'hola_mundo.java', LF will be replaced by CRLF the next time Git touches it

C:\Users\MSI\Downloads\GitHub>git commit -m "primer comentario"
[main (root-commit) 2507b85] primer comentario
1 file changed, 6 insertions(+)
create mode 100644 hola_mundo.java

C:\Users\MSI\Downloads\GitHub>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P4B10-Camacho/Control-de-Lectura1.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\MSI\Downloads\GitHub>
```

10. Una vez subida la información se podrá comprobar en la plataforma

P4BIO-Camacho / Control-de-Lectura1

Search

Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Control-de-Lectura1

Public

Pin

Unwatch 1

Fork

Star 0

main 1 Branch 0 Tags

Go to file

Add file

<> Code

About

P4BIO-Camacho

segundo comentario

439e02 · 5 hours ago

2 Commits

CD12_Camacho_Pablo_1323_POO.pdf

segundo comentario

5 hours ago

CD1_Camacho_Pablo_1323_POO.pdf

segundo comentario

5 hours ago

hola_mundojava

primer comentario

5 hours ago

README

Add a README

Help people interested in this repository understand your project by adding a README.

Add a README

About

No description, website, or topics provided.

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Languages

Java 100.0%

Suggested workflows

Based on your tech stack