

Gundi Radio Service (rc.2)

The Gundi Radio Service is a Windows application that's designed to monitor a database used by a radio system. Currently this application can read data from:

Hytera Smart Dispatch Plus

Hytera Smart One Dispatch

Kenwood KAS20s

TRBOnet Plus

Using the Service

The Gundi Radio Service is packaged as a zip file that you can get from the Gundi team.

Prerequisites

In order to install the Gundi Radio Service, you'll need to meet these prerequisites.

- Installed version of one of:
 - Kenwood KAS-20
 - Hytera Smart Dispatch Plus
 - Hytera Smart One Dispatch
 - TRBOnet Plus (distributed by Motorola)
- Credentials for the database used by the radio dispatch software.
 - For KAS-20 and TRBOnet Plus, this is a SQL Server database
 - For Smart Dispatch Plus this is a PostgreSQL database
- A Gundi API Key (get this from the Gundi team)
- Administrator privileges on your Windows PC

Installation

Place the files.

1. Save the GundiRadioService.zip file to your Windows PC filesystem.
2. Unzip the files to a folder (ex. C:\EarthRanger\GundiRadioService)
3. **As an Administrator**, open a Command Prompt and change directory to where you unzipped the files in step 1.


Configure the Service.

1. Run this command and enter data as prompted:

Find descriptions about the configuration settings at the end of this section.

```
RadioService.exe /configure
```

This will open a window for configuring the connection to a database and to one or more Gundi connections. It will look something like what's shown below.



The image shows a Windows application window titled "Radio Service Configuration". It has two tabs: "Database Connection" (which is selected) and "Gundi Connections". The "Database Connection" tab contains the following fields and controls:

- Database Type:** A dropdown menu with "Kenwood KAS20" selected.
- Database Hostname:** A text input field containing "localhost".
- Database Name:** An empty text input field.
- Database Username:** An empty text input field.
- Database Password:** An empty text input field.
- Database Schema:** An empty text input field.
- Test Connection:** A button located below the input fields.

At the bottom right of the window, there are two buttons: "Close" and "Save".

2. After entering the database connection details, click "Test Connection" to validate the configuration.

3. Use the "Gundi Connections" tab to enter one or more places to send the GPS data. Click the "Add Connection" button and fill in the details for a Gundi Connection (these are found at <https://gundiservice.org>).

The screenshot shows a window titled "Radio Service Configuration" with two tabs: "Database Connection" and "Gundi Connections". The "Gundi Connections" tab is active. Inside the tab, there is an "Add Connection" button. Below it, a table-like structure contains one connection entry. The entry has three fields: "Connection Name" with the value "Connection 1", "Gundi Service URL" with a dropdown menu showing "https://sensors.api.gundiservice.org", and "Gundi API Key" with a text box containing a long alphanumeric string. A "Remove" button is to the right of the first field. At the bottom right of the window are "Close" and "Save" buttons.

Connection Name	Gundi Service URL	Gundi API Key	
Connection 1	https://sensors.api.gundiservice.org	897209799de54c616be1a91d4746e277c9aeeec8d	Remove

4. Click **Save** to write the configuration updates to the RadioService settings file.
5. [Optional] Test the configuration by running the application directly.

```
RadioService.exe
```

You'll see some output that will indicate whether things are operating correctly. If you see errors, you might need to re-do the configuration step above.

Press **Ctrl-C** to stop the application.

6. Once you're satisfied with the configuration, you're ready to install it as a Windows Service.

Run this command to install the application as a Windows Service:

```
RadioService.exe /install
```

This will create a Windows Service named "Gundi Radio Service". It will run automatically, monitoring your radio system's database and forwarding new GPS data to Gundi.

Configuration Item	Example	Description
Destination	https://sensors.api.gundiservice.org	This is already set and should only be changed if directed by the Gundi engineering team.
Gundi API Key	4b8241268712c896e8fbcc857b2343	This is a secret key for accessing Gundi's APIs. You'll get this value from https://gundiservice.org or from a Gundi team memeber.
Database Type	Choose from: * Kenwood KAS20 * Smart One Dispatch * Smart Dispatch Plus * TRBOnet Plus	This application supports two types of radio systems.
Database Server	localhost	This is the server where the database is installed. Typically you can leave this as localhost.
Database Name	rds Or KAS20 Or puc Or TRBOnet1	This is a the name of the database where your radio system records data.
Database Schema	dbo	This is a the name of the schema within the database.
Database User	postgres Or KAS20Admin	Database username
Database Password	some-secret	The password used to connect to the database.