Model class **S-CLASSIC-90** at a glance

90 EN 14470-1 · GS EK5 / AK4 / EN 14727 · 5 Years Warranty





Easy, safe and convenient

HIGHLIGHT

- corrosion-protected assembly of safety elements
- air damped door closing, door open arrest system (optional), convenient and safe removal and storage of containers
- **GS-approved** with **50,000** non-wearing open-close cycles




Ventilation

- quickly put into operation
- integrated air ducts ready for connection (NW 75) to a technical exhaust system



Perforated insert

- as a first storage area in the bottom collecting sump
- optimal utilisation of existing storage capacities



Bottom collecting sump

- with three-sided lip seal
- safe collection of leakage



Adjusting aids

HIGHLIGHT

- easy alignment
- fast and effective compensation for uneven floor (max.10 mm)



Locking

- protection against unauthorised use
- lockable doors with cylinder lock (integration into a locking system possible)



Labelling

HIGHLIGHT

- **language-free labelling,** optimal international usability



Metal-free interior equipment (optional)

HIGHLIGHT

- ideal for the storage of flammable, aggressive hazardous substances
- tray shelves with chemical resistant surface lamination and removable sump made of PE
- bottom collecting sump made of PE



Drawers

- high storage capacity
- to maximise storage space
- ideal for the storage of containers < 5 litres
- also available as heavy-duty drawer with 100 kg load capacity



Shelf

- height adjustable (32 mm increments), load capacity 75 kg
- with 30 mm upstand
- seal-welded version available (load capacity 150 kg)



PLAY



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.090
Warning yellow (RAL1004), 3 shelves, perforated insert and bottom collecting sump (sheet steel plastic laminated), recirculating air filter system optional
Order No. 30204-002-30208



Function / construction:

- **robust construction and longevity** – safety elements assembled outside the storage compartment for increased protection against corrosion, easy to clean
- **convenient handling** – doors can be opened with minimal effort
- **user-friendly and safe** – door open arrest system (optional), convenient and safe removal or storage of containers
- **no unauthorised use** – doors lockable with cylinder locking (integration in a locking system possible)
- **easy alignment** – adjusting aids to compensate for uneven floor
- **quickly put into operation** – integrated air ducts ready for connection (NW 75) to a technical exhaust system

Available interior equipment:

- shelves (load capacity: 75 kg)
- perforated inserts
- bottom collecting sumps (volume 23,5 ltr.)
- drawer with 60 kg load capacity
- heavy-duty drawer with 100 kg load capacity
- metal-free shelves and sumps
- storage box
- sump inliner (PE or PP)

for details see page 60

Extraction unit
safe ventilation of safety storage cabinets
plug-in - fast and easy to install

for more information see chapter ***Extraction of hazardous materials***

Order No. 14218





Comfortable and safe
door open arrest system (optional), convenient and safe removal or storage of containers

Recirculating air filter system
avoid complex wall breakthroughs and expensive extraction piping

for more information see chapter ***Extraction of hazardous materials***

Order No. 25099





Metal-free interior equipment
ideal for the storage of flammable, aggressive hazardous substances. Tray shelves with chemical resistant surface lamination and removable sump made of PE, bottom collecting sump made of PE



Quickly put into operation
integrated air ducts ready for connection (NW 75) to a technical exhaust system



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.090.WDAS
Light grey (RAL 7035) with **door open arrest system** and 4 drawers (sheet steel plastic laminated)
Order No. 30205-001-30218



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.090.WDAS
Warning yellow (RAL 1004) with **door open arrest system** and 6 drawers (sheet steel plastic laminated)
Order No. 30205-002-30220

RAL 7035 -001 RAL 1004 -002 2 cabinet colours are available **at no extra** cost:

Order example - how to order correctly: 30204 - 001 - 30208

Model	Material/Colour/Information	Order No.
S90.196.090, without interior equipment	please specify body and door colour	30204
S90.196.090.WDAS, body without interior equipment, **with door open arrest system**	please specify body and door colour	30205
Body colour / door colour		
Body Light grey / doors Light grey	RAL 7035	001
Body Warning yellow / doors Warning yellow	RAL 1004	002
Interior equipment packages (only available with cabinet)		
3 shelves, 1 perforated insert, 1 bottom collecting sump (V=23,5 ltr.)	sheet steel plastic laminated RAL 7035	30208
4 shelves, 1 perforated insert, 1 bottom collecting sump (V=23,5 ltr.)	sheet steel plastic laminated RAL 7035	30209
3 shelves, 1 bottom collecting sump (V=23,5 ltr.)	sheet steel plastic laminated RAL 7035	30210
4 shelves, 1 bottom collecting sump (V=23,5 ltr.)	sheet steel plastic laminated RAL 7035	30211
3 shelves, 1 perforated insert, 1 bottom collecting sump (V=23,5 ltr.)	stainless steel 1.4301	30212
4 shelves, 1 perforated insert, 1 bottom collecting sump (V=23,5 ltr.)	stainless steel 1.4301	30213
3 shelves, 1 bottom collecting sump (V=23,5 ltr.)	stainless steel 1.4301	30214
4 shelves, 1 bottom collecting sump (V=23,5 ltr.)	stainless steel 1.4301	30215
3 tray shelves (V=23 ltr.), 1 bottom collecting sump (V=23 ltr.)	**metal-free (melamine / PE)**	30216
4 tray shelves (V=23 ltr.), 1 bottom collecting sump (V=23 ltr.)	**metal-free (melamine / PE)**	30217
4 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30218
5 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30219
6 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30220
4 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30221
5 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30222
6 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30223
Accessories		
Fire protected add-on	sheet steel plastic laminated RAL 7035, for installation of pipes / cables	30035
Sump inliner for shelf sheet steel / stainless steel	PP grey	9707
Sump inliner for drawer sheet steel / stainless steel	PE white	27948
Rubber mat for drawer	black	15653
Perforated storage box, left hinged door, for shelves only	sheet steel plastic laminated RAL 7035	30029
Perforated storage box, right hinged door, for shelves only	sheet steel plastic laminated RAL 7035	30030
Box for chemicals	PP blue, with carrying handles and lid	30038
Transport base	sheet steel plastic laminated RAL 7035	30224
Technical ventilation		
Recirculating air filter system	sheet steel plastic laminated RAL 7035 / RAL 7016	25099
Extraction unit	sheet steel plastic laminated RAL 7035	14218

S-CLASSIC-90 ‹90 cm›


Individual configuration of model **S90.196.090(.WDAS)**

Model	Material/Colour/Information	W x D x H (mm)	Load capacity (kg)	Capacity (ltr.)	max container vol. inside the cabinet (ltr.)	Order No.
S90.196.090, without interior equipment	please specify body and door colour	896 x 616 x 1968	-	-	-	30204
S90.196.090.WDAS, without interior equipment,	please specify body and door colour	896 x 616 x 1968	-	-	-	30205
with door open arrest system						
Body colour / door colour						
Body Light grey / doors Light grey	RAL 7035		-	-	-	001
Body Warning yellow / doors Warning yellow	RAL 1004		-	-	-	002
Interior equipment						
Shelf	sheet steel plastic laminated RAL 7035	740 x 432 x 30*	75	-	-	30059
	stainless steel 1.4301	740 x 432 x 30*	75	-	-	30061
Perforated insert	sheet steel plastic laminated RAL 7035	724 x 417 x 60*	75	-	-	11165
	stainless steel 1.4301	724 x 417 x 60*	75	-	-	11168
Bottom collecting sump (V=23,5 ltr.)	sheet steel plastic laminated RAL 7035	725 x 445 x 80*	-	23,5	21,36	30060
	stainless steel 1.4301	725 x 445 x 80*	-	23,5	21,36	30062
Tray shelf (V=23 ltr.)	**metal-free (melamine / PE)** HIGHLIGHT	702 x 472 x 74*	50	23	20,91	30063
Bottom collecting sump (V=23 ltr.)	**metal-free (PE)** HIGHLIGHT	702 x 472 x 74*	-	23	20,91	26990
Drawer (V=18,5 ltr.)	sheet steel plastic laminated RAL 7035	544 x 488 x 90*	60	18,5	16,82	30065
	stainless steel 1.4301	544 x 488 x 90*	60	18,5	16,82	30067
Drawer heavy-duty (V=45 ltr.)	sheet steel plastic laminated RAL 7035	543 x 487 x 162*	100	45	40	30066
	stainless steel 1.4301	543 x 487 x 162*	100	45	40	30068
Perforated storage box for shelves left hinged door	sheet steel plastic laminated RAL 7035	380 x 420 x 360	-	-	-	30029
Perforated storage box for shelves right hinged door	sheet steel plastic laminated RAL 7035	380 x 420 x 360	-	-	-	30030
Sump inliner for shelf sheet steel / stainless steel	PP grey	653 x 406 x 88*	-	21,5	19,55	9707
Sump inliner for drawer sheet steel / stainless steel	PE white	536 x 480 x 90*	-	22	20	27948
Rubber mat for drawer	black	540 x 490 x 1.3	-	-	-	15653
Accessories						
Fire protected add-on	sheet steel plastic laminated RAL 7035, for installation of pipes / cables					30035
Box for chemicals	PP blue, with carrying handles and lid					30038
Recirculating air filter system	sheet steel plastic laminated RAL 7035 / RAL 7016					25099
Extraction unit	sheet steel plastic laminated RAL 7035					14218
Transport base	sheet steel plastic laminated RAL 7035					30224


CERTIFIED SAFETY YOU CAN RELY ON.

* usable storage space W x D (mm)


Front view S90.196.090.WDAS



Side view S90.196.090.WDAS




Sectional view S90.196.090.WDAS



Technical data model S90.196.090(.WDAS)


Dimensions	W x D x H (mm)	exterior 896 x 616 x 1968 interior 750 x 524 x 1742
Height including transport base	(mm)	2090
Depth with open doors	(mm)	1022
Weight	(kg)	310
Extraction air	(NW)	75
Air exchange 10 times	(m^3/h)	6,8
Pressure drop inside the cabinet	(Pa)	< 5
$\Delta\rho$ total (EK5/AK4 09-10)	(Pa)	< 5
Maximum load	(kg)	600
Distributed load	(kg/m^2)	628
Optional transport base	entry height (mm)	100
	entry width (mm)	2x 290

Top view S90.196.090(.WDAS)



Model S90.196.090(.WDAS)	**Standard**								
Drawers / number	**9**	**8**	**7**	**6**	**5**	**4+1**	**4**	**3**	**2**
Distance ❾ (mm)	135								
Distance ❽ (mm)	135	295							
Distance ❼ (mm)	135	135	295						
Distance ❻ (mm)	170	170	230	295					
Distance ❺ (mm)	170	170	200	295	325	295			
Distance ❹ (mm)	170	170	200	230	295	295	390		
Distance ❸ (mm)	170	170	170	230	330	230	390	520	
Distance ❷ (mm)	170	170	200	230	295	230	390	520	1125
Distance ❶ (mm)	200	200	200	230	295	490	390	550	490

Model S90.196.090(.WDAS)	**Standard**		
Shelves / number		**4**	**3**
Distance ❹ (mm)		320	
Distance ❸ (mm)		350	420
Distance ❷ (mm)		350	450
Distance ❶ (mm)		290	380



Model S90.196.090(.WDAS)	**Storage**	
Quantity	**Type of**	**Volume**
49	Aerosol	400 ml
23	Lab bottle	1 litre
23	Lab bottle	1 litre
9	Lab bottle	2.5 litres



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.060
Warning yellow (RAL 1004), left hinged door with 3 shelves, perforated insert and bottom collecting sump (sheet steel plastic laminated), recirculating air filter system optional
Order No. 30227-002-30249



Function / construction:

- **robust construction and longevity** – safety elements assembled outside the storage compartment for increased protection against corrosion, easy to clean
- **convenient handling** – door can be opened with minimal effort
- **user-friendly and safe** – door open arrest system (optional), convenient and safe removal or storage of containers
- **no unauthorised use** – doors lockable with cylinder locking (integration in a locking system possible)
- **easy alignment** – adjusting aids to compensate for uneven floor
- **quickly put into operation** – integrated air ducts ready for connection (NW 75) to a technical exhaust system

Available interior equipment:

- shelves (load capacity: 75 kg or 150 kg)
- perforated inserts
- bottom collecting sumps (volume 21/22,5 ltr. or 33,5/34 ltr.)
- drawer with 25 kg load capacity
- metal-free tray shelves and sumps
- storage box
- sump inliner (PE or PP)

for details see page 64



Metal-free interior equipment
ideal for the storage of flammable, aggressive hazardous substances. Tray shelves with chemical resistant surface lamination and removable sump made of PE, bottom collecting sump made of PE



Drawers
high storage capacity
ideal for the storage of small containers

Recirculating air filter system
avoid complex wall breakthroughs and expensive extraction piping

for more information see chapter ***Extraction of hazardous materials***

Order No. 25099





Adjusting aids
to compensate for uneven floor
easy alignment of the cabinet



Shelves
height adjustable shelves (32 mm increments) with 30 mm upstand



Extraction unit
safe ventilation of safety storage cabinets

plug-in - fast and easy to install

for more information see chapter ***Extraction of hazardous materials***

Order No. 14218



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.060.WDAS
Light grey (RAL 7035) left hinged door, with **door open arrest system** and 4 drawers (sheet steel plastic laminated)
Order No. 30228-001-30267



Safety Storage Cabinet S-CLASSIC-90
Model S90.196.060.WDAS
Warning yellow (RAL 1004) left hinged door, with **door open arrest system** system and 6 drawers (sheet steel plastic laminated)
Order No. 30228-002-30269

RAL 7035 -001 RAL 1004 -002

2 cabinet colours are available **at no extra** cost:

Order example - how to order correctly: 30227 - 001 - 30249

Model	Material/Colour/Information	Order No.
S90.196.060, without interior equipment left hinged door	please specify body and door colour	30227
S90.196.060.WDAS, body without interior equipment, **with door open arrest system** left hinged door	please specify body and door colour	30228
S90.196.060.R, without interior equipment right hinged door	please specify body and door colour	30229
S90.196.060.WDASR, body without interior equipment, **with door open arrest system** right hinged door	please specify body and door colour	30230
Body colour / door colour		
Body Light grey / doors Light grey	RAL 7035	001
Body Warning yellow / doors Warning yellow	RAL 1004	002
Interior equipment packages (only available with cabinet)		
3 shelves, 1 perforated insert, 1 bottom collecting sump (V=22,5 ltr.)	sheet steel plastic laminated RAL 7035	30249
4 shelves, 1 perforated insert, 1 bottom collecting sump (V=22,5 ltr.)	sheet steel plastic laminated RAL 7035	30250
3 shelves, 1 bottom collecting sump (V=22,5 ltr.)	sheet steel plastic laminated RAL 7035	30252
4 shelves, 1 bottom collecting sump (V=22,5 ltr.)	sheet steel plastic laminated RAL 7035	30253
3 tray shelves (V=12 ltr.), 1 perforated insert, 1 bottom collecting sump (V=34 ltr.)	sheet steel plastic laminated RAL 7035	30255
3 shelves, 1 perforated insert, 1 bottom collecting sump (V=21 ltr.)	stainless steel 1.4301	30257
4 shelves, 1 perforated insert, 1 bottom collecting sump (V=21 ltr.)	stainless steel 1.4301	30258
3 shelves, 1 bottom collecting sump (V=21 ltr.)	stainless steel 1.4301	30260
4 shelves, 1 bottom collecting sump (V=21 ltr.)	stainless steel 1.4301	30261
3 tray shelves (V=12 ltr.), 1 perforated insert, 1 bottom collecting sump (V=33,5 ltr.)	stainless steel 1.4301	30263
3 tray shelves (V=12.5 ltr.), 1 bottom collecting sump (V=12.5 ltr.)	**metal-free (melamine / PE)**	30265
4 tray shelves (V=12.5 ltr.), 1 bottom collecting sump (V=12.5 ltr.)	**metal-free (melamine / PE)**	30266
4 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30267
5 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30268
6 drawers (available only for cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30269
3 drawers supply + 1 drawer disposal (only cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30270
4 drawers supply + 1 drawer disposal (only cabinets with door open arrest system)	sheet steel plastic laminated RAL 7035	30271
4 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30272
5 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30273
6 drawers (available only for cabinets with door open arrest system)	stainless steel 1.4301	30274
3 drawers supply + 1 drawer disposal (only cabinets with door open arrest system)	stainless steel 1.4301	30275
4 drawers supply + 1 drawer disposal (only cabinets with door open arrest system)	stainless steel 1.4301	30276
Accessories		
Fire protected add-on	sheet steel plastic laminated RAL 7035, for installation of pipes / cables	30035
Sump inliner for shelf sheet steel / stainless steel	PP grey	9706
Sump inliner for drawer sheet steel / stainless steel supply	PP gnatural	18472
Sump inliner for drawer sheet steel / stainless steel disposal	PP grey	18474
Rubber mat for drawer	black	8719
Perforated storage box, left hinged door, for shelves only	sheet steel plastic laminated RAL 7035	30029
Perforated storage box, right hinged door, for shelves only	sheet steel plastic laminated RAL 7035	30030
Box for chemicals	PP blue, with carrying handles and lid	30038
Transport base	sheet steel plastic laminated RAL 7035	30725
Technical ventilation		
Recirculating air filter system	sheet steel plastic laminated RAL 7035 / RAL 7016	25099
Extraction unit	sheet steel plastic laminated RAL 7035	14218

Ready for dispatch within 2 days 4 weeks 6 weeks 8 weeks

S-CLASSIC-90 ‹60 cm›

Individual configuration of model **S90.196.060(.WDAS)**


Model	Material/Colour/Information	W x D x H (mm)	Load capacity (kg)	Capacity (ltr.)	max container vol. inside the cabinet (ltr.)	Order No.
S90.196.060, without interior equipment left hinged door	please specify body and door colour	596 x 616 x 1968	-	-	-	30227
S90.196.060.WDAS, without interior equipment, **with door open arrest system**, left hinged door	please specify body and door colour	596 x 616 x 1968	-	-	-	30228
S90.196.060.R, without interior equipment right hinged door	please specify body and door colour	596 x 616 x 1968	-	-	-	30229
S90.196.060.WDASR, without interior equipment, **with door open arrest system**, right hinged door	please specify body and door colour	596 x 616 x 1968	-	-	-	30230
Body colour / door colour						
Body Light grey / doors Light grey	RAL 7035		-	-	-	001
Body Warning yellow / doors Warning yellow	RAL 1004		-	-	-	002
Interior equipment						
Shelf	sheet steel plastic laminated RAL 7035	440 x 432 x 30*	75	-	-	30098
	stainless steel 1.4301	440 x 432 x 30*	75	-	-	30102
Tray shelf (V=11,5 ltr.)	sheet steel plastic laminated RAL 7035	427 x 442 x 70*	150	11,5	10,45	30099
	stainless steel 1.4301	427 x 442 x 70*	150	11,5	10,45	30103
Perforated insert (H=60 mm)	sheet steel plastic laminated RAL 7035	420 x 439 x 60	75	-	-	5555
	stainless steel 1.4301	420 x 439 x 60	75	-	-	5776
Perforated insert (H=170/180 mm)	sheet steel plastic laminated RAL 7035	438 x 453 x 180	75	-	-	17693
	stainless steel 1.4301	438 x 453 x 170	75	-	-	10254
Bottom collecting sump (V=21/22,5 ltr.)	sheet steel plastic laminated RAL 7035	417 x 432 x 130*	-	22,5	20,45	30100
	stainless steel 1.4301	418 x 433 x 120*	-	21	19,09	30104
Bottom collecting sump (V=33,5/34 ltr.)	sheet steel plastic laminated RAL 7035	439 x 454 x 170*	-	34	30,91	30101
	stainless steel 1.4301	439 x 454 x 170*	-	33,5	30,36	30105
Tray shelf (V=12.5 ltr.)	**metal-free (melamine / PE)** HIGHLIGHT	424 x 472 x 67*	75	12.5	11	30106
Bottom collecting sump (V=12.5 ltr.)	**metal-free (PE)** HIGHLIGHT	422 x 472 x 67+	-	12.5	11	25424
Perforated storage box for shelves left hinged door	sheet steel plastic laminated RAL 7035	380 x 420 x 360	-	-	-	30029
Perforated storage box for shelves right hinged door	sheet steel plastic laminated RAL 7035	380 x 420 x 360	-	-	-	30030
Drawer (supply)	sheet steel plastic laminated RAL 7035	345 x 500 x 50*	25	4,5	4,09	30108
	stainless steel 1.4301	345 x 500 x 50*	25	4,5	4,09	30110
Drawer (disposal)	sheet steel plastic laminated RAL 7035	329 x 462 x 200*	50	30	27	30109
	stainless steel 1.4301	329 x 462 x 150*	50	30	27	30111
Sump inliner for shelf sheet steel / stainless steel	PP grey	353 x 406 x 88*	-	11,5	10,45	9706
Sump inliner for drawer (supply)	PP natural	318 x 449 x 66*	-	8,5	7,73	18472
Sump inliner for drawer (disposal)	PP grey	313 x 413 x 175*	-	18,5	16,82	18474
Rubber mat for Drawer (supply)	black	340 x 495 x 1.3	-	-	-	8719
Accessories						
Fire protected add-on	sheet steel plastic laminated RAL 7035, for installation of pipes / cables					30035
Box for chemicals	PP blue, with carrying handles and lid					30038
Recirculating air filter system	sheet steel plastic laminated RAL 7035 / RAL 7016					25099
Extraction unit	sheet steel plastic laminated RAL 7035					14218
Transport base	sheet steel plastic laminated RAL 7035					30725




NEWS and LATEST INFORMATION: www.asecos.co.uk

* usable storage space W x D (mm)


Front view S90.196.060(.WDAS)



Side view S90.196.060(.WDAS)




Sectional view S90.196.060(.WDAS)



Technical data model S90.196.060(.WDAS)


Dimensions	W x D x H (mm)	exterior 596 x 616 x 1968 interior 450 x 524 x 1742
Height including transport base	(mm)	2090
Depth with open doors	(mm)	1127
Weight	(kg)	260
Extraction air	(NW)	75
Air exchange 10 times	(m^3/h)	4.1
Pressure drop inside the cabinet	(Pa)	< 5
Δp total (EK5/AK4 09-10)	(Pa)	< 5
Maximum load	(kg)	600
Distributed load	(kg/m^2)	893
Optional transport base	entry height (mm) entry width (mm)	95 2x 224

Top view S90.196.060(.WDAS)



Model S90.196.060(.WDAS)	**Standard**							
Drawers / number	**9**	**8**	**7**	**6**	**5**	**4+1**	**4**	**3+1**
Distance ❾ (mm)	200							
Distance ❽ (mm)	135	290						
Distance ❼ (mm)	135	135	290					
Distance ❻ (mm)	135	170	230	290				
Distance ❺ (mm)	170	170	200	295	320	305		
Distance ❹ (mm)	170	170	200	230	295	295	385	400
Distance ❸ (mm)	170	170	170	230	330	230	390	390
Distance ❷ (mm)	170	170	200	230	295	230	390	295
Distance ❶ (mm)	170	200	200	230	295	475	390	475

Model S90.196.060(.WDAS)	**Standard**		
Shelves / number		**4**	**3**
Distance ❹ (mm)		320	
Distance ❸ (mm)		350	420
Distance ❷ (mm)		350	450
Distance ❶ (mm)		290	380



Model S90.196.060(.WDAS)	**Storage**	
Quantity	**Type of**	**Volume**
30	Aerosol	400 ml
12	Lab bottle	1 litre
12	Lab bottle	1 litre
6	Lab bottle	2.5 litres