lach:ner

PRODUCT CATALOGUE 2020



lach:ner

PRODUCT CATALOGUE

2020

Orders and Contacts


We will be happy to receive your orders via our e-shop, which can be found at www.lach-ner.com, or by email or post.

We will be happy to answer any questions regarding our product portfolio, prices, or delivery dates at the contacts below. For up-to-date information, please visit our website.

Lach-Ner s.r.o.
Tovární 157
277 11 Neratovice
Czech Republic

tel.: +420 315 618 315
e-mail: info@ lach-ner.com
web: www.lach-ner.com

lach:ner



Contents


General 7
A Word from the Owner 9
Lach-Ner Group 10
About Our Products 13
Quality Definitions 14
Quality Certificates 15
Packaging and Weight 16
Hazard Warning Symbols 17
Hazard Statements 18
Description of Primary Packaging Label 20
Description of Secondary Packaging Label 21
Description of Catalogue Item 22

Alphabetical List of Products 23–222

CAS/Product Number Index 223

Names/Synonyms Index 229

About Indicators 237



Notes

lach:ner

General

We are suppliers and manufacturers of pure and laboratory chemicals with a large distribution network, especially in Central and Eastern Europe. Our mission is to help customers achieve the best possible results in their business, analytics, and research activities.

The company was founded in the late 19th century as a small chemical company and, later, it became a part of Lachema, a pharmaceutical company. Today, we do business as the private company Lach-Ner. We continually develop top quality processes and products in order to provide our users with the best possible service. We behave responsibly toward all stakeholders and everyone who shares our values.

The catalogue offers a wide range of basic laboratory chemicals. In order to provide comprehensive services as well as meet the various needs of our customers, we also offer the portfolios of our partners: Fisher Scientific, Acros Organics, Alfa Aesar, Biosolve, CPAchem, and others.

We aim to meet the needs of pure and laboratory chemicals users as much as possible. We believe that we will become a permanent part of your success.

Goran Beširevič
Owner of Lach-Ner



We operate globally with headquarters in the Czech Republic and a large distribution network, especially in Central and Eastern Europe. Our products are delivered to customers outside Europe as well. Should you have any questions or interest in a product quotation, please, do not hesitate to contact us using the contact information below.


CZECH REPUBLIC
Lach-Ner s.r.o.
Tovární 157
277 11 Neratovice
www.lach-ner.com
info@ lach-ner.com
tel.: +420 315 618 315

SLOVAKIA
Lach-Ner s.r.o.
Račianska 66
831 02 Bratislava
www.lach-ner.sk
infosk@ lach-ner.com
tel.: +421 238 168 179

HUNGARY
Reanal Laborvegyszer KFT.
Késmárk u. 9
H-1158 Budapest
www.reanallabor.hu
reanal-labor@ reanal-labor.hu
tel.: +36 (1) 46-77-500

CROATIA
Lach-Ner d.o.o.
Ulica grada Vukovara 271/IV
10000 Zagreb
www.lach-ner.hr
zagreb@ lach-ner.com
tel.: +385 1 61473 57

SERBIA
Proanalytica d.o.o.
Bulevar umenosti 27
11000 Beograd
www.proanalytica.com
proanalytica@ proanalytica.com
tel.: +381 (0) 11 313 05 42





Lach-Ner – www.lach-ner.com

We produce pure and laboratory chemicals of guaranteed quality, controlled by our own laboratory. We supply them in the following quality classes: pure, chemically pure, p.a. (analytical grade), pharmacopoeial, or as per specification of Ph. Eur.

We are a holder of Good Manufacturing and Distribution Practice Certificates, so we can also supply chemicals to pharmaceutical companies.

Partner Products

Our product range is complemented with top brand laboratory chemicals. In the Czech Republic and other selected markets, we distribute products of Fischer Chemicals, Acros Organics, Alfa Aesar, CPAchem, and Biosolve. Fisher Chemical and Acros Organics product portfolios can also be ordered via our e-shop at www.lach-ner.com.

Thermo Fisher Scientific Products:

FISHER CHEMICAL – www.acros.com
Chemicals for instrumental analysis and other laboratory applications – HPLC, GC HeadSpace, LC-MS solvents, acids for AAS and ICP (tested for 60 elements at ppt level, Optima series), solvents for residual pesticide analysis (Distol series), reagents for Karl -Fisher titrations (Aqualine series), etc.

ACROS ORGANICS – www.acros.com
Chemicals for organic synthesis and other laboratory applications – organometallic compounds, Grignard reagents, anhydrous solvents (even with molecular sieves, septum-closed AcroSeal series), metal-based catalysts, oxidizing agents, silica gels, deuterated solvents, etc.

ALFA AESAR – www.alfa.com
Inorganic and organic chemicals – organometallic, pure metals, elements and their compounds, precious metal compounds and catalysts, nanomaterials, biochemicals, analytical products, etc.

Products of our other partners:

CPAchem – www.cpachem.com
Standards for instrumental methods (ICP and ICP-MS, IC, HPLC, GC, UV-VIS, atomic absorption, etc.). Analytical standards (pH buffer solutions, volumetric solutions, reaction solutions, etc.). Ingredients as required.

BIOSOLVE – www.biosolve-chemicals.eu.
Chemicals for instrumental analysis and other laboratory applications – solvents for HPLC, ULC-MS, and GCa LV-GC.

ISO	Chemicals tested as per requirements of International Standard 6353 ensuring the highest quality of a professional application and instrumental usage.
g. r.	Materials of this quality are used for a wide range of analytical purposes where high purity is required. Specifications for these materials are determined with regard to their most frequent application in analytical laboratories.
Pharma	Quality in accordance with the requirements of the Czech (European) Pharmacopoeia. This quality is used to produce and test pharmaceutical products.
According to specif. Ph. Eur.	Qualitative parameters are in accordance with the Pharmacopoeia. Materials are tested on specifications according to methods listed in the Pharmacopoeia.
Pure	Materials of a basic purity definition that are used in elementary chemical processes.
Electronic grade	Quality of these materials is tested according to the requirements for application in the electrical engineering industry. The specification is developed with regard to low total content of impurities, especially metals.
HPLC, LC-MS, GC-MS, and ULMS	Quality that suits instrumental methods based on chromatographic separations and depending on the detector used.
UV	In addition to standard quality, absorbance of these materials at different wavelengths is tested as well.
Indicator	Different types of indicators within analytical tests. Indicator papers and sensitivity discs.
Normanals and Volumetric solutions	Standard solutions and their semi-finished products (normanals) with a declared accuracy.
Buffers	Solutions, tablets, and concentrates with a defined stable pH value.

EN ISO 9001 Certificate



CERTIFICATE

Management system as per
EN ISO 9001 : 2015

Lach-Ner, s.r.o.
Tovární 157
277 11 Neratovice
Czech Republic

Purchase, sales and adjustment of pure and labor chemicals.
Development and production of chemical products.

"Responsible Business in Chemistry" Certificate



SCHP ČR

Responsible Care

SVAZ CHEMICKÉHO PRŮMYSLU ČESKÉ REPUBLIKY
ASSOCIATION OF CHEMICAL INDUSTRY OF THE CZECH REPUBLIC

awards the member company

Lach-Ner, s.r.o.


CERTIFICATE

of results achieved in fulfilling voluntary aims and goals in the program
RESPONSIBLE CARE - ODPOVĚDNÉ PODNIKÁNÍ V CHEMII
This program aims to improve environmental protection and health and safety of all activities of the company.
pronouncement from 2005
first vindication 2005
seventh vindication 2016
Along with this certificate, the company has the right to use the logo RESPONSIBLE CARE - ODPOVĚDNÉ PODNIKÁNÍ V CHEMII
until October 2020
in accordance with conditions announced by the European Chemical Industry Council (CEFIC)

In Prague, September 22th, 2016

President

SVP Certificates



SÚKL

STÁTNÍ ÚSTAV PRO KONTROLU LÉČIV
Šrobárova 48 100 41 Praha 10
Telefon: +420 272 185 111 Fax: +420 271 732 377
E-mail: posta@sukl.cz Web: www.sukl.cz

Certifikát správná zn.: / Certificate Ref. No.: sukls5919/2019

CERTIFIKÁT SVP PRO VÝROBCE
Část 1

Vydaný po inspekci v souladu s článkem 111(5) Směrnice 2001/83/ES a s §13, odst. 2, písm. a bod 3 zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů.

Příslušný orgán České republiky potvrzuje následující:

Výrobce:
Lach-Ner, s.r.o.
Tovární 157
277 11 Neratovice

Adresa místa výroby:
Lach-Ner, s.r.o.
Tovární 157
277 11 Neratovice

Je výrobcem léčivých látek, který byl inspektován v souladu s článkem 111(1) směrnice 2001/83/ES převedeným do národní legislativy jako: § 101, odst. 3 zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů.

Na základě znalostí získaných během poslední inspekce, která byla provedena dne 06.02.2019, je tento výrobce považován za subjekt splňující principy správné výrobní praxe pro léčivé látky[1] odkazované ve článku 47 směrnice 2001/83/ES.

[1] Tyto požadavky splňují doporučení SZO na SVP.

Tento certifikát odráží stav výrobního místa v čase výše zmíněné inspekce a nemělo by se spoléhat na to, že bude odrážet stav shody po uplynutí více než tří let od data inspekce. Doba platnosti může být nicméně na základě regulatorních principů řízení rizik prodloužena nebo zkrácena zápisem v oddíle Omezení vysvětlení.
Tento certifikát je platný, pouze jsou-li předloženy všechny strany a části 1 a 2.
Pravost tohoto certifikátu může být ověřena v EudraGMDP.
Pokud se nezobrazí, kontaktujte prosím vydávající autoritu.

Certifikát SVP sp.zn.: sukls5919/2019
Datum: 05.03.2019
Strana 1 z 2
Jméno: František Chuchma, v.z.
e-mail: posta@sukl.cz
Podpis:

F-INS-002-35/07.12.2016

CERTIFICATE OF GMP COMPLIANCE OF A MANUFACTURER
Part 1

Issued following an inspection in accordance with Art. 111(5) of Directive 2001/83/EC and Section 13, paragraph 2, letter a, point 3 of the Act No 378/2007 Coll., on Pharmaceuticals and on Amendments to Some Related Acts (the Act on Pharmaceuticals), as amended.

The competent authority of the Czech Republic confirms the following:

The manufacturer:
Lach-Ner, s.r.o.
Tovární 157
277 11 Neratovice

Site address:
Lach-Ner, s.r.o.
Tovární 157
277 11 Neratovice

Is an active substance manufacturer that has been inspected in accordance with Art. 111(1) of Directive 2001/83/EC transposed in the following national legislation: Section 101 paragraph 3 of the Act No 378/2007 Coll., on Pharmaceuticals and on Amendments to Some Related Acts (the Act on Pharmaceuticals), as amended.

From the knowledge gained during inspection of this manufacturer, the latest of which was conducted on 06.02.2019, it is considered that it complies with The principles of GMP for active substances[1] referred to in Article 47 of Directive 2001/83/EC.

[1] These requirements fulfil the GMP recommendations of WHO.

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection. However, this period of validity may be reduced or extended using regulatory risk management principles by an entry in the Restrictions or Clarifying remarks field.
This certificate is valid only when presented with all pages and both Parts 1 and 2.
The authenticity of this certificate may be verified in EudraGMDP. If it does not appear, please contact the issuing authority.

GMP Certificate Ref.No.: sukls5919/2019
Date: 05.03.2019
Page 1 / 2
Name
Phone number: +420 272 185 832
Signature of the authorised person of the competent authority

SDP Certificates



SÚKL

STÁTNÍ ÚSTAV PRO KONTROLU LÉČIV
Šrobárova 48 100 41 Praha 10
Telefon: +420 272 185 111 Fax: +420 271 732 377
E-mail: posta@sukl.cz Web: www.sukl.cz

Certifikát správná zn.: / Certificate Ref. No.: sukls55263/2019

CERTIFIKÁT SDP PRO DISTRIBUTORA LÉČIV

Vydaný po inspekci v souladu s článkem 111 Směrnice 2001/83/EC, v platném znění
a ustanovením §13 odst. 2 písm. a) bod 3 zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů.

Příslušný orgán České republiky – Státní ústav pro kontrolu léčiv, Šrobárova 48, Praha 10, potvrzuje následující:

Distributor léčiv:
Lach-Ner, s.r.o.
Tovární 157, 277 11 Neratovice

Adresa místa distribuce:
Tovární 157, 277 11 Neratovice

Byl inspektován v souladu s plánem inspekcí v souvislosti s povolením k distribuci léčivých přípravků č.j.: 10386/1/02
v souladu s článkem 77 (1) Směrnice 2001/83/EC, v platném znění, transponovaným do právního řádu České republiky jako:
§ 75 zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů.

Na základě znalostí získaných během inspekcí tohoto distributora léčiv, z nichž poslední byla provedena dne 11. 4. 2019, je tento distributor považován za subjekt splňující požadavky správné distribuční praxe stanovené v článku 84 směrnice 2001/83/EC, v platném znění,
a
v § 77 odst. 1 písm. g) zákona č. 378/2007 Sb., o léčivech a o změnách některých souvisejících zákonů (zákon o léčivech), ve znění pozdějších předpisů.

CERTIFIKÁT SDP
Strana 1/2
Jméno: PharmDr. Gabriela Vaculová
telefon: +420 272 185 405

sp. zn.: sukls55263/2019

Podpis

F-LEK-008-14 / 02.04.2014

CERTIFICATE OF GDP COMPLIANCE OF A WHOLESALE DISTRIBUTOR

Issued following an inspection in accordance with Art. 111 of Directive 2001/83/EC as amended
and Section 13, paragraph 2, letter a, point 3 of the Act No. 378/2007 Coll., on Pharmaceuticals and on Amendments to Some Related Acts (Act on Pharmaceuticals), as amended.

The competent authority of the Czech Republic - State Institute for Drug Control, Šrobárova 48, Prague 10 confirms the following:

The wholesale distributor:
Lach-Ner, s.r.o.
Tovární 157, 277 11 Neratovice

Site address:
Tovární 157, 277 11 Neratovice

Has been inspected under the national inspection programme in connection with authorisation number 10386/1/02
in accordance with Art. 77 (1) of Directive 2001/83/EC, as amended, transposed in the following national legislation as:
Section 75 of the Act No. 378/2007 Coll., on Pharmaceuticals and on Amendments to Some Related Acts (Act on Pharmaceuticals), as amended.
From the knowledge gained during inspection of this wholesale distributor, the latest of which was conducted on 11/04/2019, it is considered that it complies with the Good Distribution Practice requirements laid down in Article 84 of Directive 2001/83/EC, as amended
and
in Section 77, paragraph 1, letter g) of the Act No. 378/2007 Coll., on Pharmaceuticals and on Amendments to Some Related Acts (Act on Pharmaceuticals), as amended.

GDP CERTIFICATE
Page 1/2
Name: PharmDr. Gabriela Vaculová
phone: +420 272 185 405

Ref.No.: sukls55263/2019

Signature of the authorised person of the competent authority

volume/ml	cap	dimensions/mm	weight/g	secondary packaging	dimensions/mm	weight g/piece
Glass bottles						
300	PP28S	ø 63 × v 170	195	carton of 1 piece	101 × 101 × 235	125
1000	DIN45	ø 100 × v 225	665	carton of 1 piece	101 × 101 × 235	125
				UN carton of 1 piece	163 × 163 × 303	480
2500	DIN45	ø 135 × v 295	1280	UN carton of 1 piece	223 × 219 × 335	760
HDPE bottles						
500	PEPSI	ø 68 × v 185	45	carton of 1 piece	101 × 101 × 235	125
1000	PEPSI	ø 85× v 232	52	carton of 4 pieces	190 × 190 × 265	120
2500	DIN45	ø 135 × v 295	183	UN carton of 1 piece	223 × 219 × 335	760
Glass bottles for powdery substances						
300	GL55	ø 70 × v 128	230	carton of 6 pieces	215 × 148 × 140	17
800	GL63	ø 90 × v 190	500	carton of 1 piece	101 × 101 × 235	125
HDPE bottles for powdery substances						
300	45 mm	60 × 60 × 137	30	carton of 6 pieces	190 × 135 × 147	18
1000	63 mm	100 × 100 × 220	120	carton of 1 piece	101 × 101 × 235	125
				UN carton of 1 piece	163 × 163 × 303	480
Jerry cans						
Fe 5lt	42 mm	ø 163 × v285	491	–	–	–
HDPE 5lt	DIN45	190 × 145 × 251	250	–	–	–



GHS01 – Explosive

GHS02 – Flammable

GHS03 – Oxidizing

GHS04 – Compressed Gas

GHS05 – Corrosive

GHS06 – Toxic

GHS07 – Irritant

GHS08 – Health hazard

GHS09 – Environmental hazard



Physical Hazards

H_{200}	Unstable explosives.
H_{201}	Explosive; mass explosion hazard.
H_{202}	Explosive, severe projection hazard.
H_{203}	Explosive; fire, blast or projection hazard.
H_{204}	Fire or projection hazard.
H_{205}	May mass explode in fire.
H_{220}	Extremely flammable gas.
H_{221}	Flammable gas.
H_{222}	Extremely flammable aerosol.
H_{223}	Flammable aerosol.
H_{224}	Extremely flammable liquid and vapour.
H_{225}	Highly flammable liquid and vapour.
H_{226}	Flammable liquid and vapour.
H_{228}	Flammable solid.
H_{229}	Pressurised container: May burst if heated.
H_{230}	May react explosively even in the absence of air.
H_{231}	May react explosively even in the absence of air at elevated pressure and/or temperature.
H_{240}	Heating may cause an explosion.
H_{241}	Heating may cause a fire or explosion.
H_{242}	Heating may cause a fire.
H_{250}	Catches fire spontaneously if exposed to air.
H_{251}	Self-heating: may catch fire.
H_{252}	Self-heating in large quantities; may catch fire.
H_{260}	In contact with water releases flammable gases which may ignite spontaneously.
H_{261}	In contact with water releases flammable gases.
H_{270}	May cause or intensify fire; oxidiser.
H_{271}	May cause fire or explosion; strong oxidiser.
H_{272}	May intensify fire; oxidiser.
H_{280}	Contains gas under pressure; may explode if heated.
H_{281}	Contains refrigerated gas; may cause cryogenic burns or injury.
H_{290}	May be corrosive to metals.

Health Hazards

H_{300}	Fatal if swallowed.
H_{301}	Toxic if swallowed.
H_{302}	Harmful if swallowed.
H_{304}	May be fatal if swallowed and enters airways.
H_{310}	Fatal in contact with skin.
H_{311}	Toxic in contact with skin.
H_{312}	Harmful in contact with skin.
H_{314}	Causes severe skin burns and eye damage.
H_{315}	Causes skin irritation.
H_{317}	May cause an allergic skin reaction.
H_{318}	Causes serious eye damage.
H_{319}	Causes serious eye irritation.
H_{330}	Fatal if inhaled.
H_{331}	Toxic if inhaled.
H_{332}	Harmful if inhaled.
H_{334}	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H_{335}	May cause respiratory irritation.
H_{336}	May cause drowsiness or dizziness.
H_{340}	May cause genetic defects.

H_{341}	Suspected of causing genetic defects.
H_{350}	May cause cancer.
H_{351}	Suspected of causing cancer.
H_{360}	May damage fertility or the unborn child.
H_{361}	Suspected of damaging fertility or the unborn child.
H_{362}	May cause harm to breast-fed children.
H_{370}	Causes damage to organs.
H_{371}	May cause damage to organs.
H_{372}	Causes damage to organs.
H_{373}	May cause damage to organs through prolonged or repeated exposure.

Environmental Hazards


H_{400}	Very toxic to aquatic life.
H_{410}	Very toxic to aquatic life with long lasting effects.
H_{411}	Toxic to aquatic life with long lasting effects.
H_{412}	Harmful to aquatic life with long lasting effects.
H_{413}	May cause long lasting harmful effects to aquatic life.
H_{420}	Harms public health and the environment by destroying ozone in the upper atmosphere.

Additional information to H-Statements


H_{350}**i**	May cause cancer by inhalation.
H_{360}**F**	May damage fertility.
H_{360}**D**	May damage the unborn child.
H_{361}**f**	Suspected of damaging fertility.
H_{361}**d**	Suspected of damaging the unborn child.
H_{360}**FD**	Suspected of damaging fertility. Suspected of damaging the unborn child.
H_{361}**fd**	Suspected of damaging fertility. Suspected of damaging the unborn child.
H_{360}**Fd**	May damage fertility. Suspected of damaging the unborn child.
H_{360}**Df**	May damage the unborn child. Suspected of damaging fertility.

Additional EUH phrases

EUH 001	Explosive when dry.
EUH 014	Reacts violently with water.
EUH 018	In use may form flammable/explosive vapour-air mixture.
EUH 019	May form explosive peroxides.
EUH 044	Risk of explosion if heated under confinement.
EUH 029	Contact with water liberates toxic gas.
EUH 031	Contact with acids liberates toxic gas.
EUH 032	Contact with acids liberates very toxic gas.
EUH 066	Repeated exposure may cause skin dryness or cracking.
EUH 070	Toxic by eye contact.
EUH 071	Corrosive to the respiratory tract.
EUH 059	Hazardous to the ozone layer.
EUH 201/201A	Contains lead. Should not be used on surfaces liable to be chewed or sucked by children. Warning! Contains lead.
EUH 202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH 203	Contains chromium (VI). May produce an allergic reaction.
EUH 204	Contains isocyanates. May produce an allergic reaction.
EUH 205	Contains epoxy constituents. May produce an allergic reaction.
EUH 206	Warning! Do not use together with other products. May release dangerous gases (chlorine).
EUH 207	Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.
EUH 208	Contains <name of sensitising substance>. May produce an allergic reaction.
EUH 209/209A	Can become highly flammable in use./Can become flammable in use.
EUH 210	Safety data sheet available on request.
EUH 401	To avoid risks to human health and the environment, comply with the instructions for use.



1. Main name in English
2. Main name in Czech/Hungarian/Croatian
3. Package size
4. Liquid volume conversion
5. Molecular weight
6. Molecular formula
7. Index No.
8. ADR
9. CAS number
10. UN number
11. Manufacturer information
12. Distributors in Slovakia/Hungary/Croatia
13. Quality parameters
14. Batch
15. Catalogue number
16. Month and year of manufacture
17. Usable life
18. GHS hazard symbols
19. Hazard statements and description of first aid measures
20. Product QR and barcode



1. Main name in English
2. Main name in Czech/Hungarian/Croatian
3. Package size
4. Liquid volume conversion
5. Molecular weight
6. Molecular formula
7. Index No.
8. ADR
9. CAS number
10. UN number
11. Quality parameters
12. Batch
13. Catalogue number
14. Month and year of manufacture
15. Usable life
16. Manufacturer information
17. Distributors in Slovakia/Hungary/Croatia
18. GHS hazard symbols
19. Hazard statements and description of first aid measures
20. Product QR code

A

Acetone

■ **Basic information:**
Dimethyl ketone, Propanone
C_6H_6O
CH_3COCH_3
M_r: 58,08
CAS: 67-64-1
EINECS: 200-662-2
Clear, colourless liquid of characteristic odour.
Miscible with water, spirit, ether, and chloroform
1 l ~ 0,78 kg
Melting point ..... –95 °C
Boiling point ..... 56 °C
Flash point ..... –19 °C

■ **Application:** Solvent, e.g. liquid chromatography, spectrophotometry, pesticide residue analysis, organic synthesis

■ **Storage:** In sheltered, dry and cool storerooms, in tightly closed containers. Display of an open flame as well as hot object handling are prohibited. Protect from light.

■ **Hazard information:**

GHS02	GHS07
Flammable	Irritant

Danger!
H225, H319, H336, EUH066
ADR: 3, II, (D/E)
UN 1089

Hazard classification applies to the most concentrated quality of each chemical.

■ **g. r.**
cat. no. 20001 -AT0

Content	≥ 99,5 %
d^{20}_4	0,789–0,792
Non-volatile substances	≤ 0,001 %
H_2O (K. F.)	≤ 0,5 %
Alkalinity (NH_3)	≤ 0,00001 %
Acidity (CH_3COOH)	≤ 0,003 %
Distillation range (95 %)	55,5–56,5 °C
Aldehydes (CH_2O)	≤ 0,003 %

order number	quantity
20001-AT0-M1000-1	1000 ml
20001-AT0-M2500-1	2500 ml
20001-AT0-G7900-1	5000 ml
40001-AT0-M1000-1	10 l

■ **pure**
cat. no. 20001-CT0

Content	≥ 99 %
d^{20}_4	0,79–0,792
Acidity (CH_3COOH)	≤ 0,003 %
H_2O (K. F.)	≤ 0,5 %
Non-volatile substances	≤ 0,001 %

order number	quantity
20001-CT0-M1000-1	1000 ml
20001-CT0-M2500-1	2500 ml
20001-CT0-G7900-1	3000 ml
40001-CT0-M1000-1	5000 ml
20001-CT0-G7900-1	10 l
40001-CT0-M1000-1	20 l

1 Name
2 Synonyms
3 Chemical formula
4 Structural formula
5 Molecular weight
6 CAS number
7 EIN ECS number
8 Brief description of appearance
9 Solubility/Miscibility
10 Density
11 Melting point
12 Boiling point
13 Flash point
14 Application
15 Storage conditions
16 GHS hazard symbols
17 Signal word
18 Hazard statements
19 ADR
20 UN number
21 Quality label
22 Catalogue number
23 Quality parameters
24 order number
25 quantity

lach:ner

Alphabetical list of products

Acetaldehyde

Basic information:
Ethanal, Acetic aldehyde
C_2H_4O
CH_3CHO
M_r: 44,05
CAS: 75-07-0
EINECS: 200-836-8
Clear, colorless, and pungent liquid, miscible with water, spirits, and ether
1 l ~ 0,78 kg
Melting point..... –123 °C
Boiling point.....21 °C
Flash-point..... –38 °C

Application:
Analytical reagent, organic synthesis

Storage:
Store in a refrigerator for flammables at +4°C

Hazard information:



Danger!
H224, H319, H335, H351
ADR: 3, I, (D/E)
UN 1089

g. r.
cat. no. 40001-AT0
Assay..... ≥ 99,5 %
Nonvolatile substances..... ≤ 0,002 %
Free acids (as CH_3COOH) ..... ≤ 0,5 %
Iron (Fe) ..... ≤ 0,00001 %
Lead (Pb)..... ≤ 0,00001 %
Appearance..... clear, colorless, and pungent liquid
Colour (Hazen) ..... ≤ 10 Hazen

order number	quantity
40001-AT0-M0250-1	250 ml
40001-AT0-M1000-1	1000 ml

Acetic acid

Basic information:
$C_2H_4O_2$
CH_3COOH
M_r: 60,05
CAS: 64-19-7
EINECS: 200-580-7
Clear, colorless, and pungent liquid, miscible with water and spirits
1l ~1,07 kg
Melting point.....182–185 °C
Boiling point..... 118 °C
Flash-point ..... 40 °C

Application:
Analytical reagent, e.g. determination of iodine number, non-aqueous titration, solvent, pharmaceutical production

Storage:
Store in a dry place, in the original container. Store at room temperature. Keep away from direct sunlight

Hazard information:



Danger!
H226, H314
ADR: 8 + 3, II, (D/E)
UN 2789

g. r. 99,8 %
cat. no. 10047-A9B
Assay..... ≥ 99,8 %
Water (KF)..... ≤ 0,15 %
Nonvolatile substances..... ≤ 0,003 %
Iron (Fe) ..... ≤ 0,00005 %
Substances reducing $KMnO_4$ .... ≤ 0,05 %
Heavy metals (as Pb)..... ≤ 0,00005 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4) ..... ≤ 0,0001 %
Aldehydes (as CH_3CHO)..... ≤ 0,005 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless, and pungent liquid

order number	quantity
10047-A9B-M1000-1	1000 ml
10047-A9B-M2500-1	2500 ml
10047-A9B-M5000-1	5000 ml

g. r. 99 %
cat. no. 10047-A99
Assay..... ≥ 99 %
Nonvolatile substances..... ≤ 0,002 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb)..... ≤ 0,0001 %
Chlorides (Cl)..... ≤ 0,0002 %
Sulfates (SO_4) ..... ≤ 0,0002 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless, and pungent liquid

order number	quantity
10047-A99-M1000-1	1000 ml
10047-A99-M2500-1	2500 ml
10047-A99-M5000-1	5000 ml

Acetic acid

g. r. 80 %
cat. no. 10047-A80

order number	quantity
10047-A80-M1000-1	1000 ml

Assay ..... 79–82 %
Nonvolative substances ..... ≤ 0,002 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb) ..... ≤ 0,0001 %
Chlorides (Cl) ..... ≤ 0,0002 %
Sulfates (SO_4) ..... ≤ 0,0002 %

pure 98 %
cat. no. 10047-C98

order number	quantity
10047-C98-M1000-1	1000 ml

Assay ..... ≥ 98 %

pure 80 %
cat. no. 10047-C80

order number	quantity
10047-C80-L0020-1	20 lt

Assay ..... 79–82 %

according to specif. Ph. Eur.
cat. no. 10047-E99

order number	quantity
10047-E99-M1000	1000 ml

Assay ..... 99,0–100,5 %
A – acidity ..... passes test
B – acetates ..... passes test
Reducting substances ..... passes test
Residue on evaporation ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 25 mg/l
Sulfates (SO_4) ..... ≤ 50 mg/l
Freezing point ..... ≥ 14,8 °C
Iron (Fe) ..... ≤ 5 ug/g
Appearance ..... crystalline substance or clear colourless volatile liquid

ISO reagent
cat. no. 10047-Z9B

order number	quantity
10047-Z9B-M1000-1	1000 ml
10047-Z9B-M2500-1	2500 ml

Assay ..... ≥ 99,7 %
Colour (hazen) ..... ≤ 10 Hazen
Density 20 °C ..... 1,05 mg/ml
Chlorides (Cl) ..... ≤ 0,0001 %
Sulfates (SO_4) ..... ≤ 0,0002 %
Copper (Ce) ..... ≤ 0,00005 %
Iron (Fe) ..... ≤ 0,0001 %
Lead (Pb) ..... ≤ 0,00005 %
Substances reducing $K_2Cr_2O_7$ (as O) ..... ≤ 0,0008 %
Residue on evaporation ..... ≤ 0,003 %
Appearance ..... clear, colorless, and pungent liquid

normanal 1M (N/1)
cat. no. 61019-001

order number	quantity
61019-001-P0000-1	piece

Factor 0,998–1,002

volumetric solution 1M (N/1)
cat. no. 1250111KS0000RUT

order number	quantity
1250111KS0000RUT	1000 ml

Factor 0,97–1,03

Acetic anhydride

Basic information:
Acetyl acetate, Ethanoic anhydride
$C_4H_6O_3$
$(CH_3CO)_2O$
M_r: 102,09
CAS: 108-24-7
EINECS: 203-564-8
Clear, colorless, and pungent liquid, miscible with chloroform and ether, slowly soluble in water to form acetic acid
1 l ~ 1,08 kg
Melting point ..... –73 °C
Boiling point ..... 139–141 °C
Flash-point ..... 49 °C

Application:
Solvent for non-aqueous titrations (preparation of anhydrous acetic acid), determination of alcohols, phenols, and acetylation reactions in analytical and synthetic practice

Storage:
Store in a dry place and in the original container

Hazard information:

Danger!
H226, H302, H314, H330
ADR: 8, II, (D/E)
UN 1715

g. r.
cat. no. 20006-AT0

order number	quantity
20006-AT0-M1000-1	1000 ml

Assay ..... ≥ 98 %
Nonvolative substances ..... ≤ 0,005 %
Iron (Fe) ..... ≤ 0,0005 %
Substances reducing $KMnO_4$ ..... passes test
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,0005 %
Appearance ..... clear, colorless, and pungent liquid
Colour (Hazen) ..... ≤ 10 Hazen

pure
cat. no. 20006-CT0

order number	quantity
20006-CT0-M1000-1	1000 ml

Assay ..... ≥ 97 %

ISO reagent
cat. no. 20006-ZT0

order number	quantity
20006-ZT0-M1000-1	1000 ml
20006-ZT0-M2500-1	2500 ml

Assay ..... ≥ 97,0 %
Iron (Fe) ..... ≤ 0,0005 %
Residue on evaporation ..... ≤ 0,003 %
Lead (Pb) ..... ≤ 0,0001 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,0005 %
Copper (Cu) ..... ≤ 0,0001 %
Appearance ..... clear, colorless, and pungent liquid
Colour (Hazen) ..... ≤ 10 Hazen
Substances reducing $KMnO_4$ (as O) .. ≤ 0,02 %

Acetone

Basic information:
Propan-2-one, Dimethylketone
C_3H_6O
CH_3COCH_3
M_r: 58,08
CAS: 67-64-1
EINECS: 200-662-2
Clear, colorless liquid with characteristic odor, miscible with water, spirits, ether, and chloroform
1 l ~ 0,79 kg
Melting point ..... –95 °C
Boiling point ..... 56 °C
Flash-point ..... –17 °C

Application:
Solvent, spectrophotometry, organic synthesis, and solid waste extraction

Storage:
Store in tightly closed containers in a dry and cool place. Store away from combustibles and foodstuffs. Unsuitable material for tanks: copper and various plastics

g. r.
cat. no. 20001-AT0

order number	quantity
20001-AT0-M1000-1	1000 ml
20001-AT0-M2500-1	2500 ml
20001-AT0-M5000-1	5000 ml
20001-AT0-G7900-1	10 lt

Assay ..... ≥ 99,5 %
Nonvolative substances ..... ≤ 0,001 %
Acidity (as CH_3COOH) ..... ≤ 0,003 %
Alkalinity (as NH_3) ..... ≤ 0,001 %
Distilling range (95 %) ..... 55,5–56,5 °C
Relative density 20 °C 0,7890–0,7924
Appearance ..... clear, colorless liquid
Aldehydes (as CH_2O) ..... ≤ 0,003 %
Water (KF) ..... ≤ 0,5 %
Colour (Hazen) ..... ≤ 10 Hazen

pure
cat. no. 20001-CT0

order number	quantity
20001-CT0-M1000-1	1000 ml
20001-CT0-M2500-1	2500 ml
20001-CT0-M3000-1	3000 ml
20001-CT0-M5000-1	5000 ml
20001-CT0-G7900-1	10 lt

Assay ..... ≥ 99,0 %
Nonvolative substances ..... ≤ 0,002 %
Acidity (as CH_3COOH) ..... ≤ 0,003 %
Relative density 20 °C 0,7890–0,7924
Water (KF) ..... ≤ 0,8 %

Acetone

Hazard information:



Danger!
H225, H319, H336
ADR: 3, II, (D/E)

according to specif. Ph. Eur.
cat. no. 20001-ET0

Appearance of solution	volatile, clear, colorless liquid
A – relative density	0,790–0,793
B	passes test
C	passes test
Acid or alkalic reag. compounds	passes test
Relative density 20° C	0,790–0,793
Reducing substances	passes test
Relatives substances:	
Methanol (GC)	≤ 0,05 % (V/V)
2-Propanol (GC)	≤ 0,05 % (V/V)
Benzene (GC)	≤ 2 ul/l
Other impurities (GC)	≤ 0,05 % (V/V)
Substances insoluble in water	passes test
Residue on evaporation	≤ 50 ug/g
Water (KF)	≤ 3 g/l

order number	quantity
20001-ET0-M1000-1-9.0	1000 ml
20001-ET0-M5000-RE-9.0	5000 ml
20001-ET0-L0020-RE-9.0	20 lt

ISO reagent
cat. no. 20001-ZT0

Assay (GC)	≥ 99,5 %
Residue on evaporation	≤ 0,001 %
Density 20 °C	0,787–0,793 g/ml
Aldehydes (as CH_2O)	≤ 0,002 %
Water (KF)	≤ 0,3 %
Colour (Hazen)	≤ 10 Hazen
Titrable acid	≤ 0,0005 meq/g
Titrable base	≤ 0,0005 meq/g
Substances reducing KMn_{04} (as O)	≤ 0,0003 %
Methanol (GC)	≤ 0,05 %
Appearance	clear, colorless liquid with characteristic odor

order number	quantity
20001-ZT0-M1000-1	1000 ml
20001-ZT0-M2500-1	2500 ml

Acetonitrile

Basic information:
Ethanenitrile, Cyanomethane, Methyl cyanide
C_2H_3N
CH_3CN
M_r: 41,05
CAS: 75-05-8
EINECS: 200-835-2
Clear, colorless liquid with faint but characteristic odor, miscible with water and spirits
1 l ~ 0,78 kg
Melting point ..... –45 °C
Boiling point ..... 82 °C
Flash-point ..... 5 °C

Application:
Solvent, analytical reagent for determination of vitamin B1 and aminoethanol, chemical industry

g. r.
cat. no. 20041-AT0

Assay	≥ 99,5 %
Water (KF)	≤ 0,2 %
Nonvolatile substances	≤ 0,001 %
Free acids (as CH_3COOH)	≤ 0,005 %
Appearance	clear, colorless liquid
Colour (Hazen)	≤ 10 Hazen

order number	quantity
20041-AT0-M1000-1	1000 ml
20041-AT0-M2500-1	2500 ml
20041-AT0-M5000-1	5000 ml
20041-AT0-L0025-1	25 lt

Acetonitrile

Storage:
Store in tightly closed containers in a dry and cool place. Store away from oxidants, acids, and foodstuffs

Hazard information:



Danger!
H225, H302, H312, H319, H332
ADR: 3, II, (D/E)
UN 1648

Acetophenone

Basic information:
1-Phenylethan-1-one, Methyl phenyl ketone
$CH_3COC_6H_5$
M_r: 120,15
CAS: 98-86-2
EINECS: 202-708-7
Clear, colorless liquid or white crystalline substance, soluble in spirits and ether
1 l ~ 1,03 kg
Melting point ..... 19–20 °C
Boiling point ..... 200–204 °C
Flash-point ..... 82 °C

pure
cat. no. 40002-CT0
Assay ..... ≥ 98 %

order number	quantity
40002-CT0-M1000-1	1000 ml

Application:
Organic synthesis, catalyst for olefin polymerization

Storage:
Store in a dry place and in the original container

Hazard information:



Acetylacetone

Basic information:
Pentane-2,4-dione
$C_5H_8O_2$
$CH_3COCH_2COCH_3$
M_r: 100,12
CAS: 123-54-6
EINECS: 204-634-0
Clear, colorless or pale-yellow liquid, easily soluble in water, miscible with spirits, ether, and glacial acetic acid
1 l ~ 0,97 kg
Melting point ..... –23 °C
Boiling point ..... 140 °C
Flash-point ..... 35 °C

g. r.
cat. no. 20002-AT0

Assay	≥ 99,5 %
Iron (Fe)	≤ 0,00001 %
Lead (Pb)	≤ 0,00001 %
Ethyl acetate	≤ 0,01 %
Calcium (Ca)	≤ 0,00005 %
Appearance	clear, colorless or pale-yellow liquid
Colour (Hazen)	≤ 10 Hazen

order number	quantity
20002-AT0-M0500-1	500 ml

Acetylacetone

Application:
Analytical reagent, chelating agent for transition metals, reagent for Arginine, solvent, organic synthesis

Storage:
Store in a cool place. Store only in the original container. Unsuitable material for tanks: metal

Hazard information:



Danger!
H311, H331
ADR: 3, III, (D/E),
UN 2310

Active carbon Silcarbon

Basic information:
CAS: 740-44-0
EINECS: 231-153-3
Black powder, insoluble in water

Application:
Filter material for multi-stage filtration

Storage:
Store in a dry place and in the original container

	order number	quantity
cat. no. 40176-BP0 pH ..... 3,0–6,0 Particles size < 40 µm ..... 85 % Particles size > 80 µm ..... 5 %	40176-BP0-G0250-1	250 gr

Adipic acid

Basic information:
Hexanedioic acid
$C_6H_{10}O_4$
$HOOC(CH_2)_4COOH$
M_r:146,14
CAS: 124-04-9
EINECS: 204-673-3
White, crystalline powder or chips, very soluble in spirits and boiling water
Melting point ..... 151–154 °C
Boiling point ..... 265 °C
Flash-point ..... 196 °C

Application:
Organic synthesis, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

	order number	quantity
g. r. **cat. no. 10010-AP0** Assay ..... ≥ 99 % Melting point ..... 151–154 °C Ash ..... ≤ 0,1 % Appearance ..... white, crystalline powder or chips	10010-AP0-G0250-1	250 gr
	10010-AP0-G1000-1	1000 gr

Adipoyl chloride

Basic information:
$C_6H_8Cl_2O_2$
M_r: 183,03
CAS: 111-50-2
EINECS: 203-876-4
1 l ~ 1,25 kg
Boiling point ..... 106 °C
Flash-point ..... 72 °C

Application:
Liquid crystal production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H314, H332
ADR: 8, I, (E)
UN 3265

	order number	quantity
pure 98% **cat. no. 40493-BT0** Assay ..... ≥ 98 %	40493-BT0-M0025-R	25 ml

Aluminium

Basic information:
Al
M_r: 26,98
CAS: 7429-90-5
EINECS: 231-072-3
Silver-gray powder, pyrophoric
Melting point ..... 660 °C
Boiling point ..... 2500 °C

Application:
Chemical synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H250, H261
ADR: 4.3, II, (D/E)
UN 1396

	order number	quantity
powder, synthesis grade **cat. no. 30261-NP0** Assay ..... ≥ 99 %	30261-NP0-G0500-R	500 gr

Aluminium nitrate nonahydrate

Basic information:
$Al(NO_3)_3.9H_2O$
M_r: 375,13
CAS: 7784-27-2
EINECS: 236-751-8
Colorless or white crystals, hygroscopic, very soluble in water
Melting point..... 73 °C

Application:
Analytical reagent, corrosion inhibitor, petrochemical catalyst

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H315, H319
ADR: 5,1, III, (E)
UN 1438

g. r.
cat. no. 30030-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O)..... 2,0–4,0
Appearance..... colorless or white crystals

order number	quantity
30030-AP0-G0100-1	100 gr
30030-AP0-G0500-1	500 gr
30030-AP0-G1000-1	1000 gr

Aluminium oxide

Basic information:
Al_2O_3
M_r: 101,96
CAS: 1344-28-1
EINECS: 215-691-6
White powder, insoluble in water
Melting point..... 2030 °C
Boiling point..... 2980 °C

Application:
Chromatographic column filling, thin layer chromatography

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30134-AP0
Chlorides (Cl)..... ≤ 0,005 %
Loss on ignition (1000 °C) ..... ≤ 0,3 %
Sulfates (SO_4) ..... ≤ 0,1 %
Appearance..... white powder

order number	quantity
30134-AP0-G0100-1	100 gr
30134-AP0-G1000-1	1000 gr

pure
cat. no. 30134-CP0
Loss on ignition (1000 °C) ..... ≤ 3 %

order number	quantity
30134-CP0-G1000-1	1000 gr

according to Brockmann neutral
cat. no. 30134-MP0
pH 6,5–7,5
Particles size..... 0,05–0,15 mm

order number	quantity
30134-MP0-G0500-1	500 gr

Aluminum hydroxide

Basic information:
Hydrated alumina
$Al(OH)_3$
M_r: 78,00
CAS: 21645-51-2
EINECS: 244-492-7
White powder, insoluble in water

Application:
Adsorbent

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10004-AP0
Iron (Fe) ..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,02 %
Al_2O_3..... 63–67 %
Appearance..... white powder

order number	quantity
10004-AP0-G0500-1	500 gr
10004-AP0-G1000-1	1000 gr

Aluminum chloride anhydrous

Basic information:
$AlCl_3$
M_r: 133,34
CAS: 7446-70-0
EINECS: 231-208-1
Yellowish powder, vigorously decomposes with water
Melting point..... 194 °C
Boiling point..... 181 °C (sublimace)

Application:
Organic syntheses, e.g. Friedel-Crafts reaction, catalyst of various reactions (dehydrogenation, cleavage processes)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H314
ADR: 8, II, (E)
UN 1726

g. r.
cat. no. 30078-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,02 %
Appearance..... yellowish powder

order number	quantity
30078-AP0-G0100-1	100 gr
30078-AP0-G0500-1	500 gr

Aluminum chloride hexahydrate

Basic information:
$AlCl_3.6H_2O$
M_r: 241,43
CAS: 7784-13-6
EINECS: 231-208-1
Colorless crystals or white powder, easily soluble in water, hydrolyzes
Melting point..... 100 °C

Application:
Pharmaceutical production, production of cosmetics, photographic purposes

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319

pure
cat. no. 30079-CP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,01 %

order number	quantity
30079-CP0-G0100-1	100 gr
30079-CP0-G0500-1	500 gr
30079-CP0-G1000-1	1000 gr

Aluminum sulfate hexadecahydrate

Basic information:
$Al_2(SO_4)_3.16H_2O$
M_r: 630,39
CAS: 16828-11-8
EINECS: 233-135-0
Colorless crystals or white powder, soluble in water

Application:
Analytical reagent (volumetric analysis)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H318

g. r.
cat. no. 30171-AP0

Assay	≥ 98 %
Iron (Fe)	≤ 0,01 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
pH (5% in H_2O)	3,0–4,0
Appearance	colorless crystals or white powder

order number	quantity
30171-AP0-G0500-1	500 gr
30171-AP0-G1000-1	1000 gr

Aluminum sulfate octadecahydrate

Basic information:
$Al_2(SO_4)_3.18H_2O$
M_r: 666,41
CAS: 7784-31-8
EINECS: 233-135-0
Colorless crystals or white powder, soluble in water
Melting point..... 86 °C

Application:
Analytical reagent for pH adjustment, water treatment

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H318
ADR: 8, III, (E)
UN 3260

g. r.
cat. no. 30173-AP0

Assay $Al_2(SO_4)_3$	51–59 %
Iron (Fe)	≤ 0,01 %
Heavy metals (as Pb)	≤ 0,005 %
Amonium salts (NH_4)	≤ 0,05 %
pH (5 % in H_2O)	2,5–4,0
Appearance	colorless crystals or white powder

order number	quantity
30173-AP0-G0100-1	100 gr
30173-AP0-G1000-1	1000 gr

Aminoantipyrine

Basic information:
Ampyrone
$C_{11}H_{13}N_3O$
$CH_3NN(C_6H_5)C_0C(NH_2):CCH_3$
M_r: 203,25
CAS: 83-07-8
EINECS: 201-452-3
Yellow to yellow-brown crystals, soluble in water and spirits
Melting point..... 107–110 °C

pure
cat. no. 40006-CP0

Assay	≥ 98 %
Melting point	107–110 °C

order number	quantity
40006-CP0-G0050-1	50 gr

Aminoantipyrine

Application:
Detection of alkylphenols in chromatography, or glucose in the presence of phenol and peroxide, pharmaceutical production (antipyretic, analgesic), indicator for trace concentration of phenols in water

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H319, H335

Ammonium

Basic information:
Ammonia aqueous
NH_4OH
M_r: 35,05
CAS: 1336-21-6
EINECS: 215-647-6
Clear, colorless liquid with characteristic odor, miscible with water and spirits
1 l ~ 0,91 kg
Melting point..... –58 °C
Boiling point..... 38 °C

Application:
Analytical reagent (e.g. for determination of Pb, Ni, and S), solvent, pH adjustment

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314, H335, H400
ADR: 8, III, (E)
UN 2672

g. r.
cat. no. 10001-AT0

Assay	20–24,9 %
Colour (Hazen)	≤ 10 Hazen
Nonvolatile substances	≤ 0,003 %
Iron (Fe)	≤ 0,000025 %
Chlorides (Cl)	≤ 0,0001 %
Carbonates (CO_3)	≤ 0,002 %
Total sulphur (as SO_4)	≤ 0,0003 %
Appearance	clear, colorless liquid with characteristic odor

order number	quantity
10001-AT0-M1000-1	1000 ml
10001-AT0-M5000-1	5000 ml

buffers
cat. no. 64001-BT0

pH	9,5–10,5

order number	quantity
64001-BT0-M1000-1	1000 ml
64001-BT0-L0010-1	10 l

ISO reagent
cat. no. 10001-Z25

Assay amonia	> 25,0 %
Lead (Pb)	≤ 0,00005 %
Residue on evaporation	≤ 0,002 %
Iron (Fe)	≤ 0,00002 %
Calcium (Ca)	≤ 0,0001 %
Sulfates (SO_4)	≤ 0,0002 %
Copper (Cu)	≤ 0,00001 %
Magnesium (Mg)	≤ 0,0001 %
Potassium (K)	≤ 0,0001 %
Phosphates (PO_4)	≤ 0,0002 %
Chlorides (Cl)	≤ 0,00005 %
Sodium (Na)	≤ 0,0005 %
Sulfides (S)	≤ 0,00002 %
Colour (Hazen)	≤ 10 Hazen
Substances reducing $KMnO_4$ (as O)	≤ 0,0008 %
Carbonates (CO_2)	≤ 0,002 %
Silicates (SiO_2)	≤ 0,001 %
Appearance	clear, colorless liquid with characteristic odor

order number	quantity
10001-Z25-M1000-1	1000 ml
10001-Z25-M2500-1	2500 ml

Ammonium acetate

Basic information:
$C_2H_7NO_2$
CH_3COONH_4
M_r: 77,08
CAS: 631-61-8
EINECS: 211-162-9
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point..... 114 °C

Application:
Analytical reagent, e.g. determination of lead and iron, separation of lead sulphate from other sulphates, preparation of buffers, chemical and food industries, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40112-AP0
Assay (dry subst.)..... ≥ 98 %
Substances insoluble in H_2O..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4)..... ≤ 0,001 %
pH (5% in H_2O)..... 6,7–7,3
H_2O (KF)..... ≤ 2 %
Sulfate ash..... ≤ 0,01 %
Appearance..... colorless crystals or white powder

order number	quantity
40112-AP0-G0500-1	500 gr
40112-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 40112-ZP0
Assay..... ≥ 99 %
Iron (Fe)..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4)..... ≤ 0,002 %
Copper (Cu)..... ≤ 0,0005 %
Nitrates (NO_3)..... ≤ 0,001 %
Sulfate ash..... ≤ 0,01 %
pH 5% solution at 25 °C..... 6,5–7,5
Appearance..... colorless crystals or white powder

order number	quantity
40112-ZP0-G1000-1	1000 gr

Ammonium aluminum sulfate dodecahydrate

Basic information:
$NH_4Al(SO_4)_2.12H_2O$
M_r: 453,33
CAS: 7784-26-1
EINECS: 232-055-3
Colorless crystals or white powder, soluble in water
Melting point..... 93,5 °C

Application:
Analytical reagent, buffer, treatment of drinking water, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

g. r.
cat. no. 30162-AP0
Assay..... ≥ 99 %
Iron (Fe)..... ≤ 0,0002 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,0005 %
Appearance..... colorless crystals or white powder

order number	quantity
30162-AP0-G0250-1	250 gr
30162-AP0-G0500-1	500 gr

Ammonium carbonate

Basic information:
$(NH_4)_2CO_3$
M_r: 96,09
CAS: 506-87-6
EINECS: 208-058-0
Colorless crystals or white powder, soluble in water

Application:
Analytical reagent, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302

g. r.
cat. no. 30207-AP0
Iron (Fe)..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4)..... ≤ 0,005 %
Assay-NH_3..... 30–34 %
Appearance..... colorless crystals or white powder

order number	quantity
30207-AP0-G0100	100 g
30207-AP0-G0500	500 g
30207-AP0-G1000	1000 g

Ammonium dihydrogen phosphate

Basic information:
$(NH_4)H_2PO_4$
M_r: 115,03
CAS: 7722-76-1
EINECS: 231-764-5
Colorless or white crystals, very soluble in water
Melting point..... 190 °C

Application:
Analytical reagent, food industry (antioxidant), buffer component

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30015-AP0
Assay..... ≥ 99 %
Iron (Fe)..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,01 %
Appearance..... colorless or white crystals

order number	quantity
30015-AP0-G0100-1	100 gr
30015-AP0-G0250-1	250 gr
30015-AP0-G0500-1	500 gr
30015-AP0-G1000-1	1000 gr

pure
cat. no. 30015-CP0
Assay..... ≥ 98 %

order number	quantity
30015-CP0-G0500-1	500 gr
30015-CP0-G1000-1	1000 gr

Ammonium ferric citrate green

Basic information:
$C_6H_8O_7 \cdot xFe^{3+} \cdot yNH_3$
CAS: 1185-57-5
EINECS: 214-686-6
Green powder soluble in water

Application:
Biological source of Fe, indigo print, nutritional supplement

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

pure
cat. no. 30011-CP0
Assay (Fe)..... 14,5–16 %

order number	quantity
30011-CP0-G0100-1	100 gr

Ammonium fluoride

Basic information:
NH_4F
M_r: 37,04
CAS: 12125-01-8
EINECS: 235-185-9
White or colorless melting crystals, easily soluble in water, poorly soluble in spirits
Melting point..... 100 °C

Application:
Analytical reagent (removal of siliceous compounds), determination of alkaline earth metals

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H318, H331
ADR: 6.1, III, (E)
UN 2505

g. r.
cat. no. 30047-AP0
Assay..... ≥ 97 %
Iron (Fe) ..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,01 %
Sulfate ash ..... ≤ 0,02 %
Appearance..... white or colorless melting crystals

order number	quantity
30047-AP0-G0500-1	500 gr
30047-AP0-G1000-1	1000 gr

Ammonium hydrogen carbonate

Basic information:
Ammonium bicarbonate, baking soda
NH_4HCO_3
M_r: 79,06
CAS: 1066-33-7
EINECS: 213-911-5
Colorless crystals or white powder, easily soluble in water
Melting point..... 60 °C

Application:
Analytical reagent, buffer preparation, pharmaceutical and food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302

g. r.
cat. no. 30065-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30065-AP0-G0500-1	500 gr
30065-AP0-G1000-1	1000 gr

Ammonium hydrogen difluoride

Basic information:
Ammonium bifluoride
NH_5F_2
NH_4HF_2
M_r: 57,04
CAS: 1341-49-7
EINECS: 215-676-4
Colorless crystals or white powder, easily soluble in water
Melting point..... 126 °C
Boiling point..... 230 °C

Application:
Etching agent for the glass industry and ceramics

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H314
ADR: 8, II, (E)
UN 1727

pure
cat. no. 30058-CP0
Assay..... ≥ 95 %
Iron (Fe) ..... ≤ 0,003 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,02 %

order number	quantity
30058-CP0-G0500-1	500 gr

Ammonium chloride

Basic information:
Salmiac
NH_4Cl
M_r: 53,49
CAS: 12125-02-9
EINECS: 235-186-4
Colorless crystals or white powder, easily soluble in water
Melting point..... 335 °C
Boiling point..... 520 °C

Application:
Analytical reagent, organic synthesis, pharmaceutical production, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H319

g. r.
cat. no. 30070-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O)..... 4,5–6,0
Solubility of 10% solution..... passes test
Appearance..... colorless crystals or white powder

order number	quantity
30070-AP0-G0100-1	100 gr
30070-AP0-G0500-1	500 gr
30070-AP0-G1000-1	1000 gr

pure
cat. no. 30070-CP0
Assay..... ≥ 98 %
pH (5% in H_2O)..... 4,5–6,0
Solubility of 10% solution..... easily soluble

order number	quantity
30070-CP0-G0500-1	500 gr
30070-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30070-ZP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0002 %
Calcium (Ca) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Magnesium (Mg) ..... ≤ 0,001 %
Potassium (K)..... ≤ 0,005 %
Phosphates (PO_4) ..... ≤ 0,0005 %
Sodium (Na)..... ≤ 0,005 %
pH 5% solution at 25 °C 4,5–5,5
Residue after ignition (at 650 °C) .. ≤ 0,05 %
Appearance..... colorless crystals or white powder

order number	quantity
30070-ZP0-G1000-1	1000 gr

Ammonium iron(II) sulfate hexahydrate

Basic information:
Ammonium ferrous sulfate hexahydrate
$(NH_4)_2Fe(SO_4)_2.6H_2O$
M_r: 392,14
CAS: 7783-85-9
EINECS: 233-151-8
Blue-green crystals, very soluble in water
Melting point..... 100 °C

Application:
Analytical reagent (volumetric analysis)

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

g. r.
cat. no. 30164-AP0

Assay	≥ 99 %
Substances insoluble in H_2O	≤ 0,01 %
Chlorides (Cl)	≤ 0,002 %
Phosphates (PO_4)	≤ 0,005 %
Manganese (Mn)	≤ 0,05 %
Fe^{3+}	≤ 0,01 %
Appearance	blue-green crystals

order number	quantity
30164-AP0-G0100-1	100 gr
30164-AP0-G0250-1	250 gr
30164-AP0-G0500-1	500 gr
30164-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30164-ZP0

Assay	≥ 99,0 %
Lead (Pb)	≤ 0,002 %
Chlorides (Cl)	≤ 0,001 %
Copper (Cu)	≤ 0,002 %
Zinc (Zn)	≤ 0,003 %
Magnesium (Mg)	≤ 0,01 %
Potassium (K)	≤ 0,01 %
Phosphates (PO_4)	≤ 0,002 %
Sodium (Na)	≤ 0,01 %
Manganese (Mn)	≤ 0,05 %
Fe^{3+}	≤ 0,02 %
Calcium (Ca)	≤ 0,01 %
pH 5% solution at 25 °C	3,0–5,0
Appearance	blue-green crystals

order number	quantity
30164-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61023-010

Factor	0,998–1,002

order number	quantity
61023-010-P0000-1	piece

Ammonium iron(III) sulfate dodecahydrate

Basic information:
Ammonium ferric sulfate dodecahydrate
$NH_4Fe(SO_4)_2.12H_2O$
M_r: 482,19
CAS: 7783-83-7
EINECS: 233-382-4
Pink crystals, very soluble in water
Melting point.....39–41 °C
Boiling point..... 230 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319

g. r.
cat. no. 30163-AP0

Assay	≥ 99 %
Chlorides (Cl)	≤ 0,0005 %
Phosphates (PO_4)	≤ 0,003 %
Fe^{2+}	≤ 0,001 %
Appearance	pink crystals

order number	quantity
30163-AP0-G0500-1	500 gr
30163-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30163-ZP0

Assay	≥ 99,0 %
Lead (Pb)	≤ 0,001 %
Substances insoluble in H_2O	≤ 0,005 %
Chlorides (Cl)	≤ 0,0005 %
Copper (Cu)	≤ 0,002 %
Zinc (Zn)	≤ 0,003 %
Magnesium (Mg)	≤ 0,001 %
Potassium (K)	≤ 0,01 %
Sodium (Na)	≤ 0,01 %
Fe^{2+}	≤ 0,001 %
Manganese (Mn)	≤ 0,005 %
Appearance	pink crystals

order number	quantity
30163-ZP0-G1000-1	1000 gr

Ammonium metavanadate

Basic information:
NH_4VO_3
M_r: 116,98
CAS: 7803-55-6
EINECS: 232-261-3
White to pale-yellow crystalline powder, hygroscopic, very soluble in water
Melting point..... 200 °C

Application:
Analytical reagent, e.g. analysis of combustion of carbon, hydrogen, and nitrogen

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H319, H332, H361d, H372, H411
ADR: 6.1, II, (D/E)
UN 2859

g. r.
cat. no. 30124-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,05 %
Phosphates (PO_4)	≤ 0,005 %
Appearance	white to pale-yellow crystalline powder

order number	quantity
30124-AP0-G0100-1	100 gr

Ammonium molybdate tetrahydrate

Basic information:
$(NH_4)_6M_{07}O_{24}.4H_2O$
M_r: 1235,86
CAS: 12054-85-2
EINECS: 234-722-4
Colorless, pale-yellow or pale-green crystals, very soluble in water, insoluble in spirits
Melting point..... 90 °C

Application:
Analytical reagent, e.g. determination of phosphates, arsenates, and lead, preparation of catalysts

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30126-AP0

Assay	≥ 99 %
Lead (Pb)	≤ 0,001 %
Substances insoluble in H_2O	≤ 0,005 %
Chlorides (Cl)	≤ 0,002 %
Sulfates (SO_4)	≤ 0,02 %
Appearance	colorless, pale-yellow or pale-green crystals

order number	quantity
30126-AP0-G0100-1	100 gr
30126-AP0-G0250-1	250 gr
30126-AP0-G0500-1	500 gr
30126-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30126-ZP0

Assay	≥ 99,0 %
Lead (Pb)	≤ 0,001 %
Substances insoluble in H_2O	≤ 0,01 %
Chlorides (Cl)	≤ 0,002 %
Sulfates (SO_4)	≤ 0,02 %
Arsenate, phosphate and silicates (as SiO_2)	≤ 0,001 %
Appearance	colorless, pale-yellow or pale-green crystals

order number	quantity
30126-ZP0-G1000-1	1000 gr

Ammonium nitrate

Basic information:
NH_4NO_3
M_r: 80,04
CAS: 6484-52-2
EINECS: 229-347-8
White crystals or powder, hygroscopic, very soluble in water
Melting point..... 169 °C

Application:
Analytical reagent and oxidant

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H319
ADR: 5,1, III, (E)
UN 1942

g. r.
cat. no. 30025-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,0002 %
Substances insoluble in water	≤ 0,005 %
Chlorides (Cl)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,002 %
pH (5% in H_2O)	4,5–6,0
Sulfate ash	≤ 0,01 %
Appearance	white crystals or powder

order number	quantity
30025-AP0-G0500-1	500 gr
30025-AP0-G1000-1	1000 gr

pure
cat. no. 30025-CP0

Assay	≥ 98 %
Substances insoluble in water	≤ 0,01 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,01 %
Sulfate ash	≤ 0,1 %

order number	quantity
30025-CP0-G0500-1	500 gr
30025-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30025-ZP0

Assay	≥ 99,0 %
Iron (Fe)	≤ 0,0005 %
Calcium (Ca)	≤ 0,003 %
Heavy metals (as Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,005 %
Phosphates (PO_4)	≤ 0,001 %
Nitrites (NO_2)	≤ 0,0005 %
Sulfate ash	≤ 0,01 %
pH 5% solution at 25 °C	4,5–6,0
Appearance	white crystals or powder

order number	quantity
30025-ZP0-G1000-1	1000 gr

Ammonium oxalate monohydrate

Basic information:
$C_2H_8O_4N_2 . H_2O$
$(COONH_4)_2.H_2O$
M_r: 142,12
CAS: 6009-70-7
EINECS: 238-135-4
Colorless crystals or white powder, soluble in water
Melting point..... 70 °C

Application:
Analytical reagent for determination of alkaline earth metals, lead, NMR, DNA catalyst

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40141-AP0

Assay	≥ 98 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
pH (2,5 % in H_2O)	6,0–7,0
Appearance	colorless crystals or white powder

order number	quantity
40141-AP0-G0250-1	250 gr
40141-AP0-G0500-1	500 gr
40141-AP0-G1000-1	1000 gr

Ammonium oxalate monohydrate

Hazard information:



Warning!
H302, H312

ISO reagent
cat. no. 40141-ZP0

Assay	≥ 99,5 %
Iron (Fe)	≤ 0,0002 %
Calcium (Ca)	≤ 0,001 %
Heavy metals (as Pb)	≤ 0,001 %
Chlorides (Cl)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,005 %
Magnesium (Mg)	≤ 0,001 %
Potassium (K)	≤ 0,001 %
Sodium (Na)	≤ 0,001 %
Nitrates (NO_3)	≤ 0,002 %
Appearance	colorless crystals or white powder

order number	quantity
40141-AP0-G0250-1	250 gr
40141-AP0-G0500-1	500 gr
40141-AP0-G1000-1	1000 gr

Ammonium peroxodisulfate

Basic information:
$(NH_4)_2S_2O_8$
M_r: 228,2
CAS: 7727-54-0
EINECS: 231-786-5
Colorless crystals or white powder, soluble in water
Melting point..... 160 °C

Application:
Analytical oxidant for cerium, chromium, ferric and manganese ions, food industry, polymerization initiator

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H317, H319, H334, H335
ADR: 5.1, III, (E)
UN 1444

g. r.
cat. no. 30154-AP0

Assay	≥ 98 %
Iron (Fe)	≤ 0,001 %
Heavy metals (as Pb)	≤ 0,001 %
Chlorides (Cl)	≤ 0,0005 %
Sulfate ash	≤ 0,05 %
Free acids (as H_2SO_4)	≤ 0,2 %
Appearance	colorless crystals or white powder

order number	quantity
30154-AP0-G0500-1	500 gr
30154-AP0-G1000-1	1000 gr

pure
cat. no. 30154-CP0

Assay	≥ 97 %

order number	quantity
30154-CP0-G0500-1	500 gr

Ammonium sulfate

Basic information:
$(NH_4)_2SO_4$
M_r: 132,14
CAS: 7783-20-2
EINECS: 231-984-1
Colorless crystals or white powder, soluble in water
Melting point..... > 280 °C

Application:
Analytical reagent, e.g. preparation and purification of enzymes and proteins

g. r.
cat. no. 30165-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
pH (5% in H_2O)	5,0-6,0
Heavy metals (Pb)	≤ 0,005 %
Appearance	colorless crystals or white powder

order number	quantity
30165-AP0-G0250-1	250 gr
30165-AP0-G0500-1	500 gr
30165-AP0-G1000-1	1000 gr

Ammonium sulfate

Storage:
Store in a dry place and in the original container

pure
cat. no. 30165-CP0
Assay ..... ≥ 98 %
Substances insoluble in H_2O ..... ≤ 0,01 %

order number	quantity
30165-CP0-G0500-1	500 gr
30165-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30165-ZP0
Assay ..... ≥ 99,0 %
Arsenic (As) ..... ≤ 0,00002 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Phosphates (PO_4) ..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,01 %
pH 5% solution at 25 °C 4,8–6,0
Appearance ..... colorless crystals or white powder

order number	quantity
30165-ZP0-G1000-1	1000 gr

Ammonium thiocyanate

Basic information:
NH_4SCN
M_r: 6,12
CAS: 1762-95-4
EINECS: 217-175-6
Colorless crystals or white powder, hygroscopic, very soluble in water and spirits
Melting point ..... 150 °C
Flash-point ..... 190 °C

Application:
Analytical reagent for determination of trivalent Fe, Ag, Au, Hg, separation of hafnium from zirconium, thin-layer chromatography

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312, H332, H412

g. r.
cat. no. 30202-AP0
Assay ..... ≥ 98,5 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Residue after ignition ..... ≤ 0,02 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance ..... colorless crystals or white powder

order number	quantity
30202-AP0-G0250-1	250 gr
30202-AP0-G0500-1	500 gr
30202-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30202-ZP0
Assay ..... ≥ 98,0 %
Iron (Fe) ..... ≤ 0,0001 %
Lead (Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Sulfate ash ..... ≤ 0,03 %
Sulfides (S) ..... ≤ 0,001 %
pH 5% solution at 25 °C 4,5–6,0
Iodine-consuming subst. (as I) .. ≤ 0,025 %
Appearance ..... colorless crystals or white powder

order number	quantity
30202-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61025-010-P0000-1
Factor 0,998–1,002

order number	quantity
61025-010-P0000-1	piece

Aniline

Basic information:
Benzenamine
C_6H_7N
$C_6H_5NH_2$
M_r: 93,13
CAS: 62-53-3
EINECS: 200-539-3
Clear, colorless or pale-yellow to pale-brown oily liquid (becomes dark during storage), soluble in water, miscible with spirits and ether
1 l ~ 1,02 kg
Melting point ..... –5 to –7 °C
Boiling point ..... 181–185 °C

Application:
Solvent, analytical reagent, e.g. coupling reactions (phenols and dyes), pharmacy

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H317, H318, H331, H341, H351, H372, H410
ADR: 6.1, II, (D/E)
UN 1547

g. r.
cat. no. 40007-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,1 %
Residue after ignition ..... ≤ 0,005 %
Colour (Hazen) ..... ≤ 250 Hazen
Appearance ..... clear, colorless or pale-yellow to pale-brown oily liquid

order number	quantity
40007-AT0-M1000-1	1000 ml

Aniline hydrochloride

Basic information:
C_6H_7N,HCl
$C_6H_5NH_2,HCl$
M_r: 129,59
CAS: 142-04-1
EINECS: 205-519-8
White to off-white crystals or powder, hygroscopic, easily soluble in water, soluble in spirits, insoluble in ether
Melting point ..... 196–200 °C
Boiling point ..... 245 °C

Application:
Organic syntheses, e.g. preparation of aromatic amines

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H317, H318, H331, H341, H351, H372, H400
ADR: 6.1, III, (E)
UN 1548

pure
cat. no. 40008-CT0
Assay ..... ≥ 98 %
Melting point ..... 196–200 °C

order number	quantity
40008-CT0-G0100-1	100 gr
40008-CT0-G0500-1	500 gr

Antimony(III) chloride

Basic information:
$SbCl_3$
M_r: 228,11
CAS: 10025-91-9
EINECS: 233-047-2
Colorless crystals or white powder, hygroscopic, easily soluble in water, hydrolyzes
Melting point..... 73 °C
Boiling point..... 221 °C

Application:
Analytical reagent for determination of chloral, vitamin A, microscopy

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314, H411
ADR: 8, II, (E)
UN 1733

g. r.
cat. no. 30071-AP0
Assay..... ≥ 99 %
Arsenic (As) ..... ≤ 0,005 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,002 %
Calcium (Ca) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30071-AP0-G0100-1	100 gr

pure
cat. no. 30071-CP0
Assay..... ≥ 98 %

order number	quantity
30071-CP0-G0100-1	100 gr

Ascorbic acid

Basic information:
Vitamin C
$C_6H_8O_6$
M_r: 176,13
CAS: 50-81-7
EINECS: 200-066-7
Colorless crystals or white powder, easily soluble in water, soluble in spirits
Melting point..... 191 °C

Application:
Analytical agent, e.g. masking agent for certain metals, reducing agent, pharmaceutical production (vitamin C), food industry (antioxidant)

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10014-AP0
Assay..... ≥ 99 %
Loss on drying (105 °C) ..... ≤ 0,1 %
Residue after ignition..... ≤ 0,1 %
Optical rotation $[\alpha]_D^{20}$..... 20,5°–21,5°
pH (5%) 2,1–2,6
Appearance..... colorless crystals or white powder

order number	quantity
10014-AP0-G0250-1	250 gr
10014-AP0-G0500-1	500 gr
10014-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 10014-ZP0
Assay..... ≥ 99,70 %
Loss on drying (105 °C) ..... ≤ 0,1 %
Iron (Fe) ..... ≤ 0,0002 %
Sulfates..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,05 %
Chlorides..... ≤ 0,005 %
Optical rotation $[\alpha]_D^{20}$..... 20,5 °–21,5 °
Appearance..... colorless crystals or white powder

order number	quantity
10014-ZP0-G1000-1	1000 gr

Barbituric acid

Basic information:
Pyrimidine-2,4,6(1H,3H,5H)-trione
$C_4H_4N_2O_3$
N:C(OH)N:C(OH)CH:C(OH)
M_r: 128,09
CAS: 67-52-7
EINECS: 200-658-0
Colorless crystals or white to yellowish powder, easily soluble in hot water
Melting point.....248–255 °C
Flash-point ..... > 150 °C

Application:
Analytical reagent, preparation of buffers, oxidation catalyst, decarboxylation reactions, pharmaceutical production (eye lotions)

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10015-AP0
Assay..... ≥ 99 %
Appearance..... colorless crystals or white to yellowish powder

order number	quantity
10015-AP0-G0100-1	100 gr

Barium carbonate

Basic information:
$BaCO_3$
M_r: 197,37
CAS: 513-77-9
EINECS: 208-167-3
White powder, insoluble in water
Melting point..... > 900 °C

Application:
Analytical reagent, preparation of other barium compounds

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302
ADR: 6.1, III, (E)
UN 1564

g. r.
cat. no. 30208-AP0
Assay..... ≥ 98,5 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,03 %
Ca, Sr (as SO_4)..... ≤ 0,25 %
Appearance..... white powder

order number	quantity
30208-AP0-G0100-1	100 gr
30208-AP0-G0500-1	500 gr
30208-AP0-G1000-1	1000 gr

Barium hydroxide octahydrate

Basic information:
$Ba(OH)_2.8H_2O$
M_r: 315,48
CAS: 12230-71-6
EINECS: 241-234-5
Colorless crystals or white powder absorbing carbon dioxide, soluble in spirits
Melting point..... 78 °C
Boiling point..... 780 °C

g. r.
cat. no. 10002-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
10002-AP0-G0250-1	250 gr
10002-AP0-G0500-1	500 gr

Barium hydroxide octahydrate

Application:
Analytical reagent, organic synthesis,
CO_2 detection, corrosion inhibitor

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314, H332
ADR: 8, II, (E)
UN 3262

ISO reagent
cat. no. 10002-ZP0
Assay ..... ≥ 98,0 %
Iron (Fe) ..... ≤ 0,001 %
Lead (Pb) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,05 %
Chlorides (Cl) ..... ≤ 0,001 %
Substances insoluble in HCl ..... ≤ 0,005 %
Sulfides (S) ..... ≤ 0,001 %
Strontium (Sr) ..... ≤ 1,5 %
Carbonates (as $BaCO_3$) ..... ≤ 2,0 %
Appearance ..... colorless crystals or white powder

order number	quantity
10002-ZP0-G1000-1	1000 g
10002-ZP0-G2500-1	2500 g

Barium chloride dihydrate

Basic information:
$BaCl_2.2H_2O$
M_r: 244,28
CAS: 10326-27-9
EINECS: 233-788-1
Colorless crystals or white powder, easily soluble in water
Melting point ..... 962 °C

Application:
Analytical reagent, e.g. evidence and determination of sulphates, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H332
ADR: 6.1, III, (E)
UN 1564

g. r.
cat. no. 30072-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
pH (5% in H_2O) 5,0–8,0
Appearance ..... colorless crystals or white powder

order number	quantity
30072-AP0-G0100-1	100 gr
30072-AP0-G0500-1	500 gr
30072-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30072-ZP0
Assay ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,0002 %
Lead (Pb) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,05 %
Potassium (K) ..... ≤ 0,005 %
Sodium (Na) ..... ≤ 0,01 %
Total nitrogen (N) ..... ≤ 0,002 %
Strontium (Sr) ..... ≤ 0,05 %
pH 5% solution at 25 °C 5,0–8,0
Appearance ..... colorless crystals or white powder

order number	quantity
30072-ZP0-G1000-1	1000 gr

normanal 0,05M (N/10)
cat. no. 61011-020
Factor 0,997–1,003

order number	quantity
61011-020-P0000-1	piece

Barium sulfate

Basic information:
$BaSO_4$
M_r: 233,4
CAS: 7727-43-7
EINECS: 231-784-4
Colorless crystals or white powder, very soluble in water
Melting point ..... 1580 °C

Application:
Analytical reagent, pharmaceutical purposes (protective coatings against X-rays), healthcare

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30166-AP0
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,1 %
Loss on ignition (600 °C) ..... ≤ 2,0 %
Appearance ..... colorless crystals or white powder

order number	quantity
30166-AP0-G0500-1	500 gr
30166-AP0-G1000-1	1000 gr

Benzaldehyde

Basic information:
Benzenecarbaldehyde, Benzenecarboxaldehyde
C_7H_6O
C_6H_5CHO
M_r: 106,12
CAS: 100-52-7
EINECS: 202-860-4
Clear, colorless or pale-yellowish liquid, poorly soluble in water, miscible with spirits and ether
1 l ~ 1,05 kg
Melting point ..... –26 °C
Boiling point ..... 177–179 °C

Application:
Solvent, organic synthesis – blockage of amino groups, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302
ADR: 9, III, (E)
UN 1990

g. r.
cat. no. 40012-AT0
Assay ..... ≥ 99 %
Refractive index 1,544–1,546
Free acids (as $C_6H_5C_0OH$) ..... ≤ 1 %
Appearance ..... clear, colorless or pale-yellowish liquid

order number	quantity
40012-AT0-M1000-1	1000 ml

Benzene

Basic information:
C_6H_6
M_r: 78,12
CAS: 71-43-2
EINECS: 200-753-7
Clear, colorless liquid, insoluble in water, miscible with spirits and ether
1 l ~ 0,88 kg
Melting point ..... 6 °C
Boiling point ..... 80 °C
Flash-point ..... –11 °C

Application:
Solvent, electronics industry

Storage:
Store in a cool place, away from foodstuffs and oxidants

Hazard information:



Danger!
H225, H304, H315, H319, H340, H350, H372
ADR: 3, II, (D/E)
UN 1114

g. r.
cat. no. 20007-AT0
Assay ..... ≥ 99,8 %
Crystalllization point ..... ≤ +5,4 °C
Cloud temperature ..... ≤ +10 °C
Total sulphur ..... ≤ 0,0001 %
Thiofen ..... ≤ 0,0001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20007-AT0-M1000-1	1000 ml
20007-AT0-M5000-1	5000 ml

pure
cat. no. 20007-CT0
Assay ..... ≥ 99,7 %
Crystalllization point ..... ≤ +5,4 °C
Cloud temperature ..... ≤ +10 °C
Total sulphur ..... ≤ 0,0003 %
Thiofen ..... ≤ 0,0002 %

order number	quantity
20007-CT0-M1000-1	1000 ml
20007-CT0-M5000-1	5000 ml

ISO reagent
cat. no. 20007-ZT0
Assay (GC) ..... ≥ 99,5 %
Residue on evaporation ..... ≤ 0,001 %
Crystalllization point ..... ≤ 5,2 °C
Density 20 °C ..... 0,877–0,879 g/ml
Readily carbonizable material .. passes test
Water (KF) ..... ≤ 0,05 %
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,0001 meq/g
Titrable base ..... ≤ 0,0001 meq/g
Sulfur compounds (as S) ..... ≤ 0,003 %
Thiofen (C_4H_4S) ..... ≤ 0,0002 %
Appearance ..... clear, colorless liquid

order number	quantity
20007-ZT0-M1000-1	1000 ml
20007-ZT0-M2500-1	2500 ml

Benzoic acid

Basic information:
Benzenecarboxylic acid
$C_7H_6O_2$
C_6H_5COOH
M_r: 122,12
CAS: 65-85-0
EINECS: 200-618-2
Colorless crystals or white powder, soluble in hot water and spirits
Melting point.....120–123 °C
Boiling point..... 249 °C

Application:
Analytical reagent, e.g. standard in volumetry, colorimetric analysis, food industry (preservation), pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H315, H318, H372a

g. r.
cat. no. 10016-AP0
Assay..... ≥ 99,5 %
Appearance..... colorless crystals or white powder
Sulfate ash ..... ≤ 0,005 %
Halogenated compounds ..... ≤ 0,1 %

order number	quantity
10016-AP0-G0500-1	500 gr
10016-AP0-G1000-1	1000 gr

pure
cat. no. 10016-CP0
Assay..... ≥ 99 %
Sulfate ash ..... ≤ 0,01 %

order number	quantity
10016-CP0-G0500-1	500 gr

Benzyl alcohol

Basic information:
C_7H_8O
$C_6H_5CH_2OH$
M_r: 108,14
CAS: 100-51-6
EINECS: 202-859-9
Clear, colorless syrupy liquid, miscible with water, spirits, and acetone
1 l ~ 1,04 kg
Melting point..... –15 °C
Boiling point..... 205 °C

Application:
Analytical reagent, e.g. for microscopy, organic synthesis, antimicrobial agent, solvent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H319, H332

g. r.
cat. no. 20009-AT0
Assay..... ≥ 99 %
Heavy metals (as Pb)..... ≤ 0,00001 %
Benzaldehyde ..... ≤ 0,5 %
Colour (Hazen) ..... ≤ 10 Hazen
Free acids (as $C_6H_5C_0OH$) ..... ≤ 0,03 %
Halogen compounds (as Cl)..... ≤ 0,025 %
Residue after ignition..... ≤ 0,005 %
Appearance..... clear, colorless syrupy liquid

order number	quantity
20009-AT0-M1000-1	1000 ml

pure
cat. no. 20009-CT0
Assay..... ≥ 98 %

order number	quantity
20009-CT0-M1000-1	1000 ml

Bismuth(III) nitrate

Basic information:
$4BiNO_3(OH)_2.BiO(OH)$
M_r: 1461,99
CAS: 1304-85-4
EINECS: 215-136-8
Beige powder
Melting point..... 500 °C

Application:
Analytical reagent, cosmetic production, pharmaceutical production

Storage:
Store in a cool place, glass is a suitable material for storage

Hazard information:



Danger!
H272, H315, H319, H335
ADR: 5,1, II, (E)
UN 1477

pure
cat. no. 30028-CP0
Assay..... 69,5–72,5 % Bi
Chlorides (Cl)..... ≤ 0,1 %
Sulfates (SO_4) ..... ≤ 0,1 %
Alkality and caustic earth..... ≤ 2 %
Substances insoluble in HNO_3... ≤ 0,05 %

order number	quantity
30028-CP0-G1000-1	1000 gr

Boric acid

Basic information:
H_3BO_3
M_r: 61,83
CAS: 10043-35-3
EINECS: 233-139-2
Colorless crystals or white powder, soluble in water and spirits
Melting point..... 171 °C

Application:
Analytical reagent, preparation of buffers, oxidation catalyst, decarboxylation reactions, pharmaceutical production (eye lotions)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H360FD

g. r.
cat. no. 10017-AP0
Assay..... ≥ 99,5 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,015 %
Substances nonvolative with ethanol ..... ≤ 0,3 %
Appearance..... colorless crystals or white powder

order number	quantity
10017-AP0-G0250-1	100 gr
10017-AP0-G0500-1	500 gr
10017-AP0-G1000-1	1000 gr

g. r. 99,8 %
cat. no. 10017-AP0
Assay..... ≥ 99,8 %
Lead (Pb)..... ≤ 2 ppm
Substances insoluble in H_2O ..... ≤ 0,005 %
Calcium (Ca) ..... ≤ 10 ppm
Sulfates (SO_4) ..... ≤ 0,01 %
Copper (Cu) ..... ≤ 2 ppm
Zinc (Zn)..... ≤ 5 ppm
Magnesium (Mg) ..... ≤ 2 ppm
Potassium (K)..... ≤ 10 ppm
Phosphates (PO_4) ..... ≤ 10 ppm
Total sulphur..... ≤ 10 ppm
Sodium (Na)..... ≤ 20 ppm
Iron (Fe) ..... ≤ 2 ppm
Total phosphorus (P) ..... ≤ 10 ppm
Substances insoluble in Methanol ..... ≤ 0,005 %
Non-esterifiable impurities ..... ≤ 0,05 %
Chlorides celkem (Cl)..... ≤ 0,0002 %
Total silicon (Si)..... ≤ 10 ppm
Sub. non volatile with Methanol ..... ≤ 0,05 %

order number	quantity
10017-AP0-G1000-A	1000 gr

Boric acid

pure
cat. no. 10017-CP0

order number	quantity
10017-CP0-G1000-1	1000 gr

Assay ..... ≥ 98,5 %
Substances insoluble in H_2O ..... ≤ 0,02 %
Chlorides (Cl) ..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,02 %

ISO reagent
cat. no. 10017-ZP0

order number	quantity
10017-ZP0-G1000-1	1000 gr

Assay ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Phosphates (PO_4) ..... ≤ 0,001 %
Substances insoluble in Menthanol ..... ≤ 0,005 %
Sub. non volatile with Methanol ..... ≤ 0,05 %
Appearance ..... colorless crystals or white powder

Brom Cresol Green Indicator – 0,1% solution in ethanol

Basic information:
$C_{21}H_{14}Br_4O_5S$

Application:
Indicator

Storage:
Keep in an intact container

Hazard information:



Danger!
H225, H319
ADR: 3, II, (D/E)
UN 1170

indicator
cat. no. 63003-000

order number	quantity
63003-000-M0090-1	90 ml

Colour transition ..... passes test

Bromothymol Blue

Basic information:
$C_{27}H_{28}Br_2O_5S$
M_r: 624,41
CAS: 76-59-5
EINECS: 200-971-2
Reddish pink or brownish powder, virtually insoluble in water, soluble in spirits
Melting point ..... 204–208 °C

Application:
Acid-base indicator

Storage:
Store in a dry place and in the original container

indicator
cat. no. 40098-IP0

order number	quantity
40098-IP0-G0010-1	10 gr
40098-IP0-G0025-1	25 gr

Sulfate ash ..... ≤ 0,1 %
Value pH 6,0–7,6

Buffer colour coded solution pH 10 Blue

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64055-BT0

order number	quantity
64055-BT0-M1000-1	1000 ml

pH (at 20 °C) 9,98–10,02

Buffer phosphate pH 7

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64049-BT0

order number	quantity
64049-BT0-M0500-1	500 ml
64049-BT0-M1000-1	1000 ml

pH (at 20 °C) 6,98–7,02
pH (at 25 °C calculated) 6,96–7,0

Buffer solution pH 9

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64052-BT0

order number	quantity
64052-BT0-M0500-1	500 ml
64052-BT0-M1000-1	1000 ml

pH (at 20 °C) 8,98–9,02

Buffer solution pH 5

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64047-BT0

order number	quantity
64047-BT0-M0500-1	500 ml

pH (at 20 °C) 4,98–5,02

Buffer solution pH 4

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64045-BT0

order number	quantity
64045-BT0-M0500-1	500 ml
64045-BT0-M1000-1	1000 ml

pH (at 20 °C) 3,98–4,02
pH (at 25 °C calculated) 3,99–4,03

Buffer solution pH 2

Application:
Analytical chemistry, pharmaceutical analysis

Storage:
Store in tightly closed containers in a dry and cool place

buffers
cat. no. 64043-BT0

order number	quantity
64043-BT0-M0500-1	500 ml
64043-BT0-M1000-1	1000 ml

pH (at 20 °C) 1,98–2,02

Butan-1-ol

Basic information:
Butyl alcohol
$C_4H_{10}O$
$CH_3(CH_2)_3OH$
M_r: 74,12
CAS: 71-36-3
EINECS: 200-751-6
Clear, colorless liquid, miscible with spirits
1 l ~ 0,81 kg
Melting point ..... –90 °C
Boiling point ..... 119 °C
Flash-point ..... 35 °C

Application:
Analytical and extraction reagent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H226, H302, H315, H318, H335, H336
ADR: 3, III, (D/E),
UN 1120

g. r.
cat. no. 20010-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,2 %
Free acids (as CH_3COOH) ..... ≤ 0,005 %
Nonvolative residue ..... ≤ 0,003 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20010-AT0-M1000-1	1000 ml
20010-AT0-M2500-1	2500 ml

pure
cat. no. 20010-CT0
Assay ..... ≥ 98 %
Water (KF) ..... ≤ 0,5 %
Refractive index 1,399–1,401

order number	quantity
20010-CT0-M1000-1	1000 ml

ISO reagent
cat. no. 20010-ZT0
Assay (GC) ..... ≥ 99,0 %
Water (KF) ..... ≤ 0,2 %
Residue on evaporation ..... ≤ 0,002 %
Density 20 °C ..... 0,808–0,811 g/ml
Appearance ..... clear, colorless liquid
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,001 meq/g
Carbonyl compounds (CO) ..... ≤ 0,02 %

order number	quantity
20010-ZT0-M1000-1	1000 ml
20010-ZT0-M2500-1	2500 ml

Butan-2-ol

Basic information:
Butyl alcohol
$C_4H_{10}O$
$CH_3CH_2CH(OH)CH_3$
M_r: 74,12
CAS: 78-92-2
EINECS: 201-158-5
Clear, colorless liquid, very soluble in water, miscible with spirits and ether
1 l ~ 0,81 kg
Melting point ..... –114 °C
Boiling point ..... 100 °C
Flash-point ..... 24 °C

Application:
Analytical reagent, e.g. solvent, organic synthesis

Storage:
Flammable substance, keep in the intact container

Hazard information:



Warning!
H226, H319, H335, H336
ADR: 3, III, (D/E)
UN 1120

g. r.
cat. no. 20011-AT0
Assay ..... ≥ 99 %
Nonvolative substances ..... ≤ 0,005 %
Water (KF) ..... ≤ 0,1 %
Refractive index (n_{20}^D) 1,396–1,398
Free acids (as C_3H_7COOH) ..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20011-AT0-M1000-1	1000 ml

Butyl acetate

Basic information:
Butyl ethanoate, Acetic acid n-butyl ester
$C_6H_{12}O_2$
$CH_3COO(CH_2)_3CH_3$
M_r: 116,16
CAS: 123-86-4
EINECS: 204-658-1
Clear, colorless liquid, poorly soluble in water, miscible with spirits and ether
1 l ~ 0,88 kg
Melting point ..... –78 °C
Boiling point ..... 126 °C
Flash-point ..... 22 °C

Application:
Solvent, pharmaceutical production

Storage:
Flammable substance, keep in the intact container

Hazard information:



Warning!
H226, H336
ADR: 3, II, (D/E)
UN 1123

g. r.
cat. no. 20013-AT0
Assay ..... ≥ 98 %
Water (KF) ..... ≤ 0,2 %
Free acids (as CH_3COOH) ..... ≤ 0,03 %
Distilling range (95 %) ..... 123,5–127,5 °C
Nonvolative residue ..... ≤ 0,002
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20013-AT0-M1000-1	1000 ml

pure
cat. no. 20013-CT0
Assay ..... ≥ 98 %
Nonvolative substances ..... ≤ 0,004 %
Free acids (as CH_3COOH) ..... ≤ 0,03 %
H_2O (KF) ..... ≤ 0,3 %
Distilling range ..... 123–128 °C

order number	quantity
20013-CT0-M1000-1	1000 ml
20013-CT0-M2500-1	2500 ml

2-Butylbromide

Basic information:
sec-Butyl bromide, 2-Bromobutane
M_r: 137,02
CAS: 78-76-2
EINECS: 201-140-7
Colorless liquid
1 l ~ 1,26 kg
Melting point ..... –111,9 °C
Boiling point ..... 91 °C
Flash-point ..... 13 °C

Application:
Industrial application

Storage:
Store in a cool place away from foodstuffs, lyes, and oxidants

Hazard information:



Danger!
H225, H336, H412
ADR: 3, II, (D/E),
UN 2339

pure
cat. no. 40483-BT0
Assay ..... ≥ 98 %

order number	quantity
40483-BT0-M0100-R	100 ml

Cadmium acetate dihydrate

Basic information:
$C_4H_6CdO_4.2H_2O$
$(CH_3COO)_2Cd.2H_2O$
M_r: 266,52
CAS: 5743-04-4
EINECS: 208-853-2
Colorless crystals or white powder, soluble in water
Melting point..... 256 °C

Application:
Analytical reagent for determination of sulfur, selenium, and tellurium

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312, H332, H410
ADR: 6.1,III, (E),
UN 2570

g. r.
cat. no. 40115-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
40115-AP0-G0100-1	100 gr
40115-AP0-G0500-1	500 gr
40115-AP0-G1000-1	1000 gr

Cadmium oxide

Basic information:
CdO
M_r: 28,4
CAS: 1306-19-0
EINECS: 215-146-2
Red-brown powder, insoluble in water

Application:
Oxidation and dehydrogenation catalyst for organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H330, H341, H350, H361fd, H372, H410
ADR: 6.1, II, (D/E)
UN 2570

pure
cat. no. 30138-CP0
Assay..... ≥ 98,5 %
Lead (Pb)..... ≤ 0,03 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,02 %
Insoluble substances in HCl solution HCl..... ≤ 0,02 %
Zinc (Zn)..... ≤ 0,02 %

order number	quantity
30138-CP0-G0500-1	500 gr
30138-CP0-G1000-1	1000 gr

Cadmium sulfate hydrate

Basic information:
$3CdSO_4.8H_2O$
M_r: 769,52
CAS: 7790-84-3
EINECS: 233-662-6
Colorless crystals or white powder, soluble in water
Melting point..... 41 °C

Application:
Analytical reagent for the determination of arsenic, sulphides, and fumaric acid

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H301, H330, H340, H350, H360FD, H372, H410
ADR: 6.1, III, (E)
UN 2570

g. r.
cat. no. 30177-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,001 %
pH (5% in H_2O)..... 4,0–6,0
Appearance..... colorless crystals or white powder

order number	quantity
30177-AP0-G0500-1	500 gr

Calcium

Basic information:
Ca
M_r: 40,07
CAS: 7440-70-2
EINECS: 231-179-5
Melting point..... 845 °C
Boiling point..... 1484 °C

Application:
Reducing agent, metallurgy

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H261
ADR: 4.3, II, (D/E)
UN 1401

pure
cat. no. 30392-BP4
Assay (Ca)..... ≥ 98,5 %
Granule ..... 3,25–8 mm

order number	quantity
30392-BP4-G0100-R	100 gr

Calcium carbonate

Basic information:
$CaCO_3$
M_r: 100,09
CAS: 471-34-1
EINECS: 207-439-9
White powder, insoluble in water
Melting point..... 825 °C

Application:
Analytical reagent, e.g. determination of halogens in organic substances, chelatometric standard, part of cultivation media for microbiological purposes, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r. precipitated
cat. no. 30219-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,01 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,03 %
Sulfates (SO_4) ..... ≤ 0,05 %
Appearance..... white powder

order number	quantity
30219-AP0-G0500-1	500 gr
30219-AP0-G1000-1	1000 gr

pure
cat. no. 30219-CP0
Assay..... ≥ 95 %

order number	quantity
30219-CP0-G0100-1	100 gr
30219-CP0-G0250-1	250 gr
30219-CP0-G0500-1	500 gr
30219-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30219-ZP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,001 %
Lead (Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,005 %
Magnesium (Mg) ..... ≤ 0,03 %
Potassium (K)..... ≤ 0,005 %
Baryum ..... ≤ 0,02 %
Sodium (Na)..... ≤ 0,1 %
Substances insoluble in HCl..... ≤ 0,005 %
Strontium (Sr) ..... ≤ 0,05 %
Appearance..... white powder

order number	quantity
30219-ZP0-G1000-1	1000 gr

Calcium dihydrogen phosphate monohydrate

Basic information:
$Ca(H_2PO_4)_2.H_2O$
M_r: 252,07
CAS: 10031-30-8
EINECS: 231-837-1
White crystals

Application:
Pharmaceutical production, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

g. r.
cat. no. 30018-AP0
Assay..... ≥ 85 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,1 %
Appearance..... white crystals

order number	quantity
30018-AP0-G0100-1	100 gr

Calcium hydroxide

Basic information:
Slaked lime
$Ca(OH)_2$
M_r: 74,1
CAS: 1305-62-0
EINECS: 215-137-3
White powder, poorly soluble in water
Melting point..... 580 °C

Application:
Analytical neutralizing agent, buffer preparation, water treatment, CO_2 absorbent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H315, H318, H335

g. r.
cat. no. 10007-AP0
Assay..... ≥ 96 %
Lead (Pb)..... ≤ 0,0002 %
Substances noncoagulated by $C_2H_8N_2O_4.H_2O$..... ≤ 2,5 %
Substances insoluble in HCl..... ≤ 0,03 %
Appearance..... white powder

order number	quantity
10007-AP0-G0500-1	500 gr
10007-AP0-G1000-1	1000 gr

pure
cat. no. 10007-CP0
Assay..... ≥ 80 %

order number	quantity
10007-CP0-G0500-1	500 gr
10007-CP0-G1000-1	1000 gr

Calcium chloride anhydrous

Basic information:
$CaCl_2$
M_r: 110,99
CAS: 10043-52-4
EINECS: 233-140-8
White or off-white powder or granules, hygroscopic, easily soluble in water
Melting point..... 772 °C
Boiling point..... >1670 °C

Application:
Desiccant

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r. powder
cat. no. 30096-AP1
Assay..... ≥ 96 %
$MgCl_2$ ..... ≤ 1,5 %
Appearance..... white or off-white powder

order number	quantity
30096-AP1-G0500-1	500 gr
30096-AP1-G1000-1	1000 gr

g. r. granulated
cat. no. 30096-AP4
Assay..... ≥ 96 %
$MgCl_2$ ..... ≤ 1,5 %
Appearance..... white or off-white granules

order number	quantity
30096-AP4-G0100-1	100 gr
30096-AP4-G0500-1	500 gr
30096-AP4-G1000-1	1000 gr

Calcium chloride dihydrate

Basic information:
$CaCl_2.2H_2O$
M_r: 147,02
CAS: 10035-04-8
EINECS: 233-140-8
Colorless crystals or white powder, hygroscopic, easily soluble in water
Melting point..... 260 °C
Boiling point..... 1600 °C

g. r.
cat. no. 30097-AP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,001 %
Lead (Pb)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O)..... 4,5–7
Total nitrogen (N)..... ≤ 0,002 %
Appearance..... colorless crystals or white powder

order number	quantity
30097-AP0-G0500-1	500 gr
30097-AP0-G1000-1	1000 gr

Calcium chloride dihydrate

Application:
Analytical reagent, biochemistry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

Calcium chloride hexahydrate

Basic information:
$CaCl_2.6H_2O$
M_r: 219,08
CAS: 7774-34-7
EINECS: 233-140-8
Colorless crystals or white powder, hygroscopic, easily soluble in water
Melting point..... 30 °C

Application:
Analytical reagent, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r.

order number	quantity
30098-AP0-G0500-1	500 gr
30098-AP0-G1000-1	1000 gr

cat. no. 30098-AP0
Assay..... 97–102 %
Iron (Fe) ..... ≤ 0,001 %
Lead (Pb)..... ≤ 0,002 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Amonium salts (NH_4) ..... ≤ 0,02 %
Magnesium and alkaline earth metals (as SO_4) ..... ≤ 0,2 %
Free acids (as HCl) ..... ≤ 0,01 %
Appearance..... colorless crystals or white powder

Calcium nitrate tetrahydrate

Basic information:
$Ca(NO_3)_2.4H_2O$
M_r: 236,15
CAS: 13477-34-4
EINECS: 233-332-1
White crystals, hygroscopic, very soluble in water
Melting point..... 45 °C

Application:
Analytical reagent

Storage:
Oxidant, keep in the original container and in a dry place

g. r.

order number	quantity
30043-AP0-G0500-1	500 gr
30043-AP0-G1000-1	1000 gr

cat. no. 30043-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,02 %
Appearance..... white crystals

pure

order number	quantity
30043-CP0-G1000-1	1000 gr

cat. no. 30043-CP0
Assay..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,05 %

Calcium nitrate tetrahydrate

Hazard information:



Danger!
H272, H319
ADR: 5.1, III, (E)
UN 1454

Calcium oxide

Basic information:
CaO
M_r: 56,08
CAS: 1305-78-8
EINECS: 215-138-9
White powder, hygroscopic, insoluble in water
Melting point..... 2614 °C
Boiling point..... 2850 °C

Application:
Neutralization of acids, calcifying agent and CO_2 absorbent, desiccant, water treatment, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H315, H318, H335
UN 1910

g. r.

order number	quantity
30149-AP0-G0500-1	500 gr
30149-AP0-G1000-1	1000 gr

cat. no. 30149-AP0
Assay (ignition subst.)..... ≥ 96 %
Loss on ignition (1000 °C) ..... ≤ 3,5 %
Substances insoluble in HCl..... ≤ 0,5 %
Appearance..... white powder

Calcium sulfate precipitated dihydrate

Basic information:
$CaSO_4.2H_2O$
M_r: 172,17
CAS: 10101-41-4
EINECS: 231-900-3
White powder, slightly soluble in water

Application:
Analytical reagent, e.g. determination of oxalates

Storage:
Store in a dry place and in the original container

g. r.

order number	quantity
30190-AP0-G0250-1	250 gr
30190-AP0-G0500-1	500 gr
30190-AP0-G1000-1	1000 gr

cat. no. 30190-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... white powder

Camphor

Basic information:
$C_{10}H_{16}O$
M_r: 152,24
CAS: 76-22-2
EINECS: 244-350-4
Colorless to white crystalline substance
Melting point.....172–180 °C
Boiling point.....204–205 °C
Flash-point ..... 64 °C

Application:
Cosmetic industry

Storage:
Flammable substance, keep in an intact container

Hazard information:



Warning!
H228, H302, H315, H319, H335
ADR: 4.1, III, (E)
UN 2717

	order number	quantity
pure **cat. no. 40081-CP0** Nonvolative substances..... ≤ 0,05 % Optical rotation.....0,15° to –0,15° Melting point ..... 173–178 °C	40081-CP0-G0100-1	100 gr

Carbon disulfide

Basic information:
CS_2
M_r: 76,14
CAS: 75-15-0
EINECS: 200-843-6
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 1,26 kg
Melting point.....–112 °C
Boiling point..... 46 °C
Flash-point .....–30 °C

Application:
Non-polar solvent, extraction agent

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H315, H319, H361fd, H372
ADR: 3 + 6.1, I, (C/E)
UN 1131

	order number	quantity
g. r. **cat. no. 20051-AT0** Appearance..... clear, colorless liquid Colour (Hazen) ..... max. 10 Hazen Assay..... min. 99,5 % Water (KF)..... max. 0,05 % Nonvolative substances..... max. 0,002 % Sulfates (SO_4) ..... max. 0,00025 % Sulfites..... max. 0,001 % Iron (Fe) ..... max. 0,00001 % Lead (Pb)..... max. 0,00001 %	20051-AT0-M1000-1	1000 ml

Cedar oil for microscopy

Basic information:
Oily yellowish liquid
1 l ~ 0,98 kg
Flash-point ..... > 100 °C

Application:
In microscopy, for immersion lenses, refractive index similar to glass

Storage:
Store in a cool and dry place away from foodstuffs

Hazard information:



Danger!
H304

	order number	quantity
cat. no. 40124-DT0 Refractive index (n_{20}^{D}) ..... 1,500–1,520 Density (20°C).....0,900–0,950 g/cm³	40124-DT0-M0100-1-19	100 ml

Cellulose microcrystalline

Basic information:
Avicel PH-101
CAS: 9004-34-6
EINECS: 232-674-9
White or almost white fine or granular powder, insoluble in water and spirits

Application:
Thin-layer chromatography

Storage:
Store in a dry place, in the original containers, at normal temperature, keep away from direct sunlight and moisture

	order number	quantity
pure **cat. no. 40017-CP0** Loss on drying (105 °C) ..... ≤ 7,0 % Sulfate ash ..... ≤ 0,1 % pH (according to Ph. Eur. 6.) ..... 5,0–7,5 Appearance..... white powder	40017-CP0-G0250-1	250 gr

Cesium chloride

Basic information:
CsCl
M_r: 168,36
CAS: 7647-17-8
EINECS: 231-600-2
Colorless crystals or white powder, easily soluble in water
Melting point..... 642 °C
Boiling point..... 1297 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H361

	order number	quantity
g. r. **cat. no. 30074-AP0** Assay..... ≥ 98 % Iron (Fe) ..... ≤ 0,0005 % Heavy metals (as Pb)..... ≤ 0,0005 % Sulfates (SO_4) ..... ≤ 0,0005 % Magnesium (Mg) ..... ≤ 0,0005 % Appearance..... colorless crystals or white powder	30074-AP0-G0050-1	50 gr
	30074-AP0-G0100-1	100 gr
	30074-AP0-G1000-1	1000 gr

Citric acid anhydrous

Basic information:
$C_6H_8O_7$
$HOC(COOH)(CH_2COOH)_2$
M_r: 192,13
CAS: 77-92-9
EINECS: 201-069-1
Colorless crystals or white powder, easily soluble in water
Melting point ..... 153 °C
Flash-point ..... 345 °C

Application:
Preparation of buffers, masking agent for certain metals, preparation of citrates, antioxidant, anticoagulant, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r.
cat. no. 10019-AP0
Assay ..... ≥ 99,5 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,002 %
Oxalates (C_2O_4) ..... ≤ 0,05 %
Sulfate ash ..... ≤ 0,02 %
Appearance ..... colorless crystals or white powder

order number	quantity
10019-AP0-G0500-1	500 gr
10019-AP0-G1000-1	1000 gr

pure
cat. no. 10019-CP0
Assay ..... ≥ 98,5 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Sulfate ash ..... ≤ 0,05 %

order number	quantity
10019-CP0-G0500-1	500 gr
10019-CP0-G1000-1	1000 gr

Citric acid monohydrate

Basic information:
$C_6H_8O_7.H_2O$
$HOC(COOH)(CH_2COOH)_2.H_2O$
M_r: 210,14
CAS: 5949-29-1
EINECS: 201-069-1
Colorless crystals or white powder, easily soluble in water
Melting point ..... > 153 °C
Boiling point ..... 175 °C
Flash-point ..... 345 °C

Application:
Analytical reagent, e.g. masking agent for certain metals, preparation of buffers, food industry, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r.
cat. no. 10020-AP0
Assay ..... ≥ 99,8 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Oxalates (C_2O_4) ..... ≤ 0,05 %
Sulfate ash ..... ≤ 0,01 %
Appearance ..... colorless crystals or white powder

order number	quantity
10020-AP0-G0250-1	100 gr
10020-AP0-G0500-1	500 gr
10020-AP0-G1000-1	1000 gr

pure
cat. no. 10020-CP0
Assay ..... ≥ 99,5 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,01 %
Sulfate ash ..... ≤ 0,02 %

order number	quantity
10020-CP0-G0500-1	500 gr
10020-CP0-G1000-1	1000 gr

Citric acid monohydrate

pharma
cat. no. 10020-FP0
Assay (anhyd.) ..... 99,5–100,5 %
A ..... passes test
C ..... passes test
D ..... passes test
E – water ..... 7,5–9,0 %
Water (KF) ..... 7,5–9,0 %
Sulfates ..... ≤ 150 ug/g
Sulfate ash ..... ≤ 0,1 %
Oxalic acid ..... ≤ 360 ug/g
Readily carbonisable substances ..... passes test
Appearance of solution ..... passes test
Not of animal origin

order number	quantity
10020-FP0-G1000-CL17	1000 gr

ISO reagent
cat. no. 10020-ZP0
Assay ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Phosphates (PO_4) ..... ≤ 0,001 %
Readily carbonizable material .. passes test
Oxalates (C_2O_4) ..... ≤ 0,05 %
Sulfate ash ..... ≤ 0,02 %
Appearance ..... colorless crystals or white powder

order number	quantity
10020-ZP0-G1000-1	1000 gr

Coal filter material

Basic information:
CAS: 7440-44-0
Black powder
Flash-point ..... ≥ 400 °C

Application:
Filter material for multi-stage filtration

Storage:
Store in a dry place and in the original container

cat. no. 40033-BP0
Loss on drying (120 °C) ..... ≤ 11,5 %
Granulity ..... 1–2 mm

order number	quantity
40033-BP0-G0500-1	500 gr

Cobalt(II) acetate tetrahydrate

Basic information:
Cobaltous acetate tetrahydrate
$C_4H_6CoO_4.4H_2O$
$(CH_3COO)_2Co.4H_2O$
M_r: 249,09
CAS: 6147-53-1
EINECS: 200-755-8
Red-violet crystals, very soluble in water and spirits
Melting point ..... 140 °C

g. r.
cat. no. 40116-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Appearance ..... red-violet crystals

order number	quantity
40116-AP0-G0500-1	500 gr
40116-AP0-G1000-1	1000 gr

Cobalt(II) acetate tetrahydrate

Application:
Oxidation and esterification catalyst, dye production (siccative)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H317, H334, H341, H350i, H360F, H410,
ADR: 9, III, (E)
UN 3077

Cobalt(II) chloride hexahydrate

Basic information:
Cobaltous chloride hexahydrate
$CoCl_2.6H_2O$
M_r: 237,93
CAS: 7791-13-1
EINECS: 231-589-4
Red to red-violet crystals, hygroscopic, soluble in water
Melting point..... 56 °C

Application:
Analytical reagent, e.g. preparation of APHA color standards, preparation of Ziegler catalyst

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H317, H334, H341, H350i, H360F, H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 30084-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,005 %
Appearance..... red to red-violet crystals

order number	quantity
30084-AP0-G0100-1	100 gr
30084-AP0-G0250-1	250 gr
30084-AP0-G0500-1	500 gr
30084-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30084-ZP0
Assay..... ≥ 99,0 %
Substances insoluble in H_2O..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,01 %
Copper (Cu)..... ≤ 0,001 %
Zinc (Zn)..... ≤ 0,002 %
Nickel (Ni)..... ≤ 0,05 %
Substances noncoagulated by $(NH_4)_2S$..... ≤ 0,25 %
Appearance..... red to red-violet crystals

order number	quantity
30084-ZP0-G1000-1	1000 gr

Cobalt(II) nitrate hexahydrate

Basic information:
$Co(NO_3)_2.6H_2O$
M_r: 291,03
CAS: 10026-22-9
EINECS: 233-402-1
Red-brown crystals, very soluble in water
Melting point..... 56 °C

Application:
Analytical reagent, catalyst, porcelain coloring

g. r.
cat. no. 30033-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,01 %
Nickel (Ni)..... ≤ 0,1 %
Amonium salts (NH_4)..... ≤ 0,05 %
Appearance..... red-brown crystals

order number	quantity
30033-AP0-G0250-1	250 gr
30033-AP0-G0500-1	500 gr

Cobalt(II) nitrate hexahydrate

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H302, H317, H318, H332, H334, H341, H350i, H360F, H410
ADR: 5,1, II, (E)
UN 1477

Cobalt(II) sulfate heptahydrate

Basic information:
Cobaltous sulfate heptahydrate
$CoSO_4.7H_2O$
M_r: 281,1
CAS: 10026-24-1
EINECS: 233-334-2
Red to red-brown crystals, hygroscopic, very soluble in water
Melting point..... 98 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H317, H334, H341, H350i, H360F, H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 30178-AP0
Assay..... ≥ 99 %
Iron (Fe)..... ≤ 0,01 %
Substances insoluble in H_2O..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,003 %
Copper (Cu)..... ≤ 0,005 %
Appearance..... red to red-brown crystals

order number	quantity
30178-AP0-G0100-1	100 gr
30178-AP0-G0500-1	500 gr

Congo Red

Basic information:
Disodium 4-amino-3-[4-[4-(1-amino-4--sulfonato-naphthalen-2-yl)diazenylphenyl] phenyl]diazenyl-naphthalene-1-sulfonate
$C_{32}H_{22}N_6Na_2O_6S_2$
$(1\text{-}NH_2C_{10}H_5\text{-}4\text{-}SO_3Na\text{-}2\text{-}N{:}N\text{-}C_6H_4\text{-}4)_2$
M_r: 696,68
CAS: 573-58-0
EINECS: 209-358-4
Red-brown powder, soluble in water, very soluble in spirits
Melting point..... 360 °C

indicator
cat. no. 40021-IP0
Colour transition..... 3,0–5,2

order number	quantity
40021-IP0-G0010-1	10 gr

Congo Red

Application:
Acid-base indicator

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H26, H350, H361d

Copper(I) chloride

Basic information:
Cuprous chloride
CuCl
M_r: 98,99
CAS: 7758-89-6
EINECS: 231-842-9
Gray-white or gray-green powder, insoluble in water, soluble in acids
Melting point..... 430 °C
Boiling point..... 1490 °C

g. r.
cat. no. 30089-AP0

Assay	≥ 97 %
Arsenic (As)	≤ 0,0001 %
Iron (Fe)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,05 %
Appearance	gray-white or gray-green powder

order number	quantity
30089-AP0-G0100-1	100 gr
30089-AP0-G0500-1	500 gr

Application:
Analytical reagent, organic synthesis, absorption of CO_2, detection of arsine and stibine

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H315, H318, H410
ADR: 8, III, (E)
UN 2802
ADR: 8, III, (E)
UN 2802

Copper(I) oxide

Basic information:
Cuprous oxide
Cu_2O
M_r: 43,08
CAS: 1317-39-1
EINECS: 215-270-7
Red or red-brown powder, insoluble in water
Melting point..... 1232 °C
Boiling point..... 1800 °C

pure
cat. no. 30144-CP0

Assay Cu	≥ 86,0 %
Iron (Fe)	≤ 0,01 %
Nickel (Ni)	≤ 0,005 %
Silver (Ag)	≤ 0,005 %

order number	quantity
30144-CP0-G0100-1	100 gr

Copper(I) oxide

Application:
Organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H332
ADR: 9, III, (E)
UN 3077

Copper(II) acetate monohydrate

Basic information:
Cupric acetate monohydrate
$(CH_3COO)_2Cu.H_2O$
M_r: 99,65
CAS: 6046-93-1
EINECS: 205-553-3
Blue-green crystalline powder, poorly soluble in water
Melting point..... 115 °C

g. r.
cat. no. 40117-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,01 %
Appearance	blue-green crystalline powder

order number	quantity
40117-AP0-G0100-1	100 gr

Application:
Analytical reagent, preparation of Fehling's reagent for analysis of sugars, catalyst, fungicide

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314, H410
ADR: 8, II, (E)
UN 1759

Copper(II) chloride dihydrate

Basic information:
Cupric chloride dihydrate
$CuCl_2.2H_2O$
M_r: 170,48
CAS: 10125-13-0
EINECS: 231-210-2
Blue or blue-green crystals, hygroscopic, easily soluble in water
Melting point..... 100 °C

Application:
Analytical reagent, isomerization and cracking catalyst, healthcare

g. r.
cat. no. 30088-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,005 %
pH (5% in H_2O)	3,0–3,8
Appearance	blue or blue-green crystals

order number	quantity
30088-AP0-G0100-1	100 gr
30088-AP0-G0500-1	500 gr
30088-AP0-G1000-1	1000 gr

Copper(II) chloride dihydrate

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H315, H318, H400, H411
ADR: 8, III, (E)
UN 2802

pure
cat. no. 30088-CP0
Assay ..... ≥ 98 %

order number	quantity
30088-CP0-G0500-1	500 gr
30088-CP0-G1000-1	1000 gr

Copper(II) nitrate trihydrate

Basic information:
$Cu(NO_3)_2.3H_2O$
M_r: 241,6
CAS: 10031-43-3
EINECS: 221-838-5
Blue crystals, hygroscopic, very soluble in water
Melting point ..... 114 °C

Application:
Analytical reagent, catalyst, coloring of ceramics and porcelain

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H319, H410
ADR: 5,1, II, (E)
UN 1477

g. r.
cat. no. 30036-AP0
Assay ..... ≥ 98 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance ..... blue crystals

order number	quantity
30036-AP0-G0500-1	500 gr
30036-AP0-G1000-1	1000 gr

Copper(II) sulfate pentahydrate

Basic information:
Cupric sulfate pentahydrate
$CuSO_4.5H_2O$
M_r: 249,68
CAS: 7758-99-8
EINECS: 231-847-6
Blue crystals, hygroscopic, very soluble in water
Melting point ..... 110 °C

Application:
Analytical reagent, e.g. for determination of dextrose, proteins, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30182-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,01 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Total nitrogen (N) ..... ≤ 0,004 %
Subst. not precipitated by H_2S .. ≤ 0,1 %
Appearance ..... blue crystals

order number	quantity
30182-AP0-G0100-1	100 gr
30182-AP0-G0250-1	250 gr
30182-AP0-G0500-1	500 gr
30182-AP0-G1000-1	1000 gr

pure
cat. no. 30182-CP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,03 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,01 %
Subst. not precipitated by H_2S .. ≤ 0,2 %

order number	quantity
30182-CP0-G0500-1	500 gr
30182-CP0-G1000-1	1000 gr

Copper(II) sulfate pentahydrate

Hazard information:



Warning!
H302, H315, H319, H410
ADR: 9, III, (E)
UN 3077

ISO reagent
cat. no. 30182-ZP0
Assay ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,005 %
Zinc (Zn) ..... ≤ 0,05 %
Chlorides (Cl) ..... ≤ 0,001 %
Nickel (Ni) ..... ≤ 0,005 %
Potassium (K) ..... ≤ 0,001 %
Sodium (Na) ..... ≤ 0,01 %
Total nitrogen (N) ..... ≤ 0,003 %
Appearance ..... blue crystals

order number	quantity
30182-ZP0-G1000-1	1000 gr

Crystal Violet

Basic information:
Tris(4-(dimethylamino)phenyl)methylium chloride, Methyl Violet 10B
$C_{25}H_{30}ClN$
$[4\text{-}(CH_3)_2NC_6H_4]_2C$: $C_6H_4\text{-}4\text{-}$: $N(Cl)(CH_3)_2$
M_r: 407,99
CAS: 548-62-9
EINECS: 208-953-6
Dark-green powder or crystals, very soluble in water and spirits
Melting point ..... 205 °C

Application:
Laboratory reagent, e.g. for microbiological purposes, indicator for copper salts

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H315, H318, H351, H410
ADR: 9, III, (E)
UN 3077

indicator
cat. no. 40170-DP0
Colour transition ..... pH 0,1–2,0

order number	quantity
40170-DP0-G0010-1	10 gr
40170-DP0-G0025-1	25 gr
40170-DP0-G0100-1	100 gr

Cyclohexane

Basic information:
C_6H_{12}
$CH_2(CH_2)_4CH_2$
M_r: 84,16
CAS: 110-82-7
EINECS: 203-806-2
Clear, colorless liquid, insoluble in water, soluble in organic solvents
1 l ~ 0,78 kg
Melting point ..... 6,4 °C
Boiling point ..... 81 °C
Flash-point ..... –18 °C

g. r.
cat. no. 20014-AT0
Assay ..... ≥ 99 %
Nonvolative substances ..... ≤ 0,005 %
Free acids (as CH_3COOH) ..... ≤ 0,001 %
H_2O (KF) ..... ≤ 0,02 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20014-AT0-M1000-1	1000 ml
20014-AT0-M2500-1	2500 ml
20014–AT0-M5000-1	5000 ml
20014-AT0-L0010-1	10 lt

pure
cat. no. 20014-CT0
Assay ..... ≥ 98 %

order number	quantity
20014-CT0-M1000-1	1000 ml

Cyclohexane

Application:
Solvent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H304, H315, H336, H410
ADR: 3, II, (D/E)
UN 1145

ISO reagent
cat. no. 20014-ZT0

order number	quantity
20014-ZT0-M1000-1	1000 ml
20014-ZT0-M2500-1	2500 ml

Assay (GC) ..... ≥ 99,5 %
Residue on evaporation..... ≤ 0,002 %
Density 20 °C..... 0,778–0,779 g/ml
Freezing point ..... 6,0 °C
Readily carbonizable material .. passes test
Water (KF)..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Benzene (GC)..... ≤ 0,05 %
Cyclohexene (GC)..... ≤ 0,05 %
Appearance..... clear, colorless liquid

Cyclohexanol

Basic information:
$C_6H_{12}O$
$CH_2(CH_2)_4CHOH$
M_r: 100,16
CAS: 108-93-0
EINECS: 203-630-6
Clear, colorless liquid or acicular crystals, hygroscopic, slightly soluble in water, miscible with spirits and ether
1 l ~ 0,94 kg
Melting point..... 24 °C
Boiling point..... 161 °C
Flash-point ..... 64 °C

Application:
Analytical reagent, e.g. for the determination of molybdenum, bismuth, rhenium, solvent, organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H332, H335

pure
cat. no. 20015-CT0

order number	quantity
20015-CT0-M1000-1	1000 ml

Assay..... ≥ 98,0 %
Cyclohexanone ..... ≤ 1,0 %

Cyclohexanone

Basic information:
$C_6H_{10}O$
$CH_2(CH_2)_4CO$
M_r: 98,15
CAS: 108-94-1
EINECS: 203-631-1
Clear, colorless or pale-yellow liquid, slightly soluble in water, soluble in spirits and ether
1 l ~ 0,95 kg

g. r.
cat. no. 20016-AT0

order number	quantity
20016-AT0-M1000-1	1000 ml

Assay..... ≥ 99 %
Water (KF)..... ≤ 0,5 %
Nonvolatile substances..... ≤ 0,05 %
Colour (Hazen) ..... ≤ 10
Appearance..... clear, colorless or pale-yellow liquid

Cyclohexanone

Melting point..... –31 °C
Boiling point..... 155 °C
Flash-point ..... 44 °C

Application:
Solvent, analytical reagent, e.g. for bismuth determination, organic synthesis

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H226, H302, H312, H315, H318, H332
ADR: 3, III, (D/E)
UN 1915

Cyclohexene

Basic information:
C_6H_{10}
M_r: 82,13
CAS: 110-83-8
EINECS: 203-807-8
Colorless liquid
1 l ~ 0,81 kg
Melting point..... –104 °C
Boiling point..... 83 °C
Flash-point ..... –20 °C

pure
cat. no. 20064-CT0

order number	quantity
20064-CT0-M0500-R	500 ml

Assay..... ≥ 98,5 %
Refractive index (n_{20}^D) 1,4450–1,4470

Application:
Laboratory chemical, fabrics production

Storage:
Store in a cool place, away from foodstuffs

Hazard information:



Danger!
H225, H302, H304, H312, H411
ADR: 3, II, (D/E)
UN 2256

Decyl alcohol

Basic information:
1-Decanol
$C_{10}H_{22}O$
M_r: 158,28
CAS: 112-30-1
EINECS: 203-956-9
Pale-yellow liquid
1 l ~ 0,829 kg
Melting point ..... 6 °C
Boiling point .....220–240 °C
Flash-point ..... 82 °C

Application:
Laboratory chemical, industrial application

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319, H412

pure

cat. no.	Assay	Refractive index (n_{20}^D)	order number	quantity
20098-BT0	≥ 98,5 %	1,4360–1,4380	20098-BT0-M1000-R	1000 ml

1,2-Diaminocyclohexane-N,N,N',N'-tetraacetic acid monohydrat

Basic information:
Kyselina 1,2-diaminocyklohexan-N, N, N', N'-tetraoctová monohydrát
$C_{14}H_{22}N_2O_8.H_2O$
$(HOOCCH_2)_2NCH(CH_2)_4CHN(CH_2COOH)_2$
M_r: 364,35
CAS: 125572-95-4
EINECS: 236-308-9
Colorless crystals or white powder, easily soluble in water
Melting point.....213–216 °C

Application:
Chelating agent, cosmetics production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

g. r.

cat. no.	Assay	Residue after ignition	Appearance	order number	quantity
40071-AP0	≥ 99 %	≤ 0,2 %	colorless crystals or white powder	40071-AP0-G0100-1	100 gr

di-Ammonium hydrogen citrate anhydrous

Basic information:
Ammonium hydrogen citrate anhydrous
$C_6H_{14}N_2O_7$
$HOC(COOH)(CH_2COONH_4)_2$
M_r: 226,19
CAS: 3012-65-5
EINECS: 221-146-3
Colorless crystals or white powder, easily soluble in water

Application:
Analytical reagent, e.g. determination of phosphates, food additive (antioxidant), buffer component

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319, H335

g. r.

cat. no.	Assay	Substances insoluble in H_2O	Chlorides (Cl)	Sulfates (SO_4)	Sulfate ash	Appearance	order number	quantity
30056-AP0	≥ 99 %	≤ 0,005 %	≤ 0,002 %	≤ 0,005 %	≤ 0,01 %	colorless crystals or white powder	30056-AP0-G1000-1	1000 gr

di-Ammonium hydrogen phosphate

Basic information:
Diammonium phosphate
$(NH_4)_2HPO_4$
M_r: 132,06
CAS: 7783-28-0
EINECS: 231-987-8
Colorless crystals or white powder, easily soluble in water
Melting point..... 155 °C

Application:
Microbiology, buffer preparation

Storage:
Store in a dry place and in the original container

g. r.

cat. no.	Assay	Iron (Fe)	Heavy metals (as Pb)	Chlorides (Cl)	Sulfates (SO_4)	Appearance	order number	quantity
30059-AP0	≥ 99 %	≤ 0,0005 %	≤ 0,0005 %	≤ 0,0005 %	≤ 0,002 %	colorless crystals or white powder	30059-AP0-G0100-1	100 gr
							30059-AP0-G0500-1	500 gr
							30059-AP0-G1000-1	1000 gr

pure

cat. no.	Assay	order number	quantity
30059-CP0	≥ 98 %	30059-CP0-G0500-1	500 gr
		30059-CP0-G1000-1	1000 gr

1,4-Diazabicyclo[2.2.2]octane

Basic information:
BACO, Triethylendiamine
$C_6H_{12}N_2$
M_r: 112,17
CAS: 280-57-9
EINECS: 205-999-9
White powder
Boiling point..... 174 °C
Melting point.....155–160 °C
Flash-point..... 62 °C

Application:
Laboratory chemical, industrial application

pure

cat. no.	Assay	Melting point	Water (KF)	IR spectrum	order number	quantity
40615-BP0	≥ 96 %	155–160 °C	≤ 0,5 %	passes test	40615-BP0-G0100-1	100 g

1,4-Diazabicyclo[2.2.2]octane

Storage:
Store in a cool place, away from foodstuffs, acids, and oxidants

Hazard information:



Danger!
H228, H302, H315, H318
ADR: 4.1, II, (E)
UN 1325

DI Cleaner

Basic information:
Clear, colorless liquid
1 l ~ 0,8 kg
Boiling point ..... 78 °C
Flash-point ..... 12 °C

Application:
Disinfectant and cleaning agent

Storage:
Store in a cool place, away from foodstuffs

Hazard information:



Danger!
H225, H319, H336
ADR: 3, II, (D/E)
UN 1993

pure
cat. no. 84012-B00
Ethanol (GC) ..... 75,0–80,0 %
Methanol (GC) ..... ≤ 1,5 %
2-Propanol (GC) ..... ≥ 18,5 %
Non-volatile subst. ..... ≤ 0,005 %
Water (KF) ..... ≤ 0,5 %
Titrable acid ..... ≤ 0,0005 meq/g
Titrable base ..... ≤ 0,0002 meq/g
Appearance ..... clear, colorless liquid

order number	quantity
84012-B00-M1000-RE	1000 ml
84012-B00-M5000-RE	5000 ml
84012-B00-L0020-RE	20 lt

Diethylamine

Basic information:
$C_4H_{11}N$
$(CH_2H_5)_2NH$
M_r: 73,14
CAS: 109-89-7
EINECS: 2203-716-3
Clear, colorless liquid, miscible with water and spirits
1 l ~ 0,7 kg
Melting point ..... –50 °C
Boiling point ..... 56 °C
Flash-point ..... –23 °C

Application:
Analytical reagent, buffer preparation

Storage:
Flammable substance, keep in the intact container

g. r.
cat. no. 40027-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,3 %
Nonvolatile substances ..... ≤ 0,001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
40027-AT0-M0100-1	100 ml
40027-AT0-M1000-1	1000 ml

Diethylamine

Hazard information:



Danger!
H225, H302, H311, H314, H332, H335
ADR: 3, II, (D/E),
UN 1154

Diethyl ether

Basic information:
Ethoxyethane, Ether
$C_4H_{10}O$
$(C_2H_5)_2O$
M_r: 74,12
CAS: 60-29-7
EINECS: 200-467-2
Clear, colorless liquid, miscible with spirits, partially soluble in water
1 l ~ 0,71 kg
Melting point ..... –116 °C
Boiling point ..... 35 °C
Flash-point ..... –45 °C

Application:
Solvent, organic synthesis, pharmaceutical production

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H224, H302, H336, EUH019, EUH066
ADR: 3, I, (D/E)
UN 1155

g. r.
cat. no. 20018-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,15 %
Nonvolatile substances ..... ≤ 0,001 %
Density 20 °C ..... 0,7135–0,7145 g/ml
Acidity (as CH_3CO_0H) ..... ≤ 0,0002 %
Methanol ..... ≤ 0,02 %
Ethanol ..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10 Hazen
Stabiliz. BHT ..... ≤ 6 ppm
Appearance ..... clear, colorless liquid

order number	quantity
20018-AT0-M1000-1	1000 ml
20018-AT0-M2500-1	2500 ml
20018-AT0-M5000-1	5000 ml

g. r. unstabilized
cat. no. 20018-AT6
Assay ..... ≥ 99 %
Nonvolatile substances ..... ≤ 0,001 %
Water (KF) ..... ≤ 0,15 %
Acidity (as CH3COOH) ..... passes test
Density 20 °C ..... 0,7135–0,7145 g/ml
Colour (Hazen) ..... ≤ 10 Hazen
Ethanol ..... ≤ 0,1 %
Methanol ..... ≤ 0,02 %
Appearance ..... clear, colorless liquid

order number	quantity
20018-AT6-M1000-1	1000 ml
20018-AT6-M2500-1	2500 ml
20018-AT6-M5000-1	5000 ml

pharma
cat. no. 20018-FT3
Water (KF) ..... ≤ 2 g/l
Nonvolatile substances ..... ≤ 20 mg/l
Density 20 °C ..... 0,714–0,716 g/ml
A – relative density 0,714–0,716
B – distilling range ..... 34,0 °C–35,0 °C
Distilling range ..... 34,0 °C–35,0 °C
Aldehydes ..... passes test
Acid reag. compounds ..... passes test
Substances with strange odour ... passes test
Peroxidic subst. ..... passes test
Not of animal origin
Stab. cca. 0,001 % phenidone .. passes test

order number	quantity
20018-FT3-M1000-17	1000 ml

Diethyl ether

ISO reagent
cat. no. 20018-ZT0

Assay (GC) ..... ≥ 99,5 %
Residue on evaporation..... ≤ 0,001 %
Density 20 °C..... 0,712–0,714 g/ml
H_2O (KF) ..... ≤ 0,2 %
Substances darkening by H_2SO_4... passes test
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,0002 meq/g
Carbonyl compounds (CO)..... ≤ 0,001 %
Ethanol (GC)..... ≤ 0,05 %
Methanol (GC)..... ≤ 0,02 %
Peroxide (as H_2O_2) ..... ≤ 0,00003 %
Appearance..... clear, colorless liquid

order number	quantity
20018-ZT0-M1000-1	1000 ml
20018-ZT0-M2500-1	2500 ml

1,2-Dichloroethane

Basic information:
Ethane dichloride
$C_2H_4Cl_2$
$ClCH_2CH_2C$
M_r: 98,96
CAS: 107-06-2
EINECS: 203-458-1
Clear, colorless liquid, soluble in spirits, chloroform, and ether
1 l ~ 1,25 kg
Melting point..... –35 °C
Boiling point..... 81–85 °C
Flash-point ..... 13 °C

Application:
Analytical reagent, solvent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H302, H315, H319, H331, H335, H336, H350
ADR: 3(6.1), II, (D/E)
UN 1184

g. r.
cat. no. 20019-AT0

Assay..... ≥ 99 %
Residue on evaporation..... ≤ 0,005 %
Free acids (as HCl) ..... ≤ 0,002 %
Water (KF)..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 30 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20019-AT0-M1000-1	1000 ml
20019-AT0-M2500-1	2500 ml
20019-AT0-M5000-1	5000 ml

Dichloromethane

Basic information:
Methylene chloride
CH_2Cl_2
M_r: 84,93
CAS: 75-09-2
EINECS: 200-838-9
Clear, colorless liquid, slightly soluble in water, miscible with spirits and ether
1 l ~ 1,32 kg
Melting point..... –95 °C
Boiling point..... 40 °C

g. r.
cat. no. 20020-AT1

Assay..... ≥ 99,5 %
Nonvolatile substances..... ≤ 0,002 %
Stab. amylene ..... ≤ 60 ppm
Water (KF)..... ≤ 0,05 %
Free acids (as HCl) ..... ≤ 0,001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20020-AT1-M1000-1	1000 ml
20020-AT1-M2500-1	2500 ml
20020-AT1-M5000-1	5000 ml
20020-AT1-L0010-1	10 lt

Dichloromethane

Application:
Analytical reagent, nonpolar solvent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335, H336, H351, H373
ADR: 6.1, III, (E),
UN 1593

pure
cat. no. 20020-CT1

Assay..... ≥ 99 %
Stab. amylene ..... ≤ 60 ppm
Water (KF)..... ≤ 0,05 %
Free acids (as HCl) ..... ≤ 0,001 %

order number	quantity
20020-CT1-M1000-1	1000 ml
20020-CT1-M2500-1	2500 ml
20020-CT1-M5000-1	5000 ml
20020-CT1-L0010-1	10 lt

ISO reagent
cat. no. 20020-ZT1

Assay (GC) ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0001 %
Residue on evaporation..... ≤ 0,002 %
Density 20 °C..... 1,320–1,330 g/ml
Free chlorine ..... ≤ 0,0001 %
Water (KF)..... ≤ 0,05 %
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,0003 meq/g
Appearance..... clear, colorless liquid

order number	quantity
20020-ZT1-M1000-1	1000 ml
20020-ZT1-M2500-1	2500 ml

4-(Dimethylamino)benzaldehyde

Basic information:
Ehrlich's Reagent
$C_9H_{11}NO$
$(CH_3)_2NC_6H_4CHO$
M_r: 149,19
CAS: 100-10-7
EINECS: 202-819-0
White, yellowish-white or pinkish crystals, very soluble in spirits and dilute acids
Melting point..... 72–74 °C
Boiling point..... 176–177 °C
Flash-point ..... 164 °C

Application:
Laboratory chemical, industrial application

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H412

g. r.
cat. no. 40034-AP0

Assay..... 99 %
Sulfate ash ..... max. 0,1 %
Melting point..... 72–74 °C
Appearance..... white, yellowish--white or pinkish crystals

order number	quantity
40034-AP0-G0100-1	100 gr
40034-AP0-G0500-1	500 gr
40034-AP0-G1000-1	1000 gr

Dimethylformamide

Basic information:
N,N-Dimethylformamide
C_3H_7NO
$HCON(CH_3)_2$
M_r: 73,1
CAS: 68-12-2
EINECS: 200-679-5
Clear, colorless to slightly yellowish liquid, hygroscopic, miscible with water and spirits
1 l ~ 0,95 kg
Melting point ..... –61 °C
Boiling point ..... 153 °C
Flash-point ..... 58 °C

Application:
Reducing agent, solvent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H226, H312, H319, H332, H360D
ADR: 3, III, (D/E)
UN 2265

pure
cat. no. 20021-CT0
Assay ..... ≥ 98 %

order number	quantity
20021-CT0-M1000-1	1000 ml
20021-CT0-M2500-1	2500 ml
20021-CT0-M5000-1	5000 ml

ISO reagent
cat. no. 20021-ZT0
Assay (GC) ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0005 %
Residue on evaporation ..... ≤ 0,005 %
Density 20 °C ..... 0,945–0,950 g/ml
Water (KF) ..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,001 meq/g
Titrable base ..... ≤ 0,001 meq/g
Appearance ..... clear, colorless to slightly yellowish liquid

order number	quantity
20021-ZT0-M1000-1	1000 ml
20021-ZT0-M2500-1	2500 ml

Dimethyl sulfoxide

Basic information:
C_2H_6OS
$(CH_3)_2SO$
M_r: 78,13
CAS: 67-68-5
EINECS: 200-664-3
Clear, colorless, oily liquid, hygroscopic, miscible with water and alcohol
1 l ~ 1,1 kg
Melting point ..... 18 °C
Boiling point ..... 189 °C
Flash-point ..... 95 °C

Application:
Analytical reagent, e.g. determination of volatile organic impurities, solvent

Storage:
Store in a dry place and in the original container

pure
cat. no. 20022-CT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,5 %
Refractive index (n_{20}^{D}) 1,478–1,479

order number	quantity
20022-CT0-M1000-1	1000 ml
20022-CT0-M5000-1	5000 ml

1,4-Dioxane

Basic information:
$C_4H_8O_2$
$OCH_2CH_2OCH_2CH_2$
M_r: 88,11
CAS: 123-91-1
EINECS: 204-661-8
Clear, colorless liquid, miscible with water and most organic solvents
1 l ~ 1,03 kg
Melting point ..... 11 °C
Boiling point ..... 101 °C
Flash-point ..... 11 °C

Application:
Analytical solvent, e.g. for separation of amino acids, proteins, carbohydrates, and fats, for determination of isocyanates, isothiocyanates, separation of lithium from potassium and sodium, pharmaceutical production

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H319, H335, H351
ADR: 3, II, (D/E)
UN 1165

g. r.
cat. no. 20023-AT4
Assay ..... ≥ 99 %
Nonvolatile substances ..... ≤ 0,01 %
Free acids (as CH_3COOH) ..... ≤ 0,01 %
Water (KF) ..... ≤ 0,05 %
Colour (Hazen) ..... ≤ 10 Hazen
Stabiliz. BHT ..... 25 ppm
Appearance ..... clear, colorless liquid

order number	quantity
20023-AT4-M1000-1	1000 ml

ISO reagent
cat. no. 20023-ZT4
Assay (GC) ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0001 %
Residue on evaporation ..... ≤ 0,01 %
Density 20 °C ..... 1,030–1,035 g/ml
Freezing point ..... 11,0 °C
Water (KF) ..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10 Hazen
Stabiliz. BHT ..... 25 ppm
Titrable acid ..... 0,003 meq/g
Peroxide (as H_2O_2) ..... ≤ 0,005 %
Appearance ..... clear, colorless liquid

order number	quantity
20023-ZT4-M1000-1	1000 ml
20023-ZT4-M2500-1	2500 ml

Diphenylamine

Basic information:
$C_{12}H_{11}N$
$(C_6H_5)_2NH$
M_r: 169,23
CAS: 122-39-4
EINECS: 204-539-4
White or grayish crystals, may darken during storage, poorly soluble in water, very soluble in spirits and ether
Melting point ..... 53 °C
Boiling point ..... 302 °C
Flash-point ..... 153 °C

Application:
Analytical reagent for the determination of nitrites, nitrates, oxygen, nitrogen, phosgene, iron, vanadium, zirconium, chromium, manganese, chlorine, redox indicator, oxidant

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40029-AP0
Assay ..... ≥ 99 %
Melting point ..... ≥ 52 °C
Sulfate ash ..... ≤ 0,05 %
Appearance ..... white or grayish crystals

order number	quantity
40029-AP0-G0100-1	100 gr

Diphenylamine

Hazard information:



Danger!
H301, H311, H331, H373, H410
ADR: 9, III, (E)
UN 3077

Diphenylkarbazon

Basic information:
$C_{13}H_{12}N_4O$
$C_6H_5NHNHCON:NC_6H_5$
M_r: 240,26
CAS: 538-62-5
EINECS: 208-698-0
Orange-yellow, crystalline powder, insoluble in water, soluble in alcohol
Melting point..... 152–155 °C

Application:
Analytical reagent for colorimetric determination of mercury, silver, lead, germanium, chromium, copper, molybdenum, absorption indicator in mercurimetry for determination of halides and cyanides

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H228, H302, H315, H319, H335
ADR: 4.1, II, (E)
UN 1325

g. r.	order number	quantity
cat. no. 40031-AP0	40031-AP0-G0010-1	10 gr
Sulfate ash ..... ≤ 0,1 %	40031-AP0-G0050-1	50 gr
Melting point ..... 152–155 °C		
Appearance ..... orange-yellow, crystalline powder		

Diphenylthiocarbazone

Basic information:
Dithizone
$C_{13}H_{12}N_4S$
$C_6H_5NHNHCSN:NC_6H_5$
M_r: 256,33
CAS: 60-10-6
EINECS: 200-454-1
Red-brown fine powder, insoluble in water
Melting point..... 168 °C

Application:
Analytical reagent for determination of mercury, palladium, copper, cobalt, gold, cadmium, lead, silver, thallium, bismuth, zinc, iron, thorium, tin, cyanides, chlorides, and creatinine

g. r.	order number	quantity
cat. no. 40032-AP0	40032-AP0-G0010-1	10 gr
Assay ..... ≥ 98 %		
Appearance ..... red-brown fine powder		

Diphenylthiocarbazone

Storage:
Store in a cool place away from foodstuffs and oxidants

Hazard information:



Warning!
H315, H319, H335

Di-Potassium hydrogen phosphate

Basic information:
Diammonium phosphate
K_2HPO_4
M_r: 174,18
CAS: 7758-11-4
EINECS: 231-834-5
Colorless crystals or white powder, easily soluble in water

Application:
Analytical reagent, part of culture media for microbiological purposes, buffer preparation, pharmaceutical production, food industry (acidity regulator, stabilizer, and phosphorus source)

Storage:
Store in a dry place and in the original container

g. r.	order number	quantity
cat. no. 30060-AP0	30060-AP0-G0100-1	100 gr
Assay ..... ≥ 99 %	30060-AP0-G0250-1	250 gr
Iron (Fe) ..... ≤ 0,001 %	30060-AP0-G0500-1	500 gr
Chlorides (Cl) ..... ≤ 0,002 %	30060-AP0-G1000-1	1000 gr
Sulfates (SO_4) ..... ≤ 0,01 %		
Loss on drying (130 °C) ..... ≤ 1,0 %		
Appearance ..... colorless crystals or white powder		

according to specif. Ph. Eur.	order number	quantity
cat. no. 30060-EP0	30060-EP0-G1000	1000 gr
Assay (dry substance) ..... 98,0–101,0 %		
A ..... passes test		
B – phosphates ..... passes test		
C – potassium ..... passes test		
Reducing substances ..... passes test		
Loss on drying ..... ≤ 2,0 %		
Sulfates ..... ≤ 0,1 %		
Iron ..... ≤ 10 ug/g		
Chlorides ..... ≤ 200 ug/g		
Arsenic ..... ≤ 2 ug/g		
Potassium dihydrogen phosphate ..... < 2,5 %		
Appearance of solution ..... clear and colorless		

Di-Sodium hydrogen phosphate dihydrate

Basic information:
$Na_2HPO_4.2H_2O$
M_r: 177,99
CAS: 10028-24-7
EINECS: 231-448-7
White crystals
Melting point..... 92,5 °C

Application:
Water softener, food industry, analytical reagent

Storage:
Store in a dry place and in the original container

g. r.	order number	quantity
cat. no. 30388-AP0	30388-AP0-G1000-5	1000 gr
Assay ..... ≥ 98 %		
Chlorides (Cl) ..... ≤ 0,005 %		
Sulfates (SO_4) ..... ≤ 0,02 %		
Iron (Fe) ..... ≤ 0,005 %		
pH (5 % in H_2O) ..... ≤ 9,5		

Di-Sodium hydrogen phosphate dodecahydrate

Basic information:
Sodium hydrogen phosphate dodecahydrate
$Na_2HPO_4.12H_2O$
M_r: 358,14
CAS: 10039-32-4
EINECS: 231-448-7
Colorless crystals or white powder, easily soluble in water
Melting point..... 35 °C

Application:
Analytical reagent, buffer preparation, food industry, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30061-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,003 %
Sulfates (SO_4)..... ≤ 0,02 %
pH (5% in H_2O)..... 8,7–9,3
Appearance..... colorless crystals or white powder

order number	quantity
30061-AP0-G0500-1	500 gr
30061-AP0-G1000-1	1000 gr

pure
cat. no. 30061-CP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,003 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,04 %

order number	quantity
30061-CP0-G0500-1	500 gr
30061-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30061-ZP0
Assay..... 99,0–102,0 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4)..... ≤ 0,005 %
Potassium (K)..... ≤ 0,01 %
Total nitrogen (N)..... ≤ 0,002 %
pH 5% solution at 25 °C 9,0–9,4
Appearance..... colorless crystals or white powder

order number	quantity
30061-ZP0-G1000-1	1000 gr

according to specif. Ph. Eur.
cat. no. 30061-EP0
Assay..... 98,5–102,5 %
A ..... passes test
B – water..... 57,0–61,0 %
C – phosphates ..... passes test
D – phosphates..... passes test
Reducting substances passes test . passes test
Sodium dihydrogen phosphate . ≤ 2,5 %
Chlorides (Cl)..... ≤ 200 µg/g
Sulfates (SO_4) ..... ≤ 500 µg/g
Arsenic (As) ..... ≤ 2 µg/g
Iron (Fe) ..... ≤ 2 µg/g
Aerobic microorganisms..... ≤ 1000 CFU/g
Yeast and moulds (TYMC) ..... ≤ 100 CFU/g
Appearance of solution ..... clear and colorless

order number	quantity
30061-EP0-G1000	1000 gr

A B C D E F G H CH I J K L M N O P Q R S T U V W X Y Z

Eriochrome Black T

Basic information:
Sodium 1-[1-Hydroxynaphthylazo]-6-nitro-2-naphthol-4-sulfonate, Sodium salt, Sodium 4-[2-(1-hydroxynaphthalen-2-yl) hydrazin-1-ylidene]-7-nitro-3-oxo-3,4-dihydronaphthalene-1-sulfonate
$C_{10}H_4N_3NaO_7S$
1-$HOC_{10}H_6$-2-N:N-1-$C_{10}H_4$-2-OH-4-SO_3Na-6-NO_2
M_r: 461,39
CAS: 1787-61-7
EINECS: 217-250-3
Brown-black powder, very soluble in water and spirits
Flash-point .....190–550 °C

Application:
Analytical reagent – chelatometric indicator

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319, H412

indicator
cat. no. 40020-IP0
Residue after ignition..... ≤ 35 %
Suitability as chelatometric indicator..... passes test

order number	quantity
40020-IP0-G0010-1	10 gr
40020-IP0-G0050-1	50 gr
40020-IP0-G0100-1	100 gr

Ethanol

Basic information:
Ethyl alcohol
C_2H_6O
CH_3CH_2OH
M_r: 46,07
CAS: 64-17-5
EINECS: 200-578-6
Clear, colorless liquid, miscible with water, ether, and chloroform
1 l ~ 0,81 kg
Melting point..... –114 °C
Boiling point ..... 78 °C
Flash-point. ..... 13 °C

Application:
Solvent, e.g. for UV spectrophotometry, extraction agent, preparation of indicator solutions, pharmaceutical production, biochemical applications, cosmetics production

Storage:
Flammable substance, keep in the intact container

g. r. 99,8 %
cat. no. 20025-A99
Assay (GC) ..... ≥ 99,8 %
Nonvolative substances..... ≤ 0,002 %
Free acids (as CH_3COOH) ..... ≤ 0,004 %
Appearance..... clear, colorless liquid
Colour (Hazen) ..... ≤ 10 Hazen
Density (20 °C) 0,789-0,791

order number	quantity
20025-A99-M1000-1	1000 ml
20025-A99-M2500-1	2500 ml

g. r. 96 %
cat. no. 20025-A96
Assay (V/V) ..... 96 %
Nonvolative substances..... ≤ 0,001 %
Free acids (as CH_3COOH) ..... ≤ 0,002 %
Iron (Fe) ..... ≤ 0,00001 %
Relative density 20 °C..... 0,8013-0,8070
Free alkali (as NH_3) ..... ≤ 0,0001 %
Substances reducing $KMnO_4$..... ≤ 0,002 %
Appearance..... clear, colorless liquid
Reaction with H_2SO_4..... passes test
Colour (Hazen) ..... ≤ 10 Hazen

order number	quantity
20025-A96-M1000-1	1000 ml
20025-A96-M2500-1	2500 ml

Ethanol

Hazard information:



Danger!
H225, H319
ADR: 3, II, (D/E)
UN 1170

according to specif. Ph. Eur.
cat. no. 20025-E96

	order number	quantity
	20025-E96-M1000-1-18	1000 ml
	20025-E96-M2500-1-18	2500 ml

Assay	95,1-96,9 % (V/V)
A – relative density	0,805 to 0,812
C	passes test
D	passes test
Acid or alkalic reag. compounds	passes test
Relative density d 20 °C	0,805–0,812
Absorbance:	
240 nm	≤ 0,40
250–260 nm	≤ 0,30
270–340 nm	≤ 0,10
Absorption curve (235–340 nm)	smooth
Methanol (GC)	≤ 200 ul/l
Absorption curve (235–340 nm)	smooth
Acetaldehyd a acetal (GC)	≤ 10 ul/l
Benzene (GC)	≤ 2 ul/l
Other impurities (GC)	≤ 300 ul/l
Residue on evaporation	max. 25 ug/ml
Appearance	volatile, clear, colourless, inflammable hygroscopic liquid

UV
cat. no. 20025-U99

	order number	quantity
	20025-U99-M1000-1	1000 ml

Assay	≥ 99,8 %
Water (KF)	≤ 0,2 %
Wavelenght (nm)	transmitation (%)
205 nm	≥ 10 %
210 nm	≥ 20 %
220 nm	≥ 45 %
255 nm	≥ 90 %
300–400	≥ 98 %

ISO reagent
cat. no. 20025-Z99

	order number	quantity
	20025-Z99-M1000-1	1000 ml
	20025-Z99-M2500-1	2500 ml

Assay	≥ 99,8 %
Water (KF)	≤ 0,2 %
Residue on evaporation	max. 0,001 %
Density 20 °C	0,789–0,791 g/ml
Propan-2-ol (GC)	≤ 0,01 %
Readily carbonizable material	passes test
Colour (Hazen)	≤10 Hazen
Titrable acid	≤ 0,00035 meq/g
Titrable base	≤ 0,0002 meq/g
Carbonyl compounds (CO)	≤ 0,003 %
Substances reducing $KMnO_4$ (as O)	≤ 0,0004 %
Methanol (GC)	≤ 0,05 %
Higher alcohols (GC)	≤ 0,01 %
Appearance	clear, colorless liquid

Ethanol

ethanol euro denatured (CDA)
cat. no. 20027-BT3

	order number	quantity
	20027-BT3-M1000	1000 ml
	20027-BT3-M2500	2500 ml

Appearance	clear, colorless liquid
Water (KF)	≤ 0,1 %
Ethanol (GC)	≥ 90,0 %
2-Propanol (GC)	min. 1 %
Ethyl methyl ketone (GC)	min. 1 %

spirit mixture L-IPA
cat. no. 40394-BT0

	order number	quantity
	40394-BT0-L0010-1	10 lt

Water (KF)	≤ 0,05 %
Ethanol (GC)	≥ 85,0 %
2-Propanol (GC)	≥ 10,0 %

spirit mixture LN
cat. no. 40394-BT0

	order number	quantity
	40394-BT0-M1000-1	1000 ml

Density	0,800–0,825 g/cm³
Refractive index (n_{20}^{D})	1,3620–1,3680

Ethyl acetate

Basic information:
Ethyl acetate
$C_4H_8O_2$
$CH_3COOC_2H_5$
M_r: 88,11
CAS: 141-78-6
EINECS: 205-500-4
Clear, colorless liquid, miscible with spirits, acetone, and ether
1 l ~ 0,9 kg
Melting point –84 °C
Boiling point 70 °C
Flash-point –4 °C

Application:
Solvent and extraction agent (HPLC, chemical industry, healthcare, pharmaceutical production)

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H319, H336
ADR: 3, II, (D/E)
UN 1173

g. r.
cat. no. 20028-AT0

	order number	quantity
	20028-AT0-M1000-1	1000 ml
	20028-AT0-M2500-1	2500 ml
	20028-AT0-M5000-1	5000 ml
	20028-AT0-L0010-1	10 lt

Assay	≥ 99,7 %
Nonvolatile substances	≤ 0,0015 %
Acidity (as CH_3COOH)	≤ 0,005 %
Organic impurities	≤ 0,25 %
Appearance	clear, colorless liquid
Water (KF)	≤ 0,05 %
Colour (Hazen)	≤ 10 Hazen

pure
cat. no. 20028-CT0

	order number	quantity
	20028-CT0-M1000-1	1000 ml
	20028-CT0-M5000-1	5000 ml
	20028-CT0-L0010-1	10 lt

Assay	≥ 99,5 %
Nonvolatile substances	≤ 0,005 %
Acidity (as CH_3COOH)	≤ 0,01 %
Organic impurities	≤ 0,3 %
Water (KF)	≤ 0,1 %

ISO reagent
cat. no. 20028-ZT0

	order number	quantity
	20028-ZT0-M1000-1	1000 ml
	20028-ZT0-M2500-1	2500 ml

Assay (GC)	≥ 99,5 %
Water (KF)	≤ 0,1 %
Residue on evaporation	≤ 0,002 %
Density 20 °C	0,898–0,902 g/ml
Readily carbonizable material	passes test
Colour (Hazen)	≤ 10 Hazen
Titrable acid	≤ 0,0008 meq/g
Ethanol (GC)	≤ 0,1 %
Methanol (GC)	≤ 0,1 %
Methyl-acetate (GC)	≤ 0,1 %
Appearance	clear, colorless liquid

Ethylenediaminetetraacetic acid

Basic information:
EDTA
$C_{10}H_{16}N_2O_8$
$(HOOCCH_2)_2NCH_2CH_2N(CH_2COOH)_2$
M_r: 292,25
CAS: 60-00-4
EINECS: 200-449-4
White crystalline powder, poorly soluble in water
Melting point..... 220 °C
Flash-point ..... > 100 °C

Application:
Analytical reagent for chelatometric titrations, production of chelatonates and cosmetics

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319, H412

g. r.
cat. no. 40073-AP0
Assay..... ≥ 99 %
Sulfate ash ..... ≤ 0,2 %
Iron (Fe) ..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,001 %
Appearance..... white crystalline powder

order number	quantity
40073-AP0-G0500-1	500 gr
40073-AP0-G1000-1	1000 gr

Ethylenediaminetetraacetic acid disodium salt dihydrate

Basic information:
$C_{10}H_{14}N_2Na_2O_8.2H_2O$
$HOOCCH_2(NaOOCCH_2)NCH_2CH_2N(CH_2COONa)CH_2CO$
M_r: 372,24
CAS: 6381-92-6
EINECS: 205-358-3
Colorless crystals or white powder, poorly soluble in water
Melting point..... 248 °C

Application:
Analytical reagent for chelatometric titrations, e.g. Ca and Mg, masking agent, food industry, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H332, H373

g. r.
cat. no. 40074-AP0
Assay..... 99–100,5 %
Iron (Fe) ..... ≤ 0,002 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,001 %
pH (5% in H_2O)..... 4,0–5,0
Appearance..... colorless crystals or white powder

order number	quantity
40074-AP0-G0100-1	100 gr
40074-AP0-G0250-1	250 gr
40074-AP0-G0500-1	500 gr
40074-AP0-G1000-1	1000 gr

pure
cat. no. 40074-CP0
Assay..... ≥ 98 %
Substances insoluble in H_2O ..... ≤ 0,02 %
pH (5% in H_2O)..... 4,0–5,0

order number	quantity
40074-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 40074-ZP0
Assay..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,001 %
Lead (Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,004 %
Sulfates (SO_4) ..... ≤ 0,02 %
Copper (Cu) ..... ≤ 0,0005 %
pH 5% solution at 25 °C 4,0–5,0
Nitrilotriacetic acid ($C_6H_6NO_6$) .. ≤ 0,05 %
Appearance..... colorless crystals or white powder

order number	quantity
40074-ZP0-G1000-1	1000 gr

Ethylenediaminetetraacetic acid disodium salt dihydrate

normanal 0,1M (N/10)
cat. no. 61010-010
Factor..... 0,998–1,002

order number	quantity
61010-010-P0000-1	piece

normanal 0,05M (N/20)
cat. no. 61010-020
Factor..... 0,998–1,002

order number	quantity
61010-020-P0000-1	piece

normanal 0,01M (N/100)
cat. no. 61010-100
Factor..... 0,998–1,002

order number	quantity
61010-100-P0000-1	piece

volumetric solution 0,5M (N/2)
cat. no. 62010-020
Factor..... 0,97–1,03

order number	quantity
62010-020-M1000-1	1000 ml

volumetric solution 0,1M (N/10)
cat. no. 62010-010
Factor..... 0,97–1,03

order number	quantity
62010-010-M1000-1	1000 ml

volumetric solution 0,01M (N/100)
cat. no. 62010-100
Factor..... 0,97–1,03

order number	quantity
62010-100-L0010-1	10 l
62010-100-M0000-1	1000 ml

Ethylenediaminetetraacetic acid magnesium disodium salt hydrate

Basic information:
$C_{10}H_{12}Na_2MgN_2O_8.aq$
$(NaOOCCH_2)NCH_2CH_2N(CH_2COO)_2Mg.aq$
M_r: 358.51 + aq
CAS: 14402-88-1
EINECS: 238-372-3
Colorless crystals or white powder, easily soluble in water

Application:
Analytical reagent for chelatometric titrations

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40075-AP0
Assay (dry subst.) ..... ≥ 99 %
H_2O (KF) ..... 15–20 %
Appearance..... colorless crystals or white powder

order number	quantity
40075-AP0-G0010-1	10 gr
40075-AP0-G0100-1	100 gr

Ethylene glycol

Basic information:
$C_2H_6O_2$
$HOCH_2CH_2OH$
M_r: 62,07
CAS: 107-21-1
EINECS: 203-473-3
Clear, colorless liquid, viscous, hygroscopic, miscible with water and spirits
1 l ~ 1,11
Melting point ..... –12 °C
Boiling point ..... 197 °C
Flash-point ..... 111 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H373

g. r.
cat. no. 20026-AT0
Assay ..... ≥ 99,5 %
Water (KF) ..... ≤ 0,5 %
Iron (Fe) ..... ≤ 0,0002 %
Chlorides (Cl) ..... ≤ 0,0002 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20026-AT0-M1000-1	1000 ml

pure
cat. no. 20026-CT0
Assay ..... ≥ 98 %

order number	quantity
20026-CT0-M1000-1	1000 ml
20026-CT0-L0020-1	20 lt

Ethyl methyl ketone

Basic information:
2-Butanone
C_4H_8O
$C_2H_5COCH_3$
M_r: 72,11
CAS: 78-93-3
EINECS: 201-159-0
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,806 kg
Melting point ..... –86 °C
Boiling point ..... 79 °C
Flash-point ..... –6 °C

Application:
Solvent, extraction agent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H319, H336
ADR: 3, II, (D/E)
UN 1193

g. r.
cat. no. 20024-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,2 %
Nonvolative substances ..... ≤ 0,005 %
Appearance ..... clear, colorless liquid
Colour (Hazen) ..... ≤ 10 Hazen

order number	quantity
20024-AT0-M1000-1	1000 ml

pure
cat. no. 20024-CT0
Assay ..... ≥ 98 %

order number	quantity
20024-CT0-M1000-1	1000 ml
20024-CT0-M2500-1	2500 ml
20024-CT0-M5000-1	5000 ml

Fehling´s solution I

Basic information:
Blue liquid
1 l ~ 1,04 kg
Boiling point ..... 100 °C

Application:
For determination of ketones from aldehydes

Storage:
Store in a cool and dry place away from foodstuffs

Hazard information:



Warning!
H315, H319, H411
ADR: 9, III, (E)
UN 3082

indicator
cat. no. 63001-000
Functional test ..... passes test

order number	quantity
63001-000-M1000-1	1000 ml

Fehling´s solution II

Basic information:
Colorless liquid
1 l ~ 1,04 kg
Boiling point ..... 100 °C

Application:
For determination of ketones from aldehydes

Storage:
Store in a cool and dry place away from foodstuffs

Hazard information:



Danger!
H290, H314
ADR: 8, II, (E)
UN 1824

indicator
cat. no. 63002-000
Assay (NaOH) ..... 95,0–105,0 g/l
Functional test ..... passes test

order number	quantity
63002-000-M1000-1	1000 ml

Ferroin solution

Basic information:
$C_{36}H_{24}FeN_6O_4S$
M_r: 692,54
EINECS: 238-676-6
Red liquid
1 l ~ 1 kg

Application:
Redox indicator, analytical reagent, e.g. for determination of iron, nickel, ruthenium, and silver

indicator
cat. no. 40046-BT0
Sensitivity ..... passes test
c (ferroin) = 0,025 mol/l

order number	quantity
40046-BT0-M0050-1	50 ml
40046-BT0-M0100-R	100 ml
40046-BT0-M0250-1	250 ml

Ferroin solution

Storage:
Store in a cool place away from foodstuffs

Hazard information:
Danger!
H412

Fluorescein disodium salt

Basic information:
3´,6´-dihydroxyspiro[isobenzofuran-1(3H),9´-[9H]xanthen]-3-one
$C_{20}H_{10}Na_2O_5$
M_r: 376,28
CAS: 518-47-8
EINECS: 208-253-0
Red-orange powder, easily soluble in water
Melting point..... 360 °C

Application:
Adsorption indicator for argentometric determination of halides and rhodanides, fluorescent indicator, and indicator for determination of bromides

Storage:
Store in a dry place and in the original container

indicator
cat. no. 40050-BP0
Assay (dry subst.)..... ≥ 95 %
Loss on drying..... ≤ 10 %
Solubility in water..... passes test

order number	quantity
40050-BP0-G0025-1	25 gr
40050-BP0-G0500-1	500 gr
40050-BP0-G1000-1	1000 gr
40050-BP0-K0010-1	10 kg

Fluorescein free acid

Basic information:
Resorcinolphthalein
$C_{20}H_{12}O_5$
M_r: 332,32
CAS: 2321-07- 5
EINECS: 219-031-8
Orange-red powder, virtually insoluble in water, soluble in hot spirits
Melting point.....314–316 °C

Application:
Adsorption indicator for argentometric determination of halides and rhodanides, fluorescent indicator and indicator for determination of bromides, dye for microscopy

Storage:
Store in a dry place and in the original container

indicator
cat. no. 40051-IP0
Suitability as indicator ..... passes test

order number	quantity
40051-IP0-G0010-1	10 gr
40051-IP0-G0025-1	25 gr
40051-IP0-G0100-1	100 gr

Formaldehyde

Basic information:
CH_2O
M_r: 30,03
EINECS: 200-001-8
Colorless and pungent liquid
1 l ~ 1,09 kg
Melting point..... –16 °C
Boiling point..... 93–96 °C
Flash-point ..... 64 °C

Application:
Reducing agent

Storage:
Store in a cool place, away from foodstuffs, acids, and oxidants. Store at a temperature above +8 °C

Hazard information:



Danger!
H301, H311, H314, H317, H331, H335, H341, H350, H371
ADR: 8, III, (E)
UN 2209

g. r.
cat. no. 40052-A38
Assay..... 36–38 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb)..... ≤ 0,0004 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Density 20 °C..... 1,073–1,092 g/ml
Free acids ..... ≤ 0,04 %
Sulfate ash ..... ≤ 0,002 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... colorless liquid
Stab. methanol ~10 %

order number	quantity
40052-A38-M1000-1	1000 ml
40052-A38-M2500-1	2500 ml
40052-A38-M5000-1	5000 ml

ISO reagent
cat. no. 40052-Z38
Assay..... 37,0–40,0 %
Iron (Fe) ..... ≤ 0,0002 %
Lead (Pb)..... ≤ 0,0002 %
Chlorides (Cl)..... ≤ 0,0002 %
Sulfates (SO_4) ..... ≤ 0,002 %
Density 20 °C..... 1,075–1,090 g/ml
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,01 meq/g
Methanol (GC)..... 8,0–14,0 %
Residue on heating ..... ≤ 0,005 %
Appearance..... colorless liquid

order number	quantity
40052-Z38-M1000-1	1000 ml
40052-Z38-M2500-1	2500 ml

Formic acid

Basic information:
Methanoic acid
CH_2O_2
HCOOH
M_r: 46,03
CAS: 64-18-6
EINECS: 200-579-1
Clear, colorless liquid, miscible with water and spirits
1 l ~1,22 kg
Melting point..... 4 °C
Boiling point..... 101 °C
Flash-point ..... 50 °C

Application:
Analytical reagent and reducing agent, organic synthesis

Storage:
Keep in a refrigerator for flammable substances at +4 °C

Hazard information:



Danger!
H226, H302, H314, H331
ADR: 8 + 3, II, (D/E)
UN 1779

g. r.
cat. no. 10045-A98
Assay..... ~98 %
Nonvolatile substances..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Sulfites..... ≤ 0,002 %
CH_3COOH ..... ≤ 0,5 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... colorless liquid

order number	quantity
10045-A98-M1000-1	1000 ml

pure 85 %
cat. no. 10045-C85
Assay..... 85–87 %

order number	quantity
10045-C85-M1000-1	1000 ml
10045-C85-M2500-1	2500 ml

Fructose

Basic information:
(3S,4R,5R)-1,3,4,5,6-Pentahydroxyhexan-
-2-one, Levulose
$C_6H_{12}O_6$
$OCH_2(CHOH)_3C(OH)CH_2OH$
M_r: 180,16
CAS: 57-48-7
EINECS: 200-333-3
White, crystalline powder of sweet taste, easily soluble in water, very soluble in spirits
Melting point.....103–105 °C

Application:
Food industry, healthcare

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40053-AP0
Ash..... ≤ 0,1 %
Free acids (as HCl) ..... ≤ 0,01 %
Spec. optical rotation ..... –92,0 + /–2,0°
Appearance..... white, crystalline powder of sweet taste

order number	quantity
40053-AP0-G0500-1	500 gr
40053-AP0-G1000-1	1000 gr

Fuchsin basic

Basic information:
Fuchsine, 4-[(4-Aminophenyl)-(4-imino-
-1-cyclohexa-2,5-dienylidene)methyl]
aniline hydrochloride
$C_{20}H_{20}ClN_3$
M_r: 337,85
CAS: 632-99-5
EINECS: 211-189-6
Crystals with green-blue luster, very soluble in water and spirits
Melting point..... 250 °C
Flash-point ..... 200 °C

Application:
Analytical reagent, dye in microbiology

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H351

indicator
cat. no. 40054-IP0
Suitability as indicator ..... passes test

order number	quantity
40054-IP0-G0050-1	50 gr
40054-IP0-G0100-1	100 gr
40054-IP0-G0500-1	500 gr
40054-IP0-G1000-1	1000 gr

Gelatine

Basic information:
CAS: 9000-70-8
EINECS: 232-554-6
Yellowish to pale-brown powder, virtually insoluble in common organic solvents, swells in water
Boiling point..... 100 °C

Application:
Analytical reagent, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40174-AP0
Loss on drying (105 °C) ..... ≤ 15 %
Heavy metals (as Pb)..... ≤ 0,002 %
Ash..... ≤ 2 %
Appearance..... yellowish to pale-brown powder

order number	quantity
40174-AP0-G0500-1	500 gr
40174-AP0-G1000-1	1000 gr

Glucose anhydrous

Basic information:
(2R,3S,4R,5R)-2,3,4,5,6-
-Pentahydroxyhexanal
$C_6H_{12}O_6$
$HOCH_2CH(CHOH)_4O$
M_r: 180,16
CAS: 50-99-7
EINECS: 207-757-8
White, crystalline powder of sweet taste, easily soluble in water, slightly soluble in spirits
Melting point.....146–152 °C

Application:
Food industry, healthcare

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40055-AP0
Heavy metals (as Pb)..... ≤ 0,0005 %
Spec. optical rotation ..... +52,5° to +53,5°
Sulfate ash ..... ≤ 0,1 %
Appearance..... white, crystalline powder of sweet taste

order number	quantity
40055-AP0-G0100-1	100 gr
40055-AP0-G0250-1	250 gr
40055-AP0-G0500-1	500 gr
40055-AP0-G1000-1	1000 gr

Glucose monohydrate

Basic information:
(2R,3S,4R,5R)-2,3,4,5,6-
-Pentahydroxyhexanal
$C_6H_{12}O_6.H_2O$
$HOCH_2CH(CHOH)_4O.H_2O$
M_r: 198,17
CAS: 5996-10-1
EINECS: 200-075-1
White, crystalline powder of sweet taste, easily soluble in water, slightly soluble in spirits
Melting point..... 83 °C

Application:
Food industry, healthcare

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40056-AP0
Heavy metals (as Pb)..... ≤ 0,0005 %
Spec. optical rotation ..... +52,5° to +53,3°
Sulfate ash ..... ≤ 0,1 %
Loss on drying (120 °C) ..... 7–9,5 %
Appearance..... white, crystalline powder of sweet taste

order number	quantity
40056-AP0-G0100-1	100 gr
40056-AP0-G0250-1	250 gr
40056-AP0-G0500-1	500 gr
40056-AP0-G1000-1	1000 gr

Glutamic acid

Basic information:
2-Aminopentanedioic acid
$C_5H_9NO_4$
$HOOC(CH_2)_2CH(NH_2)COOH$
M_r: 147,13
CAS: 56-86-0
EINECS: 200-293-7
Colorless crystals or white powder, easily soluble in hot water
Melting point ..... 205 °C

Application:
Biochemistry – protein crystallization

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10041-AP0
Assay ..... ≥ 99,0 %
Appearance ..... colorless crystals or white powder

order number	quantity
10041-AP0-G0100-1	100 gr

Glycerol

Basic information:
Propane-1,2,3-triol, Glycerin
$C_3H_8O_3$
$HOCH_2CH(OH)CH_2OH$
M_r: 92,1
CAS: 56-81-5
EINECS: 200-289-5
Clear, syrupy, greasy to the touch, hygroscopic liquid, miscible with water and spirits
1 l ~ 1,22 kg
Melting point ..... 18 °C
Boiling point ..... 290 °C
Flash-point ..... 160 °C

Application:
Analytical reagent, pharmaceutical production, cosmetics production

Storage:
Store in a dry place and in the original container

g. r. 99%
cat. no. 40058-AT0
Assay ..... ≥ 99 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sulfate ash ..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colourless to almost colourless viscous liquid

order number	quantity
40058-AT0-M1000-1	1000 ml
40058-AT0-L0010-1	10 lt

g. r. 87%
cat. no. 40057-AP0
Assay ..... 85,0–89,0 %
Chlorides (Cl) ..... ≤ 0,001 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Refractive index (n_{20}^{D}) 1,450–1,460
Density 20 °C 1,221–1,231
Titrable acid ..... ≤ 0,001 meq/g
Appearance ..... clear, colourless to almost colourless viscous liquid

order number	quantity
40057-AP0-M1000-RE	1000 ml

Glycerol

according to specif. Ph. Eur.
cat. no. 40058-ET0
Assay ..... 98,0 %–101,0 %
A – refractive index 1,470–1,475
C ..... passes test
D ..... passes test
Appearance of solution ..... clear and colorless
Water (KF) ..... ≤ 2,0 %
Acid or alkalic reag. compounds .. passes test
Aldehydes ..... ≤ 10 ug/g
Estery ..... passes test
Halogenates compounds ..... ≤ 35 ug/g
Sugars ..... passes test
Sulfate ash ..... ≤ 0,01 %
Chlorides ..... ≤ 10 ug/g
Impurity A ..... ≤ 0,1 %
Single Impurity Peak ..... ≤ 0,1 %
(RT impurities larger than RT glycerol)
Total impurity content ..... ≤ 0,5 %
(RT impurities larger than RT glycerol)
Appearance ..... syrupy liquid, oily felt, colourless or almost colorless, clear, very hygroscopic

order number	quantity
40058-ET0-G1000-PH-9	1000 gr
40058-ET0-L0010-PH-9	10 lt
40058-ET0-L0025-PH-9	25 lt

ISO reagent
cat. no. 40058-ZT0
Assay (dry substance) ..... ≥ 99 %
Arsenic (As) ..... ≤ 0,0001 %
Iron (Fe) ..... ≤ 0,0001 %
Esters of fatty acids
(as tributyrin) ..... ≤ 0,05 %
Heavy metals (as Pb) ..... ≤ 0,0001 %
Chlorides (Cl) ..... ≤ 0,0001 %
Sulfates (SO_4) ..... ≤ 0,0005 %
Amonium (NH_4) ..... ≤ 0,0005 %
Readily carbonizable material .. passes test
Water (KF) ..... ≤ 1,0 %
Glyceraldehyd ..... passes test
Sulfate ash ..... ≤ 0,005 %
Colour (Hazen) ..... ≤ 10 Hazen
Titrable acid ..... ≤ 0,0005 meq/g
Titrable base ..... ≤ 0,0003 meq/g
Appearance ..... clear, syrupy, greasy to the touch, liquid

order number	quantity
40058-ZT0-M1000-1	1000 ml
40058-ZT0-M2500-1	2500 ml

Glycine

Basic information:
2-Aminoethanoic acid, Aminoacetic acid
$C_2H_5NO_2$
NH_2CH_2COOH
M_r: 75,07
CAS: 56-40-6
EINECS: 200-272-2
White, crystalline powder, easily soluble in water, slightly soluble in spirits
Melting point ..... 182–236 °C

Application:
Microbiology, buffer preparation, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40059-AP0
Assay ..... ≥ 99 %
Sulfate ash ..... ≤ 0,1 %
Appearance ..... white crystalline powder

order number	quantity
40059-AP0-G0100-1	100 gr
40059-AP0-G0250-1	250 gr
40059-AP0-G0500-1	500 gr
40059-AP0-G1000-1	1000 gr

H

Helicene

- **Application:**
  In electronics and optoelectronics
- **Storage:**
  Flammable substance, keep in the intact container
- **Hazard information:**



Warning!
H302, H410
ADR: 9, III, (E)
UN 3077

[6] helicene
cat. no. 40656-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40656-BP0-R0010-1	10 mg
40656-BP0-R0100-1	100 mg

[7] helicene
cat. no. 40655-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40655-BP0-R0010-1	10 mg
40655-BP0-R0100-1	100 mg

[9] helicene
cat. no. 40882-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40882-BP0-R0100-1	100 mg

(M)-[6] helicene
cat. no. 40736-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40736-BP0-R0010-1	10 mg
40736-BP0-R0100-1	100 mg

(P)-[6] helicene
cat. no. 40737-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40737-BP0-R0010-1	10 mg
40737-BP0-R0100-1	100 mg

9-bromo [7] helicene
cat. no. 40654-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40654-BP0-R0010-1	10 mg
40654-BP0-R0100-1	100 mg

methoxy [6] helicene
cat. no. 40657-BP0
Identity (NMR) ..... structure corresponding
Purity (HPLC) ..... ≥ 97,0 %

order number	quantity
40657-BP0-R0010-1	10 mg
40657-BP0-R0100-1	100 mg

Hexamethylenetetramine

- **Basic information:**
  1,3,5,7- tetraazaadamantane, urotropine, methenamine
  $C_6H_{12}N_4$
  M_r: 140,19
  CAS: 100-97-0
  EINECS: 202-905-8
  Colorless crystals or white powder, easily soluble in water, very soluble in spirits
  Melting point ..... 280 °C
  Flash-point ..... 250 °C

g. r.
cat. no. 40060-AP0
Assay ..... ≥ 99,5 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Ash ..... ≤ 0,05 %
pH (10% solution) 8,5–9,5
Amonium salts (NH_4) ..... ≤ 0,01 %
Appearance ..... colorless crystals or white powder

order number	quantity
40060-AP0-G0100-1	100 gr
40060-AP0-G0250-1	250 gr
40060-AP0-G0500-1	500 gr
40060-AP0-G1000-1	1000 gr

Hexamethylenetetramine

- **Application:**
  Analytical reagent, e.g. metal determination, food industry (antimicrobial additive), corrosion inhibitor
- **Storage:**
  Store in a dry place and in the original container
- **Hazard information:**



Warning!
H228, H317
ADR: 4.1, III, (E)
UN 1328

pure
cat. no. 40060-CP0
Assay ..... ≥ 98 %

order number	quantity
40060-CP0-G0500-1	500 gr

Hexane

- **Basic information:**
  C_6H_{14}
  M_r: 86,18
  EINECS: 203-777-6
  Clear, colorless liquid, insoluble in water, miscible with spirits and acetone
  1 l ~ 0,66 kg
  Melting point ..... < –20 °C
  Boiling point ..... 55–85 °C
  Flash-point ..... –26 °C
- **Application:**
  Solvent for UV spectrophotometry
- **Storage:**
  Flammable substance, keep in the intact container
- **Hazard information:**



Danger!
H225, H304, H315, H336, H361f, H373, H411
ADR: 3, II, (D/E)
UN 1208

g. r.
cat. no. 20031-AT0
Water (KF) ..... ≤ 0,01 %
Nonvolatile substances ..... ≤ 0,001 %
Free acids (as CH_3COOH) ..... ≤ 0,002 %
Assay (C_6 isomers, GC corr. for H_2O) ..... ≥ 80 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20031-AT0-M1000-1	1000 ml
20031-AT0-M2500-1	2500 ml
20031-AT0-M5000-1	5000 ml
20031-AT0-L0010-1	10 lt

pure
cat. no. 20031-CT0
Assay C_6H_{14} isomers ..... ≥ 80 %

order number	quantity
20031-CT0-M1000-1	1000 ml
20031-CT0-M2500-1	2500 ml
20031-CT0-M5000-1	5000 ml
20031-CT0-L0010-1	10 lt

1,6-Hexanediamine

- **Basic information:**
  1,6-Diaminohexane
  $C_6H_{16}N_2$
  M_r: 116,21
  CAS: 124-09-4
  EINECS: 204-679-6
  Colorless powder
  Melting point ..... 38–41 °C
  Boiling point ..... 204–205°C
  Flash-point ..... 85 °C

g. r.
cat. no. 40486-BP0
Assay (GC) ..... ≥ 99,5 %
Water (KF) ..... ≤ 0,05%
IR spectrum ..... passes test
Melting point ..... 38–41 °C

order number	quantity
40486-BP0-G0100-R	100 gr

1,6-Hexanediamine

Application:
Nylon production, solvent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H314, H335
ADR: 8, III, (E)
UN 2280

1-Hexene

Basic information:
Hexen
C_6H_{12}
M_r: 84,16
CAS: 592-41-6
EINECS: 209-753-1
Colorless liquid, soluble in water
1 l ~ 0,68 kg
Melting point.....–140 °C
Boiling point.....62–65 °C
Flash-point .....–26 °C

pure
cat. no. 20096-BT0
Assay..... ≥ 96,5 %

order number	quantity
20096-BT0-M0100-R	100 ml

Application:
Solvent, special synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H225, H304
ADR: 3, II, (D/E)
UN 2370

Hydrazine dihydrochloride

Basic information:
$N_2H_4.2HCl$
$NH_2NH_2.2HCl$
M_r: 104,97
CAS: 5341-61-7
EINECS: 226-283-2
Colorless crystals or white powder, easily soluble in water
Melting point.....199–201 °C

g. r.
40062-AP0
Assay..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,0005 %
Residue after ignition..... ≤ 0,05 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
40062-AP0-G0100-1	100 gr
40062-AP0-G0250-1	250 gr

Application:
Reducing agent

Hydrazine dihydrochloride

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H317, H331, H350, H410
ADR: 6.1, III, (E)
UN 3288

Hydrazine sulfate

Basic information:
Hydrazine sulfate
$N_2H_4.H_2SO_4$
$NH_2NH_2.H_2SO_4$
M_r: 130,12
CAS: 10034-93-2
EINECS: 233-110-4
Colorless crystals or white powder, soluble in water
Melting point..... 254 °C

g. r.
cat. no. 40139-AP0
Assay..... ≥ 99 %
Sulfate ash ..... ≤ 0,05 %
Iron (Fe) ..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Appearance..... colorless crystals or white powder

order number	quantity
40139-AP0-G0100-1	100 gr
40139-AP0-G0250-1	250 gr
40139-AP0-G0500-1	500 gr
40139-AP0-G1000-1	1000 gr

Application:
Analytical reducing agent, organic syntheses, e.g. production of azides

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H317, H331, H333, H350
ADR: 6.1, III, (E)
UN 3288

Hydrobromic acid

Basic information:
HBr
M_r: 80,92
CAS: 10035-10-6
Colorless liquid
1l ~ 1,5 kg
Melting point.....–11 °C
Boiling point.....126–128 °C

pure
cat. no. 10018-C48
Assay..... ≥ 48 %
Sulfates and sulfite (as SO_4)..... ≤ 0,005 %

order number	quantity
10018-C48-M1000-1	1000 ml

Application:
Analytical reagent

Storage:
Store in containers made of glass or suitable plastic, not metal. Store in a dry and cool place

Hydrobromic acid

Hazard information:



Danger!
H314, H335
ADR: 8, II, (E)
UN 1788

Hydrofluoric acid

Basic information:
HF
M_r: 20,01
CAS: 7664-39-3
EINECS: 231-634-8
Clear, colorless fuming liquid, miscible with water
1 l ~ 1,13 kg
Melting point ..... –35 °C
Boiling point ..... 112 °C

Application:
Electrical industry

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H310, H314, H330
ADR: 8 + 6.1, II, (E)
UN 1790

g. r. 38–40 %
cat. no. 10024-A40

order number	quantity
10024-A40-M1000-1	1000 ml
10024-A40-M2500-1	2500 ml

Assay ..... 38–40 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,001 %
Sulfites ..... ≤ 0,005 %
Sulfate ash ..... ≤ 0,001 %
H_2SiF_6 ..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear colorless liquid

pure 38–40 %
cat. no. 10024-C40

order number	quantity
10024-C40-M1000-1	1000 ml

Assay ..... 38–40 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Sulfate ash ..... ≤ 0,005 %
H_2SiF_6 ..... ≤ 0,1 %

electronic grade 39–40 %
cat. no. 10024-P40

order number	quantity
10024-P40-M1000-1	1000 ml

Assay ..... 39–40 %
Heavy metals (as Pb) ..... ≤ 0,0004 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,001 %
Copper (Cu) ..... ≤ 0,000005 %
Sulfites ..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,001 %
H_2SiF_6 ..... ≤ 0,09 %

electronic grade 49–51 %
cat. no. 10024-P50

order number	quantity
10024-P50-M1000-1	1000 ml

Assay ..... 49–51 %
Heavy metals (as Pb) ..... ≤ 0,0004 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,001 %
Copper (Cu) ..... ≤ 0,000005 %
Sulfites ..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,001 %
H_2SIF_6 ..... ≤ 0,09 %

Hydrochloric acid

Basic information:
HCl
M_r: 36,46
CAS: 7647-01-0
EINECS: 231-595-7
Clear, colorless or pale-yellow fuming liquid
1 l ~1,12 kg
Melting point ..... –40 °C
Boiling point ..... 50 °C

Application:
Analytical reagent, e.g. in volumetric analysis, metal etching, cleaning agent, ion exchange regeneration, inorganic synthesis – e.g. production of metal chlorides, ammonium chloride, pharmaceutical production

Storage:
Store in a dry place, in the original container. Store at room temperature. Keep away from direct sunlight

Hazard information:



Danger!
H290, H314, H335
ADR: 8, II, (E)
UN 1789

g. r. 35 %
cat. no. 10033-A35

order number	quantity
10033-A35-M1000-1	1000 ml
10033-A35-M2500-1	2500 ml
10033-A35-M5000-1	5000 ml

Assay ..... ≥ 35 %
Sulfate ash ..... ≤ 0,001 %
Arsenic (As) ..... ≤ 0,00001 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb) ..... ≤ 0,0003 %
Sulfates (SO_4) ..... ≤ 0,0002 %
Free chlorine ..... ≤ 0,0002 %
H_2SO_3 (asSO_3) ..... ≤ 0,001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless or pale-yellow fuming liquid

g. r. low of Arsenic
cat. no. 10033-ATX

order number	quantity
10033-ATX-M1000-1	1000 ml

Assay ..... ≥ 35 %
Sulfate ash ..... ≤ 0,001 %
Arsenic (As) ..... ≤ 0,000001 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb) ..... ≤ 0,0003 %
Sulfates (SO_4) ..... ≤ 0,0002 %
Free chlorine ..... ≤ 0,0002 %
H_2SO_3 (asSO_3) ..... ≤ 0,001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless or pale-yellow fuming liquid

according to specif. Ph. Eur.
cat. no. 10033-E35

order number	quantity
10033-E35-M1000	1000 ml
10033-E35-M2500	2500 ml

Assay ..... 35,0 % to 39,0 %
A ..... passes test
B – chlorides ..... passes test
C – assay ..... 35,0 % to 39,0 %
Appearance of solution ..... clear and colorless
Residue on evaporation ..... ≤ 0,01 %
Free chlorine ..... ≤ 4 ug/g
Sulfates ..... ≤ 20 ug/g
Appearance ..... clear, colorless or pale-yellow fuming liquid

electronic grade 37 %
cat. no. 10033-P37

order number	quantity
10033-P37-M1000-1	1000 ml

Assay ..... ≥ 37 %
Iron (Fe) ..... ≤ 0,0001 %
Heavy metals (as Pb) ..... ≤ 0,0001 %
Sulfates (SO_4) ..... ≤ 0,0001 %
Free chlorine ..... ≤ 0,00005 %
Sulfites ..... ≤ 0,0001 %
Sulfate ash ..... ≤ 0,0005 %
Arsenic (As) ..... ≤ 0,00001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless or pale-yellow fuming liquid

Hydrochloric acid

ISO reagent
cat. no. 10033-Z35

Assay ≥ 35,0 %
Sulfate ash ≤ 0,0005 %
Arsenic (As) ≤ 0,000005 %
Iron (Fe) ≤ 0,00005 %
Lead (Pb) ≤ 0,00002 %
Sulfates (SO_4) ≤ 0,0002 %
Copper (Cu) ≤ 0,00001 %
Amonium (NH_4) ≤ 0,0003 %
Free chlorine ≤ 0,0002 %
Colour (Hazen) ≤ 10 Hazen
Sulfites (as SO_3) ≤ 0,0002 %
Appearance clear, colorless or pale-yellow fuming liquid

order number	quantity
10033-Z35-M1000-1	1000 ml
10033-Z35-M2500-1	2500 ml

normanal 1M (N/1)
cat. no. 61018-001

Factor 0,998–1,002

order number	quantity
61018-001-P0000-1	piece

normanal 0,5M (N/2)
cat. no. 61018-002

Factor 0,998–1,002

order number	quantity
61018-002-P0000-1	piece

normanal 0,25M (N/4)
cat. no. 61018-004

Factor 0,998–1,002

order number	quantity
61018-004-P0000-1	piece

normanal 0,2M (N/5)
cat. no. 61018-005

Factor 0,998–1,002

order number	quantity
61018-005-P0000-1	piece

normanal 0,1M (N/10)
cat. no. 61018-010

Factor 0,998–1,002

order number	quantity
61018-010-P0000-1	piece

normanal 0,05M (N/20)
cat. no. 61018-020

Factor 0,998–1,002

order number	quantity
61018-020-P0000-1	piece

normanal 0,01M (N/100)
cat. no. 61018-100

Factor 0,996–1,004

order number	quantity
61018-100-P0000-1	piece

volumetric solution 4M (4N)
cat. no. 1250169ML1000

Factor 0,97–1,03

order number	quantity
1250169ML1000	1000 ml

volumetric solution1M (N/1)
cat. no. 62018-001

Factor 0,97–1,03

order number	quantity
62018-001-M1000-1	1000 ml
62018-001-L0010-1	10 l

Hydrochloric acid

volumetric solution 0,5M (N/2)
cat. no. 62018-002

Factor 0,97–1,03

order number	quantity
62018-002-M1000-1	1000 ml

volumetric solution 0,1M (N/10)
cat. no. 62018-010

Factor 0,97–1,03

order number	quantity
62018-010-M1000-1	1000 ml
62018-010-L0010-1	10 l

Hydrogen peroxide

Basic information:
H_2O_2
M_r: 34,02
CAS: 7722-84-1
EINECS: 231-765-0
Clear, colorless liquid, miscible with water
1 l ~1,11 kg
Melting point –26 °C
Boiling point 106 °C

Application:
Analytical oxidant, bleaching agent and disinfectant, pharmaceutical production

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H302, H318
ADR: 5.1 + 8, II, (E)
UN 2014

g. r.
cat. no. 10064-A30

Assay 29–32 %
Nonvolative substances ≤ 0,005 %
Iron (Fe) ≤ 0,00005 %
Heavy metals (as Pb) ≤ 0,00002 %
Chlorides (Cl) ≤ 0,0005 %
Sulfates (SO_4) ≤ 0,0005 %
Phosphates (PO_4) ≤ 0,0005 %
Total nitrogen (N) ≤ 0,002 %
Free acids (as H_2SO_4) ≤ 0,005 %
Colour (Hazen) ≤ 10 Hazen
Appearance clear, colorless liquid

order number	quantity
10064-A30-M0500-1	500 ml
10064-A30-M1000-1	1000 ml
10064-A30-M5000-1	5000 ml

pharma
cat. no. 10064-FT5

Assay 29,0 % to 31,0 %
Nonvolative substances ≤ 2 g/l
A passes test
B passes test
C – assay 29,0 % to 31,0 %
Acid reag. compounds passes test
Organic stabilizers ≤ 500 ug/ml
Not of animal origin

order number	quantity
10064-FT5-M1000-17	1000 ml

ISO reagent
cat. no. 10064-Z30

Assay ≥ 30,0 %
Iron (Fe) ≤ 0,00002 %
Residue on evaporation ≤ 0,005 %
Lead (Pb) ≤ 0,00002 %
Chlorides (Cl) ≤ 0,0005 %
Sulfates (SO_4) ≤ 0,0005 %
Copper (Cu) ≤ 0,00001 %
Phosphates (PO_4) ≤ 0,0005 %
Total nitrogen (N) ≤ 0,002 %
Colour (Hazen) ≤ 10 Hazen
Titrable acid ≤ 0,003 meq/g
Appearance clear, colorless liquid

order number	quantity
10064-Z30-M1000-1	1000 ml
10064-Z30-M2500-1	2500 ml

Hydroquinone

Basic information:
1,4-Dihydroxybenzene, Benzene-1,4-diol
$C_6H_6O_2$
HOC_6H_4OH
M_r: 110,11
CAS: 123-31-9
EINECS: 204-617-8
White to off-white powder, easily soluble in spirits and acetone
Melting point.....170–173 °C
Boiling point..... 285 °C
Flash-point ..... 165 °C

Application:
Photographic purposes, antioxidant, polymerization inhibitor, ether stabilizer

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H317, H318, H341, H351, H400
ADR: 9, III, (E)
UN 3077

pure
cat. no. 40067-0P0
Melting point..... 171–175 °C

order number	quantity
40067-0P0-G0500-1	500 gr

Hydroxylamine hydrochloride

Basic information:
$NH_2OH.HCl$
M_r: 69,49
CAS: 5470-11-1
EINECS: 226-798-2
Colorless crystals or white to pale-yellowish powder, hygroscopic, easily soluble in water
Melting point.....155–157 °C

Application:
Analytical reducing agent, e.g. for the determination of mercury, iron, vanadium, oxime preparation, catalyst and copolymerization inhibitor

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H290, H302, H312, H315, H317, H319, H351, H373, H400
ADR: 8 + 6.1, III, (E)
UN 2923

g. r.
cat. no. 40069-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Loss on drying (110 °C) ..... ≤ 2 %
Appearance..... colorless crystals or white to pale-yellowish powder

order number	quantity
40069-AP0-G0100-1	100 gr
40069-AP0-G0250-1	250 gr
40069-AP0-G0500-1	500 gr
40069-AP0-G1000-1	1000 gr

Chloral hydrate

Basic information:
2,2,2-Trichloroethane-1,1-diol, Trichloroacetaldehyde hydrate
$C_2H_3Cl_3O_2$
$Cl_3CCH(OH)_2$
M_r: 165,4
CAS: 302-17-0
EINECS: 206-117-5
Colorless crystals or white powder, hygroscopic, soluble in water and spirits
Melting point..... 57 °C
Boiling point..... 97 °C

Application:
Healthcare

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H315, H319
ADR: 6.1, II, (D/E)
UN 2811

pure
cat. no. 40078-CP0
Assay..... ~ 99 %
pH (10%, H_2O)..... 3,5–5,5

order number	quantity
40078-CP0-G0100-1	100 gr
40078-CP0-G0250-1	250 gr

Chlorobenzene

Basic information:
Benzene chloride
C_6H_5Cl
M_r: 112,56
CAS: 108-90-7
EINECS: 203-628-5
Clear, colorless liquid, soluble in spirits and ether
1 l ~ 1,1 kg
Melting point.....–45 °C
Boiling point..... 132 °C
Flash-point ..... 27 °C

Application:
Healthcare, solvent, organic synthesis

Storage:
Flammable, store in original container

Hazard information:



Warning!
H226, H315, H332, H411
ADR: 3, III, (D/E)
UN 1134

pure
cat. no. 40079-CT0
Assay..... ≥ 98 %

order number	quantity
40079-CT0-M1000-1	1000 ml

Chloroform

Basic information:
Trichloromethane
$CHCl_3$
M_r: 119,38
CAS: 67-66-3
EINECS: 200-663-8
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 1,47 kg
Melting point.....–63 °C
Boiling point.....61 °C

Application:
Solvent, organic synthesis, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H315, H319, H331, H336, H351, H361d, H372
ADR: 6.1, III, (E)
UN 1888

g. r.
cat. no. 20034-AT1
Assay.....≥ 99,5 %
Nonvolatile substances.....≤ 0,001 %
Chlorides (Cl).....≤ 0,00015 %
Density 20 °C.....1,486–1,494
Free acids (as HCl).....≤ 0,0015 %
Free chlorine.....≤ 0,00009 %
Distilling range.....59,5–62,0°C
Colour (Hazen).....≤ 10 Hazen
Stab. amylene max. 55 ppm
Appearance.....clear, colorless liquid

order number	quantity
20034-AT1-M1000-1	1000 ml
20034-AT1-M2500-1	2500 ml
20034-AT1-M5000-1	5000 ml
20034-AT1-L0010-1	10 lt

pure
cat. no. 20034-CT1
Assay.....≥ 99,5 %
Nonvolatile substances.....≤ 0,001 %
Chlorides (Cl).....≤ 0,0002 %
Free acids (as HCl).....≤ 0,002 %
Distilling range.....59,5–62,0°C
Stab. amylene max. 55 ppm

order number	quantity
20034-CT1-M1000-1	1000 ml
20034-CT1-M2500-1	2500 ml
20034-CT1-M5000-1	5000 ml
20034-CT1-L0010-1	10 lt

ISO reagent
cat. no. 20034-ZT1
Assay (GC).....≥ 99 %
Residue on evaporation.....≤ 0,001 %
Chlorides (Cl).....≤ 0,0001 %
Density 20 °C.....1,471–1,484 g/ml
Free chlorine.....≤ 0,0005 %
Readily carbonizable material..passes test
Colour (Hazen).....≤ 10 Hazen
Titrable acid.....≤ 0,0003 meq/g
Carbonyl compounds (CO).....≤ 0,005 %
Ethanol (GC).....0,3–1,0 %
Metallic impurities.....passes test
Appearance.....clear colorless liquid

order number	quantity
20034-ZT1-M1000-1	1000 ml
20034-ZT1-M2500-1	2500 ml

Chromium(III) chloride hexahydrat

Basic information:
$CrCl_3.6H_2O$
M_r: 266,45
CAS: 10060-12-5
EINECS: 233-038-3
Dark-green crystalline powder, hygroscopic, soluble in water
Melting point.....83 °C

Application:
Corrosion inhibitor

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302

g. r.
cat. no. 30081-AP0
Assay.....≥ 98 %
Iron (Fe).....≤ 0,01 %
Lead (Pb).....≤ 0,005 %
Sulfates (SO_4).....≤ 0,05 %
Appearance.....dark-green crystalline powder

order number	quantity
30081-AP0-G0100-1	100 gr

Chromium(III) oxide

Basic information:
Cr_2O_3
M_r: 151,99
CAS: 1308-38-9
EINECS: 215-160-9
Green powder, insoluble in water
Melting point.....2435 °C
Boiling point.....4000 °C

Application:
Preparation of chromium, pigment

Storage:
Store in a dry place and in the original container

pure
cat. no. 30136-CP0
Assay.....≥ 98,0 %

order number	quantity
30136-CP0-G0100-1	100 gr

Chromium(VI) oxide

Basic information:
CrO_3
M_r: 99,99
CAS: 1333-82-0
EINECS: 215-607-8
Ruby-colored crystals, hygroscopic, soluble in water
Melting point.....196 °C
Boiling point.....> 230 °C

Application:
Oxidant for organic synthesis, curing agent in microscopy

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H271, H301, H311, H314, H317, H330, H334, H340, H350, H361f, H372, H410
ADR: 5.1 + 6.1 + 8, II, (E)
UN 1463

g. r.
cat. no. 30137-AP0
Assay.....≥ 99 %
Iron (Fe).....≤ 0,01 %
Substances insoluble in H_2O.....≤ 0,015 %
Chlorides (Cl).....≤ 0,005 %
Sulfates (SO_4).....≤ 0,005 %
Substances coagulated by amonium.....≤ 0,02 %
Appearance.....ruby plates

order number	quantity
30137-AP0-G0100-1	100 gr

pure
cat. no. 30137-CP0
Assay.....≥ 99 %

order number	quantity
30137-CP0-G0500-1	500 gr
30137-CP0-G1000-1	1000 gr

Iodine

Basic information:
I_2
M_r: 253,81
CAS: 7553-56-2
EINECS: 231-442-4
Gray-violet plates or crystals, poorly soluble in water, easily soluble in spirits
Melting point..... 114 °C
Boiling point..... 184 °C

Application:
Analytical reagent, e.g. in volumetric analysis (iodometry), in preparative organic chemistry, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H315, H319, H332, H335, H372, H400
ADR: 8 + 6.1, III, (E)
UN 3495

g. r.

order number	quantity
30111-AP0-G0100-1	100 gr
30111-AP0-G0250-1	250 gr
30111-AP0-G0500-1	500 gr
30111-AP0-G1000-1	1000 gr

cat. no. 30111-AP0
Assay..... ≥ 99,5 %
Nonvolative substances..... ≤ 0,02 %
Cl + Br..... ≤ 0,005 %
Appearance..... gray-violet plates or crystals

ISO reagent

order number	quantity
30111-ZP0-G1000-1	1000 gr

cat. no. 30111-ZP0
Assay..... ≥ 99,8 %
Residue on evaporation..... ≤ 0,005 %
Chlorine and bromine (as Cl).... ≤ 0,005 %
Appearance..... gray-violet plates or crystals

Iron

Basic information:
Fe
M_r: 55,85
CAS: 7439-89-6
EINECS: 231-096-4
Gray powder, insoluble in water
Melting point.....1220–1400 °C

Application:
Preparation of other compounds

Storage:
Store in a dry place and in the original container

order number	quantity
30224-BP0-G1000-1	1000 gr

cat. no. 30224-BP0
C..... ≤ 0,8 %
Si..... 14–16 %
P ..... ≤ 0,1 %
S..... ≤ 0,05 %

Iron(II) sulfate heptahydrate

Basic information:
Ferrous sulfate heptahydrate
$FeSO_4.7H_2O$
M_r: 278,02
CAS: 7782-63-0
EINECS: 231-753-5
Green crystals, very soluble in water
Melting point..... 65 °C

Application:
Analytical reagent, e.g. reducing agent for phosphorus, polymerization catalyst

g. r.

order number	quantity
30193-AP0-G0250-1	250 gr
30193-AP0-G0500-1	500 gr
30193-AP0-G1000-1	1000 gr

cat. no. 30193-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Fe^{3+} ..... ≤ 0,2 %
Appearance..... green crystals

pure

order number	quantity
30193-CP0-G0500-1	500 gr
30193-CP0-G1000-1	1000 gr

cat. no. 30193-CP0
Assay..... ≥ 98 %

Iron(II) sulfate heptahydrate

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H290, H302, H315, H317, H319

ISO reagent

order number	quantity
30193-ZP0-G1000-1	1000 gr

cat. no. 30193-ZP0
Assay..... ≥ 99,0 %
Arsenic (As)..... ≤ 0,0002 %
Lead (Pb)..... ≤ 0,0025 %
Chlorides (Cl)..... ≤ 0,001 %
Copper (Cu) ..... ≤ 0,0025 %
Zinc (Zn)..... ≤ 0,005 %
Phosphates (PO_4) ..... ≤ 0,001 %
Total nitrogen (N)..... ≤ 0,001 %
Manganese (Mn)..... ≤ 0,05 %
Fe^{3+} ..... ≤ 0,025 %
Subst. not precipitated by amonium ..... ≤ 0,1 %
Appearance..... green crystals

Iron(III) chloride anhydrous

Basic information:
Ferric chloride anhydrous
$FeCl_3$
M_r: 162,21
CAS: 7705-08-0
EINECS: 231-729-4
Red-brown to black crystals, hygroscopic, easily soluble in water
Melting point..... 306 °C

Application:
Oxidizing, chlorinating and condensing agent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H302, H315, H318
ADR: 8, III, (E)
UN 1773

pure

order number	quantity
30100-CP0-G0500-1	500 gr
30100-CP0-G1000-1	1000 gr

cat. no. 30100-CP0
Assay..... ≥ 98 %

Iron(III) chloride hexahydrate

Basic information:
Ferric chloride hexahydrate
$FeCl_3.6H_2O$
M_r: 270,3
CAS: 10025-77-1
EINECS: 231-729-4
Gingery yellowish substance, hygroscopic, easily soluble in water
Melting point..... 37 °C
Boiling point.....280–285 °C

Application:
Analytical reagent for phenol compounds, determination of amino acids, production of salbutamol

g. r.

order number	quantity
30101-AP0-G0100-1	100 gr
30101-AP0-G0500-1	500 gr
30101-AP0-G1000-1	1000 gr

cat. no. 30101-AP0
Assay..... 99–102 %
Arsenic (As) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,005 %
Fe^{2+} ..... ≤ 0,005 %
Appearance..... gingery yellowish substance

Iron(III) chloride hexahydrate

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H302, H315, H318
ADR: 8, III, (E)
UN 3260

pure
cat. no. 30101-CP0
Assay ..... ~ 97 %

order number	quantity
30101-CP0-G0100-1	100 gr
30101-CP0-G0500-1	500 gr
30101-CP0-G1000-1	1000 gr

Iron(III) oxide

Basic information:
Ferric oxide
Fe_2O_3
M_r: 159,68
CAS: 1309-37-1
EINECS: 215-168-2
Red-brown powder, insoluble in water
Melting point ..... 1562 °C

Application:
Catalyst, paper and glass industry (dye), magnetic record carrier (e.g. magnetic tape)

Storage:
Store in a dry place and in the original container

pure
cat. no. 30151-CP0
Assay ..... ≥ 97 %
Substances insoluble in HCl ..... ≤ 2,5 %

order number	quantity
30151-CP0-G1000-1	1000 gr

Iron(III) sulfate hydrate

Basic information:
Ferric sulfate hydrate
$Fe_2(SO_4)_3 . xH_2O$
M_r: 399,88 + aq
CAS: 15244-10-7
EINECS: 233-072-9
Yellow powder
Melting point ..... 347 °C

Application:
Drinking water treatment

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H302, H315, H318
ADR: 8, III, (E)
UN 3260

g. r.
cat. no. 30192-AP0
Assay Fe ..... 21–23 %
Chlorides (Cl) ..... ≤ 0,005 %
Substances noncoagulated by amonium ($asSO_4$) ..... ≤ 0,05 %
Substances insoluble in HCl ..... ≤ 0,01 %
Appearance ..... yellow powder

order number	quantity
30192-AP0-G0500-1	500 gr

pure
cat. no. 30192-CP0
Assay Fe ..... 21–23 %

order number	quantity
30192-CP0-G0500-1	500 gr

Isooctane

Basic information:
2,2,4-Trimethylpentane
C_8H_{18}
$(CH_3)_2CHCH_2C(CH_3)_3$
M_r: 114,23
CAS: 540-84-1
EINECS: 208-759-1
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,69 kg
Melting point ..... –107 °C
Boiling point ..... 99 °C
Flash-point ..... 5 °C

Application:
Solvent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H304, H315, H336, H410
ADR: 3, II, (D/E)
UN 1262

g. r.
cat. no. 20036-AT0
Assay ..... ≥ 99 %
Water (KF) ..... ≤ 0,05 %
Nonvolatile substances ..... ≤ 0,002 %
Free acids (as CH_3COOH) ..... ≤ 0,003 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20036-AT0-M1000-1	1000 ml
20036-AT0-M5000-1	5000 ml

Isopropyl alcohol

Basic information:
2-Propanol, Propan-2-ol
C_3H_8O
$(CH_3)_2CHOH$
M_r: 60,1
CAS: 67-63-0
EINECS: 200-661-7
Clear, colorless liquid, miscible with water, spirits, and ether
1 l ~ 0,78
Melting point ..... –89 °C
Boiling point ..... 82 °C
Flash-point ..... 12 °C

Application:
Solvent for laboratory and industrial purposes, e.g. in UV spectrophotometry, organic synthesis, cosmetics production

Storage:
Flammable substance, keep in the intact container

g. r.
cat. no. 20037-AT0
Assay ..... ≥ 99,7 %
Nonvolatile substances ..... ≤ 0,005 %
Acidity (as HCl) ..... ≤ 0,001 %
Water (KF) ..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance ..... clear, colorless liquid

order number	quantity
20037-AT0-M1000-1	1000 ml
20037-AT0-M2500-1	2500 ml
20037-AT0-M5000-1	5000 ml
20037-AT0-G7800-1	7800 gr

pure
cat. no. 20037-CT0
Assay ..... ≥ 99,5 %
Nonvolatile substances ..... ≤ 0,01 %
Acidity (as HCl) ..... ≤ 0,002 %
Water (KF) ..... ≤ 0,3 %

order number	quantity
20037-CT0-M1000-1	1000 ml
20037-CT0-M2500-1	2500 ml
20037-CT0-M5000-1	5000 ml

Isopropyl alcohol

Hazard information:



Danger!
H225, H319, H336
ADR: 3, II, (D/E)
UN 1219

according to specif. Ph. Eur.
cat. no. 20037-ET0

Assay (GC)	≥ 99,7 %
Nonvolatile substances	≤ 0,002 %
A – relative density	0,785 to 0,789
B – refractive index	1,376 to 1,379
D	passes test
Acid or alkalic reag. compounds	passes test
Appearance	clear colorless liquid
Benzene (GC)	≤ 0,0002 % (V/V)
Peroxide	passes test
Water	≤ 0,5 %
Absorbance (230 nm)	≤ 0,30
Absorbance (250 nm)	≤ 0,10
Absorbance (270 nm)	≤ 0,03
Absorbance (290 nm)	≤ 0,02
Absorbance (310 nm)	≤ 0,01
Absorption curve (230–310 nm)	smooth
Total other impurities (GC)	≤ 0,3 %

order number	quantity
20037-ET0-M1000-RE-9	1000 ml
20037-ET0-M5000-RE-9	5000 ml

ISO reagent
cat. no. 20037-ZT0

Assay (GC)	≥ 99,7 %
Water (KF)	≤ 0,1 %
Residue on evaporation	≤ 0,001 %
Density 20 °C	0,784–0,786 g/ml
Iron (Fe)	≤ 0,00001 %
Colour (Hazen)	≤ 10 Hazen
Titrable acid	≤ 0,0003 meq/g
Carbonyl compounds (CO)	≤ 0,005 %
Methanol (GC)	≤ 0,1 %
Appearance	clear, colorless liquid

order number	quantity
20037-ZT0-M1000-1	1000 ml
20037-ZT0-M2500-1	2500 ml

Karl Fischer Reagent – solution A

Basic information:
Dark-brown liquid
1 l ~ 0,93 kg
Boiling point ..... 64 °C
Flash-point ..... 8 °C

Application:
Analytical reagent for determination of water by K-F titration in organic and inorganic substances

Storage:
Store in a cool place, away from foodstuffs, acids, and oxidants

Hazard information:



Danger!
H225, H301, H311, H315, H319, H331, H370, H372
ADR: 3, II, (D/E)
UN 1992

indicator
cat. no. 40047-XT0
1 ml reagent after mixing 100 g .. ≥ 3,5 mg H_2O
A + 54 g B (in 24 hours) is corresponding

order number	quantity
40047-XT0-G0800-1	800 gr

Karl Fischer Reagent – solution B

Basic information:
Yellowish liquid
1 l ~ 0,93 kg
Flash-point ..... 12 °C

Application:
Analytical reagent for determination of water by K-F titration in organic and inorganic substances

Storage:
Store in a cool place, away from foodstuffs, acids, and oxidants

Hazard information:



Danger!
H225, H302, H311, H314, H331, H370
ADR: 3, II, (D/E)
UN 1992

indicator
cat. no. 40048-XT0
1 ml reagent after mixing 100 g .. 3,5–4,5 mg H_2O
A + 54 g B (in 24 hours) is corresponding

order number	quantity
40048-XT0-G0800-13	800 gr

L

Lactic acid

Basic information:
2-Hydroxypropanoic acid
$C_3H_6O_3$
$CH_3CH(OH)COOH$
M_r: 90,08
CAS: 79-33-4
EINECS: 201-196-2
Colorless or yellowish syrupy liquid, hygroscopic
1 l ~1,2 kg
Melting point..... 18 °C
Boiling point.....122–125 °C
Flash-point ..... 110 °C

Application:
Food industry (baking, brewing industries)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H315, H318

pure
cat. no. 10022-C80
Assay..... ≥ 79 %

order number	quantity
10022-C80-M1000-1	1000 ml

Lactose Monohydrate

Basic information:
$C_{12}H_{22}O_{11}.H_2O$
M_r: 360,32
CAS: 5989-81-1
EINECS: 200-559-2
Colorless crystals or white powder, very soluble in water
Melting point..... 202 °C

Application:
Pharmaceutical production, part of cultivation media for microbiological purposes, chromatographic adsorbent

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40088-AP0
Arsenic (As) ..... ≤ 0,0002 %
Iron (Fe) ..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,002 %
Spec. optical rotation ..... +52,0 to +53,0°
Sulfate ash ..... ≤ 0,1 %
Appearance..... colorless crystals or white powder

order number	quantity
40088-AP0-G0250-1	250 gr
40088-AP0-G0500-1	500 gr
40088-AP0-G1000-1	1000 gr

according to specif. Ph. Eur.
cat. no. 40088-EP0
A – IR spectrum ..... passes test
D – water..... 4,5 % to 5,5 %
Appearance of solution ..... passes test
Acid or alkalic reag. compounds .. passes test
Microbiology contamination .... ≤ 100 CFU/g
Spec. optical rotation ..... +54,4 to +55,9
Sulfate ash ..... ≤ 0,1 %
Water ..... 4,5 % to 5,5 %
Meets the requirements of..... Ph. Eur. 9,0
Escherichia coli..... absent
Absorbance 400 nm ..... ≤ 0,04
Absorbance 210–220 nm..... ≤ 0,25
Absorbance 270–300 nm..... ≤ 0,07

order number	quantity
40088-EP0-K1000-PH	1000 gr

Lanthanum oxide

Basic information:
La_2O_3
M_r: 325,82
CAS: 1312-81-8
EINECS: 215-200-5
White powder, insoluble in water and spirits
Melting point..... 2315 °C
Boiling point..... 4200 °C

Application:
Analytical reagent, glass industry (sodium lights, optical glass), carbon electrode cores for arc lamps

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30140-AP0
Assay..... ≥ 99,9 %
Appearance..... white powder

order number	quantity
30140-AP0-G0100-1	100 gr

Lead(II) acetate basic

Basic information:
$C_4H_8O_6Pb_2$
M_r: 566,5
CAS: 51404-69-4
EINECS: 257-175-3
White crystalline powder
Melting point.....198–225 °C

Application:
Dyeing of wool, impregnation, reagent in analytical chemistry, production of cosmetics and use in medicine

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H332
ADR: 6.1, III, (E)
UN 2291

according to Horne
cat. no. 40119-OP0
Assay – Pb ..... ≥ 70 %
Assay – bas. Pb ..... ≥ 30 %
Iron (Fe) ..... ≤ 0,01 %
Substances insoluble in water.. ≤ 1 %

order number	quantity
40119-OP0-G1000-1	1000 gr

Lead(II) acetate trihydrate

Basic information:
$C_4H_6PbO_4.3H_2O$
$(CH_3COO)_2Pb.3H_2O$
M_r: 379,33
CAS: 6080-56-4
EINECS: 206-104-4
White crystalline powder or crystals, easily soluble in water, poorly soluble in spirits
Melting point..... 75 °C

Application:
Analytical reagent, e.g. detection of sulphides, chromates, healthcare

g. r.
cat. no. 40118-AP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,0005 %
Substances insoluble in CH_3COOH ..... ≤ 0,005 %
Appearance..... white crystalline powder or crystals

order number	quantity
40118-AP0-G0100-1	100 gr
40118-AP0-G0250-1	250 gr
40118-AP0-G0500-1	500 gr
40118-AP0-G1000-1	1000 gr

Lead(II) acetate trihydrate

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H360Df, H373, H410
ADR: 6.1, III, (E)
UN 1616

ISO reagent
cat. no. 40118-ZP0
Assay ..... 99,50 %
Iron (Fe) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Copper (Cu) ..... ≤ 0,001 %
Potassium (K) ..... ≤ 0,005 %
Sodium (Na) ..... ≤ 0,005 %
Nitrates (NO_3) ..... ≤ 0,002 %
Appearance ..... white crystalline powder or crystals

order number	quantity
40118-ZP0-G1000-1	1000 gr

Lead(II) nitrate

Basic information:
$Pb(NO_3)_2$
M_r: 331,2
CAS: 10099-74-8
EINECS: 233-245-9
White crystals, very soluble in water
Melting point ..... 458–459 °C

Application:
Analytical reagent, e.g. in volumetric analysis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H302, H318, H332, H360Df, H373, H410
ADR: 3, 5,1, II, (E)
UN 1469

g. r.
cat. no. 30038-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Appearance ..... white crystals

order number	quantity
30038-AP0-G0500-1	500 gr
30038-AP0-G1000-1	1000 gr

pure
cat. no. 30038-CP0
Assay ..... ≥ 98 %
Substances insoluble in H_2O ..... ≤ 0,05 %

order number	quantity
30038-CP0-G0500-1	500 gr
30038-CP0-G1000-1	1000 gr

normanal 0,05M (N/10)
cat. no. 61005-020
Factor 0,998–1,002

order number	quantity
61005-020-P0000-1	piece

Lead(II) oxide yellow

Basic information:
PbO
M_r: 223,19
CAS: 1317-36-8
EINECS: 215-267-0
Yellow powder, insoluble in water
Melting point ..... 888 °C
Boiling point ..... 1470 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30145-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,002 %
Appearance ..... yellow powder
Total nitrogen (N) ..... ≤ 0,001 %

order number	quantity
30145-AP0-G1000-1	1000 gr

Lead(II) oxide yellow

Hazard information:



Danger!
H302, H332, H360df, H373, H410
ADR: 6.1, III, (E)
UN 2291

Lithium carbonate

Basic information:
Li_2CO_3
M_r: 73,89
CAS: 554-13-2
EINECS: 209-062-5
White powder, slightly soluble in water
Melting point ..... 720 °C

Application:
Analytical reagent, production of other lithium compounds, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H319

pure
cat. no. 30214-CP0
Assay ..... ≥ 98 %

order number	quantity
30214-CP0-G0500-1	500 gr

Lithium hydroxide monohydrate

Basic information:
$LiOH.H_2O$
M_r: 41,96
CAS: 1310-66-3
EINECS: 215-183-4
White crystalline powder, hygroscopic, soluble in water
Melting point ..... 462 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314
ADR: 8. II, (E)
UN 2680

pure
cat. no. 10005-CP0
Assay ..... ≥ 98 %

order number	quantity
10005-CP0-G0100-1	100 gr
10005-CP0-G0500-1	500 gr
10005-CP0-G1000-1	1000 gr

Lithium chloride anhydrous

Basic information:
LiCl
M_r: 42,39
CAS: 7447-41-8
EINECS: 231-212-3
Colorless crystals or white powder, hygroscopic, easily soluble in water
Melting point..... 605 °C
Boiling point..... 1382 °C

Application:
Production of ion-selective electrodes (electrolyte)

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H319

g. r.
cat. no. 30085-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Loss on drying (105 °C) ..... ≤ 2 %
Appearance..... colorless crystals or white powder

order number	quantity
30085-AP0-G0250-1	250 gr
30085-AP0-G1000-1	1000 gr

Lithium chloride monohydrate

Basic information:
$LiCl.H_2O$
M_r: 60,41
CAS: 16712-20-2
EINECS: 231-212-3
Colorless crystals or white powder, hygroscopic, easily soluble in water
Melting point..... 605 °C

Application:
Laboratory synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H319, H335

pure
cat. no. 30086-CP0
Assay..... ≥ 95,0 %

order number	quantity
30086-CP0-G0100-1	100 gr

Lugol´s solution

Basic information:
Red-brown liquid, very soluble in water
1l ~1,01 kg
Boiling point..... 100 °C

Application:
Indicator, disinfection, antiseptic, starch detection reagent in laboratory and medical tests

Storage:
Store in a dry place and in the original container

indicator
cat. no. 63010-000
Assay free iodine..... 4,75–5,25 g/l
Assay KI..... 9,5–10,5 g/l

order number	quantity
63010-000-M0250-1	250 ml
63010-000-M1000-1	1000 ml

Magnesium

Basic information:
Mg
M_r: 24,31
CAS: 7439-95-4
Silver-gray slices
Melting point..... 648 °C
Boiling point..... 1090 °C
Flash-point ..... 500 °C

Application:
Synthesis of Grignard reagents, laboratory synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H228, H252, H261
ADR: 4.1, III, (E)
UN 1869

magnesium – metal chips
cat. no. 30264-BP9
Magnesium (Mg) ..... ≥ 89,5 %

order number	quantity
30264-BP9-G0500-1	500 gr

for Grignard reactions
cat. no. 30264-NP9
Assay..... ≥ 99 %
Iron ..... ≤ 0,05 %
Substances insoluble in HCl..... ≤ 0,5 %

order number	quantity
30264-NP9-G0250-1	250 gr

Magnesium carbonate basic

Basic information:
$MgCO_3.1/4Mg(OH)_2.5/4H_2O$
M_r: 121,41
CAS: 39409-82-0
EINECS: 235-192-7
White powder, insoluble in water and spirits

Application:
Pharmaceutical production

Storage:
Store in a dry place and in the original container

according to specif. Ph. Eur.
cat. no. 30213-EP7
Assay..... 40,0 % to 45,0 % MgO
A – pour density ..... ≤ 0,15 g/ml
B – carbonates..... passes test
C – magnesium..... passes test
Appearance of solution ..... passes test
Heavy metals ..... ≤ 20 ug/g
Sulfates..... ≤ 0,3 %
Iron ..... ≤ 400 ug/g
Soluble substances..... ≤ 1,0 %
Chlorides..... ≤ 700 ug/g
Arsenic..... ≤ 2 ug/g
Substances insoluble in CH_3COOH . ≤ 0,05 %
Calcium (Ca)..... ≤ 0,75 %
Appearance..... white or off-white powder

order number	quantity
30213-EP7-G1000-1	1000 gr

Magnesium chloride hexahydrate

Basic information:
$MgCl_2.6H_2O$
M_r: 203,31
CAS: 7791-18-6
EINECS: 323-094-6
Colorless crystals or white powder, easily soluble in water
Melting point..... 118 °C

Application:
Analytical reagent, ionic strength adjustment, pharmaceutical production

g. r.
cat. no. 30080-AP0
Assay..... 99–102 %
Iron (Fe) ..... ≤ 0,0005 %
Sulfates (SO_4)..... ≤ 0,002 %
Baryum ..... ≤ 0,002 %
Appearance..... colorless crystals or white powder

order number	quantity
30080-AP0-G0250-1	250 gr
30080-AP0-G0500-1	500 gr
30080-AP0-G1000-1	1000 gr

Magnesium chloride hexahydrate

Storage:
Store in a dry place and in the original container

according to specif. Ph. Eur.
cat. no. 30080-EP0

Assay	98,0 % to 101,0 %
A – water	51,0 % to 55,0 %
B – chlorides	passes test
C – magnesium	passes test
Acid or alkalic reag. compounds	passes test
Arsenic	≤ 2 ug/g
Bromides	≤ 500 ug/g
Potassium (K)	≤ 500 ug/g
Aluminium	≤ 1 ug/g
Sulfates	≤ 100 ug/g
Calcium (Ca)	≤ 0,1 %
Water	51,0 % to 55,0 %
Iron	≤ 10 ug/g
Appearance of solution	clear and colorless

order number	quantity
30080-EP0-G1000-PH	1000 gr

ISO reagent
cat. no. 30080-ZP0

Assay	≥ 98,0 %
Iron (Fe)	≤ 0,0005 %
Lead (Pb)	≤ 0,0005 %
Calcium (Ca)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,002 %
Copper (Cu)	≤ 0,0005 %
Potassium (K)	≤ 0,005 %
Phosphates (PO_4)	≤ 0,0005 %
Baryum	≤ 0,005 %
Sodium (Na)	≤ 0,005 %
Total nitrogen (N)	≤ 0,002 %
pH 5% solution at 25 °C	5,0–6,5
Appearance	colorless crystals or white powder

order number	quantity
30080-ZP0-G1000-1	1000 gr

Magnesium nitrate hexahydrate

Basic information:
$Mg(NO_3)_2.6H_2O$
M_r: 256,41
CAS: 13446-18-9
EINECS: 233-826-7
White crystals, very soluble in water
Melting point: 89 °C

Application:
Dehydrating agent, catalyst

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30031-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,01 %
pH (5% in H_2O)	5,0–7,0
Appearance	white crystals

order number	quantity
30031-AP0-G0100-1	100 gr
30031-AP0-G0250-1	250 gr
30031-AP0-G0500-1	500 gr

pure
cat. no. 30031-CP0

order number	quantity
30031-CP0-G0500-1	500 gr
30031-CP0-G1000-1	1000 gr

Magnesium oxide light

Basic information:
MgO
M_r: 40,31
CAS: 1309-48-4
EINECS: 215-171-9
White powder, insoluble in water and spirits
Melting point: 2500–2800 °C
Boiling point: 3600 °C

Application:
Analytical reagent, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30135-AP7

Assay (ignition subst.)	≥ 98 %
Iron (Fe)	≤ 0,01 %
Lead (Pb)	≤ 0,005 %
Calcium (Ca)	≤ 1 %
Chlorides (Cl)	≤ 0,1 %
Sulfates (SO_4)	≤ 0,2 %
Appearance	white powder

order number	quantity
30135-AP7-G0100-1	100 gr
30135-AP7-G0250-1	250 gr
30135-AP7-G0500-1	500 gr
30135-AP7-G1000-1	1000 gr

ISO reagent
cat. no. 30135-ZP7

Assay	≥ 96,0 %
Arsenic (As)	≤ 0,0001 %
Iron (Fe)	≤ 0,01 %
Calcium (Ca)	≤ 0,05 %
Heavy metals (as Pb)	≤ 0,003 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,02 %
Copper (Cu)	≤ 0,001 %
Zinc (Zn)	≤ 0,005 %
Potassium (K)	≤ 0,005 %
Sodium (Na)	≤ 0,2 %
Total nitrogen (N)	≤ 0,002 %
Substances insoluble in HCl	≤ 0,01 %
Substances soluble in water	≤ 0,5 %
Loss on ignition (800 °C)	≤ 4,0 %
Carbonates (CO_2)	≤ 1,5 %
Ba and Sr (as Ba)	≤ 0,005 %
Appearance	white powder

order number	quantity
30135-ZP7-G1000-1	1000 gr

Magnesium sulfate anhydrous

Basic information:
$MgSO_4$
M_r: 20,37
CAS: 7487-88-9
EINECS: 231-298-2
Colorless crystals or white powder, soluble in water
Melting point: > 1115 °C

Application:
Desiccant

Storage:
Store in a dry place and in the original container

pure
cat. no. 30174-CP0

Assay	≥ 98 %
Iron (Fe)	≤ 0,002 %
Lead (Pb)	≤ 0,001 %
Chlorides (Cl)	≤ 0,05 %

order number	quantity
30174-CP0-G1000-1	1000 gr

Magnesium sulfate heptahydrate

Basic information:
$MgSO_4.7H_2O$
M_r: 246,48
CAS: 10034-99-8
EINECS: 231-299-8
Colorless crystals or white powder, soluble in water
Melting point: 770 °C

g. r.
cat. no. 30175-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Substances insoluble in H_2O	≤ 0,005 %
Chlorides (Cl)	≤ 0,01 %
pH (5% in H_2O)	5,0-8,8
Appearance	colorless crystals or white powder

order number	quantity
30175-AP0-G0250-1	250 gr
30175-AP0-G0500-1	500 gr
30175-AP0-G1000-1	1000 gr

Magnesium sulfate heptahydrate

Application:
Analytical reagent, pharmaceutical production

Storage:
Store in a dry place and in the original container

pure
cat. no. 30175-CP0
Assay ..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,02 %

order number	quantity
30175-CP0-G1000-1	1000 gr

according to specif. Ph. Eur.
cat. no. 30175-EP0
Assay (dry substance) ..... 99,0–100,5 %
A – Sulfates ..... passes test
B – magnesium ..... passes test
Acid or alkalic reag. compounds .. passes test
Loss on drying ..... 48,0 % to 52,0 %
Iron ..... ≤ 20 ug/g
Chlorides ..... ≤ 300 ug/g
Arsen ..... ≤ 2 ug/g
Appearance of solution ..... clear and colorless

order number	quantity
30175-EP0-G1000-PH-17	1000 gr

normanal 0,05M (N/10)
cat. no. 61024-020
Factor 0,998–1,002

order number	quantity
61024-020-P0000-1	piece

normanal 0,005M (N/100)
cat. no. 61024-200
Factor 0,998–1,002

order number	quantity
61024-200-P0000-1	piece

Maleic acid

Basic information:
(2Z)-But-2-enedioic acid
$C_4H_4O_4$
HOOCCH:CHCOOH
M_r: 116,08
CAS: 110-16-7
EINECS: 203-742-5
Colorless crystals or white powder, soluble in water and spirits
Melting point ..... 134–136 °C
Flash-point ..... 127 °C

Application:
Synthesis of sodium dioctyl sulfosuccinate

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H317, H319, H335

g. r.
cat. no. 10043-AP0
Assay ..... ≥ 99 %
Melting point ..... 134–136 °C
Appearance ..... colorless crystals or white powder

order number	quantity
10043-AP0-G0100-1	100 gr

Maltose monohydrate

Basic information:
4-O-α-D-Glucopyranosyl-D-glucose
$C_{12}H_{22}O_{11}.H_2O$
M_r: 360,32
CAS: 6363-53-7
EINECS: 200-716-5
White powder, very soluble in water
Melting point ..... 130 °C

Application:
Part of cultivation media for microbiological purposes, polysulfide stabilizer, pharmaceutical production

Storage:
Store in a dry place and in the original container

88 %
cat. no. 40091-BP0
Assay ..... ≥ 88 %
Water (KF) ..... ≤ 7 %
Sulfate ash ..... ≤ 0,1 %

order number	quantity
40091-BP0-G0100-1	100 gr
40091-BP0-G0500-1	500 gr

pure
cat. no. 40091-CP0
Spec. optical rotation ..... +127 to +131°

order number	quantity
40091-CP0-G0250-1	250 gr

Manganese(II) chloride tetrahydrate

Basic information:
$MnCl_2.4H_2O$
M_r: 197,91
CAS: 13446-34-9
EINECS: 231-869-6
Pinkish crystals, hygroscopic, easily soluble in water
Melting point ..... 58 °C

Application:
Analytical reagent, organic synthesis – chlorination catalyst, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H318, H373, H411
ADR: 9, III, (E); UN 3077

g. r.
cat. no. 30087-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O) 6,0–7,0
Appearance ..... pinkish crystals

order number	quantity
30087-AP0-G0500-1	500 gr
30087-AP0-G1000-1	1000 gr

pure
cat. no. 30087-CP0
Assay ..... ≥ 98 %

order number	quantity
30087-CP0-G0250-1	250 gr

Manganese(II) sulfate monohydrate

Basic information:
$MnSO_4.H_2O$
M_r: 169
CAS: 10034-96-5
EINECS: 232-089-9
Pink crystals, hygroscopic, very soluble in water
Melting point ..... 700 °C

Application:
Analytical reagent (volumetric analysis)

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H373, H411
ADR: 9, III, (E); UN 3077

g. r.
cat. no. 30180-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,001 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,005 %
Appearance ..... light pink crystals or powder

order number	quantity
30180-AP0-G0100-1	100 gr
30180-AP0-G0250-1	250 gr
30180-AP0-G0500-1	500 gr
30180-AP0-G1000-1	1000 gr

pure
cat. no. 30180-CP0
Assay ..... ≥ 97 %

order number	quantity
30180-CP0-G1000-1	1000 gr

Manganese(IV) oxide

Basic information:
MnO_2
M_r: 86,94
CAS: 1313-13-9
EINECS: 215-202-6
Gray-black powder, insoluble in water
Melting point..... 535 °C

Application:
Oxidant, catalyst, battery production (dry cell), glass industry

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Warning!
H302, H332
ADR: 5.1, II, (E)
UN 1479

pure 90 %
cat. no. 30142-CP0
Assay..... ≥ 90 %
Iron (Fe) ..... ≤ 0,5 %
Loss on drying (105 °C) ..... ≤ 0,3 %
SiO_2 ..... ≤ 3,0 %
Substances insoluble in HCl..... ≤ 3,5 %

order number	quantity
30142-CP0-G0100-1	100 gr
30142-CP0-G0500-1	500 gr

pure 80 %
cat. no. 30141-CP0
Assay..... ≥ 80 %

order number	quantity
30141-CP0-G0500-1	500 gr

Mannitol

Basic information:
$C_6H_{14}O_6$
M_r: 182,18
CAS: 69-65-8
EINECS: 200-711-8
White acicular crystals, easily soluble in water, insoluble in ether
Melting point.....165–170 °C
Boiling point.....290–295 °C

Application:
Analytical reagent, e.g. for determination of boron compounds, part of cultivation media for microbiological purposes, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40092-AP0
Melting point ..... 165–170 °C
Spec. optical rotation ..... +23 to +25° (solution 10g/100 ml with Borax)
pH (10%, H_2O)..... 5,0–8,0
Appearance..... white acicular crystals

order number	quantity
40092-AP0-G0500-1	500 gr
40092-AP0-G1000-1	1000 gr

Mercury

Basic information:
Hg
M_r: 200,59
CAS: 7439-97-6
EINECS: 231-106-7
Silver-white liquid metal, insoluble in water
Melting point.....–39 °C
Boiling point..... 357 °C

Application:
Polarography, preparation of amalgams

g. r.
cat. no. 30158-AT0
Assay..... 99,999 %
Nonvolative substances..... ≤ 0,001 %
Appearance..... silver-white liquid metal

order number	quantity
30158-AT0-G0100-1	100 gr
30158-AT0-G1000-1	1000 gr

Mercury

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H330, H360D, H372, H410
ADR: 8 + 6.1, III, (E)
UN 2809

Mercury(II) acetate

Basic information:
Mercuric acetate
$C_4H_6HgO_4$
$(CH_3COO)_2Hg$
M_r: 318,68
CAS: 1600-27-7
EINECS: 216-491-1
Colorless crystals or white powder, very soluble in water and spirits
Melting point.....178–180 °C

Application:
Analytical reagent, e.g. determination of nitrates in chromium compounds, organic synthesis – e.g. acetylation of hydrocarbon compounds

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300a, H373, H410
ADR: 6.1, III, (E)
UN 1629

g. r.
cat. no. 40120-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,05 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
40120-AP0-G0100-1	100 gr

Mercury(II) chloride

Basic information:
Mercuric chloride
$HgCl_2$
M_r: 271,5
CAS: 7487-94-7
EINECS: 231-299-8
Colorless crystals or white powder, poorly soluble in water
Melting point..... 277 °C
Boiling point..... 304 °C

Application:
Analytical reagent, catalyst, production of calomel, mercury salts, pharmaceutical production

g. r.
cat. no. 30092-AP0
Assay..... ≥ 99., %
Iron (Fe) ..... ≤ 0,002 %
Sulfate ash ..... ≤ 0,02 %
Appearance..... colorless crystals or white powder

order number	quantity
30092-AP0-G0100-1	100 gr
30092-AP0-G0250-1	250 gr
30092-AP0-G0500-1	500 gr
30092-AP0-G1000-1	1000 gr

Mercury(II) chloride

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H314, H341, H361f, H372, H410
ADR: 6.1, II, (D/E)
UN 1624

ISO reagent
cat. no. 30092-ZP0

Assay	≥ 99,5 %
Iron (Fe)	≤ 0,002 %
Lead (Pb)	≤ 0,001 %
Substances insoluble in H_2O	≤ 0,01 %
Total nitrogen (N)	≤ 0,002 %
Mercury(I) chloride (Hg_2Cl_2)	≤ 0,05 %
Residue after reduction	≤ 0,02 %
Appearance	colorless crystals or white powder

order number	quantity
30092-ZP0-G1000-1	1000 gr

Mercury(II) iodide red

Basic information:
Mercuric iodide red
HgI_2
M_r: 454,4
CAS: 7774-29-0
EINECS: 231-873-8
Red powder, insoluble in water, moderately soluble in spirits

Melting point	259 °C
Boiling point	354 °C

Application:
Preparation of Nessler's and Mayer's reagents, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H310, H330, H373, H410
ADR: 6.1, II, (D/E)
UN 1638

g. r.
cat. no. 30116-AP0

Assay	≥ 99,5 %
Heavy metals (as Pb)	≤ 0,002 %
Ash	≤ 0,04 %
Hg^{2+} salts suluble in water	≤ 0,05 %
Hg^{+} salts	≤ 0,1 %
Substances insoluble in KI solution	≤ 0,02 %
Appearance	red powder

order number	quantity
30116-AP0-G0100-1	100 gr
30116-AP0-G0250-1	250 gr

Mercury(II) nitrate hydrate

Basic information:
$Hg(NO_3)_2.xH_2O$
$Hg(NO_3)_2.aq$
M_r: 342.62 + aq
CAS: 7783-34-8
EINECS: 233-152-3
White melting crystals

Melting point	79 °C

Application:
Analytical reagent, nitration of aromatic compounds, healthcare

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30039-AP0

Nonvolatile substances	≤ 0,02 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
Assay (as monohydrate)	≥ 97 %
Appearance	white melting crystals

order number	quantity
30039-AP0-G0050-1	50 gr
30039-AP0-G0100-1	100 gr
30039-AP0-G1000-1	1000 gr

normanal 0,05M (N/10)
cat. no. 61006-020

Factor	0,998–1,002

order number	quantity
61006-020-P0000-1	piece

Mercury(II) nitrate hydrate

Hazard information:



Danger!
H300, H310, H330, H373, H410
ADR: 6.1, II, (D/E)
UN 1625

Mercury(II) oxide red

Basic information:
Mercuric oxide red
HgO
M_r: 216,59
CAS: 21908-53-2
EINECS: 244-654-7
Red powder, insoluble in water

Melting point	>400 °C

Application:
Analytical reagent, catalyst for organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H310, H330, H373, H410
ADR: 6.1, II, (D/E)
UN 1641

g. r.
cat. no. 30146-AP0

Assay	≥ 99 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,005 %
Appearance	red powder

order number	quantity
30146-AP0-G0100-1	100 gr

Mercury(II) sulfate

Basic information:
Mercuric sulfate
$HgSO_4$
M_r: 296,65
CAS: 7783-35-9
EINECS: 231-992-5
Colorless crystals or white powder, slightly soluble in water

Melting point	> 450 °C

Application:
Analytical reagent for determination of barbituric acid and cysteine, catalyst for organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H310, H330, H373, H410
ADR: 6.1, II, (D/E)
UN 1645

g. r.
cat. no. 30186-AP0

Assay	≥ 99 %
Lead (Pb)	≤ 0,002 %
Chlorides (Cl)	≤ 0,01 %
Nitrates (NO_3)	≤ 0,05 %
Insoluble substances in HCl solution HNO_3	≤ 0,02 %
Appearance	colorless crystals or white powder

order number	quantity
30186-AP0-G0050-1	50 gr
30186-AP0-G0100-1	100 gr
30186-AP0-G0250-1	250 gr
30186-AP0-G0500-1	500 gr

Methanol

Basic information:
Methyl alcohol, carbinol, wood spirit
CH_4O
CH_3OH
M_r: 32,04
CAS: 67-56-1
EINECS: 200-659-6
Clear, colorless liquid, miscible with water and spirits
1 l ~0,79 kg
Melting point.....–98 °C
Boiling point.....65 °C
Flash-point .....10 °C

Application:
Analytical reagent, solvent

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H301, H311, H331, H370
ADR: 3 + 6.1, II, (D/E)
UN 1230

g. r.
cat. no. 20038-AT0
Assay.....≥ 99,5 %
Water (KF).....≤ 0,1 %
Nonvolatile substances.....≤ 0,001 %
Aldehydes a ketony .....≤ 0,003 %
Acidity (as HCOOH).....≤ 0,0025 %
Alkalinity (as NH_3).....≤ 0,0003 %
Colour (Hazen) .....≤ 10 Hazen
Appearance.....clear, colorless liquid

order number	quantity
20038-AT0-G7900-1	10 lt
20038-AT0-M1000-1	1000 ml
20038-AT0-M2500-1	2500 ml
20038-AT0-M5000-1	5000 ml

ISO reagent
cat. no. 20038-ZT0
Water (KF).....≤ 0,2 %
Residue on evaporation.....≤ 0,001 %
Density 20 °C.....0,791–0,793 g/ml
Readily carbonizable material..passes test
Colour (Hazen) .....≤ 10 Hazen
Assay (GC) .....≥ 99,8 %
Titrable acid .....≤ 0,00065 meq/g
Titrable base .....≤ 0,0002 meq/g
Carbonyl compounds (CO).....≤ 0,005 %
Substances reducing $KMnO_4$ (as O) .....≤ 0,0005 %

order number	quantity
20038-ZT0-M1000-1	1000 ml
20038-ZT0-M2500-1	2500 ml

Methyl Blue

Basic information:
Cotton blue
$C_{37}H_{27}N_3Na_2O_9S_3$
M_r: 799,8
CAS: 28983-56-4
EINECS: 249-352-9
Brown crystalline powder, soluble in water

Application:
Acid-base indicator, dye for microbiological purposes

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

indicator
cat. no. 40101-IP0
Colour transition 9,4–14,0

order number	quantity
40101-IP0-G0100-1	100 gr

Methyl-1-butanol

Basic information:
Isopentyl alcohol
$C_5H_{12}O$
$(CH_3)_2CHCH_2CH_2OH$
M_r: 88,15
CAS: 123-51-3
EINECS: 2204-633-5
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,81 kg
Melting point.....–117 °C
Boiling point.....130–132 °C
Flash-point .....43 °C

Application:
Analytical reagent for determination of fat in milk, solvent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H226, H315, H318, H332, H335
ADR: 3, III, (D/E)
UN 1105

g. r.
cat. no. 20035-AT0
Assay.....≥ 98,5 %
Water (KF).....≤ 0,3 %
Nonvolatile substances.....≤ 0,003 %
Free acids (as CH_3COOH) .....≤ 0,01 %
Colour (Hazen) .....≤ 10 Hazen
Appearance.....clear, colorless liquid

order number	quantity
20035-AT0-M1000-1	1000 ml

Methylene Blue

Basic information:
$C_{16}H_{18}ClN_3S$.aq
M_r: 319,86 + aq
CAS: 7220-79-3
EINECS: 200-515-2
Dark blue-green powder
Melting point.....180–190 °C

Application:
Indicator

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302

indicator
cat. no. 40100-IP0
Loss on drying.....8–22 %

order number	quantity
40100-IP0-G0025-1	25 gr
40100-IP0-G0100-1	100 gr
40100-IP0-G0500-1	500 gr
40100-IP0-G1000-1	1000 gr

Methyl isobutyl ketone

Basic information:
4-Methylpentan-2-one, Methyl isobutyl ketone
$C_6H_{12}O$
$(CH_3)_2CHCH_2COCH_3$
M_r: 100,16
CAS: 108-10-1
EINECS: 203-550-1
Clear, colorless liquid, miscible with spirits
1 l ~0,8 kg
Melting point.....–84 °C
Boiling point.....114–117 °C
Flash-point .....14–16 °C

Application:
Organic synthesis, solvent

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H319, H332, H335
ADR: 3, II, (D/E)
UN 1245

pure
cat. no. 20040-CT0
Assay..... ≥ 98 %

order number	quantity
20040-CT0-M1000-1	1000 ml

Methyl Orange

Basic information:
Orange III, Sodium 4-{[4-(dimethylamino) phenyl]diazenyl}benzene-1-sulfonate
$C_{14}H_{14}N_3NaO_3S$
$4\text{-}NaO_3SC_6H_4N\text{: }NC_6H_4\text{-}4\text{-}N(CH_3)_2$
M_r: 327,34
CAS: 547-58-0
EINECS: 208-925-3
Orange-yellow powder, slightly soluble in water and spirits
Melting point.....258–259 °C

Application:
Indicator

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301
ADR: 6.1, III, (E)
UN 2811

indicator
cat. no. 40125-IP0
Colour transition ..... pH 3,0–4,4

order number	quantity
40125-IP0-G0005-1	5 gr
40125-IP0-G0010-1	10 gr
40125-IP0-G0025-1	25 gr
40125-IP0-G0050-1	50 gr
40125-IP0-G0100-1	100 gr

Methyl-1-propanol

Basic information:
Isobutanol
$C_4H_{10}O$
$(CH_3)_2CHCH_2OH$
M_r: 74,12
CAS: 78-83-1
EINECS: 201-148-0
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,8 kg
Melting point.....–108 °C
Boiling point..... 108 °C
Flash-point ..... 31 °C

Application:
Solvent

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H226, H315, H318, H335, H336
ADR: 3, III, (D/E)
UN 1212

g. r.
cat. no. 20061-AT0
Assay..... ≥ 99,5 %
Water (KF)..... ≤ 0,05 %
Nonvolatile substances..... ≤ 0,0005 %
Free alkali (as NH_3) 5 %..... ≤ 0,005 %
Free acids (as CH_3COOH) ..... ≤ 0,005 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20061-AT0-M1000-1	1000 ml

Methyl Red, free acids

Basic information:
C.I. Acid Red 2
$C_{15}H_{15}N_3O_2$
$4\text{-}(CH_3)_2NC_6H_4N\text{:}NC_6H_4\text{-}2\text{-}COOH$
M_r: 269,31
CAS: 493-52-7
EINECS: 207-776-1
Dark-red powder or violet crystals, virtually insoluble in water, soluble in spirits
Melting point.....179–182 °C

Application:
Acid-base indicator

Storage:
Flammable substance, keep in the intact container

Hazard information:



H411
ADR: 9, III, (E)
UN 3077

indicator
cat. no. 40023-IP0
Colour transition ..... pH 4,2–6,2

order number	quantity
40023-IP0-G0025-1	25 gr
40023-IP0-G0050-1	50 gr
40023-IP0-G0100-1	100 gr

Methyl Red Sodium Salt

Basic information:
2-{[4-(Dimethylamino)phenyl]diazenyl)
benzoic acid, dsodium salt
$C_{15}H_{14}N_3NaO_2$
4-$(CH_3)_2NC_6H_4N$:NC_6H_4-2-COONa
M_r: 291,29
CAS: 845-10-3
EINECS: 212-682-9
Dark-red powder or violet crystals,
soluble in water

Application:
Acid-base indicator

Storage:
Flammable substance,
keep in the intact container

indicator
cat. no. 40022-IP0
Colour transition ..... pH 4,2–6,2

order number	quantity
40022-IP0-G0010-1	10 gr

Metol

Basic information:
4-(Methylamino)phenol sulfate
$C_{14}H_{18}N_2O_2.H_2SO_4$
$(CH_3NHC_6H_4OH)_2.H_2SO_4$
M_r: 344,39
CAS: 55-55-0
EINECS: 200-237-1
White or off-white powder, soluble in water
and spirits
Melting point..... 260 °C
Flash-point ..... 256 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original
container

Hazard information:



Warning!
H302, H317, H373, H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 40094-AP0
Assay..... ≥ 99 %
Sulfate ash ..... ≤ 0,1 %
Appearance..... white or
off-white
powder

order number	quantity
40094-AP0-G0100-1	100 gr
40094-AP0-G0500-1	500 gr
40094-AP0-G1000-1	1000 gr

Molecular sieves

Basic information:
EINECS: 308080-99-1
White, yellow-brown or gray balls

Application:
Selective adsorbent

Storage:
Store in a dry place and in the original
container

3A
cat. no. 89010-9P0
Particles size..... 1,0–1,6 mm

order number	quantity
89010-9P0-G0900	900 gr

Murexide

Basic information:
Ammonium 2,6-dioxo-5-[(2,4,6-trioxo-
-5-hexahydropyrimidinylidene)amino]-
-3H-pyrimidin-4-olate, purpuric acid
ammonium salt
$C_8H_8N_6O_6$
M_r: 284,19
CAS: 3051-09-0
EINECS: 221-266-6
Brown-red powder, very soluble in boiling
water
Melting point..... 300 °C

Application:
Indicator for chelatometric titrations

Storage:
Store in a dry place and in the original
container

indicator
cat. no. 40103-IP0
Suitability as chelatometric
indicator..... passes test

order number	quantity
40103-IP0-G0010-1	10 gr
40103-IP0-G0025-1	25 gr
40103-IP0-G0100-1	100 gr

Naphthalene

Basic information:
Bicyclo[4.4.0]deca-1,3,5,7,9-pentaene
$C_{10}H_8$
M_r: 128,18
CAS: 91-20-3
EINECS: 202-049-5
Colorless crystals or white powder, hygroscopic, easily soluble in ether
Melting point..... 80 °C
Boiling point..... 218 °C
Flash-point ..... 79 °C

Application:
Organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H228, H302, H351, H410
ADR: 4.1, III, (E)
UN 1334

g. r.
cat. no. 40104-AP0
Assay..... ≥ 99 %
Water (KF)..... ≤ 0,2 %
Crystalllization point..... ≥ 79,7 °C
Ash..... ≤ 0,003 %
Appearance..... colorless crystals or white powder

order number	quantity
40104-AP0-G0100-1	100 gr
40104-AP0-G0500-1	500 gr

1-Naphthol

Basic information:
$C_{10}H_8O$
$C_{10}H_7OH$
M_r: 144,18
CAS: 90-15-3
EINECS: 201-969-4
White to beige powder or flakes, colored pink, violet, or blue, easily soluble in ether and spirits
Melting point.....95–97 °C
Boiling point.....278–280 °C
Flash-point ..... 125 °C

Application:
Reagent for carbohydrates

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H315, H318, H335
ADR: 6.1, III, (E)
UN 2811

g. r.
cat. no. 40105-AP0
Assay..... ≥ 99 %
Melting point.....95–97 °C
Sulfate ash ..... ≤ 0,05 %
Appearance..... white beige or pink-violet powder or scales

order number	quantity
40105-AP0-G0050-1	50 gr
40105-AP0-G0100-1	100 gr
40105-AP0-G0250-1	250 gr

pure
cat. no. 40105-CP0
Assay..... ≥ 98 %

order number	quantity
40105-CP0-G0100-1	100 gr
40105-CP0-G0500-1	500 gr

2-Naphthol

Basic information:
$C_{10}H_8O$
$C_{10}H_7OH$
M_r: 144,18
CAS: 135-19-3
EINECS: 205-182-7
White to beige powder or flakes, easily soluble in ether and spirits
Melting point.....120–124 °C
Boiling point.....285–286 °C
Flash-point ..... 153 °C

Application:
Reagent for nitric acid and cyclic aldehydes, pharmaceutical production, cosmetics production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H332, H400
ADR: 9, III, (E)
UN 3077

pure
cat. no. 40106-CP0
Assay..... ≥ 99 %
Melting point.....121–123 °C
Sulfate ash ..... ≤ 0,1 %
1-Naphthol ..... ≤ 0,3 %

order number	quantity
40106-CP0-G0250-1	250 gr

1-Naphthylamine

Basic information:
Naphthalen-1-amine, 1-Naphthylamine
$C_{10}H_9N$
$C_{10}H_7NH_2$
M_r: 143,19
CAS: 134-32-7
EINECS: 205-138-7
Colorless to gray-violet crystals or meltage, easily soluble in ether and spirits
Melting point.....47–50 °C
Boiling point..... 301 °C
Flash-point ..... 157 °C

Application:
Analytical reagent for colorimetry, organic synthesis

Storage:
Store in a dry and cool place

Hazard information:



Danger!
H302, H350, H411
ADR: 6.1, III, (E)
UN 2077

g. r.
cat. no. 40108-AP0
Assay..... ≥ 99 %
Water (KF)..... ≤ 0,2 %
Melting point.....48–50 °C
Heavy metals (as Pb)..... ≤ 0,001 %
2-Naphtylamine..... ≤ 0,1 %
Substances insoluble in CH_3COOH ..... ≤ 0,02 %
Appearance..... colorless to gray-violet crystals or meltage

order number	quantity
40108-AP0-G0050-1	50 gr

pure
cat. no. 40108-CP0
Melting point.....47–50 °C

order number	quantity
40108-CP0-G0100-1	100 gr
40108-CP0-G1000-1	1000 gr

N-Butyric acid

Basic information:
$C_4H_8O_2$
M_r: 88,11
CAS: 107-92-6
EINECS: 203-532-3
Colorless liquid
1 l ~0,964 kg
Melting point..... –7 to –5 °C
Boiling point.....162–165 °C
Flash-point ..... 69 °C

Application:
Special esterification syntheses

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314
ADR: 8, III, (E)
UN 2820

g. r.

	order number	quantity
cat. no. 10095-BT0		
Assay..... ≥ 99 %	**10095-BT0-M0100-R**	**100 ml**
Refractive index (n_{20}^{D}) 1,3965–1,3995		
Water (KF)..... ≤ 0,1 %		

Nessler's reagent

Basic information:
$HgCl_2$, KI, KOH
Pale-yellow liquid
1 l ~ 1,16 kg
Boiling point..... 100 °C

Application:
Indicator of ammonium ion presence

Storage:
Store in tightly closed containers in a cool and dry place. Store in the dark. Store at +15 °C to +25 °C

Hazard information:



Danger!
H290, H301, H311, H314, H331, H373, H411
ADR: 6.1, II, (D/E)
UN 2024

indicator

	order number	quantity
cat. no. 63012-000		
Ammonium sensitivity..... passes test	**63012-000-M1000-1**	**1000 ml**

n-Heptane

Basic information:
C_7H_{16}
$CH_3(CH_2)_5CH_3$
M_r: 100,21
CAS: 142-82-5
EINECS: 205-563-8
Clear, colorless liquid, insoluble in water, miscible in spirits and acetone
1 l ~ 0,68 kg
Melting point.....–90 °C
Boiling point..... 98 °C
Flash-point .....–4 °C

Application:
Solvent, organic synthesis

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H304, H315, H336, H410
ADR: 3, II, (D/E)
UN 1206

g. r.

	order number	quantity
cat. no. 20030-AT0		
Assay..... ≥ 99 %	**20030-AT0-M1000-1**	**1000 ml**
Water (KF)..... ≤ 0,01 %	**20030-AT0-M2500-1**	**2500 ml**
Nonvolatile substances..... ≤ 0,001 %	**20030-AT0-M5000-1**	**5000 ml**
Free acids (as CH_3COOH) ..... ≤ 0,002 %	**20030-AT0-L0010-1**	**10 lt**
Colour (Hazen) ..... ≤ 10 Hazen		
Appearance..... clear colorless liquid		

pure

	order number	quantity
cat. no. 20030-CT0		
Assay..... ≥ 95 %	**20030-CT0-M1000-1**	**1000 ml**
	20030-CT0-M5000-1	**5000 ml**

Nickel(II) chloride hexahydrate

Basic information:
$NiCl_2{,}6H_2O$
M_r: 237,71
CAS: 7791-20-0
EINECS: 231-743-0
Green crystals, easily soluble in water
Melting point..... 140 °C

Application:
Organic synthesis – reduction of benzaldehydes, production of nickel boride

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H315, H317, H331, H334, H341, H350i, H360D, H372, H410
ADR: 6.1, III, (E)
UN 3288

g. r.

	order number	quantity
cat. no. 30090-AP0		
Assay..... ≥ 97 %	**30090-AP0-G0500-1**	**500 gr**
Sulfates (SO_4) ..... ≤ 0,02 %	**30090-AP0-G1000-1**	**1000 gr**
Appearance..... green crystals	**30090-AP0-G5000-1**	**5000 gr**

Nickel(II) nitrate hexahydrate

Basic information:
$Ni(NO_3)_2.6H_2O$
M_r: 290,81
CAS: 13478-00-7
EINECS: 236-068-5
Green crystals, hygroscopic, very soluble in water
Melting point..... 57 °C
Boiling point..... 137 °C

Application:
Production of nickel catalysts, nickel-cadmium cells, electroplating

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H317, H318, H332, H334, H341, H350i, H360D, H372, H410
ADR: 5.1, III, (E)
UN 2725

g. r.	order number	quantity
cat. no. 30037-AP0	30037-AP0-G0500-1	500 gr

Assay..... ≥ 98 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,005 %
Appearance..... green crystals

Nickel(II) sulfate hexahydrate

Basic information:
$NiSO_4.6H_2O$
M_r: 262,86
CAS: 10101-97-0
EINECS: 232-104-9
Green crystals, hygroscopic, very soluble in water
Melting point..... > 85 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H315, H317, H332, H334, H341, H350i, H360D, H372, H410
ADR: 9, III, (E)
UN 3077

pure	order number	quantity
cat. no. 30184-CP0	30184-CP0-G0100-1	100 gr
	30184-CP0-G0500-1	500 gr

Assay..... ≥ 95 %

Nitric acid

Basic information:
HNO_3
M_r: 63,01
CAS: 7697-37-2
EINECS: 231-714-2
Clear, colorless fuming liquid, miscible with water
1 l ~1,4 kg
Melting point..... –29 °C
Boiling point..... 122 °C

Application:
Analytical reagent and oxidant, solvent, treatment of samples before metal analysis, electrical industry

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H290, H314, H331
ADR: 8 + 5,1, II, (C/D)
UN 2031

g. r.	order number	quantity
cat. no. 10023-AT0	10023-AT0-M1000-1	100 ml
	10023-AT0-M2500-1	2500 ml
	10023-AT0-M5000-1	5000 ml

Assay..... ≥ 65 %
Iron (Fe)..... ≤ 0,0001 %
Heavy metals (as Pb)..... ≤ 0,0001 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4)..... ≤ 0,0002 %
Sulfate ash..... ≤ 0,0005 %

pure	order number	quantity
cat. no. 10023-CT0	10023-CT0-M1000-1	1000 ml
	10023-CT0-M5000-1	5000 ml

Assay..... ≥ 65 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4)..... ≤ 0,002 %
Sulfate ash..... ≤ 0,015 %

special grade	order number	quantity
cat. no. 10023-P65	10023-P65-M1000-RE	1000 ml

Assay..... ≥ 65 %
Arsenic (As)..... ≤ 0,01 mg/kg
Nickel (Ni)..... ≤ 0,05 mg/kg
Calcium (Ca)..... ≤ 0,00005 %
Heavy metals (as Pb)..... ≤ 0,00005 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4)..... ≤ 0,0002 %
Copper (Cu)..... ≤ 0,02 mg/kg
Zinc (Zn)..... ≤ 0,1 mg/kg
Magnesium (Mg)..... ≤ 0,2 mg/kg
Potassium (K)..... ≤ 0,2 mg/kg
Phosphates (PO_4)..... ≤ 0,5 mg/kg
Sodium (Na)..... ≤ 3 mg/kg
Aluminium..... ≤ 0,1 mg/kg
Iron (Fe)..... ≤ 0,03 mg/kg
Cadmium (Cd)..... ≤ 0,02 mg/kg
Cobalt (Co)..... ≤ 0,01 mg/kg
Chromium (Cr)..... ≤ 0,05 mg/kg
Manganese (Mn)..... ≤ 0,01 mg/kg
Baryum (Ba)..... ≤ 0,05 mg/kg
Colour (Hazen)..... ≤ 10
Strontium (Sr)..... ≤ 0,02 mg/kg
Molybdenum (Mo)..... ≤ 0,02 mg/kg
Residue after ignition..... ≤ 0,0005 %

electronic grade	order number	quantity
cat. no. 10023-PT0	10023-PT0-M1000-1	1000 ml
	10023-PT0-M5000-1	5000 ml

Assay..... ≥ 65 %
Iron (Fe)..... ≤ 0,00005 %
Heavy metals (as Pb)..... ≤ 0,00005 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4)..... ≤ 0,0002 %
Sulfate ash..... ≤ 0,0005 %

ISO reagent	order number	quantity
cat. no. 10023-ZT0	10023-ZT0-M1000-1	1000 ml
	10023-ZT0-M2500-1	2500 ml

Assay..... ≥ 65 %
Iron (Fe)..... ≤ 0,00005 %
Heavy metals (as Pb)..... ≤ 0,00005 %
Chlorides (Cl)..... ≤ 0,0001 %
Sulfates (SO_4)..... ≤ 0,0002 %
Sulfate ash..... ≤ 0,0005 %

Nitric acid

	order number	quantity
normanal 1M (N/1) **cat. no. 61017-001**	61017-001-P0000-1	piece

Factor 0,998–1,002

	order number	quantity
normanal 0,1M (N/10) **cat. no. 61017-010**	61017-010-P0000-1	piece

Factor 0,998–1,002

	order number	quantity
volumetric solution 1M (N/1) **cat. no. 61017-001**	62017-001-M1000-1	1000 ml

Factor 0,97–1,03

	order number	quantity
volumetric solution 0,1M (N/10) **cat. no. 1250112KS0000**	1250112KS0000	1000 ml

Factor 0,97–1,03

N-methyl-2-pyrrolidone

Basic information:
NMP
C_5H_9NO
M_r: 99,13
CAS: 872-50-4
1 l ~ 1,026 kg
Melting point ..... –24 °C
Boiling point ..... 202–205 °C
Flash-point ..... 91 °C

	order number	quantity
pure **cat. no. 40185-BT0**	40185-BT0-K0020-1	20 kg

Assay ..... ≥ 99,8 %

Application:
Solvent

Storage:
Store in a dry and cool place

Hazard information:



Danger!
H315, H319, H335, H360d

N-(1-Naphthyl)ethylenediamine dihydrochloride

Basic information:
Bratton-Marshall Reagent
$C_{12}H_{14}N_2.2HCl$
$C_{10}H_7NHCH_2CH_2NH_2.2HCl$
M_r: 259,18
CAS: 1465-25-4
EINECS: 215-981-2
Colorless crystals or white to yellowish powder, hygroscopic, very soluble in water
Melting point ..... 194–198 °C

	order number	quantity
g. r. **cat. no. 40107-AP0**	40107-AP0-G0005-1	5 gr
	40107-AP0-G0010-1	10 gr
	40107-AP0-G0025-1	25 gr

Assay (dry subst.) ..... ≥ 98 %
Residue after ignition ..... ≤ 0,1 %
H_2O (KF) ..... ≤ 5,0 %
Appearance ..... colorless crystals or white to yellowish powder

Application:
Store in a dry place and in the original container

N-(1-Naphthyl)ethylenediamine dihydrochloride

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H335

N-octane

Basic information:
C_8H_{18}
M_r: 14,23
CAS: 111-65-9
EINECS: 203-892-1
Colorless liquid
1 l ~ 0,7 kg
Melting point ..... –56 °C
Boiling point ..... 126 °C
Flash-point ..... 13 °C

	order number	quantity
pure **cat. no. 40481-CT0**	40481-CT0-M0500-R	500 ml

IR spectrum ..... authentic
Refractive index (n_{20}^D) 1,3965–1,3985
Purity (GC) ..... ≥ 96,0 %

Application:
Solvent, standard material for chromatographic analysis and organic synthesis

Storage:
Store in a cool and dry place

Hazard information:



Danger!
H225, H304, H315, H336, H410
ADR: 3, II, (D/E),
UN 1262

Oleic acid

Basic information:
(9Z)-Octadec-9-enoic acid
$C_{18}H_{34}O_2$
$COOH(CH_2)_7CH{:}CH(CH_2)_7CH_3$
M_r: 282,47
CAS: 67701-08-0
EINECS: 266-932-7
Clear, yellowish or brownish liquid, soluble in water, miscible with spirits
1 l ~0,89 kg
Melting point..... 6 °C
Boiling point..... 250 °C
Flash-point ..... 180 °C

Application:
Food industry, pharmaceutical production

Storage:
Store in a dry and cool place

pure
cat. no. 10049-CT0
Assay fatty acids (as oleic acid) ≥ 97 %
Refractive index (n^D_{20}) 1,460–1,463

order number	quantity
10049-CT0-M1000-1	1000 ml

Ortho-Phosphoric acid

Basic information:
OrthoPhosphoric acid
H_3PO_4
M_r: 98
CAS: 7664-38-2
EINECS: 231-633-2
Clear, colorless to yellowish syrupy liquid, miscible with water
1 l ~1,7 kg
Melting point..... 21 °C
Boiling point..... 158 °C

Application:
Analytical reagent, chemical and food industries (antioxidant, acidifying agent, flavor), production of special catalysts, wide-ranging buffer

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H302, H314
ADR: 8, III, (E)
UN 1805

g. r.
cat. no. 10048-A85
Assay..... 84–87 %
Iron (Fe) ..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless to yellowish syrupy liquid

order number	quantity
10048-A85-M1000-1	1000 ml
10048-A85-M2500-1	2500 ml
10048-A85-M5000-1	5000 ml

pure
cat. no. 10048-C85
Assay..... 84–87 %

order number	quantity
10048-C85-M1000-1	1000 ml

ISO reagent
cat. no. 10048-Z85
Assay..... ≥ 85,0 %
Arsenic (As) ..... ≤ 0,0001 %
Lead (Pb)..... ≤ 0,001 %
Iron (Fe) ..... ≤ 0,001 %
Nickel (Ni) ..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0003 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Zinc (Zn)..... ≤ 0,001 %
Potassium (K)..... ≤ 0,005 %
Cadmium (Cd) ..... ≤ 0,0005 %
Manganese (Mn)..... ≤ 0,0005 %
Sodium (Na)..... ≤ 0,05 %
Appearance..... clear, colorless to yellowish syrupy liquid

order number	quantity
10048-Z85-M1000-1	1000 ml
10048-Z85-M2500-1	2500 ml

Oxalic acid dihydrate

Basic information:
Ethanedioic acid
$C_2H_2O_4.2H_2O$
$HOOCCOOH.2H_2O$
M_r: 126,07
CAS: 6153-56-6
EINECS: 205-634-3
Colorless crystals or white powder, soluble in water and spirits
Melting point.....98–101 °C
Boiling point..... >160 °C

Application:
Analytical reagent, e.g. calcium detection and determination, precious metal extraction, volumetric analysis (manganometry), Fe removal, water treatment by Ca removal, reducing agent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H312, H318

g. r.
cat. no. 10060-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Residue after ignition..... ≤ 0,05 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %
Appearance..... colorless crystals or white powder

order number	quantity
10060-AP0-G0100-1	100 gr
10060-AP0-G0250-1	250 gr
10060-AP0-G0500-1	500 gr
10060-AP0-G1000-1	1000 gr

pure
cat. no. 10060-CP0
Assay..... ≥ 98 %

order number	quantity
10060-CP0-G0500-1	500 gr
10060-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 10060-ZP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0002 %
Calcium (Ca)..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Total nitrogen (N)..... ≤ 0,001 %
Sulfate ash ..... ≤ 0,01 %
Appearance..... colorless crystals or white powder

order number	quantity
10060-ZP0-G1000-1	1000 gr

normanal 0,5M (N/1)
cat. no. 61021-002
Factor..... 0,998–1,002

order number	quantity
61021-002-P0000-1	piece

normanal 0,25M (N/2)
cat. no. 61021-004
Factor..... 0,998–1,002

order number	quantity
61021-004-P0000-1	piece

normanal 0,1M (N/5)
cat. no. 61021-010
Factor..... 0,998–1,002

order number	quantity
61021-010-P0000-1	piece

normanal 0,05M (N/10)
cat. no. 61021-020
Factor..... 0,998–1,002

order number	quantity
61021-020-P0000-1	piece

normanal 0,025M (N/20)
cat. no. 61021-040
Factor..... 0,996–1,004

order number	quantity
61021-040-P0000-1	piece

normanal 0,005M (N/100)
cat. no. 61021-200
Factor..... 0,996–1,004

order number	quantity
61021-200-P0000-1	piece

volumetric solution 0,1M (N/5)
cat. no. 62021-010
Factor..... 0,97–1,03

order number	quantity
62021-010-M1000-1	1000 ml

Paraffin fluid

Basic information:
CAS: 8012-95-1
EINECS: 232-384-3
Colorless oily liquid, insoluble in water, slightly soluble in alcohol
1 l ~ 0,86 kg
Melting point..... < 0 °C

Application:
Pharmaceutical production, production of cosmetics and oil baths

Storage:
Store in a dry place and in the original container

according to specif. Ph. Eur.
cat. no. 40126-FT0
A – IR spectrum ..... passes test
B ..... passes test
C – viscosity ..... 110 to 230 mPa.s
Acid or alkalic reag. compounds .. passes test
Polycyclic aromatic hydrocarbons .. passes test
Readily carbonizable material .. passes test
Solid paraffins ..... passes test
Relative density (d 20/20) ..... 0,827 to 0,890
Viscosity (20 °C) ..... 110 to 230 mPa.s

order number	quantity
40126-FT0-M0500-1	500 ml

Paraformaldehyde

Basic information:
Polyoxymethylene
$(CH_2O)n$
M_r: (30,03)n
CAS: 30525-89-4
EINECS: 200-001-8
White powder, soluble in hot water
Melting point.....120–170 °C

Application:
Organic synthesis

Storage:
Store in a dry place and in the original container

pure
cat. no. 40127-CP0
Assay..... ≥ 95 %

order number	quantity
40127-CP0-G1000-1	1000 gr

Hazard information:



Danger!
H228, H302, H315, H317, H318, H332, H335, H351
ADR: 4.1, III, (E)
UN 2213

Pentane

Basic information:
C_5H_{12}
M_r: 72,15
CAS:109-66-0
EINECS: 203-692-4
Clear, colorless liquid
1 l ~ 0,63 kg
Melting point.....–129 °C
Boiling point..... 36 °C
Flash-point .....–50 °C

Application:
Non-polar solvent, blowing agent

g. r.
cat. no. 20043-AT0
Assay C_5H_{12} isomers..... ≥ 99 %
Water (KF)..... ≤ 0,02 %
Nonvolatile substances..... ≤ 0,05 %
Free acids (as C_4H_9COOH)..... ≤ 0,001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20043-AT0-M1000-1	1000 ml
20043-AT0-L0010-1	10 lt

pure
cat. no. 20043-CT0
Assay C_5H_{12} isomers..... ≥ 97 %

order number	quantity
20043-CT0-M1000-1	1000 ml

Pentane

Storage:
Store in a cool and dry place away from foodstuffs

Hazard information:



Danger!
H225, H304, H336, H411
ADR: 3, II, (E)
UN 1265

1-Pentanol

Basic information:
n-Amyl alcohol, pentyl alcohol
$C_5H_{12}O$
$CH_3(CH_2)_4OH$
M_r: 88,15
CAS: 71-41-0
EINECS: 200-752-1
Clear, colorless liquid of mild characteristic odor, soluble in water, miscible with spirits and ether
1 l ~ 0,81 kg
Melting point..... –76 °C
Boiling point..... 138 °C
Flash-point ..... 47 °C

g. r.
cat. no. 20004-AT0
Assay..... ≥ 98, 5 %
Nonvolatile substances..... ≤ 0,005 %
Water (KF)..... ≤ 0,1 %
Free acids (as C_4H_9COOH) ..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20004-AT0-M1000-1	1000 ml
20004-AT0-L0020-1	20 lt

Application:
Analytical solvent, determination of fat in milk, organic synthesis, extracting agent

Storage:
Flammable substance, keep in an intact container

Hazard information:



Warning!
H226, H315, H319, H332, H335
ADR: 3, III, (D/E)
UN 1105

Perchloric acid

Basic information:
$HClO_4$
M_r: 100,46
CAS: 7601-90-3
EINECS: 231-512-4
Clear, colorless liquid, miscible with water
1 l ~1,67 kg
Melting point.....–18 °C
Boiling point.....199–203 °C
Flash-point ..... 113 °C

g. r.
cat. no. 10032-A68
Assay..... ≥ 68 %
Sulfate ash ..... ≤ 0,003 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,000005 %
Sulfates (SO_4) ..... ≤ 0,001 %
Total nitrogen (N)..... ≤ 0,001 %
Free chlorine ..... ≤ 0,00005 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
10032-A68-M1000-1	1000 ml

Perchloric acid

Storage:
Store in a dry place, in the original containers, at a temperature (5–30 °C), keep away from direct sunlight, separately from organic substances

Hazard information:



Danger!
H271, H290, H314
ADR: 5.1 + 8, I, (B/E)
UN 1873

ISO reagent
cat. no. 10032-Z68

Assay	70,0–73,0 %
Arsenic (As)	≤ 0,000005 %
Lead (Pb)	≤ 0,00001 %
Chlorides (Cl)	≤ 0,0003 %
Sulfates (SO_4)	≤ 0,001 %
Copper (Cu)	≤ 0,00001 %
Total nitrogen (N)	≤ 0,002 %
Free chlorine	≤ 0,0005 %
Iron (Fe)	≤ 0,0002 %
Silver (Ag)	≤ 0,0005 %
Manganese (Mn)	≤ 0,00005 %
Sulfate ash	≤ 0,003 %
Colour (Hazen)	≤ 10 Hazen
Chlorates (ClO_3)	≤ 0,001 %
Phosphate and silicate (as SiO_2)	≤ 0,005 %
Appearance	clear, colorless liquid

order number	quantity
10032-Z68-M1000-1	1000 ml
10032-Z68-M2500-1	2500 ml

Periodic acid

Basic information:
H_5IO_6
M_r: 227,94
CAS: 10450-60-9
EINECS: 233-937-0
Colorless crystals or white to pale-yellow powder, hygroscopic, easily soluble in water and spirits
Melting point..... 122–127 °C

Application:
Analytical oxidant, detection of polysaccharides

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H271, H314, H410
ADR: 5.1 + 8, II, (E)
UN 3085

g. r.
cat. no. 10036-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,02 %
Br, BrO_3, Cl, ClO_3 (as Cl)	≤ 0,02 %
Appearance	colorless crystals or white to pale-yellow powder

order number	quantity
10036-AP0-G0100-1	100 gr

Petroleum ether

Basic information:
Clear, colorless liquid of characteristic odor
1 l ~ 0,65 kg

Application:
Analytical reagent for vitamin A determination, solvent, extraction solvent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H225, H304, H315, H336, H411
ADR: 3, II, (D/E)
UN 1268

g. r. 40–65 °C
cat. no. 20045-AT0

Nonvolative substances	≤ 0,002 %
Free acids (as CH_3COOH)	≤ 0,002 %
Distilling range (95 %)	40–65 °C
Free alkali (as NH_3)	≤ 0,001 %
Water (KF)	≤ 0,01 %
Colour (Hazen)	≤ 10 Hazen
Appearance	clear, colorless liquid of characteristic odor

order number	quantity
20045-AT0-M1000-1	1000 ml
20045-AT0-M2500-1	2500 ml
20045-AT0-M5000-1	5000 ml

pure 40–65 °C
cat. no. 20045-CT0

Nonvolative substances	≤ 0,01 %
Distilling range (95 %)	40–65°C

order number	quantity
20045-CT0-M1000-1	1000 ml

pure 80–110 °C
cat. no. 20047-CT0

Distilling range (95 %)	80–110°C
Nonvolative residue	≤ 0,01 %

order number	quantity
20047-CT0-M1000-1	1000 ml

Petrol medical

Basic information:
1 l ~ 0,67 kg
Melting point..... –50 °C
Boiling point..... 35–100 °C
Flash-point..... –6 °C

Application:
Solvent for pharmacy and medicine

Storage:
Store in a cool place, away from foodstuffs and oxidants

Hazard information:



Danger!
H225, H304, H315, H336, H411
ADR: 3, II, (D/E)
UN 3295

according to specif. Ph. Eur.
cat. no. 20008-BT0

A – alkanes	passes test
B – Relative density	0,652–0,691
Distilling range (98 %)	35–100 °C
Acids and alkalis	passes test
Insufficient purification	passes test
Sulfur compounds	passes test
Benzene	≤0,5 %
Tetraethylplumbane	passes test
Strange easily carbon. substances	passes test
Nonvolative substances	1 mg/100 ml

order number	quantity
20008-BT0-M1000-1	1000 ml

Phenanthroline hydrochloride monohydrate

Basic information:
1,10-Phenanthroline hydrochloride monohydrate
$C_{12}H_8N_2.HCl.H_2O$
M_r: 234,69
CAS: 3829-86-5
EINECS: 223-325-1
White to pale-yellowish crystalline powder, easily soluble in water and spirits
Melting point..... 215–220 °C

g. r.
cat. no. 40040-AP0

Assay	≥ 99 %
Appearance	white to pale-yellowish crystalline powder

order number	quantity
40040-AP0-G0010-1	10 gr
40040-AP0-G0025-1	25 gr
40040-AP0-G0100-1	100 gr

Phenanthroline hydrochloride monohydrate

Application:
Analytical reagent for colorimetric determination of iron

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H410
ADR: 6.1, II, (D/E)
UN 2811

Phenanthroline monohydrate

Basic information:
1,10-Phenanthroline monohydrate
$C_{12}H_8N_2.H_2O$
M_r: 198,23
CAS: 5144-89-8
EINECS: 200-629-2
White to pale-yellowish crystalline powder, very soluble in water, spirits, and dilute acids
Melting point.....97–101 °C
Boiling point.....300 °C

g. r.
cat. no. 40041-AP0
Assay..... ≥ 99 %
Melting point..... 117–120 °C
Residue after ignition..... ≤ 0,1 %
Appearance..... white to pale-yellowish crystalline powder

order number	quantity
40041-AP0-G0010-1	10 gr
40041-AP0-G0025-1	25 gr
40041-AP0-G0100-1	100 gr

Application:
Analytical reagent, e.g. for the determination of chromium, cerium, iron, copper, tellurium

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H410
ADR: 6.1, III, (N)
UN 2811

Phenol

Basic information:
Benzenol, hydroxybenzene
C_6H_6O
C_6H_5OH
M_r: 94,11
CAS: 108-95-2
EINECS: 203-632-7
Colorless or reddish crystals or meltage, hygroscopic, very soluble in spirits and ether, soluble in warm water
Melting point..... 39–42 °C
Boiling point..... 182 °C
Flash-point ..... 79 °C

g. r.
cat. no. 40042-AP0
Assay..... ≥ 99 %
Nonvolatile substances..... ≤ 0,02 %
Free acids (as CH_3COOH) ..... ≤ 0,01 %
Iron (Fe) ..... ≤ 0,0001 %
Chlorides (Cl)..... ≤ 0,001 %
Freezing point ..... 39–41 °C
Appearance..... colorless or reddish crystals or meltage

order number	quantity
40042-AP0-G0250-1	250 gr
40042-AP0-G0500-1	500 gr

Phenol

Application:
Analytical reagent for determination of nitro compounds, ammonia, chlorine, and bromine, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H314, H331, H341, H373, H411
ADR: 6.1, II, (D/E)
UN 1671

Phenolphthalein

Basic information:
$C_{20}H_{14}O_4$
M_r: 318,33
CAS: 77-09-8
EINECS: 201-004-7
White or yellowish powder, insoluble in water, soluble in spirits
Melting point..... 264 °C
Boiling point..... > 450 °C

indicator
cat. no. 40043-IP0
Colour transition ..... pH 8,2–10,0

order number	quantity
40043-IP0-G0025-1	25 gr
40043-IP0-G0050-1	50 gr
40043-IP0-G0100-1	100 gr
40043-IP0-G1000-1	1000 gr

Application:
Acid-base indicator

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H26, H341, H350, H361f

Phenolphthalein solution

Basic information:
$C_{20}H_{14}O_4$
M_r: 318,33
CAS: 77-09-8
EINECS: 201-004-7
1 l ~ 0,81 kg

Application:
Acid-base indicator

Storage:
Store in a dry place and in the original container

solution 1% in ethanol
cat. no. 63006-001
Functional test ..... passes test

solution 0,9% in isopropyl alcohol
cat. no. 63006-090
Functional test ..... passes test

order number	quantity
63006-001-M0500-1	500 ml
63006-090-M0500-1	500 ml

Phenolphthalein solution

■ **Hazard information:**



Danger!
H225, H319, H341, H350
ADR: 3, II, (D/E)
UN 1170

Phenol red indicator

■ **Basic information:**
$C_{19}H_{14}O_{55}$
CAS: 143-74-8
EINECS: 205-609-7
Red powder
Melting point..... 300 °C

■ **Application:**
Indicator

■ **Storage:**
Store in a dry place and in the original container

■ **Hazard information:**



Warning!
H315, H319, H335

■ **indicator**
cat. no. 40246-IP0
Colour transition ..... pH 6,8–8,2

order number	quantity
40246-IP0-G0025-1	25 gr

Phosphomolybdic acid

■ **Basic information:**
$H_3PO_4.12MoO_3.aq$
M_r: 1825,25 + aq
CAS: 51429-74-4
EINECS: 234-713-5
Orange-yellow crystals, very soluble in water and spirits
Melting point.....79–90 °C

■ **Application:**
Analytical reagent for determination of alkaloids, potassium, thallium, and silicon, detection of cesium, vanadium, cerium, tin, antimony, and palladium, reagent for uric acid, caffeine, and xanthine, microscopy

■ **Storage:**
Oxidant, keep in the original container and in a dry place

■ **Hazard information:**



Danger!
H272, H314
ADR: 8 + 5.1, II, (E)
UN 3084

■ **g. r.**
cat. no. 10025-AP0
Substances insoluble in H_2O ..... ≤ 0,02 %
Chlorides (Cl)..... ≤ 0,03 %
Sulfates (SO_4) ..... ≤ 0,02 %
Heavy metals a Fe ..... ≤ 0,005 %
Appearance..... orange-yellow crystals

order number	quantity
10025-AP0-G0100-1	100 gr

Phosphorus pentoxide

■ **Basic information:**
P_2O_5
M_r: 141,94
CAS: 1314-56-3
EINECS: 215-236-1
White or off-white powder, hygroscopic, reacts with water to produce heat
Melting point.....340–360 °C

■ **Application:**
Drying of gases, liquids and solids, organic synthesis (cyclization reaction, condensing agent)

■ **Storage:**
Store in a dry place and in the original container

■ **Hazard information:**



Danger!
H314
ADR: 8, II, (E)
UN 1807

■ **g. r.**
cat. no. 30133-AP0
Assay..... ≥ 98 %
Arsenic (As) ..... ≤ 0,005 %
Reducing substances ..... ≤ 0,02 %
Chlorides (Cl)..... ≤ 0,001 %
Appearance..... white or off-white powder

order number	quantity
30133-AP0-G0500-1	500 gr

■ **ISO reagent**
cat. no. 30133-ZP0
Assay..... ≥ 98,0 %
Substances insoluble in H_2O ..... ≤ 0,02 %
Heavy metals (as Pb)..... ≤ 0,005 %
Total nitrogen (N)..... ≤ 0,002 %
Substances reducing $KMnO_4$ (as P_2O_3) ..... ≤ 0,02 %
Appearance..... white or off-white powder

order number	quantity
30133-ZP0-G1000-1	1000 gr

Phtalic acid

■ **Basic information:**
Benzene-1,2-dicarboxylic acid
$C_8H_6O_4$
$C_6H_4(COOH)_2$
M_r: 166,14
CAS: 88-99-3
EINECS: 201-873-2
Colorless crystals or white powder, soluble in water and spirits
Melting point..... 190 °C
Boiling point..... 210 °C
Flash-point ..... 168 °C

■ **Application:**
Preparation of buffers, organic synthesis

■ **Storage:**
Store in a dry place and in the original container

■ **Hazard information:**



Danger!
H315, H318, H335

■ **g. r.**
cat. no. 10027-AP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Sulfate ash ..... ≤ 0,02 %
Appearance..... colorless crystals or white powder

order number	quantity
10027-AP0-G0100-1	100 gr

Picric acid

Basic information:
2,4,6-Trinitrophenol
$C_6H_3N_3O_7$
M_r: 229,11
CAS: 88-89-1
EINECS: 201-865-9
Yellow wet crystals, soluble in spirits
Melting point.....121–123 °C
Flash-point ..... 150 °C

Application:
Preparation of dyes, TLC reagent, detection of hydrocarbons – picrates

Storage:
Store in tightly closed containers in a cool and dry place. Keep container in a well-ventilated place. Keep content wet. Prevent drying

Hazard information:



Danger!
H228, H302, H311, H332
ADR: 4.1, I, (B)
UN 1344

g. r.
cat. no. 10050-AP0
Assay (dry subst.)..... ≥ 99 %
Sulfate ash ..... ≤ 0,02 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Moistened water ..... cca 40 %
Appearance..... yellow wet crystals

order number	quantity
10050-AP0-G0100-1	100 gr
10050-AP0-G1000-1	1000 gr

Potassium acetate

Basic information:
$C_2H_3KO_2$
CH_3COOK
M_r: 98,14
CAS: 127-08-2
EINECS: 204-822-2
Colorless crystals or white powder, soluble in water
Melting point..... 292 °C

Application:
Condensation catalyst, dehydrating agent, preparation of buffers

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40113-AP0
Assay (dry subst.)..... ≥ 99 %
Acidity (as CH_3COOH)..... ≤ 0,1 %
Substances insoluble in H_2O..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,002 %
Loss on drying (150 °C) ..... ≤ 8 %
Alkalinity (as K_2CO_3) ..... ≤ 0,03 %
Appearance..... colorless crystals or white powder

order number	quantity
40113-AP0-G0500-1	500 gr

Potassium aluminum sulfate dodecahydrate

Basic information:
$KAl(SO_4)_2.12H_2O$
M_r: 474,39
CAS: 7784-24-9
EINECS: 233-141-3
Colorless crystals or white powder, soluble in water
Melting point..... 92 °C

Application:
Analytical reagent, curing agent in microscopy, pharmaceutical production, buffer

g. r.
cat. no. 30168-AP0
Assay..... ≥ 99 %
Arsenic (As) ..... ≤ 0,0002 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,001 %
Amonium salts (NH_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30168-AP0-G0500-1	500 gr
30168-AP0-G1000-1	1000 gr

Potassium aluminum sulfate dodecahydrate

Storage:
Store in a dry place and in the original container

pure
cat. no. 30168-CP0
Assay..... ≥ 98,0 %
Iron (Fe) ..... ≤ 0,002 %
Lead (Pb)..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,005 %

order number	quantity
30168-CP0-G1000-1	1000 gr

Potassium bromate

Basic information:
$KBrO_3$
M_r: 167,01
CAS: 7758-01-2
EINECS: 231-829-8
White granular powder or crystals, very soluble in water, poorly soluble in spirits
Melting point.....409–413 °C

Application:
Analytical reagent, e.g. in volumetric analysis, oxidant, food industry

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H271, H301, H350
ADR: 5.1, II, (E)
UN 1484

g. r.
cat. no. 30002-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Bromides..... ≤ 0,05 %
pH (5% in H_2O)..... 5,0–9,0
Appearance..... white granular powder or crystals

order number	quantity
30002-AP0-G0250-1	250 gr
30002-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30002-ZP0
Assay..... ≥ 99,7 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Bromides..... ≤ 0,02 %
Sodium (Na)..... ≤ 0,01 %
Total nitrogen (N)..... ≤ 0,001 %
pH 5% solution at 25°C 5,0–9,0
Appearance..... white granular powder or crystals

order number	quantity
30002-ZP0-G1000-1	1000 g

normanal 1/60M (N/10)
cat. no. 61001-060
Factor..... 0,996–1,004

order number	quantity
61001-060-P0000-1	piece

Potassium bromide

Basic information:
KBr
M_r: 119,01
CAS: 7758-02-3
EINECS: 231-830-3
White granular powder or colorless crystals, very soluble in water, poorly soluble in spirits
Melting point..... 730 °C

Application:
Analytical reagent, IR spectroscopy, bromination reagent in organic synthesis, photographic purposes, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30005-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,2 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O)..... 5,0–8,0
Appearance..... white granular powder or colorless crystals

order number	quantity
30005-AP0-G0250-1	250 gr
30005-AP0-G0500-1	500 gr
30005-AP0-G1000-1	1000 gr

pure
cat. no. 30005-CP0
Assay..... ≥ 98 %

order number	quantity
30005-CP0-G0500-1	500 gr
30005-CP0-G1000-1	1000 gr

Potassium bromide

■ **Hazard information:**



Warning!
H319

Potassium bromide-bromate

■ **Basic information:**
$KBrO_3 + KBr$

■ **Application:**
Analytical chemistry, titration

■ **Storage:**
Store in tightly closed containers in a dry and cool place. Store away from reducing agents, acids, flammables, and foodstuffs

■ **Hazard information:**



Danger!
H271, H301, H319, H350
ADR: 5.1, II, (E)
UN 1484

■ **normanal 60M (N/10)**
cat. no. 61003-060
Factor 0,996–1,004

order number	quantity
61003-060-P0000-1	piece

Potassium carbonate anhydrous

■ **Basic information:**
K_2CO_3
M_r: 138,21
CAS: 584-08-7
EINECS: 209-529-3
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point ..... 890 °C

■ **Application:**
Desiccant, e.g. for organic solvents, pharmaceutical production

■ **Storage:**
Store in a dry place and in the original container

■ **Hazard information:**



Warning!
H315, H319, H335

■ **g. r.**
cat. no. 30212-AP0
Assay (dry subst.) ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,003 %
Sulfates (SO_4) ..... ≤ 0,004 %
Loss on ignition (300 °C) ..... ≤ 1 %
Appearance ..... colorless crystals or white powder

order number	quantity
30212-AP0-G0500-1	500 gr
30212-AP0-G1000-1	1000 gr

■ **pure**
cat. no. 30212-CP0
Assay ..... ~ 98 %

order number	quantity
30212-CP0-G1000-1	1000 gr

Potassium carbonate anhydrous

■ **ISO reagent**
cat. no. 30212-ZP0
Assay (dry subst.) ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,0005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Calcium (Ca) ..... ≤ 0,002 %
Chlorides (Cl) ..... ≤ 0,003 %
Copper (Cu) ..... ≤ 0,0005 %
Magnesium (Mg) ..... ≤ 0,002 %
Sodium (Na) ..... ≤ 0,05 %
Total nitrogen (N) ..... ≤ 0,001 %
Phosphate and silicate (as SiO_2) .. ≤ 0,005 %
Total sulfur (as SO_4) ..... ≤ 0,003 %
Loss on drying (při 300 °C) ..... ≤ 1,0 %
Appearance ..... colorless crystals or white powder

order number	quantity
30212-ZP0-G1000-1	1000 gr

Potassium cyanide

■ **Basic information:**
KCN
M_r: 65,12
CAS: 151-50-8
EINECS: 205-792-3
White crystalline powder or lumps, hygroscopic, very soluble in water, poorly soluble in spirits
Melting point ..... 635 °C
Boiling point ..... 1625 °C

■ **Application:**
Analytical reagent, e.g. complexing agent in alkaline solutions, organic synthesis – cyanation

■ **Storage:**
Store in a dry place and in the original container

■ **Hazard information:**



Danger!
H290, H300, H310, H330, H372, H410
ADR: 6.1, I, (C/E)
UN 1680

■ **g. r.**
cat. no. 30121-AP4
Assay ..... ≥ 98 %
Substances insoluble in H_2O ..... ≤ 0,05 %
Sodium (Na) ..... ≤ 0,5 %
Appearance ..... white crystalline powder or lumps

order number	quantity
30121-AP4-G1000-1	1000 gr

■ **pure**
cat. no. 30121-CP4
Assay ..... ≥ 97 %

order number	quantity
30121-CP4-G1000-1	1000 gr
30121-CP4-G3500-1	3500 gr

Potassium dihydrogen phosphate

■ **Basic information:**
KH_2PO_4
M_r: 136,09
CAS: 7778-77-0
EINECS: 231-913-4
White crystals, very soluble in water
Melting point ..... 253 °C

■ **g. r.**
cat. no. 30016-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,02 %
pH (5% in H_2O) 4,1–4,5
Appearance ..... white crystals

order number	quantity
30016-AP0-G0250-1	250 gr
30016-AP0-G0500-1	500 gr
30016-AP0-G1000-1	1000 gr

Potassium dihydrogen phosphate

Application:
Analytical reagent, buffer production, food industry (acidity regulator, stabilizer, and phosphorus source), pharmaceutical industry, drinking water treatment

Storage:
Store in a dry place and in the original container

pure
cat. no. 30016-CP0

Assay ..... ≥ 98 %
Sulfates (SO_4) ..... ≤ 0,02 %

order number	quantity
30016-CP0-G0500-1	500 gr
30016-CP0-G1000-1	1000 gr

according to specif. Ph. Eur.
cat. no. 30016-FP0

Assay (dry substance) ..... 98,0 % to 100,5 %
A – pH ..... passes test
B – phosphates ..... passes test
C – potassium ..... passes test
Appearance of solution ..... clear and colorless
Reducting substances ..... passes test
Appearance ..... white or almost whitecrystalline powder or colorless crystals
pH ..... 4,2 to 4,5 pH
Loss on drying ..... ≤ 2,0 %
Sulfates ..... ≤ 300 ug/g
Iron (Fe) ..... ≤ 10 ug/g
Chlorides ..... ≤ 200 ug/g
Arsenic ..... ≤ 2 ug/g
Sodium (Na) ..... ≤ 0,1 %

order number	quantity
30016-FP0-G1000-PH9	1000 gr
30016-FP0-G5000-PH9	5000 gr

ISO reagent
cat. no. 30016-ZP0

Assay (dry subst.) ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,002 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance ..... white crystals
Loss on drying (110 °C) ..... ≤ 0,2 %
Sodium (Na) ..... ≤ 0,02 %
Total nitrogen (N) ..... ≤ 0,001 %
pH 5% solution at 25% 4,2–4,5

order number	quantity
30016-ZP0-G1000-1	1000 gr

Potassium dichromate

Basic information:
Potassium bichromate
$K_2Cr_2O_7$
M_r: 294,19
CAS: 7778-50-9
EINECS: 231-906-6
Orange-red crystals, very soluble in water
Melting point ..... 398 °C

Application:
Analytical reagent, e.g. in volumetric analysis (iodometry, oxidimetry), oxidant

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30020-AP0

Assay ..... ≥ 99,5 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,01 %
Substances coagulated by amonium ..... < 0,005 %
Appearance ..... orange-red crystals

order number	quantity
30020-AP0-G0100-1	100 gr
30020-AP0-G0250-1	250 gr
30020-AP0-G0500-1	500 gr
30020-AP0-G1000-1	1000 gr

pure
cat. no. 30020-CP0

Assay ..... ≥ 95 %

order number	quantity
30020-CP0-G1000-1	1000 gr

Potassium dichromate

Hazard information:



Danger!
H272, H301, H312, H314, H317, H330, H334, H340, H350, H360FD, H372, H410
ADR: 6.1(5.1), II, (D/E)
UN 3086

ISO reagent
cat. no. 30020-ZP0

Assay ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,002 %
Lead (Pb) ..... ≤ 0,005 %
Calcium (Ca) ..... ≤ 0,002 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,01 %
Copper (Cu) ..... ≤ 0,001 %
Sodium (Na) ..... ≤ 0,02 %
Loss on drying (at 100 °C) ..... ≤ 0,05 %
Appearance ..... orange-red crystals

order number	quantity
30020-ZP0-G1000-1	1000 gr

normanal 1/12M (N/2)
cat. no. 61004-012

Factor 0,998–1,002

order number	quantity
61004-012-P0000-1	piece

normanal 1/24M (N/4)
cat. no. 1243604

Factor 0,998–1,002

order number	quantity
1243604ks0000	piece

normanal 1/60M (N/10)
cat. no. 61004-060

Factor 0,996–1,004

order number	quantity
61004-060-P0000-1	piece

normanal 1/600M (N/100)
cat. no. 61004-600

Factor 0,996–1,004

order number	quantity
61004-600-P0000-1	piece

volumetric solution1/60M (N/10)
cat. no. 62004-060

Factor 0,97–1,03

order number	quantity
62004-060-M1000-1	1000 ml

Potassium disulfite

Basic information:
Potassium pyrosulfite
$K_2S_2O_5$
M_r: 222,33
CAS: 16731-55-8
EINECS: 240-795-3
Colorless crystals or white powder, very soluble in water
Melting point ..... 150 °C

Application:
Analytical and reducing agent, anti-fermenting agent, preservative

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H318

g. r.
cat. no. 30023-AP0

Assay ..... ≥ 95 %
Arsenic (As) ..... ≤ 0,0001 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,005 %
Appearance ..... colorless crystals or white powder

order number	quantity
30023-AP0-G0500-1	500 gr
30023-AP0-G1000-1	1000 gr

pure
cat. no. 30023-CP0

Assay ..... ≥ 95 %

order number	quantity
30023-CP0-G0500-1	500 gr
30023-CP0-G1000-1	1000 gr

Potassium fluoride

Basic information:
KF
M_r: 58,10
CAS: 7789-23-3
EINECS: 232-151-5
White crystalline powder, strongly hygroscopic, easily soluble in water, virtually insoluble in spirits
Melting point ..... 846 °C
Boiling point ..... 1505 °C

Application:
Analytical reagent, e.g. complexing, fluorination of organic compounds

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H318, H331
ADR: 6.1, III, (E)
UN 1812

g. r.
cat. no. 30048-AP0
Assay ..... ≥ 99 %
Lead (Pb) ..... ≤ 0,005 %
Iron (Fe) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,1 %
Appearance ..... white crystalline powder

order number	quantity
30048-AP0-G0500-1	500 gr
30048-AP0-G1000-1	1000 gr

Potassium hexacyanoferrate (II) Trihydrate

Basic information:
Potassium hexacyanidoferrate(II)
$K_4[Fe(CN)_6].3H_2O$
M_r: 422,41
CAS: 14459-95-1
EINECS: 237-722-2
Yellow crystals

Application:
Analytical reagent, e.g. ferric ion evidence, production of blue pigment (so-called Berlin blue), easily soluble in water

Storage:
Store in a dry place and in the original container

Hazard information:
H412

g. r.
cat. no. 30054-AP0
Assay ..... ≥ 99,5 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance ..... yellow crystals

order number	quantity
30054-AP0-G0500-1	500 gr
30054-AP0-G1000-1	1000 gr

pure
cat. no. 30054-CP0
Assay ..... ≥ 99 %
Chlorides (Cl) ..... max. 0,05 %
Sulfates (SO_4) ..... max. 0,05 %

order number	quantity
30054-CP0-G0500-1	500 gr

Potassium hexacyanoferrate (III)

Basic information:
Potassium ferricyanide, prussian red
$K_3[Fe(CN)_6]$
M_r: 329,26
CAS: 13746-66-2
EINECS: 237-323-3
Dark-red crystals, easily soluble in water

g. r.
cat. no. 30053-AP0
Assay ..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,02 %
Sulfates (SO_4) ..... ≤ 0,01 %
Ferrocyanides ..... ≤ 0,05 %
Appearance ..... Dark-red crystals

order number	quantity
30053-AP0-G0500-1	500 gr
30053-AP0-G1000-1	1000 gr

Potassium hexacyanoferrate (III)

Application:
Analytical reagent, e.g. ferric ion evidence, production of blue pigment (so-called Berlin blue), easily soluble in water

Storage:
Store in a dry place and in the original container

pure
cat. no. 30053-CP0
Assay ..... ≥ 98 %

order number	quantity
30053-CP0-G0500-1	500 gr
30053-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30053-ZP0
Assay ..... ≥ 99,0 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,01 %
Sulfates (SO_4) ..... ≤ 0,005 %
Sodium (Na) ..... ≤ 0,02 %
Hexacyanoferrate(II) $[Fe(CN)_6]$ ..... ≤ 0,02 %
Appearance ..... Dark-red crystals

order number	quantity
30053-ZP0-G1000-1	1000 gr

Potassium hydrogen carbonate

Basic information:
Potassium bicarbonate
$KHCO_3$
M_r: 100,12
CAS: 298-14-6
EINECS: 206-059-0
Colorless crystals or white powder, easily soluble in water

Application:
Analytical neutralizing agent, healthcare, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30066-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Appearance ..... colorless crystals or white powder

order number	quantity
30066-AP0-G0500-1	500 gr
30066-AP0-G1000-1	1000 gr

Potassium hydrogen phthalate

Basic information:
Potassium biphthalate
$C_8H_5KO_4$
$HOOCC_6H_4COOK$
M_r: 204,23
CAS: 877-24-7
EINECS: 212-889-4
Colorless crystals or white powder, easily soluble in water
Melting point ..... 295–300 °C

Application:
Analytical reagent in volumetric analysis

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40063-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,002 %
Appearance ..... colorless crystals or white powder

order number	quantity
40063-AP0-G0100-1	100 gr
40063-AP0-G0250-1	250 gr
40063-AP0-G0500-1	500 gr
40063-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 40063-ZP0
Assay ..... ≥ 99,8 %
Iron (Fe) ..... ≤ 0,0005 %
Loss on drying (105 °C) ..... ≤ 0,05 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,002 %
Sodium (Na) ..... ≤ 0,01 %
Total sulfur (as SO_4) ..... ≤ 0,006 %
Appearance ..... colorless crystals or white powder

order number	quantity
40063-ZP0-G1000-1	1000 gr

Potassium hydrogen sulfate

Basic information:
Potassium bisulfate
$KHSO_4$
M_r: 136,17
CAS: 7646-93-7
EINECS: 231-594-1
Colorless crystals or white powder, easily soluble in water
Melting point..... 214 °C

Application:
Analytical reagent, degradation of poorly soluble compounds

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314, H335
ADR: 8, II, (E)
UN 2509

g. r.
cat. no. 30063-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %
Appearance..... colorless crystals or white powder

order number	quantity
30063-AP0-G0250-1	250 gr
30063-AP0-G0500-1	500 gr
30063-AP0-G1000-1	1000 gr

pure
cat. no. 30063-CP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %

order number	quantity
30063-CP0-G0500-1	500 gr
30063-CP0-G1000-1	1000 gr

Potassium hydrogen tartrate

Basic information:
Potassium bitartrate
$C_4H_5KO_6$
HOOCCH(OH)CH(OH)COOK
M_r: 188,18
CAS: 868-14-4
EINECS: 212-769-1
Colorless crystals or white powder, easily soluble in water
Melting point..... 171 °C
Flash-point ..... 210 °C

Application:
Analytical reagent, buffer preparation, easily soluble in water

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40065-AP0
Assay..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,005 %
Insoluble substances in HCl solution..... ≤ 0,005 %
Amonium salts (NH_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
40065-AP0-G0100-1	100 gr
40065-AP0-G0500-1	500 gr

Potassium hydroxide

Basic information:
Caustic potash
KOH
M_r: 56,11
CAS: 1310-58-3
EINECS: 215-181-3
White crystalline hard material of various shapes, hygroscopic, easily soluble in water and spirits
Melting point.....360–380 °C
Boiling point.....1320–1327 °C

g. r.
cat. no. 10003-AP3
Assay..... ≥ 85 %
Iron (Fe) ..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,004 %
Sulfates (SO_4) ..... ≤ 0,002 %
Appearance..... white flakes
Total nitrogen (N)..... ≤ 0,0005 %
Heavy metals (as Ag) ..... ≤ 0,0005 %
Carbonates (as K_2CO_3)..... ≤ 1 %

order number	quantity
10003-AP3-G0500-1	500 gr
10003-AP3-G1000-1	1000 gr

Potassium hydroxide

Application:
Analytical reagent, e.g. saponification number detection, CO_2 absorption, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H302, H314
ADR: 8, II, (E)
UN 1813

pure
cat. no. 10003-CP3
Assay..... ≥ 84,5 %
Iron (Fe) ..... ≤ 0,001 %
Total nitrogen (N)..... ≤ 0,001 %
Heavy metals (as Ag) ..... ≤ 0,001 %
K_2CO_3..... ≤ 1,5 %

order number	quantity
10003-CP3-G1000-1	1000 gr

ISO reagent
cat. no. 10003-ZP3
Assay..... ≥ 85,0 %
Aluminium (Al) ..... ≤ 0,002 %
Lead (Pb)..... ≤ 0,001 %
Iron (Fe) ..... ≤ 0,001 %
Magnesium (Mg) ..... ≤ 0,0005 %
Nickel (Ni) ..... ≤ 0,001 %
Zinc (Zn)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,005 %
Phosphates (PO_4) ..... ≤ 0,001 %
Sodium (Na)..... ≤ 0,5 %
Total nitrogen (N)..... ≤ 0,001 %
Calcium (Ca)..... ≤ 0,002 %
Silicates (SiO_2)..... ≤ 0,01 %
Carbonates (as K_2CO_3)..... ≤ 1,5 %
Appearance..... white flakes

order number	quantity
10003-ZP3-G1000-1	1000 gr

normanal 1M (N/1)
cat. no. 61008-001
Factor..... 0,998–1,002

order number	quantity
61008-001-P0000-1	piece

normanal 0,5M (N/2)
cat. no. 61008-002
Factor..... 0,998–1,002

order number	quantity
61008-002-P0000-1	piece

normanal 0,1M (N/10)
cat. no. 61008-010
Factor..... 0,998–1,002

order number	quantity
61008-010-P0000-1	piece

volumetric solution 1M (N/1)
cat. no. 62008-001
Factor..... 0,97–1,03

order number	quantity
62008-001-M1000-1	1000 ml

volumetric solution 0,1M (N/10)
cat. no. 62008-010
Factor..... 0,97–1,03

order number	quantity
62008-010-M1000-1	1000 ml

Potassium chlorate

Basic information:
$KClO_3$
M_r: 122,55
CAS: 3811-04-9
EINECS: 223-289-7
Colorless crystals or white powder, soluble in water
Melting point..... 356 °C

g. r.
cat. no. 30068-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30068-AP0-G0100-1	100 gr
30068-AP0-G0500-1	500 gr
30068-AP0-G1000-1	1000 gr

Potassium chlorate

Application:
Analytical oxidizing agent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H271, H302, H332, H411
ADR: 5.1, II, (E)
UN 1485

Potassium chloride

Basic information:
KCl
M_r: 74,56
CAS: 7447-40-7
EINECS: 231-211-8
Colorless crystals or white powder, easily soluble in water
Melting point..... 773 °C
Boiling point..... 1413 °C

Application:
Analytical reagent, buffer preparation, biochemistry – purification of proteins, isolation of ribosomes, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30076-AP0
Assay (ignition subst.)..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0002 %
Lead (Pb)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,003 %
Total nitrogen (N)..... ≤ 0,001 %
Loss on ignition (500–600 °C).. ≤ 1 %
Appearance..... colorless crystals or white powder

order number	quantity
30076-AP0-G0100-1	100 gr
30076-AP0-G0250-1	250 gr
30076-AP0-G0500-1	500 gr
30076-AP0-G1000-1	1000 gr

pure
cat. no. 30076-CP0
Assay (ignition subst.)..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,02 %
Sulfates (SO_4) ..... ≤ 0,01 %
Loss on ignition..... ≤ 1,5 %

order number	quantity
30076-CP0-G0500-1	500 gr
30076-CP0-G1000-1	1000 gr

pharma
cat. no. 30076-FP0
Assay (dry substance)..... 99,0–101,0 %
A – Chlorides..... passes test
B – potassium..... passes test
Acid or alkalic reag. compounds .. passes test
Loss on drying..... ≤ 1,0 %
Bromides..... ≤ 0,1 %
Iodides (I)..... passes test
Magnesium and alkaline earth metals..... ≤ 200 ug/g
Baryum..... passes test
Sodium (Na)..... ≤ 0,1 %
Aluminium..... ≤ 1,0 ug/g
Sulfates..... ≤ 300 ug/g
Iron ..... ≤ 20 ug/g
Appearance of solution ..... clear and colorless

order number	quantity
30076-FP0-G1000	1000 gr
30076-FP0-G5000	5000 gr

Potassium chloride

ISO reagent
cat. no. 30076-ZP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0002 %
Baryum (Ba)..... ≤ 0,001 %
Calcium (Ca)..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,002 %
Magnesium (Mg) ..... ≤ 0,002 %
Phosphates (PO_4) ..... ≤ 0,0005 %
Bromides..... ≤ 0,01 %
Iodides (I)..... ≤ 0,002 %
Sodium (Na)..... ≤ 0,02 %
Total nitrogen (N)..... ≤ 0,001 %
pH 5% solution at 25 °C 5,0–8,0
Appearance..... colorless crystals or white powder

order number	quantity
30076-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61012-010
Factor..... 0,998–1,002

order number	quantity
61012-010-P0000-1	piece

volumetric solution 0,1M (N/10)
cat. no. 62012-010
Factor..... 0,97–1,03

order number	quantity
62012-010-M1000-1	1000 ml

Potassium chromate

Basic information:
K_2CrO_4
M_r: 194,2
CAS: 7789-00-6
EINECS: 232-140-5
Yellow crystalline powder, easily soluble in water
Melting point..... 985 °C
Boiling point..... 1000°C

Application:
Analytical reagent (argentometric indicator)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H315, H317, H319, H335, H340, H350i, H410
ADR: 6.1, III, (E)
UN 3288

g. r.
cat. no. 30108-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... yellow crystalline powder

order number	quantity
30108-AP0-G0100-1	100 gr
30108-AP0-G0250-1	250 gr
30108-AP0-G0500-1	500 gr
30108-AP0-G1000-1	1000 gr

Potassium iodate

Basic information:
KIO_3
M_r : 214
CAS: 7758-05-6
EINECS: 231-831-9
Colorless crystals or white powder, soluble in water
Melting point..... 560 °C

Application:
Analytical reagent and oxidant, chemical industry, food industry (acidity regulator, iodine source)

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H319, H335
ADR: 5.1, II, (E)
UN 1479

g. r.
cat. no. 30112-YP0

Assay	99,0–101,0 %
Arsenic (As)	≤ 0,0002 %
Lead (Pb)	≤ 0,0004 %
Iodides (I)	≤ 0,002 %
pH (5 % in H_2O)	5,0–8,0
Cadmium (Cd)	≤ 0,001 %
Mercury(Hg)	≤ 0,00001 %
Loss on drying (105–-110 °C)	≤ 0,5 %
Chlorates	≤ 0,01 %
Appearance	colorless crystals or white powder

order number	quantity
30112-YP0-G0100-1	100 gr
30112-YP0-G0500-1	500 gr
30112-YP0-G1000-1	1000 gr

pure
cat. no. 30112-CP0

Assay	≥ 98 %

order number	quantity
30112-CP0-G0100-1	100 gr

ISO reagent
cat. no. 30112-ZP0

Assay	≥ 99,7 %
Iron (Fe)	≤ 0,001 %
Heavy metals (as Pb)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,005 %
Iodides (I)	≤ 0,002 %
Sodium (Na)	≤ 0,01 %
Total nitrogen (N)	≤ 0,002 %
pH 5% solution at 25 °C	5,0–8,0
Loss on drying (130 °C)	≤ 0,05 %
Chlorides, Chlorates, bromide and bromate (as Cl)	≤ 0,02 %
Appearance	colorless crystals or white powder

order number	quantity
30112-ZP0-G1000-1	1000 gr

normanal 1/60M (N/10)
cat. no. 61014-060-P0000-1

Factor	0,996–1,004

order number	quantity
61014-060-P0000-1	piece

Potassium iodide

Basic information:
KI
M_r: 166,01
CAS: 7681-11-0
EINECS: 231-659-4
Colorless crystals or white powder, turns yellow under light and moisture, easily soluble in water
Melting point..... 686 °C
Boiling point..... 1223 °C

Application:
Analytical reagent (iodometry), reducing effects, iodo-starch papers, food industry (additive), pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30115-AP0

Assay (dry subst.)	≥ 99,5 %
Substances insoluble in H_2O	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
pH (5% in H_2O)	6,0–9,2
Water (KF)	≤ 0,2 %
Cl + Br	≤ 0,01 %
Appearance	colorless crystals or white powder

order number	quantity
30115-AP0-G0100-1	100 gr
30115-AP0-G0250-1	250 gr
30115-AP0-G0500-1	500 gr
30115-AP0-G1000-1	1000 gr

pure
cat. no. 30115-CP0

Assay (dry subst.)	≥ 99 %
Substances insoluble in H_2O	≤ 0,01 %
Sulfates (SO_4)	≤ 0,02 %
Water (KF)	≤ 0,5 %
Cl + Br	≤ 0,02 %

order number	quantity
30115-CP0-G0500-1	500 gr
30115-CP0-G1000-1	1000 gr

Potassium iodide

Hazard information:



Danger!
H302

according to specif. Ph. Eur.
cat. no. 30115-EP0

Assay (dry substance)	99,0–100,5 %
A – Iodides	passes test
B – potassium	passes test
Appearance of solution	clear and colorless
ThioSulfates	passes test
Loss on drying	≤ 1,0 %
Sulfates	≤ 150 ug/g
Iron	≤ 20 ug/g
Basic reagent substances	passes test
Iodates	passes test
Appearance	colorless crystals or white powder

order number	quantity
30115-EP0-G0500	500 gr
30115-EP0-G1000	1000 gr

ISO reagent
cat. no. 30115-ZP0

Assay	≥ 99,5 %
Arsenic (As)	≤ 0,00001 %
Iron (Fe)	≤ 0,0005 %
Reducing substances	passes test
Calcium (Ca)	≤ 0,001 %
Heavy metals (as Pb)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,005 %
Magnesium (Mg)	≤ 0,001 %
Phosphates (PO_4)	≤ 0,001 %
Sodium (Na)	≤ 0,05 %
Total nitrogen (N)	≤ 0,001 %
pH 5% solution at 25 °C	6,0–8,0
Chlorides and bromide (as Cl)	≤ 0,01 %
Iodate and iodine (as IO_3)	≤ 0,0003 %
Appearance	colorless crystals

order number	quantity
30115-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61015-010

Factor	0,998–1,002

order number	quantity
61015-010-P0000-1	piece

Potassium nitrate

Basic information:
Saltpeter
KNO_3
M_r: 101,11
CAS: 7757-79-1
EINECS: 231-818-8
Colorless or white crystals, very soluble in water
Melting point..... 334–339 °C
Boiling point..... 400 °C

Application:
Analytical reagent and oxidant, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30029-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,001 %
Lead (Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,01 %
Appearance	Colorless or white crystals

order number	quantity
30029-AP0-G0250-1	250 gr
30029-AP0-G0500-1	500 gr
30029-AP0-G1000-1	1000 gr

pure
cat. no. 30029-CP0

Assay	≥ 98 %

order number	quantity
30029-CP0-G1000-1	1000 gr

Potassium nitrate

Hazard information:



Warning!
H272
ADR: 5,1, III, (E)
UN 1486

ISO reagent
cat. no. 30029-ZP0

Assay	≥ 99,0 %
Iron (Fe)	≤ 0,0005 %
Calcium (Ca)	≤ 0,005 %
Heavy metals (as Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,03 %
Phosphates (PO_4)	≤ 0,0005 %
Sodium (Na)	≤ 0,02 %
Amonium (NH_4)	≤ 0,001 %
Nitrites (NO_2)	≤ 0,001 %
Iodates	≤ 0,0005 %
pH 5% solution at 25 °C	5,0–8,0
Appearance	colorless or white crystals

order number	quantity
30029-ZP0-G1000-1	1000 gr

Potassium oxalate monohydrate

Basic information:
$C_2O_4K_2.H_2O$
$(COOK)_2.H_2O$
M_r: 184,24
CAS: 6487-48-5
EINECS: 209-506-8
Colorless crystals or white powder, very soluble in water
Melting point..... 356 °C

Application:
Analytical reagent and reducing agent, pharmacy

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312

g. r.
cat. no. 40142-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,02 %
pH (5 % in H_2O)	7–8,5
Appearance	colorless crystals or white powder

order number	quantity
40142-AP0-G0100-1	100 gr
40142-AP0-G0500-1	500 gr
40142-AP0-G1000-1	1000 gr

Potassium periodate

Basic information:
KIO_4
M_r: 230,00
CAS: 7790-21-8
EINECS: 232-196-0
Colorless crystals or white powder, soluble in water
Melting point..... 582 °C

Application:
Analytical reagent and oxidant, e.g. determination of manganese

g. r.
cat. no. 30118-AP0

Assay	≥ 98,0 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Substances insoluble in H_2O	≤ 0,01 %
Sulfates (SO_4)	≤ 0,005 %
Cl + ClO_3 (as Cl)	≤ 0,02 %
Appearance	colorless crystals or white powder

order number	quantity
30118-AP0-G0100-1	100 gr

Potassium periodate

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H315, H319, H335
ADR: 5.1, II, (E)
UN 1479

Potassium permanganate

Basic information:
Potassium manganate(VII), hypermangan
$KMnO_4$
M_r: 158,04
CAS: 7722-64-7
EINECS: 231-760-3
Dark violet crystals, very soluble in boiling water
Melting point..... 240 °C

Application:
Analytical reagent, e.g. in volumetric analysis (manganometry), oxidant, solvent and water purification, pharmaceutical production, disinfectant

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H314, H410
ADR: 5.1, II, (E)
UN 1490

g. r.
cat. no. 30123-AP0

Assay	≥ 99,5 %
Substances insoluble in H_2O	≤ 0,2 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,007 %
Appearance	dark violet crystals

order number	quantity
30123-AP0-G0100-1	100 gr
30123-AP0-G0500-1	500 gr
30123-AP0-G1000-1	1000 gr

pure
cat. no. 30123-CP0

Assay	≥ 99 %
Substances insoluble in H_2O	≤ 0,2 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,01 %

order number	quantity
30123-CP0-G0500-1	500 gr
30123-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30123-ZP0

Assay	≥ 99,0 %
Iron (Fe)	≤ 0,002 %
Substances insoluble in H_2O	≤ 0,1 %
Heavy metals (as Pb)	≤ 0,003 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
Total nitrogen (N)	≤ 0,005 %
Appearance	dark violet crystals

order number	quantity
30123-ZP0-G1000-1	1000 gr

normanal 0,2M (N/1)
cat. no. 61022-005
Factor..... 0,998–1,002

order number	quantity
61022-005-P0000-1	piece

normanal 0,02M (N/10)
cat. no. 61022-050
Factor..... 0,998–1,002

order number	quantity
61022-050-P0000-1	piece

normanal 0,002M (N/100)
cat. no. 61022-500
Factor..... 0,996–1,004

order number	quantity
61022-500-P0000-1	piece

volumetric solution 0,02M (N/10)
cat. no. 62022-050
Factor..... 0,97–1,03

order number	quantity
62022-050-M1000-1	1000 ml

Potassium peroxodisulfate

Basic information:
$K_2S_2O_8$
M_r: 270,33
CAS: 7727-21-1
EINECS: 231-781-8
Colorless crystals or white powder, soluble in water

Application:
Analytical oxidant for cerium, chromium and manganese ions

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H317, H319, H334, H335
ADR: 5.1, III, (E)
UN 1492

g. r.
cat. no. 30155-AP0
Assay ..... ≥ 98 %
Iron (Fe) ..... ≤ 0,001 %
Heavy metals (as Pb) ..... ≤ 0,003 %
Chlorides (Cl) ..... ≤ 0,001 %
Manganese (Mn) ..... ≤ 0,0001 %
Appearance ..... colorless crystals or white powder

order number	quantity
30155-AP0-G0100-1	100 gr
30155-AP0-G0500-1	500 gr
30155-AP0-G1000-1	1000 gr

Potassium sodium tartrate tetrahydrate

Basic information:
Seignette's salt
$C_4H_4KNaO_6.4H_2O$
KOOCCH(OH)CH(OH)COONa.$4H_2O$
M_r: 82,23
CAS: 6100-16-9
EINECS: 206-156-8
Colorless crystals or white powder, soluble in water
Melting point ..... 70 °C

Application:
Analytical reagent, preparation of Fehling's solution for dextrose detection, food industry, pharmaceutical production

Storage:
Store in a cool and dry place away from foodstuffs

g. r.
cat. no. 40169-AP0
Assay ..... ≥ 99,5 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,008 %
pH (5% in H_2O) 7,0–8,5
Appearance ..... colorless crystals or white powder

order number	quantity
40169-AP0-G0100-1	100 gr
40169-AP0-G0500-1	500 gr
40169-AP0-G1000-1	1000 gr

pure
cat. no. 40169-CP0
Assay ..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,03 %
pH (5% in H_2O) 6,0–8,5

order number	quantity
40169-CP0-G0500-1	500 gr
40169-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 40169-ZP0
Assay ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,0005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Calcium (Ca) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Phosphates (PO_4) ..... ≤ 0,002 %
Amonium (NH_4) ..... ≤ 0,002 %
pH 5% solution at 25 °C 6,5–8,5
Appearance ..... colorless crystals or white powder

order number	quantity
40169-ZP0-G1000-1	1000 gr

Potassium sorbate

Basic information:
2,4-Hexadienoic acid, potassium salt, sorbic acid potassium salt
$C_6H_7KO_2$
$CH_3CH:CHCH:CHCOOK$
M_r: 150,22
CAS: 24634-61-5
EINECS: 246-376-1
Colorless crystals or white powder, very soluble in water
Melting point ..... 270 °C

Application:
Food industry (preservative)

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319

g. r.
cat. no. 10058-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Appearance ..... colorless crystals or white powder

order number	quantity
10058-AP0-G0100-1	100 gr
10058-AP0-G5000-1	5000 gr

Potassium sulfate

Basic information:
K_2SO_4
M_r: 174,27
CAS: 7778-80-5
EINECS: 231-915-5
Colorless crystals or white powder, soluble in water
Melting point ..... 1069 °C

Application:
Analytical reagent, e.g. Kjeldahl analysis, food and pharmaceutical industries

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30170-AP0
Substances insoluble in H_2O ..... ≤ 0,005 %
Calcium (Ca) ..... ≤ 0,005 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,0005 %
Magnesium (Mg) ..... ≤ 0,002 %
Appearance ..... colorless crystals or white powder

order number	quantity
30170-AP0-G0250-1	250 gr
30170-AP0-G0500-1	500 gr
30170-AP0-G1000-1	1000 gr

pure
cat. no. 30170-CP0
Substances insoluble in H_2O ..... ≤ 0,025 %
Calcium (Ca) ..... ≤ 0,025 %
Heavy metals (as Pb) ..... ≤ 0,01 %
Chlorides (Cl) ..... ≤ 0,005 %
Magnesium (Mg) ..... ≤ 0,01 %

order number	quantity
30170-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30170-ZP0
Assay ..... ≥ 99,0 %
Arsenic (As) ..... ≤ 0,0002 %
Iron (Fe) ..... ≤ 0,0005 %
Calcium (Ca) ..... ≤ 0,01 %
Heavy metals (as Pb) ..... ≤ 0,0005 %
Chlorides (Cl) ..... ≤ 0,0005 %
Sodium (Na) ..... ≤ 0,03 %
Total nitrogen (N) ..... ≤ 0,0005 %
pH 5% solution at 25 °C 5,0–8,0
Appearance ..... colorless crystals or white powder

order number	quantity
30170-ZP0-G1000-1	1000 gr

Potassium thiocyanate

Basic information:
KSCN
M_r: 97,18
CAS: 333-20-0
EINECS: 206-370-1
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point.....170–179 °C

Application:
Analytical reagent, e.g. for detection and determination of ferric ions, indirect determination of chlorides, bromides and iodides

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312, H332, H412

g. r.
cat. no. 30203-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0001 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30203-AP0-G0100-1	100 gr
30203-AP0-G0500-1	500 gr
30203-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30203-ZP0
Assay..... ≥ 98,0 %
Iron (Fe) ..... ≤ 0,0001 %
Lead (Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Sodium (Na)..... ≤ 0,015 %
Amonium (NH_4) ..... ≤ 0,002 %
Sulfides (S)..... ≤ 0,001 %
pH 5% solution at 25 °C 5,3–8,5
Iodine-consuming subst. (as I) .. ≤ 0,025 %
Appearance..... colorless crystals or white powder

order number	quantity
30203-ZP0-G1000-1	1000 gr

Propan-1-ol

Basic information:
C_3H_8O
$CH_3CH_2CH_2OH$
M_r: 60,1
CAS: 71-23-8
EINECS: 200-746-9
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,8 kg
Melting point.....–127 °C
Boiling point..... 97 °C
Flash-point ..... 15 °C

Application:
Solvent, organic synthesis

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H318, H336
ADR: 3, II, (D/E)
UN 1274

g. r.
cat. no. 20049-AT0
Assay..... ≥ 99,5 %
Water (KF)..... ≤ 0,1 %
Nonvolative substances..... ≤ 0,001 %
Free acids (as C_2H_5COOH)..... ≤ 0,01 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20049-AT0-M1000-1	1000 ml
20049-AT0-M5000-1	5000 ml

Propionic acid

Basic information:
Propanoic acid
$C_3H_6O_2$
CH_3CH_2COOH
M_r: 74,07
CAS: 79-09-4
EINECS: 201-176-3
Clear, oily, colorless liquid, miscible with water, spirits, and ether
1 l ~ 0,99 kg
Melting point.....–20 °C
Boiling point..... 141 °C
Flash-point ..... 51 °C

Application:
Pharmaceutical and food industries (acidifying agent)

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H226, H314, H335
ADR: 8 + 3, II, (D/E)
UN 3463

pure
cat. no. 10051-CT0
Assay..... ≥ 98,0 %
Refractive index (n_{20}^D) 1,385–1,387

order number	quantity
10051-CT0-M1000-1	1000 ml

Pyridine

Basic information:
Azinine
C_5H_5N
N: CHCH: CHCH: CH
M_r: 79,1
CAS: 110-86-1
EINECS: 203-809-9
Colorless or yellowish liquid of characteristic odor, miscible with water and spirits
1 l ~0,98 kg
Melting point.....–41,6 °C
Boiling point..... 115,2 °C
Flash-point ..... 20 °C

Application:
Analytical reagent and complexing agent, solvent, acetylation of hydroxyl groups

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H225, H302, H312, H315, H319, H332
ADR: 3, II, (D/E)
UN 1282

g. r.
cat. no. 20050-AT0
Assay..... ≥ 99,5 %
Nonvolative substances..... ≤ 0,005 %
Substances reducing $KMnO_4$ .... ≤ 0,005 %
Water (KF)..... ≤ 0,1 %
Colour (Hazen) ..... ≤ 10
Appearance..... colorless or yellowish liquid

order number	quantity
20050-AT0-M1000-1	1000 ml
20050-AT0-L0010-1	10 lt

Pyrogallol

Basic information:
Benzene-1,2,3-triol, 1,2,3-Trihydroxybenzene
$C_6H_6O_3$
$C_6H_3(OH)_3$
M_r: 126,11
CAS: 87-66-1
EINECS: 201-762-9
Colorless or pale-yellow crystals, becomes gray in light and air, very soluble in water and spirits
Melting point.....133–134 °C
Boiling point.....309 °C

Application:
Analytical reagent for antimony and bismuth determination, oxygen removal from gases, reducing agent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312, H332, H341, H412
ADR: 6.1, III, (E)
UN 2811

g. r.
cat. no. 40132-AP0
Assay.....≥ 99,5 %
Melting point.....130–133 °C
Chlorides (Cl).....≤ 0,002 %
Sulfates (SO_4).....≤ 0,02 %
Free acids.....≤ 0,02 %
Sulfate ash.....≤ 0,05 %
Appearance.....colorless or pale-yellow crystals

order number	quantity
40132-AP0-G0050-1	50 gr
40132-AP0-G0500-1	500 gr
40132-AP0-G1000-1	1000 gr

Resorcinol

Basic information:
Benzene-1,3-diol
$C_6H_4(OH)_2$
M_r: 110,11
CAS: 108-46-3
EINECS: 203-585-2
Colorless, white or gray-pink powder, turns pink in air and light, very soluble in water and spirits
Melting point.....109–111 °C
Boiling point.....281 °C

Application:
Analytical reagent, e.g. for zinc, organic synthesis, cosmetics production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H315, H319, H410
ADR: 6.1, III, (E)
UN 2876

pure
cat. no. 40134-CP0
Assay.....≥ 98 %
Melting point.....107–110 °C

order number	quantity
40134-CP0-G0100-1	100 gr
40134-CP0-G1000-1	1000 gr

Saccharose

Basic information:
β-D-Fructofuranosyl α-D-glucopyranoside
$C_{12}H_{22}O_{11}$
M_r: 342,3
CAS: 57-50-1
EINECS: 200-334-9
Colorless crystals or white powder, very soluble in water
Melting point.....190–192 °C

Application:
Analytical reagent (determination of proteins), calibration of refractometers

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40135-AP0
Assay..... ≥ 99,8 %
Substances insoluble in H_2O..... ≤ 0,003 %
Residue after ignition..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4)..... ≤ 0,005 %
Invert sugar..... ≤ 0,1 %
Appearance..... colorless crystals or white powder

order number	quantity
40135-AP0-G0250-1	250 gr
40135-AP0-G0500-1	500 gr
40135-AP0-G1000-1	1000 gr

Salicylic acid

Basic information:
2-Hydroxybenzoic acid
$C_7H_6O_3$
HOC_6H_4COOH
M_r: 138,12
CAS: 69-72-7
EINECS: 200-712-3
Colorless crystals or white powder, hygroscopic, very soluble in spirits
Melting point.....157–161 °C
Boiling point..... 211 °C
Flash-point ..... 157 °C

Application:
Analytical reagent for photometric determination of iron, zirconium, and ammonia, pharmaceutical production, preparation of buffers

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H318

g. r.
cat. no. 10053-AP0
Assay..... ≥ 99 %
Heavy metals (as Pb)..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,02 %
Sulfate ash ..... ≤ 0,1 %
Appearance..... colorless crystals or white powder

order number	quantity
10053-AP0-G0100-1	100 gr
10053-AP0-G0250-1	250 gr
10053-AP0-G0500-1	500 gr
10053-AP0-G1000-1	1000 gr

pure
cat. no. 10053-CP0
Assay..... ≥ 98 %

order number	quantity
10053-CP0-G0500-1	500 gr

Sea sand

Application:
Filtration material (pharmaceutical production, cosmetics production, biochemistry), frequency standard in electrical engineering

Storage:
No special requirements

cat. no. 30157-BP0
Loss on drying (105 °C) ..... ≤ 0,05 %
Chlorides (Cl)..... ≤ 0,005 %
Substances soluble in HCl..... ≤ 0,12 %

order number	quantity
30157-BP0-G1000-1	1000 gr
30157-BP0-G5000-1	5000 gr

Schiff´s reagent

Application:
Analytical chemistry

Storage:
Store in a cool place

indicator
cat. no. 40138-BT0
Suitability for detection of aldehydes..... passes test

order number	quantity
40138-BT0-M0250-1	250 ml

Silica gel

Basic information:
SiO_2
M_r: 60,09
CAS: 7631-86-9
EINECS: 231-545-4
White powder, insoluble in water
Melting point..... 1710 °C
Boiling point..... 2230 °C

Application:
Sorbent in chromatography, moisture indicator

Storage:
Store in a dry place and in the original container

Silica gel with moisture indicator
cat. no. 30160-TP0
Particles size..... 3–6 mm
Colour transition ..... orange– green or colorless
Assay of indicator ..... cca 0,1 %

order number	quantity
30160-TP0-G1000-1	1000 gr

silica gel without indicator
cat. no. 30341-BP0
Particles size..... 3–8 mm

order number	quantity
30341-BP0-G1000-1	1000 gr

Silicon dioxide

Basic information:
SiO_2
M_r: 60,09
CAS: 7631-86-9
EINECS: 231-545-4
White powder, insoluble in water
Melting point..... 1710 °C
Boiling point..... 2230 °C

Application:
Sorbent in chromatography, moisture indicator

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30139-AP0
Assay..... ≥ 96,5 %
Iron (Fe) ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Loss on ignition (1000 °C) ..... ≤ 3,0 %
Appearance..... white powder

order number	quantity
30139-AP0-G0100-1	100 gr
30139-AP0-G0500-1	500 gr

Silver nitrate

Basic information:
$AgNO_3$
M_r: 169,88
CAS: 7761-88-8
EINECS: 231-853-9
White or colorless crystals, may turn brown under light, very soluble in water
Melting point..... 212 °C

Application:
Analytical reagent, e.g. for halide detection, volumetric analysis, preparation of Tollens' reagent, photographic purposes

g. r.
cat. no. 30042-AP0
Assay..... ≥ 99,8 %
Iron (Fe) ..... ≤ 0,0005 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Substances noncoagulated by HCl..... ≤ 0,04 %
Appearance..... colorless or white crystals

order number	quantity
30042-AP0-G0025-1	25 gr
30042-AP0-G0050-1	50 gr
30042-AP0-G0100-1	100 gr
30042-AP0-G0250-1	250 gr
30042-AP0-G0500-1	500 gr

Silver nitrate

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H290, H314, H410
ADR: 5.1, II, (E)
UN 1493

ISO reagent
cat. no. 30042-ZP0

Assay	≥ 99,8 %
Iron (Fe)	≤ 0,0005 %
Lead (Pb)	≤ 0,001 %
Chlorides (Cl)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,002 %
Copper (Cu)	≤ 0,0005 %
Substances noncoagulated by HCl (as SO_4)	≤ 0,01 %
Appearance	colorless or white crystals

order number	quantity
30042-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61007-010
Factor 0,998–1,002

order number	quantity
61007-010-P0000-1	piece

normanal 0,01M (N/100)
cat. no. 61007-100
Factor 0,996–1,004

order number	quantity
61007-100-P0000-1	piece

volumetric solution0,1M (N/10)
cat. no. 62007-010
Factor 0,97–1,03

order number	quantity
62007-010-M1000-1	1000 ml

Silver sulfate

Basic information:
Ag_2SO_4
M_r: 311,8
CAS: 10294-26-5
EINECS: 233-653-7
White or colorless powder, may darken in the light, slightly soluble in water
Melting point 652 °C
Boiling point 1085 °C

Application:
Analytical reagent, e.g. for COD, healthcare

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H318, H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 30189-AP0

Assay	≥ 99 %
Appearance	white or colorless powder

order number	quantity
30189-AP0-G0050-1	50 gr
30189-AP0-G0100-1	100 gr
30189-AP0-G0250-1	250 gr
30189-AP0-G0500-1	500 gr

Sodium acetate anhydrous

Basic information:
$C_2H_3NaO_2$
M_r: 82,04
CAS: 127-09-3
EINECS: 204-823-8
White powder, very soluble in water
Melting point 324 °C

g. r.
cat. no. 40121-AP0

Assay	≥ 98,5 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,005 %
Loss on drying (120 °C)	≤ 1,5 %
Appearance	white powder

order number	quantity
40121-AP0-G0250-1	250 gr
40121-AP0-G0500-1	500 gr
40121-AP0-G1000-1	1000 gr

Sodium acetate anhydrous

Application:
Analytical reagent, organic syntheses, e.g. acetylation, esterification, Perkin reaction, buffer

Storage:
Store in a dry place and in the original container

Sodium acetate trihydrate

Basic information:
$C_2H_3NaO_2.3H_2O$
$CH_3COONa.3H_2O$
M_r: 136,08
CAS: 6131-90-4
EINECS: 204-823-8
Colorless crystals or white powder, soluble in water
Melting point 58 °C

Application:
Analytical reagent, preparation of buffers, neutralizing agent, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40122-AP0

Assay	≥ 99 %
Substances insoluble in H_2O	≤ 0,005 %
Chlorides (Cl)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,002 %
pH (5 % in H_2O)	7,5–9,0
Substances reducing $KMnO_4$ (as HCOOH)	≤ 0,006 %
Appearance	colorless crystals or white powder

order number	quantity
40122-AP0-G0100-1	100 gr
40122-AP0-G0250-1	250 gr
40122-AP0-G0500-1	500 gr
40122-AP0-G1000-1	1000 gr

pure
cat. no. 40122-CP0

Assay	≥ 99 %
Substances insoluble in water	≤ 0,01 %
Sulfates (SO_4)	≤ 0,005 %
pH (5 % in H_2O)	7,5–9,0

order number	quantity
40122-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 40122-ZP0

Assay	≥ 99,0 %
Iron (Fe)	≤ 0,0005 %
Lead (Pb)	≤ 0,0005 %
Aluminium (Al)	≤ 0,0005 %
Calcium (Ca)	≤ 0,002 %
Chlorides (Cl)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,002 %
Copper (Cu)	≤ 0,0005 %
Potassium (K)	≤ 0,005 %
Phosphates (PO_4)	≤ 0,0005 %
Substances reducing $KMnO_4$ (as HCOOH)	≤ 0,005 %
pH 5% solution at 25 °C	7,5–9,0
Appearance	colorless crystals or white powder

order number	quantity
40122-ZP0-G1000-1	1000 gr

Sodium azide

Basic information:
NaN_3
M_r: 65,01
CAS: 26628-22-8
EINECS: 247-852-1
White crystals or powder, easily soluble in water, poorly soluble in spirits, insoluble in ether and chloroform
Melting point 275 °C
Boiling point 300 °C

g. r.
cat. no. 40009-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
Appearance	white crystals or powder

order number	quantity
40009-AP0-G0100-1	100 gr
40009-AP0-G0500-1	500 gr

Sodium azide

Application:
Part of culture media for detection of Gram-positive bacteria, bacteriostatic agent, biochemical reagent, TLC detection reagent, selective purification of methyl–diphenyl–silyl ethers

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H300, H310, H373, H410
ADR: 6.1, II, (E)
UN 1687

Sodium benzoate

Basic information:
$C_7H_5O_2Na$
C_6H_5COONa
M_r: 144,11
CAS: 532-32-1
EINECS: 208-534-8
White powder, soluble in water
Melting point..... 436 °C

Application:
Food industry (preservative), corrosion inhibitor

Storage:
Store in a dry place and in the original container. Store at room temperature. Keep away from direct sunlight

Hazard information:



Warning!
H319

g. r.
cat. no. 40013-AP0
Assay (dry subst.)..... ≥ 99,8 %
Arsenic (As)..... ≤ 0,0002 %
Iron (Fe)..... ≤ 0,001 %
Calcium (Ca)..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,008 %
Sulfates (SO_4)..... ≤ 0,02 %
Loss on drying (100–105 °C).... ≤ 1 %
Appearance..... white powder

order number	quantity
40013-AP0-G0500-1	500 gr
40013-AP0-G1000-1	1000 gr

Sodium bromide

Basic information:
NaBr
M_r: 102,9
CAS: 7647-15-6
EINECS: 231-599-9
White granular powder or crystals, very soluble in water, poorly soluble in spirits
Melting point..... 755 °C
Boiling point..... 1390 °C

g. r.
cat. no. 30006-AP0
Assay..... ≥ 99 %
Chlorides (Cl)..... ≤ 0,2 %
Sulfates (SO_4)..... ≤ 0,005 %
Loss on drying (120 °C)..... ≤ 0,5 %
Appearance..... white granular powder or crystals

order number	quantity
30006-AP0-G0250-1	250 gr
30006-AP0-G0500-1	500 gr

Sodium bromide

Application:
Production of other bromides, organic synthesis, photographic purposes, health care, ion chromatography

Storage:
Store in a dry place and in the original container

Sodium Bromide-Bromate

Basic information:
$NaBrO_3 + NaBr$
aqueous solution
1 l ~ 1 kg

volumetric solution
cat. no. 63038-BT0
Assay NaBr..... 24,0–26,0 g/l
Assay $NaBrO_3$..... 2,4–2,6 g/l

order number	quantity
63038-BT0-M1000-1	1000 ml

Application:
Analytical chemistry, titration

Storage:
Store in a cool place away from foodstuffs and reducing agents

Sodium carbonate anhydrous

Basic information:
Na_2CO_3
M_r: 105,99
CAS: 497-19-8
EINECS: 207-838-8
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point..... 851 °C
Boiling point..... 1600 °C

Application:
Analytical reagent, e.g. in volumetric analysis, pharmaceutical production, food industry, component of buffers

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r.
cat. no. 30217-AP0
Assay (ignition subst.)..... ≥ 99 %
Iron (Fe)..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,005 %
Loss on ignition (300 °C)..... ≤ 1 %
Appearance..... colorless crystals or white powder

order number	quantity
30217-AP0-G0100-1	100 gr
30217-AP0-G0250-1	250 gr
30217-AP0-G0500-1	500 gr
30217-AP0-G1000-1	1000 gr

pure
cat. no. 30217-CP0
Assay (ignition subst.)..... ≥ 95 %
Loss on ignition (300 °C)..... ≤ 5 %

order number	quantity
30217-CP0-G0100-1	100 gr
30217-CP0-G0500-1	500 gr
30217-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30217-ZP0
Assay (dry subst.)..... ≥ 99,8 %
Iron (Fe)..... ≤ 0,0005 %
Calcium (Ca)..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,002 %
Magnesium (Mg)..... ≤ 0,002 %
Potassium (K)..... ≤ 0,01 %
Total nitrogen (N)..... ≤ 0,001 %
Aluminium..... ≤ 0,001 %
Phosphate and silicate (as SiO_2).. ≤ 0,005 %
Total sulfur (as SO_4)..... ≤ 0,005 %
Loss on drying (at 300 °C)..... ≤ 1,0 %
Appearance..... colorless crystals or white powder

order number	quantity
30217-ZP0-G1000-1	1000 gr

Sodium carbonate decahydrate

Basic information:
$Na_2CO_3.10H_2O$
M_r: 286,14
CAS: 6132-02-1
EINECS: 207-838-8
Colorless crystals or white powder, soluble in water
Melting point..... 33,5 °C

Application:
Analytical reagent, food industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

g. r.
cat. no. 30218-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,0005 %
Heavy metals (as Pb)	≤ 0,002 %
Chlorides (Cl)	≤ 0,002 %
Sulfates (SO_4)	≤ 0,005 %
Appearance	colorless crystals or white powder

order number	quantity
30218-AP0-G0500-1	500 gr
30218-AP0-G1000-1	1000 gr

ISO reagent
cat. no. 30218-ZP0

Assay	99,0–102,0 %
Iron (Fe)	≤ 0,0003 %
Aluminium (Al)	≤ 0,0005 %
Calcium (Ca)	≤ 0,003 %
Heavy metals (as Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,001 %
Magnesium (Mg)	≤ 0,0003 %
Potassium (K)	≤ 0,005 %
Total nitrogen (N)	≤ 0,0005 %
Phosphate and silicate (as SiO_2)	≤ 0,003 %
Total sulfur (as SO_4)	≤ 0,003 %
Appearance	colorless crystals or white powder

order number	quantity
30218-ZP0-G1000-1	1000 gr

Sodium cyanide

Basic information:
NaCN
M_r: 49,01
CAS: 143-33-9
EINECS: 205-599-4
White crystalline powder or lumps, hygroscopic, very soluble in water, poorly soluble in spirits
Melting point..... 561 °C
Boiling point..... 1496 °C

Application:
Analytical reagent, e.g. complexing, organic syntheses – nitriles, cyanohydrins, benzoin condensations

Storage:
Keep in a storage area for poisonous substances!

Hazard information:



Danger!
H290, H300, H310, H330, H372d, H410
ADR: 6.1, I, (C/E)
UN 1689

pure
cat. no. 30122-CP5

Assay	≥ 97 %

order number	quantity
30122-CP5-G1000-1	1000 gr

Sodium dihydrogen phosphate dihydrate

Basic information:
$NaH_2PO_4.2H_2O$
M_r: 156,01
CAS: 13472-35-0
EINECS: 231-449-2
White crystals, very soluble in water
Melting point..... 60 °C

Application:
Analytical reagent, emulsifier, water softener, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30017-AP0

Assay	≥ 99 %
Iron (Fe)	≤ 0,005 %
Lead (Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
pH (5% in H_2O)	4,0–4,5
Appearance	white crystals

order number	quantity
30017-AP0-G0500-1	500 gr
30017-AP0-G1000-1	1000 gr

pure
cat. no. 30017-CP0

Assay	≥ 97 %
Iron (Fe)	≤ 0,05 %
Heavy metals (as Pb)	≤ 0,005 %
Chlorides (Cl)	≤ 0,2 %
pH (5% in H_2O)	4,0–4,5

order number	quantity
30017-CP0-G1000-1	1000 gr

Sodium dichromate dihydrate

Basic information:
Chromic acid disodium salt dihydrate
$Na_2Cr_2O_7.2H_2O$
M_r: 298
CAS: 7789-12-0
EINECS: 234-190-3
Orange-red crystals, very soluble in water
Melting point..... 356 °C

Application:
Analytical reagent and oxidant, corrosion inhibitor

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H272, H301, H312, H314, H317, H330, H334, H340, H350, H360FD, H372, H410
ADR: 6.1(5.1), II, (D/E)
UN 3086

g. r.
cat. no. 30021-AP0

Assay	≥ 99,5 %
Substances insoluble in H_2O	≤ 0,005 %
Chlorides (Cl)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,01 %
Appearance	orange-red crystals

order number	quantity
30021-AP0-G1000-1	1000 gr

Sodium disulfite

Basic information:
Potassium pyrosulfite, Potassium metabisulphite
$Na_2S_2O_5$
M_r: 190,1
CAS: 7681-57-4
EINECS: 231-673-0
White to yellowish crystalline powder, very soluble in water, insoluble in spirits
Melting point..... 150 °C

g. r.
cat. no. 30024-AP0

Assay	≥ 98 %
Arsenic (As)	≤ 0,0001 %
Iron (Fe)	≤ 0,0005 %
Heavy metals (as Pb)	≤ 0,001 %
Chlorides (Cl)	≤ 0,005 %
Appearance	white to yellowish crystalline powder

order number	quantity
30024-AP0-G0500-1	500 gr
30024-AP0-G1000-1	1000 gr
30024-AP0-G5000-1	5000 gr

Sodium disulfite

Application:
Analytical and reducing agent, anti-fermenting agent, preservative

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H318

pure
cat. no. 30024-CP0
Assay ..... ≥ 95 %

order number	quantity
30024-CP0-G1000-1	1000 gr

Sodium dodecyl sulfate

Basic information:
Sodium lauryl sulfate
$C_{12}H_{25}NaO_4S$
$CH_3(CH_2)_{11}OSO_3Na$
M_r: 288,38
CAS: 151-21-3
EINECS: 205-788-1
White powder, very soluble in water
Melting point ..... 205 °C
Flash-point ..... 170 °C

Application:
Detergent, separation of proteins and lipids, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H228, H302, H315, H318, H332, H335, H412
ADR: 4.1, III, (E)
UN 1325

g. r.
cat. no. 40089-AP0
Sulfate ash ..... 23–27 %
Appearance ..... white powder

order number	quantity
40089-AP0-G0100-1	100 gr
40089-AP0-G0500-1	500 gr
40089-AP0-G1000-1	1000 gr

Sodium fluoride

Basic information:
NaF
M_r: 41,99
CAS: 7681-49-4
EINECS: 231-667-8
White crystalline powder, strongly hygroscopic, easily soluble in water, virtually insoluble in spirits
Melting point ..... 996 °C
Boiling point ..... 1695 °C

Application:
Analytical reagent, e.g. masking agent, crystal on windows in UV/IR analysis

g. r.
cat. no. 30049-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,02 %
Appearance ..... white crystalline powder

order number	quantity
30049-AP0-G0250-1	250 gr
30049-AP0-G0500-1	500 gr
30049-AP0-G1000-1	1000 gr

pure
cat. no. 30049-CP0
Assay ..... ≥ 96 %

order number	quantity
30049-CP0-G0500-1	500 gr
30049-CP0-G1000-1	1000 gr

Sodium fluoride

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H315, H319
ADR: 6.1, III, (E)
UN 1690

ISO reagent
cat. no. 30049-ZP0
Assay ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,002 %
Substances insoluble in H_2O ..... ≤ 0,02 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,003 %
Sulfates (SO_4) ..... ≤ 0,01 %
Loss on drying (150 °C) ..... ≤ 0,3 %
Titrable acid ..... ≤ 0,025 meq/g
Titrable base ..... ≤ 0,02 meq/g
Hexafluorosilicate (SiF_6) ..... ≤ 0,1 %
Appearance ..... white crystalline powder

order number	quantity
30049-ZP0-G1000-1	1000 gr

Sodium formate

Basic information:
$CHNaO_2$
HCOONa
M_r: 68,01
CAS: 141-53-7
EINECS: 205-488-0
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point ..... 258 °C

Application:
Analytical reagent and reducing agent, precious metal precipitant, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40102-AP0
Assay ..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Appearance ..... colorless crystals or white powder

order number	quantity
40102-AP0-G0100-1	100 gr

Sodium hexametaphosphate

Basic information:
$(NaPO_3).n$
M_r: n.101,96
CAS: 68915-31-1
EINECS: 272-808-3
White crystals or colorless powder, easily soluble in water

Application:
Corrosion prevention, admixture for water softeners

Storage:
Store in a dry place and in the original container

pure
cat. no. 30055-CP0
Assay ..... 60–70 % P_2O_5

order number	quantity
30055-CP0-G0500-1	500 gr
30055-CP0-G1000-1	1000 gr

Sodium hydrogen carbonate

Basic information:
Sodium bicarbonate, baking soda
$NaHCO_3$
M_r: 84,01
CAS: 144-55-8
EINECS: 205-633-8
Colorless crystals or white powder, easily soluble in water

g. r.
cat. no. 30067-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,001 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,02 %
Sulfates (SO_4) ..... ≤ 0,003 %
Appearance ..... colorless crystals or white powder

order number	quantity
30067-AP0-G0250-1	250 gr
30067-AP0-G0500-1	500 gr
30067-AP0-G1000-1	1000 gr

Sodium hydrogen carbonate

Application:
Analytical reagent, food industry, pharmaceutical production, buffer preparation

Storage:
Store in a dry place and in the original container

ISO reagent
cat. no. 30067-ZP0

	order number	quantity
	30067-ZP0-G1000-1	1000 gr

Assay	≥ 99,5 %
Iron (Fe)	≤ 0,0005 %
Calcium (Ca)	≤ 0,01 %
Heavy metals (as Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,001 %
Sulfates (SO_4)	≤ 0,003 %
Magnesium (Mg)	≤ 0,01 %
Potassium (K)	≤ 0,005 %
Total nitrogen (N)	≤ 0,0005 %
Phosphate and silicate (as SiO_2)	≤ 0,005 %
Substances reducing iodine (as I)	≤ 0,0065 %
Appearance	colorless crystals or white powder

according to specif. Ph. Eur.
cat. no. 30067-EP0

	order number	quantity
	30067-EP0-G1000-1	1000 gr

Assay	99,0–101,0 %
A – passes test	passes test
C – sodium	passes test
Arsenic (As)	≤ 2 ug/g
Iron (Fe)	≤ 20 ug/g
Calcium (Ca)	≤ 100 ug/g
Chlorides (Cl)	≤ 150 ug/g
Sulfates (SO_4)	≤ 150 ug/g
Carbonates (CO_3)	pH ≤ 8,6
Appearance	white or off-white powder
Amonium (NH_4)	≤ 20 ug/g
Appearance of solution	clear and colorless

Sodium hydrogen sulfate monohydrate

Basic information:
Sodium bisulfate
$NaHSO_4.H_2O$
M_r: 138,08
CAS: 10034-88-5
EINECS: 231-665-7
Colorless crystals or white powder, easily soluble in water
Melting point..... 58 °C

Application:
Analytical reagent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H318
ADR: 8, II, (E)
UN 3260

g. r.
cat. no. 30064-AP0

	order number	quantity
	30064-AP0-G0500-1	500 gr
	30064-AP0-G1000-1	1000 gr

Assay	≥ 99 %
Iron (Fe)	≤ 0,0005 %
Heavy metals (as Pb)	≤ 0,0005 %
Chlorides (Cl)	≤ 0,001 %
Appearance	colorless crystals or white powder

pure
cat. no. 30064-CP0

	order number	quantity
	30064-CP0-G0500-1	500 gr

Assay	≥ 98 %

Sodium hydroxide

Basic information:
Caustic soda
NaOH
M_r: 40,00
CAS: 1310-73-2
EINECS: 215-185-5
White crystalline hard material of various shapes, hygroscopic, easily soluble in water and spirits
Melting point..... 322 °C
Boiling point..... 1388 °C

Application:
Analytical reagent, e.g. in volumetric analysis, acid neutralization, pH adjustment, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H290, H314
ADR: 8, II, (E)
UN 1823

g. r.
cat. no. 10006-AP2

	order number	quantity
	10006-AP2-G0500-R	500 gr
	10006-AP2-G1000-1	1000 gr
	10006-AP2-G5000-1	5000 gr

Assay	≥ 98 %
Iron (Fe)	≤ 0,001 %
Chlorides (Cl)	≤ 0,008 %
Sulfates (SO_4)	≤ 0,0008 %
Carbonates (CO_3)	≤ 1,5 %
Total nitrogen (N)	≤ 0,0005 %
Heavy metals (as Ag)	≤ 0,002 %
SiO_2	≤ 0,005 %
Appearance	white micropearls

pure
cat. no. 10006-CP2

	order number	quantity
	10006-CP2-G1000-1	1000 gr
	10006-CP2-G5000-1	5000 gr

Assay	≥ 97 %
Chlorides (Cl)	≤ 0,008 %
Sulfates (SO_4)	≤ 0,003 %
Carbonates (CO_3)	≤ 2 %
Total nitrogen (N)	≤ 0,001 %
SiO_2	≤ 0,01 %

according to specif. Ph. Eur.
cat. no. 10006-EP1

	order number	quantity
	10006-EP1-G1000-PH-9	1000 gr
	10006-EP1-G5000-PH-9	5000 gr

Assay	97,0–100,5 %
A – pH	≥ 11,0
B – sodium	passes test
Appearance of solution	clear and colorless
Iron (Fe)	≤ 10 ug/g
Chlorides (Cl)	≤ 200 ug/g
Sulfates (SO_4)	≤ 200 ug/g
Carbonates (Na_2CO_3)	≤ 2,0 %
Appearance	white micropearls

ISO reagent
cat. no. 10006-ZP1

	order number	quantity
	10006-ZP1-G1000-1	1000 gr

Assay	≥ 98,0 %
Arsenic (As)	≤ 0,0001 %
Lead (Pb)	≤ 0,001 %
Aluminium (Al)	≤ 0,002 %
Iron (Fe)	≤ 0,001 %
Calcium (Ca)	≤ 0,002 %
Chlorides (Cl)	≤ 0,005 %
Sulfates (SO_4)	≤ 0,005 %
Zinc (Zn)	≤ 0,001 %
Nickel (Ni)	≤ 0,001 %
Magnesium (Mg)	≤ 0,0005 %
Potassium (K)	≤ 0,05 %
Phosphates (PO_4)	≤ 0,001 %
Total nitrogen (N)	≤ 0,001 %
Silicates (SiO_2)	≤ 0,01 %
Carbonates (Na_2CO_3)	≤ 1,0 %
Appearance	white tooff – white pearls

normanal 1M (N/1)
cat. no. 61009-001

	order number	quantity
	61009-001-P0000-1	piece

Factor	0,998–1,002

Sodium hydroxide

normanal 0,5M (N/2)
cat. no. 61009-002
Factor 0,998–1,002

order number	quantity
61009-002-P0000-1	piece

normanal 0,25M (N/4)
cat. no. 61009-004
Factor 0,998–1,002

order number	quantity
61009-004-P0000-1	piece

normanal 0,2M (N/5)
cat. no. 61009-005
Factor 0,998–1,002

order number	quantity
61009-005-P0000-1	piece

normanal 0,1M (N/10)
cat. no. 61009-010
Factor 0,998–1,002

order number	quantity
61009-010-P0000-1	piece

normanal 0,05M (N/20)
cat. no. 61009-020
Factor 0,998–1,002

order number	quantity
61009-020-P0000-1	piece

normanal 0,01M (N/100)
cat. no. 61009-100
Factor 0,996–1,004

order number	quantity
61009-100-P0000-1	piece

volumetric solution 1M (N/1)
cat. no. 62009-001
Factor 0,97–1,03

order number	quantity
62009-001-M1000-1	1000 ml
62009-001-M5000-1	5000 ml

volumetric solution 0,5M (N/2)
cat. no. 62009-002
Factor 0,97–1,03

order number	quantity
62009-002-M1000-1	1000 ml
62009-002-M5000-1	5000 ml

volumetric solution 0,1M (N/10)
cat. no. 62009-010
Factor 0,97–1,03

order number	quantity
62009-010-M1000-1	1000 ml
62009-010-M5000-1	5000 ml
62009-010-L0010-1	10 l

Sodium hypochlorite

Basic information:
NaClO
M_r: 74,44
CAS: 7681-52-9
EINECS: 231-668-3
Yellow liquid of chlorine odor
1 l ~ 1,2 kg
Melting point ..... –16 °C
Boiling point ..... 102–110 °C

pure
cat. no. 30299-TT0
Assay active chlorine ..... ≥ 130 g/l

order number	quantity
30299-TT0-M1000-1	1000 ml

Sodium hypochlorite

Application:
Oxidant, disinfection, bleaching agent, water treatment

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314, H400
ADR: 8, II, (E)
UN 1791

Sodium hypophosphite monohydrate

Basic information:
$NaH_2PO_2.H_2O$
M_r: 105,99
CAS: 10039-56-2
EINECS: 231-669-9
Colorless or white crystals, easily soluble in water
Melting point ..... 90 °C

Application:
Analytical reducing agent

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30052-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,02 %
Heavy metals (as Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,02 %
Sulfates (SO_4) ..... ≤ 0,02 %
Appearance ..... colorless or white crystals

order number	quantity
30052-AP0-G0500-1	500 gr
30052-AP0-G1000-1	1000 gr

pure
cat. no. 30052-CP0
Assay ..... ≥ 98,0 %

order number	quantity
30052-CP0-G1000-1	1000 gr

Sodium chlorate

Basic information:
$NaClO_3$
M_r: 106,44
CAS: 7775-09-9
EINECS: 231-887-4
Colorless crystals or white powder, easily soluble in water
Melting point ..... 248 °C

Application:
Analytical oxidizing agent

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H271, H302, H411
ADR: 5.1, II, (E)
UN 1495

pure
cat. no. 30069-CP0
Assay ..... ≥ 95 %

order number	quantity
30069-CP0-G0500-1	500 gr
30069-CP0-G1000-1	1000 gr

Sodium chloride

Basic information:
NaCl
M_r: 58,44
CAS: 7647-14-5
EINECS: 231-598-3
Colorless crystals or white powder, easily soluble in water, virtually insoluble in spirits
Melting point..... 801 °C
Boiling point..... 1461 °C

Application:
Analytical reagent, buffer preparation, part of cultivation media in microbiology, food industry, pharmaceutical production, biochemistry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30093-AP0

Assay (dry subst.)	≥ 99,5 %
Iron (Fe)	≤ 0,0003 %
Substances insoluble in H_2O	≤ 0,005 %
Calcium (Ca)	≤ 0,005 %
Loss on drying (105 °C)	≤ 0,5 %
Heavy metals (as Pb)	≤ 0,0005 %
Sulfates (SO_4)	≤ 0,005 %
Magnesium (Mg)	≤ 0,002 %
Bromides	≤ 0,01 %
Iodides (I)	≤ 0,008 %
pH (5 % in H_2O)	5,0–8,0
Appearance	colorless crystals or white powder

order number	quantity
30093-AP0-G0500-1	500 gr
30093-AP0-G1000-1	1000 gr
30093-AP0-G5000-1	5000 gr

pharma
cat. no. 30093-FP0

Assay (dry subst.)	99,0–100,5 %
A – chlorides	passes test
B – sodium	passes test
Acid or alkalic reag. compounds	passes test
Loss on drying (105 °C)	≤ 0,5 %
Bromides	≤ 100 ug/g
Iodides (I)	passes test
Magnesium and alkaline earth metals	≤ 100 ug/g
Kyanoželeznatany	passes test
Nitrites (NO_2)	passes test
Heavy metals	≤ 5 ug/g
Iron (Fe)	≤ 2 ug/g
Sulfates	≤ 200 ug/g
Phosphates	≤ 25 ug/g
Arsenic	≤ 1 ug/g
Baryum (Ba)	passes test
Not of animal origin	
Appearance of solution	clear and colorless

order number	quantity
30093-FP0-G1000-17	1000 gr
30093-FP0-G5000-17	5000 gr
30093-FP0-K0015	15 kg

ISO reagent
cat. no. 30093-ZP0

Assay	≥ 99,5 %
Calcium (Ca)	≤ 0,002 %
Sulfates (SO_4)	≤ 0,002 %
Magnesium (Mg)	≤ 0,002 %
Potassium (K)	≤ 0,01 %
Phosphates (PO_4)	≤ 0,0005 %
Bromides	≤ 0,01 %
Iodides (I)	≤ 0,002 %
Total nitrogen (N)	≤ 0,001 %
Heavy metals (Pb)	≤ 0,0005 %
Iron (Fe)	≤ 0,0002 %
Baryum (Ba)	≤ 0,001 %
pH 5% solution at 25 °C	5,0–8,0
Hexacyanoferrate(II) $[Fe(CN)_6]$	≤ 0,0001 %
Appearance	colorless crystals or white powder

order number	quantity
30093-ZP0-G1000-1	1000 gr

normanal 0,1M (N/10)
cat. no. 61013-010

Factor	0,998–1,002

order number	quantity
61013-010-P0000-1	piece

Sodium chromate tetrahydrate

Basic information:
$Na_2CrO_4.4H_2O$
M_r: 234,03
CAS: 10034-82-9
EINECS: 231-889-5
Yellow crystalline powder, hygroscopic, easily soluble in water

Application:
Production of pigments, corrosion inhibitor

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H312, H314, H317, H330, HH334, H340, H350, H360FD, H372, H410
ADR: 6.1, II, (D/E)
UN 3288

g. r.
cat. no. 30110-AP0

Assay	≥ 99,5 %
Chlorides (Cl)	≤ 0,01 %
Sulfates (SO_4)	≤ 0,01 %
Appearance	yellow crystalline powder

order number	quantity
30110-AP0-G0100-1	100 gr
30110-AP0-G1000-1	1000 gr

Sodium iodide

Basic information:
NaI
M_r: 149,89
CAS: 7681-82-5
EINECS: 231-679-3
Colorless crystals or white powder, may darken in the air, easily soluble in water
Melting point..... 662 °C
Boiling point..... 1304 °C

Application:
Analytical reagent, iodinating reagent, chemical industry, photographic purposes, food industry (additive), pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319, H400
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 30117-AP0

Assay (dry subst.)	≥ 99,5 %
Substances insoluble in H_2O	≤ 0,01 %
Sulfates (SO_4)	≤ 0,01 %
Loss on drying (120 °C)	≤ 5 %
Cl + Br	≤ 0,05 %
Free alkali (as Na_2CO_3)	≤ 0,03 %
Appearance	colorless crystals or white powder

order number	quantity
30117-AP0-G0100-1	100 gr
30117-AP0-G0500-1	500 gr

pure
cat. no. 30117-CP0

Assay (dry subst.)	≥ 99 %
Substances insoluble in H_2O	≤ 0,02 %
Sulfates (SO_4)	≤ 0,02 %
Loss on drying (120 °C)	≤ 5 %
Free alkali (as Na_2CO_3)	≤ 0,05 %

order number	quantity
30117-CP0-G1000-1	1000 gr

Sodium molybdate dihydrate

Basic information:
$Na_2MoO_4.2H_2O$
M_r: 241,95
CAS: 10102-40-6
EINECS: 231-551-7
Colorless crystals or white powder, soluble in water
Melting point..... 687 °C

Application:
Analytical reagent, e.g. phosphorus determination, preparation of other molybdenum compounds, corrosion inhibitor

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30127-AP0
Assay..... 98–104 %
Heavy metals (as Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,05 %
Phosphates (PO_4)..... ≤ 0,001 %
Amonium salts (NH_4)..... ≤ 0,02 %
Appearance..... colorless crystals or white powder

order number	quantity
30127-AP0-G0500-1	500 gr
30127-AP0-G1000-1	1000 gr

Sodium nitrate

Basic information:
Peru saltpeter, soda niter
$NaNO_3$
M_r: 85,01
CAS: 7631-99-4
EINECS: 231-554-3
Colorless or white crystals, very soluble in water
Melting point..... 307–316 °C
Boiling point..... 600–700 °C

Application:
Analytical reagent, nitration of aromatic compounds

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Warning!
H272, H319
ADR: 5.1, III, (E)
UN 1498

g. r.
cat. no. 30040-AP0
Assay..... ≥ 99,5 %
Iron (Fe)..... ≤ 0,0002 %
Lead (Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %
Sulfates (SO_4)..... ≤ 0,003 %
Appearance..... colorless or white crystals

order number	quantity
30040-AP0-G0100-1	100 gr
30040-AP0-G0250-1	250 gr
30040-AP0-G0500-1	500 gr
30040-AP0-G1000-1	1000 gr

pure
cat. no. 30040-CP0
Assay..... ≥ 98 %
Sulfates (SO_4)..... ≤ 0,01 %

order number	quantity
30040-CP0-G0500-1	500 gr
30040-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30040-ZP0
Assay..... ≥ 99,0 %
Iron (Fe)..... ≤ 0,0005 %
Calcium (Ca)..... ≤ 0,01 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4)..... ≤ 0,003 %
Potassium (K)..... ≤ 0,01 %
Phosphates (PO_4)..... ≤ 0,0005 %
Amonium (NH_4)..... ≤ 0,002 %
Nitrites (NO_2)..... ≤ 0,001 %
Iodates..... ≤ 0,0005 %
pH 5% solution at 25 °C..... 5,0–8,0
Appearance..... colorless or white crystals

order number	quantity
30040-ZP0-G1000-1	1000 gr

Sodium nitrite

Basic information:
$NaNO_2$
M_r: 69,00
CAS: 7632-00-0
EINECS: 231-555-9
White to yellowish crystals, very soluble in water
Melting point..... 280 °C

Application:
Analytical and reducing agent, food industry, corrosion inhibitor

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H301, H319, H400
ADR: 5.1 + 6.1, III, (E)
UN 1500

g. r.
cat. no. 30046-AP0
Assay..... ≥ 98 %
Iron (Fe)..... ≤ 0,0004 %
Substances insoluble in H_2O..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,015 %
Sulfates (SO_4)..... ≤ 0,015 %
Appearance..... white to yellowish crystals

order number	quantity
30046-AP0-G0100-1	100 gr
30046-AP0-G0250-1	250 gr
30046-AP0-G0500-1	500 gr
30046-AP0-G1000-1	1000 gr

pure
cat. no. 30046-CP0
Assay..... ≥ 95 %

order number	quantity
30046-CP0-G0500-1	500 gr
30046-CP0-G1000-1	1000 gr

Sodium nitroprusside dihydrate

Basic information:
$C_5FeN_6Na_2O.2H_2O$
$Na_2[Fe(CN)_5NO].2H_2O$
M_r: 297,95
CAS: 13755-38-9
EINECS: 238-373-9
Red-brown crystals, very soluble in water
Melting point..... 160 °C

Application:
Analytical reagent (determination of aliphatic amines, hydrogen sulphide, sulphites, glycerines, acrolein, indicator – mercurimetry), pharmacy

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301
ADR: 6.1, III, (E)
UN 3288

g. r.
cat. no. 40111-AP0
Assay..... ≥ 98 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,01 %
Ferrokyanidy..... ≤ 0,02 %
Ferrikyanidy..... ≤ 0,01 %
Appearance..... reddish brown crystals

order number	quantity
40111-AP0-G0100-1	100 gr
40111-AP0-G1000-1	1000 gr

Sodium oxalate

Basic information:
$C_2Na_2O_4$
$(COONa)_2$
M_r: 134,00
CAS: 62-76-0
EINECS: 200-550-3
Colorless crystals or white powder, soluble in water
Melting point.....250–270 °C

Application:
Analytical reagent (volumetric analysis), e.g. for the determination of Ca

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H312

g. r.
cat. no. 40143-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Substances insoluble in H_2O..... ≤ 0,005 %
Heavy metals (as Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,05 %
Appearance..... colorless crystals or white powder

order number	quantity
40143-AP0-G0100-1	100 gr
40143-AP0-G0500-1	500 gr
40143-AP0-G1000-1	1000 gr

Sodium perchlorate monohydrate

Basic information:
$NaClO_4.H_2O$
M_r: 140,46
CAS: 7791-07-3
EINECS: 231-511-9
Colorless crystals or white powder, hygroscopic, easily soluble in water
Melting point..... 130 °C

Application:
Analytical reagent, electrolyte, oxidimetric standard

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H271, H302
ADR: 5.1, II, (E)
UN 1502

g. r.
cat. no. 30107-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5% in H_2O)..... 4,5–7,0
$Cl + ClO_3$ (as Cl) ..... ≤ 0,05 %
Appearance..... colorless crystals or white powder

order number	quantity
30107-AP0-G0100-1	100 gr
30107-AP0-G0500-1	500 gr

Sodium periodate

Basic information:
$NaIO_4$
M_r: 213,89
CAS: 7790-28-5
EINECS: 232-197-6
Colorless crystals or white powder, hygroscopic, soluble in water
Melting point..... 270 °C

Application:
Analytical reagent and oxidant, e.g. determination of manganese

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H271, H314, H372, H400
ADR: 5.1(8), II, (E)
UN 3085

g. r.
cat. no. 30119-AP0
Assay..... ≥ 99 %
Appearance..... colorless crystals or white powder

order number	quantity
30119-AP0-G0500-1	500 gr
30119-AP0-G1000-1	1000 gr

Sodium peroxodisulfate

Basic information:
$Na_2S_2O_8$
M_r: 238,1
CAS: 7775-27-1
EINECS: 231-892-1
Colorless crystals or white powder, soluble in water

Application:
Analytical oxidant for cerium, chromium and manganese ions

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H317, H319, H334, H335
ADR: 5.1, III, (E)
UN 1505

g. r.
cat. no. 30156-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,002 %
Heavy metals (as Pb)..... ≤ 0,003 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30156-AP0-G0500-1	500 gr
30156-AP0-G1000-1	1000 gr

Sodium salicylate

Basic information:
$C_7H_5NaO_3$
HOC_6H_4COONa
M_r: 160,11
CAS: 54-21-7
EINECS: 200-198-0
Colorless crystals or white powder, very soluble in water
Melting point..... 213 °C

Application:
Production of adhesives (preservative), healthcare

Storage:
Store in a cool and dry place away from foodstuffs

Hazard information:



Warning!
H302, H319

g. r.
cat. no. 40137-AP0
Assay..... ≥ 99 %
Chlorides (Cl)..... ≤ 0,01 %
Sulfates (SO_4)..... ≤ 0,02%
Loss on drying..... ≤ 0,5 %
Heavy metals (as Pb)..... ≤ 0,001%
Appearance..... colorless crystals or white powder

order number	quantity
40137-AP0-G0100-1	100 gr
40137-AP0-G0250-1	250 gr
40137-AP0-G0500-1	500 gr
40137-AP0-G1000-1	1000 gr

Sodium silicate water solution

Basic information:
Water Glass
M_r: 122,06
CAS: 1344-09-8
EINECS: 215-687-4
Syrupy solution miscible with water
1 l ~ 1,3 kg
Melting point..... 3 °C
Boiling point.....101–102 °C

Application:
Building industry

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H319

pure
cat. no. 30120-BT0
Assay Na_2SiO_3..... 34–38 %

order number	quantity
30120-BT0-M1000-1	1000 ml

Sodium sulfate anhydrous

Basic information:
Na_2SO_4
M_r: 142,04
CAS: 7757-82-6
EINECS: 231-820-9
Colorless crystals or white powder
Melting point.....880–886 °C

g. r.
cat. no. 30187-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,005 %
pH (5% in H_2O)..... 5,0-8,0
Loss on ignition..... ≤ 0,3 %
Appearance..... colorless crystals or white powder

order number	quantity
30187-AP0-G0500-1	500 gr
30187-AP0-G1000-1	1000 gr
30187-AP0-G5000-1	5000 gr

Sodium sulfate anhydrous

Application:
Analytical reagent, e.g. Kjeldahl nitrogen determination, desiccant, pharmaceutical production

Storage:
Store in a dry place and in the original container

ISO reagent
cat. no. 30187-ZP0
Assay..... ≥ 99,0 %
Calcium (Ca)..... ≤ 0,01 %
Potassium (K)..... ≤ 0,01 %
Phosphates (PO_4)..... ≤ 0,002 %
Chlorides (Cl)..... ≤ 0,001 %
Total nitrogen (N)..... ≤ 0,0005 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,001 %
Loss on ignition (600 °C) ..... ≤ 0,5 %
pH 5% solution at 25 °C 5,0–8,0
Appearance..... colorless crystals or white powder

order number	quantity
30187-ZP0-G1000-1	1000 gr

Sodium sulfide hydrate

Basic information:
$Na_2S.aq$
M_r: 78,04 + aq
CAS: 27610-45-3
EINECS: 215-211-5
Yellow crystals
Melting point..... < 90 °C

Application:
Reducing agent

Storage:
Store in a refrigerator at +4 °C

Hazard information:



Danger!
H290, H301, H311, H314, H400
ADR: 8, II, (E),
UN 1849

g. r.
cat. no. 30198-AP0
Assay (anhyd.)..... 32–38 %
Total nitrogen (N)..... ≤ 0,005 %
SO_3..... ≤ 0,3 %
S_2O_3..... ≤ 0,5 %
Appearance..... colourless to light yellow crystals or crystalline chunks

order number	quantity
30198-AP0-G0500-1	500 gr

pure
cat. no. 30198-CP0
Assay..... ≥ 60 %

order number	quantity
30198-CP0-G1000-1	1000 gr

Sodium sulfite anhydrous

Basic information:
Na_2SO_3
M_r: 126,04
CAS: 7757-83-7
EINECS: 231-821-4
White powder, very soluble in water
Melting point..... > 500 °C

Application:
Analytical reagent, e.g. for iodine detection in halogen mixtures, NOx absorption in gas analysis, reducing agent, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30195-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... white powder

order number	quantity
30195-AP0-G0500-1	500 gr
30195-AP0-G1000-1	1000 gr

pure
cat. no. 30195-CP0
Assay..... ≥ 95 %

order number	quantity
30195-CP0-G0500-1	500 gr
30195-CP0-G1000-1	1000 gr

Sodium tartrate dihydrate

Basic information:
$C_4H_4Na_2O_6.2H_2O$
$NaOOC(CHOH)_2COONa.2H_2O$
M_r: 30,08
CAS: 6106-24-7
EINECS: 212-773-2
Colorless crystals or white powder, soluble in water

Application:
Analytical reagent, production of buffers, food industry

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40168-AP0

	order number	quantity
	40168-AP0-G0500-1	500 gr

Assay ..... ≥ 99 %
Substances insoluble in H_2O ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,005 %
pH (5 % in H_2O) 7,0–9,0
Appearance ..... colorless crystals or white powder

Sodium tetraborate decahydrate

Basic information:
$Na_2B_4O_7.10H_2O$
M_r: 381,37
CAS: 1303-96-4
EINECS: 215-540-4
Colorless crystals or white powder, soluble in water
Melting point ..... 75 °C

Application:
Analytical reagent – e.g. complexing or masking, buffer preparation, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H319, H360fd

g. r.
cat. no. 30200-AP0

	order number	quantity
	30200-AP0-G0500-1	500 gr
	30200-AP0-G1000-1	1000 gr

Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,001 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Appearance ..... colorless crystals or white powder

pure
cat. no. 30200-CP0

	order number	quantity
	30200-CP0-G0500-1	500 gr
	30200-CP0-G1000-1	1000 gr

Assay ..... ≥ 97 %

ISO reagent
cat. no. 30200-ZP0

	order number	quantity
	30200-ZP0-G1000-1	1000 gr

Assay ..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,0005 %
Phosphates (PO_4) ..... ≤ 0,002 %
Appearance ..... colorless crystals or white powder

Sodium thiosulfate anhydrous

Basic information:
$Na_2S_2O_3$
M_r: 158,11
CAS: 7772-98-7
EINECS: 231-867-5
Colorless crystals or white powder, soluble in water
Melting point ..... 52 °C

pure
cat. no. 30205-CP0

	order number	quantity
	30205-CP0-G0500-1	500 gr
	30205-CP0-G1000-1	1000 gr

Assay (dry subst.) ..... ≥ 98 %

Sodium thiosulfate anhydrous

Application:
Analytical reagent, pharmaceutical production

Storage:
Store in a dry place and in the original container

Sodium thiosulfate pentahydrate

Basic information:
$Na_2S_2O_3.5H_2O$
M_r: 248,18
CAS: 10102-17-7
EINECS: 231-867-5
Colorless crystals or white powder, soluble in water
Melting point ..... 48 °C

Application:
Analytical reagent, e.g. in volumetric analysis, masking agent, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30206-AP0

	order number	quantity
	30206-AP0-G0500-1	500 gr
	30206-AP0-G1000-1	1000 gr

Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,02 %
pH (5% in H_2O) 6,0–8,5
Sulfates and Sulfites ..... ≤ 0,2 %
Appearance ..... colorless crystals or white powder

pure
cat. no. 30206-CP0

	order number	quantity
	30206-CP0-G0500-1	500 gr
	30206-CP0-G1000-1	1000 gr

Assay ..... ≥ 98 %

according to specif. Ph. Eur.
cat. no. 30206-FP0

	order number	quantity
	30206-FP0-G5000	5000 gr

Assay ..... 99,0–101,0 %
A ..... passes test
B ..... passes test
C ..... passes test
Value pH 6,0–8,4
D – sodium ..... passes test
Sulfates and sulfites ..... ≤ 0,2 %
Sulfides ..... passes test
Appearance of solution ..... clear and colorless
Appearance ..... color less transparent crystals weathering in dryair

ISO reagent
cat. no. 30206-ZP0

	order number	quantity
	30206-ZP0-G1000-1	1000 gr

Assay ..... ≥ 99,0 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb) ..... ≤ 0,0005 %
Calcium (Ca) ..... ≤ 0,003 %
Chlorides (Cl) ..... ≤ 0,02 %
Magnesium (Mg) ..... ≤ 0,001 %
Total nitrogen (N) ..... ≤ 0,005 %
Sulfides (S) ..... ≤ 0,00025 %
Sulfates and sulfites (as SO_4) ... ≤ 0,1 %
pH 5% solution at 25 °C 5,5–7,5
Appearance ..... colorless crystals or white powder

Sodium thiosulfate pentahydrate

normanal 1M (N/1)
cat. no. 61026-001
Factor 0,998–1,002

order number	quantity
61026-001-P0000-1	piece

normanal 0,1M (N/10)
cat. no. 61026-010
Factor 0,998–1,002

order number	quantity
61026-010-P0000-1	piece

normanal 0,05M (N/20)
cat. no. 61026-020
Factor 0,998–1,002

order number	quantity
61026-020-P0000-1	piece

normanal 0,01M (N/100)
cat. no. 61026-100
Factor 0,996–1,004

order number	quantity
61026-100-P0000-1	piece

volumetric solution 0,1M (N/10)
cat. no. 62026-010
Factor 0,97–1,03

order number	quantity
62026-010-M1000-1	1000 ml

Starch soluble (from potatoes)

Basic information:
$(C_6H_{10}O_5)_n$
CAS: 9005-25-8
EINECS: 232-686-4
White powder, soluble in water
Flash-point ..... 525 °C

Application:
Analytical reagent – indicator in volumetric analysis, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40140-AP0
Loss on drying (105 °C) ..... ≤ 20,0 %
Substances insoluble ..... ≤ 0,1 %
Sulfate ash ..... ≤ 0,5 %
Appearance ..... white or off-white powder

order number	quantity
40140-AP0-G0100	100 gr
40140-AP0-G0250	250 gr
40140-AP0-G0500	500 gr
40140-AP0-G1000	1000 gr

Styrene

Basic information:
Ethenylbenzene
C_8H_8
M_r: 104,15
CAS: 100-42-5
EINECS: 202-851-5
Colorless liquid
1 l ~ 0,91 kg
Melting point ..... –31 °C
Boiling point ..... 145 °C
Flash-point ..... 31 °C

Application:
Production of dyes, plastics, rubber industry

Storage:
Store in a refrigerator for flammable substances at +4 °C

pure
cat. no. 40482-YT0
Assay ..... ≥ 99 %
Density 20 °C ..... 0,905–0,908 g/ml

order number	quantity
40482-YT0-M1000-1	1000 ml

Styrene

Hazard information:



Danger!
H226, H304, H315, H319, H332, H335, H361d, H372, H412
ADR: 3, III, (D/E)
UN 2055

Succinic acid

Basic information:
Butanedioic acid
$C_4H_6O_4$
$HOOCCH_2CH_2COOH$
M_r: 118,09
CAS: 110-15-6
EINECS: 203-740-4
Colorless crystals or white powder, soluble in water and spirits
Melting point ..... 185–190 °C
Boiling point ..... 206 °C

Application:
Analytical reagent, preparation of buffers, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H318

g. r.
cat. no. 10035-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Residue after ignition ..... ≤ 0,05 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %
Appearance ..... colorless crystals or white powder

order number	quantity
10035-AP0-G0100-1	100 gr
10035-AP0-G0250-1	250 gr
10035-AP0-G0500-1	500 gr

Sulfamic acid

Basic information:
Amidosulfonic acid
NH_2SO_3H
M_r: 97,09
CAS: 5329-14-6
EINECS: 226-218-8
Colorless crystals or white to off-white powder, soluble in water and spirits
Melting point ..... 200–208 °C

Application:
Analytical reagent, chlorine stabilizer in pool chemistry, organic synthesis – diazotation

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10012-AP0
Assay ..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb) ..... ≤ 0,005 %
Chlorides (Cl) ..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,05 %
Sulfate ash ..... ≤ 0,1 %
Appearance ..... colorless crystals or white to off-white powder

order number	quantity
10012-AP0-G0100-1	100 gr
10012-AP0-G0500-1	500 gr
10012-AP0-G1000-1	1000 gr

Sulfamic acid

Hazard information:



Warning!
H315, H319, H412
ADR: 8, III, (E)
UN 2967

Sulfanilamide pure

Basic information:
4-Aminobenzenesulfonamide
$C_6H_8N_2O_2S$
$4\text{-}(H_2N)C_6H_4SO_2NH_2$
M_r: 172,20
CAS: 63-74-1
EINECS: 200-563-4
White powder, poorly soluble in water and spirits, easily soluble in boiling water, acetone, and petroleum ether
Melting point..... 163–167 °C

Application:
Organic synthesis, biochemistry

Storage:
Store in a dry place and in the original container

pure
cat. no. 40004-CP0
Assay..... ≥ 98,0 %
Sulfate ash ..... ≤ 0,1 %

order number	quantity
40004-CP0-G0100-1	100 gr

Hazard information:



Warning!
H315, H319, H335

Sulfanilic acid

Basic information:
4-Aminobenzene-1-sulfonic acid
$C_6H_7NO_3S$
$H_2NC_6H_4SO_3H$
M_r: 173,19
CAS: 121-57-3
EINECS: 204-482-5
White or grayish-white crystalline powder, poorly soluble in water, soluble in spirits
Melting point..... 288 °C

Application:
Analytical reagent for determination of nitrates, nitrites, aluminum, ammonium salts, cerium, potassium, magnesium, sodium, iodides, and oximes, elemental analysis, antibacterial agent

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10059-AP0
Assay..... ≥ 99 %
Chlorides (Cl)..... ≤ 0,002 %
Sulfates (SO_4)..... ≤ 0,005 %
Nitrites (NO_2)..... ≤ 0,00005 %
Sulfate ash ..... ≤ 0,01 %
Appearance..... white or grayish-white crystalline powder

order number	quantity
10059-AP0-G0100-1	100 gr
10059-AP0-G0500-1	500 gr
10059-AP0-G1000-1	1000 gr

Sulfanilic acid

Hazard information:



Warning!
H315, H317, H319

5-Sulfosalicylic acid dihydrate

Basic information:
$C_7H_6O_6S.2H_2O$
$HOC_6H_3(SO_3H)COOH.2H_2O$
M_r: 254,22
CAS: 5965-83-3
EINECS: 202-555-6
Colorless crystals or white powder, soluble in water and spirits
Melting point..... 105–110 °C
Flesh point..... 150 °C

Application:
Analytical reagent for determination of albumin, chelating agent, indicator for metals – iron, titanium, and vanadium

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 10009-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
10009-AP0-G0100-1	100 gr
10009-AP0-G0250-1	250 gr
10009-AP0-G0500-1	500 gr
10009-AP0-G1000-1	1000 gr

Hazard information:



Danger!
H315, H318, H335
ADR: 8, III, (E)
UN 2585

Sulfur

Basic information:
S
M_r: 32,06
CAS: 7704-34-9
EINECS: 231-722-6
Yellow powder, insoluble in water
Melting point..... 114–119 °C
Boiling point..... 444 °C

Application:
Analytical reagent, disinfectant, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 30161-AP0
Iron (Fe) ..... ≤ 0,005 %
Residue after ignition..... ≤ 0,2 %
Sulfates (SO_4)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... yellow powder

order number	quantity
30161-AP0-G0500-1	500 gr
30161-AP0-G1000-1	1000 gr

Sulfur

Hazard information:



Warning!
H315
ADR: 4.1, III, (E)
UN 1350

Sulfuric acid

Basic information:
H_2SO_4
M_r: 98,08
CAS: 7664-93-9
EINECS: 231-639-5
Clear, oily, colorless liquid, hygroscopic, miscible with water
1 l ~1,83 kg
Melting point.....–15 °C
Boiling point.....295–330 °C

Application:
Analytical reagent, e.g. in volumetric analysis, treatment of samples before metal determination, dairy industry, part of nitration mixture, substance drying and dewatering

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314
ADR: 8, II, (E)
UN 1830

g. r.
cat. no. 10055-A96
Assay..... ≥ 95 %
Iron (Fe) ..... ≤ 0,0005 %
Substances reducing $KMnO_4$ .... ≤ 0,0006 %
Heavy metals (as Pb)..... ≤ 0,0002 %
Chlorides (Cl)..... ≤ 0,0002 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, oily, colorless liquid

order number	quantity
10055-A96-M1000-1	1000 ml
10055-A96-M2500-1	2500 ml
10055-A96-M5000-1	5000 ml

for milk-analysis
cat. no. 10055-C91
Assay..... 90–91 %

order number	quantity
10055-C91-M1000-1	1000 ml

pure
cat. no. 10055-C96
Assay..... ≥ 95 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0005 %

order number	quantity
10055-C96-M1000-1	1000 ml

chem. pure 96 %
cat. no. 10055-H96
Assay..... ≥ 95 %
Iron (Fe) ..... ≤ 0,00005 %
Substances reducing $KMnO_4$ .... ≤ 0,0006 %
Heavy metals (as Pb)..... ≤ 0,0002 %
Chlorides (Cl)..... ≤ 0,0001 %
Phosphates (PO_4) ..... ≤ 0,0001 %
Total nitrogen (N)..... ≤ 0,0001 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, oily, colorless liquid

order number	quantity
10055-H96-M1000-1	1000 ml
10055-H96-M2500-1	2500 ml
10055-H96-M5000-1	5000 ml

Sulfuric acid

electronic grade 96 %
cat. no. 10055-PT0
Assay..... ≥ 96 %
Aluminium (Al) ..... ≤ 0,05 ppm
Baryum (Ba)..... ≤ 0,05 ppm
Lead (Pb)..... ≤ 0,05 ppm
Cadmium (Cd) ..... ≤ 0,02 ppm
Chromium (Cr) ..... ≤ 0,02 ppm
Cobalt (Co) ..... ≤ 0,01 ppm
Iron (Fe) ..... ≤ 0,2 ppm
Copper (Cu) ..... ≤ 0,02 ppm
Magnesium (Mg) ..... ≤ 0,1 ppm
Manganese (Mn)..... ≤ 0,02 ppm
Zinc (Zn)..... ≤ 0,1 ppm
Tin (Sn) ..... ≤ 0,05 ppm
Residue after ignition..... ≤ 5 ppm
Boron (B)..... ≤ 0,05 ppm
Potassium (K)..... ≤ 0,1 ppm
Nitrates (NO_3)..... ≤ 0,2 ppm
Amonium (NH_4) ..... ≤ 2 ppm
Chlorides (Cl)..... ≤ 0,5 ppm
Arsenic (As) ..... ≤ 0,02 ppm
Colour (Hazen) ..... ≤ 10 Hazen
Sodium (Na)..... ≤ 0,5 ppm
Phosphates (PO_4) ..... ≤ 0,5 ppm
Silver (Ag) ..... ≤ 0,02 ppm
Gold (Au)..... ≤ 0,05 ppm
Beryllium (Be)..... ≤ 0,01 ppm
Bismuth (Bi)..... ≤ 0,1 ppm
Gallium (Ga)..... ≤ 0,05 ppm
Germanium (Ge) ..... ≤ 0,02 ppm
Indium (In)..... ≤ 0,05 ppm
Lithium (Li) ..... ≤ 0,02 ppm
Molybdenum (Mo)..... ≤ 0,05 ppm
Platinum (Pt) ..... ≤ 0,1 ppm
Strontium (Sr) ..... ≤ 0,02 ppm
Titanium (Ti) ..... ≤ 0,1 ppm
Thallium (Tl) ..... ≤ 0,05 ppm
Calcium (Ca)..... ≤ 0,1 ppm
Zirkonium (Zr)..... ≤ 0,1 ppm
Nickel (Ni) ..... ≤ 0,02 ppm

order number	quantity
10055-PT0-M1000-1	1000 ml

ISO reagent
cat. no. 10055-C96
Assay..... ≥ 95,0 %
Arsenic (As) ..... ≤ 0,000005 %
Iron (Fe) ..... ≤ 0,00005 %
Lead (Pb)..... ≤ 0,00001 %
Substances reducing $KMnO_4$ .... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,0001 %
Copper (Cu) ..... ≤ 0,00001 %
Amonium (NH_4) ..... ≤ 0,0002 %
Colour (Hazen) ..... ≤ 10 Hazen
Nitrate and nitrite (as NO_3)..... ≤ 0,00002 %
Residue after ignition (at 650 °C)..... ≤ 0,001 %
Appearance..... clear, oily, colorless liquid

order number	quantity
10055-Z96-M1000-1	1000 ml
10055-Z96-M2500-1	2500 ml

Sulfuric acid

	order number	quantity
normanal 1M (2N) cat. no. 61020-001 Factor 0,998–1,002	61020-001-P0000-1	piece
normanal 0,5M (N/1) cat. no. 61020-002 Factor 0,998–1,002	61020-002-P0000-1	piece
normanal 0,25M (N/2) cat. no. 61020-004 Factor 0,998–1,002	61020-004-P0000-1	piece
normanal 0,125M (N/4) cat. no. 61020-008 Factor 0,998–1,002	61020-008-P0000-1	piece
normanal 0,1M (N/5) cat. no. 61020-010 Factor 0,998–1,002	61020-010-P0000-1	piece
normanal 0,05M (N/10) cat. no. 61020-020 Factor 0,998–1,002	61020-020-P0000-1	piece
normanal 0,025M (N/20) cat. no. 61020-040 Factor 0,998–1,002	61020-040-P0000-1	piece
normanal 0,01M (N/50) cat. no. 61020-100 Factor 0,996–1,004	61020-100-P0000-1	piece
normanal 0,005M (N/100) cat. no. 61020-200 Factor 0,996–1,004	61020-200-P0000-1	piece
volumetric solution0,5M (N/1) cat. no. 62020-002 Factor 0,97–1,03	62020-002-M1000-1	1000 ml
volumetric solution0,05M (N/10) cat. no. 62020-020 Factor 0,97–1,03	62020-020-M1000-1	1000 ml

Tannin

Basic information:
$C_{76}H_{52}O_{46}$
M_r: 1701,22
CAS: 1401-55-4
EINECS: 215-753-2
Yellowish to pale-brown powder, soluble in water and spirits
Melting point.....200–218 °C

Application:
Pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:
Warning!
H412

	order number	quantity
pharma cat. no. 40144-FP0		
Appearance of solution ..... passes test A ..... passes test B ..... passes test C ..... passes test Loss on drying(100–105°C) ..... ≤ 12,0 % Sulfate ash ..... ≤ 0,1 % Dextrine, rubbers, sugars, salts .. passes test Resin ..... passes test Not of animal origin	40144-FP0-G0100	100 gr
	40144-FP0-G0500	500 gr
	40144-FP0-G1000	1000 gr

Tartaric acid

Basic information:
$C_4H_6O_6$
$COOH(CHOH)_2COOH$
M_r: 150,09
CAS: 87-69-4
EINECS: 201-766-0
Colorless crystals or white powder, very soluble in water
Melting point.....168–170 °C
Flash-point ..... 210 °C

Application:
Complexing agent, food and pharmaceutical industries

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H319

	order number	quantity
g. r. cat. no. 10040-AP0		
Assay ..... ≥ 99,5 % Iron (Fe) ..... ≤ 0,0005 % Lead (Pb) ..... ≤ 0,0005 % Substances insoluble in H_2O ..... ≤ 0,005 % Calcium (Ca) ..... ≤ 0,002 % Sulfates (SO_4) ..... ≤ 0,01 % Copper (Cu) ..... ≤ 0,0005 % Phosphates (PO_4) ..... ≤ 0,002 % Sulfate ash ..... ≤ 0,02 % Appearance ..... colorless crystals or white powder	10040-AP0-G0100-1	100 gr
	10040-AP0-G0500-1	500 gr
	10040-AP0-G1000-1	1000 gr
pure cat. no. 10040-CP0		
Assay ..... ≥ 99 % Iron (Fe) ..... ≤ 0,001 % Substances insoluble in H_2O ..... ≤ 0,01 % Sulfates (SO_4) ..... ≤ 0,02 % Phosphates (PO_4) ..... ≤ 0,005 % Sulfate ash ..... ≤ 0,05 %	10040-CP0-G0500-1	500 gr

tert-Butanol

Basic information:
2-Methylpropan-2-ol
$C_4H_{10}O$
$(CH_3)_3COH$
M_r: 74,12
CAS: 75-65-0
EINECS: 200-889-7
Clear, colorless liquid or crystalline substance, soluble in water, miscible with spirits and ether
1 l ~ 0,79 kg
Melting point..... 26 °C
Boiling point..... 83 °C
Flash-point ..... 11 °C

Application:
Solvent, analytical reagent, alkali-catalyzed condensation

Storage:
Flammable substance, keep in the intact container

Hazard information:



Danger!
H225, H319, H332, H335, H336
ADR: 3, II, (D/E)
UN 1120

g. r.
cat. no. 20012-AT0
Assay..... ≥ 99,5 %
Nonvolatile substances..... ≤ 0,002 %
Water (KF)..... ≤ 0,1 %
Free acids (as C_3H_7COOH) ..... ≤ 0,005 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid or crystalline substance

order number	quantity
20012-AT0-M1000-1	1000 ml
20012-AT0-M2500-1	2500 ml

Tetrahydrofuran

Basic information:
Oxolane, 1,4-Epoxybutane
C_4H_8O
$CH_2(CH_2)_3O$
M_r: 72,11
CAS: 109-99-9
EINECS: 203-726-8
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,89 kg
Melting point..... –109 °C
Boiling point..... 66 °C
Flash-point ..... –21 °C

Application:
Analytical reagent, solvent, organic synthesis, reaction medium for Grignard reactions

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H302, H319, H335, H336, H351
ADR: 3, II, (D/E),
UN 2056

g. r.
cat. no. 20052-AT4
Assay..... ≥ 99,5 %
Water (KF)..... ≤ 0,1 %
Nonvolatile substances..... ≤ 0,04 %
Free acids (as CH_3COOH) ..... ≤ 0,003 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20052-AT4-M1000-1	1000 ml
20052-AT4-M2500-1	2500 ml
20052-AT4-M5000-1	5000 ml
20052-AT4-L0010-1	10 lt

Tetrachloroethylene

Basic information:
Tetrachloroethene, Perchloroethylene
C_2Cl_4
CCl_2: CCl_2
M_r: 65,83
CAS: 127-18-4
EINECS: 204-825-9
Clear, colorless liquid of characteristic odor, miscible with spirits and ether
1 l ~ 1,62 kg
Melting point..... –22 °C
Boiling point..... 121 °C

Application:
Solvent, extraction agent

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H317, H319, H336, H351, H411
ADR: 6.1, III, (E)
UN 1897

pure
cat. no. 20055-CT0
Assay..... ≥ 98 %

order number	quantity
20055-CT0-M1000-1	1000 ml

Tetrasodium ethylene diamine tetraacetate hydrate

Basic information:
$C_{10}H_{12}N_2Na_4O_8$.aq
M_r: 380. 18. aq
CAS: 194491-31-1
EINECS: 200-573-9
White crystals

Application:
Analytical reagent for chelatometric titrations, masking agent for certain metals, determination of Ca and Mg in water

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H318, H332, H373

pure
cat. no. 40076-CP0
Assay (dry subst.)..... ≤ 98,0 %
Water (KF)..... 5,0–10,0 %

order number	quantity
40076-CP0-G0250-1	250 gr

Thioglycolic acid

Basic information:
Sulfanylacetic acid
$C_2H_4O_2S$
$HSCH_2COOH$
M_r: 92,12
CAS: 68-11-1
EINECS: 200-677-4
Clear, colorless, oily liquid, miscible with water, spirits, and ether
1 l ~1,27 kg
Melting point.....–16 °C
Boiling point..... 120 °C
Flash-point ..... 132 °C

Application:
Analytical reagent, e.g. photometric determination of aluminum, iron, molybdenum, nitrites, and uranium

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H301, H311, H314, H331
ADR: 8, II, (E)
UN 1940

g. r.
cat. no. 10062-A80
Assay..... ~ 80 %
Iron (Fe) ..... ≤ 0,00005 %
Sulfate ash ..... ≤ 0,05 %
Colour (Hazen) ..... ≤ 10 Hazen
Appearance..... clear, colorless, oily liquid

order number	quantity
10062-A80-M1000-1	1000 ml

Thiourea

Basic information:
Thiocarbamide
CH_4N_2S
NH_2CSNH_2
M_r: 76,12
CAS: 62-56-6
EINECS: 200-543-5
Colorless crystals or white powder, very soluble in water
Melting point.....170–175 °C

Application:
Analytical reagent, e.g. for the detection of bismuth ions, organic synthesis

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H351, H361d, H411
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 40152-AP0
Assay..... ≥ 99 %
Melting point ..... 170–175 °C
Appearance..... colorless crystals or white powder

order number	quantity
40152-AP0-G0100-1	100 gr
40152-AP0-G0500-1	500 gr
40152-AP0-G1000-1	1000 gr

Thymol

Basic information:
5-Methyl-2-(propan-2-yl)phenol
$C_{10}H_{14}O$
C_6H_3-1-OH-2-CH$(CH_3)_2$-5-CH_3
M_r: 50,22
CAS: 89-83-8
EINECS: 201-944-8
Colorless crystals or white powder, soluble in water and spirits
Melting point.....48–50 °C
Boiling point..... 232 °C
Flash-point ..... 102 °C

Application:
Analytical reagent, solvent stabilizer, antioxidant, cosmetics production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314, H411
ADR: 8, III, (E)
UN 2430

g. r.
cat. no. 40154-AP0
Assay..... ≥ 99 %
Nonvolatile substances..... ≤ 0,1 %
Melting point ..... 48–50 °C
Appearance..... colorless crystals or white powder

order number	quantity
40154-AP0-G0100-1	100 gr

Tin(II) chloride dihydrate

Basic information:
Stannous chloride dihydrate
$SnCl_2.2H_2O$
M_r: 225,63
CAS: 10025-69-1
EINECS: 231-868-0
Colorless crystals or white to pale-yellowish powder, easily soluble in water, hydrolyzes
Melting point..... 38 °C

Application:
Analytical reagent in quantitative and qualitative analysis, e.g. for determination of arsenic, gold, mercury, bismuth, reducing agent, e.g. for ferric, mercury ions, organic nitro compounds, or azo compounds

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H315, H317, H319, H332, H335, H341, H361f, H373, H410
ADR: 8, II, (E)
UN 3260

g. r.
cat. no. 30075-AP0
Assay..... ≥ 98 %
Iron (Fe) ..... ≤ 0,002 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,002 %
Appearance..... colorless crystals or white to pale--yellowish powder

order number	quantity
30075-AP0-G0100-1	100 gr
30075-AP0-G0500-1	500 gr
30075-AP0-G1000-1	1000 gr

pure
cat. no. 30075-CP0
Assay..... ≥ 97,0 %

order number	quantity
30075-CP0-G0100-1	100 gr
30075-CP0-G0500-1	500 gr

ISO reagent
cat. no. 30075-ZP0
Assay..... ≥ 97,0 %
Arsenic (As) ..... ≤ 0,0002 %
Iron (Fe) ..... ≤ 0,003 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %
Copper (Cu) ..... ≤ 0,002 %
Substances noncoagulated by H_2S (as SO_4).....≤ 0,05 %
Appearance..... colorless crystals or white to pale--yellowish powder

order number	quantity
30075-ZP0-G1000-1	1000 gr

Toluene

Basic information:
Methyl benzene, Phenyl methane
C_7H_8
$C_6H_5CH_3$
M_r: 92,14
CAS: 108-88-3
EINECS: 203-625-9
Clear, colorless liquid, insoluble in water, miscible with spirits
1 l ~ 0,87 kg
Melting point.....–95 °C
Boiling point.....110 °C
Flash-point .....4 °C

Application:
Analytical reagent, organic synthesis

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H304, H315, H336, H361d, H373
ADR: 3, II, (D/E),
UN 1294

g. r.
cat. no. 20056-AT0
Assay.....≥ 99 %
Cloud temperature.....≤ +10 °C
Water (KF).....≤ 0,05 %
Colour (Hazen) .....≤ 10 Hazen
Appearance.....clear, colorless liquid

order number	quantity
20056-AT0-M1000-1	1000 ml
20056-AT0-M2500-5	2500 ml
20056-AT0-M5000-1	5000 ml
20056-AT0-L0010-1	10 lt

pure
cat. no. 20056-CT0
Assay.....≥ 99 %

order number	quantity
20056-CT0-M1000-1	1000 ml
20056-CT0-M5000-1	5000 ml
220056-CT0-L0010-1	10 lt

ISO reagent
cat. no. 20056-ZT0
Assay (GC) .....≥ 99,5 %
Residue on evaporation.....≤ 0,002 %
Density 20 °C.....0,865–0,869 g/ml.
Readily carbonizable material..passes test
Water (KF).....≤ 0,05 %
Colour (Hazen) .....≤ 10 Hazen
Titrable acid .....≤ 0,0003 meq/g
Titrable base .....≤ 0,0006 meq/g
Sulfur compounds (as S) .....≤ 0,003 %
Thiofen and homology (as C_4H_4S) . passes test
Appearance.....clear, colorless liquid

order number	quantity
20056-ZT0-M1000-1	1000 ml
20056-ZT0-M2500-1	2500 ml

Triethanolamine

Basic information:
2,2',2"-Nitrilotri(ethan-1-ol)
$C_6H_{15}NO_3$
$(HOCH_2CH_2)_3N$
M_r: 49,19
CAS: 102-71-6
EINECS: 203-049-8
Colorless to pale-yellow syrupy liquid or solid, hygroscopic, light-sensitive, miscible with water, soluble in spirits and acetone
1 l ~ 1,12 kg
Melting point.....17,9 °C
Boiling point.....336 °C
Flash-point .....179 °C

Application:
Cosmetics production, pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40158-AT0
Assay.....≥ 99 %
Sulfate ash .....≤ 0,1 %
Iron (Fe) .....≤ 0,0001 %
Lead (Pb).....≤ 0,0005 %
Chlorides (Cl).....≤ 0,012 %
Colour (Hazen) .....≤ 30 Hazen
Appearance.....colourless to light yellow, syrupy liquid or solid

order number	quantity
40158-AT0-M1000-1	1000 ml

pure
cat. no. 40158-CT0
Assay.....≥ 97 %

order number	quantity
40158-CT0-M1000-1	1000 ml

Triethylamine

Basic information:
$(C_2H_5)_3N$
M_r: 101,19
CAS: 121-44-8
EINECS: 204-469-4
Clear, colorless or slightly yellowish liquid, miscible with water and spirits
1 l ~ 0,73 kg
Melting point.....–115 °C
Boiling point.....88–90 °C

Application:
Buffering agent, organic synthesis

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H225, H302, H311, H314, H331, H335
ADR: 3 + 8, II, (D/E)
UN 1296

pure
cat. no. 20057-CT0
Assay.....≥ 98 %
Refractive index 1,400–1,402

order number	quantity
20057-CT0-M1000-1	1000 ml

Trichloroacetic acid

Basic information:
$C_2HCl_3O_2$
Cl_3CCOOH
M_r: 163,39
CAS: 76-03-9
EINECS: 200-927-2
Colorless crystals or white powder, hygroscopic, very soluble in water and spirits
Melting point.....57 °C
Boiling point.....198 °C
Flash-point .....110 °C

Application:
Analytical reagent, e.g. albumin detection, organic synthesis – acetal hydrolysis, preparation of trihalomethylcarbinols, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H314, H410
ADR: 8, II, (E)
UN 1839

g. r.
cat. no. 10063-AT0
Assay.....≥ 99 %
Iron (Fe) .....≤ 0,005 %
Heavy metals (as Pb).....≤ 0,005 %
Sulfate ash .....≤ 0,05 %
Appearance.....colorless crystals or white powder

order number	quantity
10063-AT0-G0100-1	100 gr
10063-AT0-G0500-1	500 gr

Tri-Potassium citrate monohydrate

Basic information:
$C_6H_5K_3O_7,H_2O$
$HOC(COOK)(CH_2COOK)_2,H_2O$
M_r: 324,42
CAS: 6100-05-6
EINECS: 231-905-0
White crystals or powder,
soluble in water
Melting point..... 230 °C

Application:
Analytical reagent, e.g. masking of certain metals, stabilizer, pharmaceutical production, food industry

Storage:
Store in a dry place and in the original container

pure
cat. no. 30007-CP0
Assay..... ≥ 99,0 %
Substances insoluble in H_2O..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,01 %

order number	quantity
30007-CP0-G1000-1	1000 gr

Tris(hydroxymethyl)aminomethane

Basic information:
2-Amino-2-(hydroxymethyl)propane-
-1,3-diol, Tris Base
$C_4H_{11}NO_3$
$NH_2C(CH_2OH)_3$
M_r: 121,14
CAS: 77-86-1
EINECS: 201-064-4
Colorless crystals or white powder,
very soluble in water and spirits
Melting point.....160–170 °C
Boiling point..219–220 °C (10 mm Hg)

Application:
Analytical reagent – e.g. acidimetric standard, organic synthesis

Storage:
Store in a dry place and in the original container

pure
cat. no. 40159-CP0
Assay..... ~ 98 %
Melting point..... 160–170 °C

order number	quantity
40159-CP0-G0100-1	100 gr
40159-CP0-G0250-1	250 gr
40159-CP0-G0500-1	500 gr
40159-CP0-G1000-1	1000 gr

Tri-Sodium citrate dihydrate

Basic information:
$C_6H_5Na_3O_7.2H_2O$
$HOC(COONa)(CH_2COONa)_2.2H_2O$
M_r: 294,1
CAS: 6132-04-3
EINECS: 200-675-3
White crystals or powder,
soluble in water
Melting point..... 150 °C

Application:
Analytical reagent, e.g. masking of certain metals, emulsifier, acidity regulator, cosmetic production, pharmaceutical production, food industry, buffer

g. r.
cat. no. 30009-AP0
Assay..... ≥ 99 %
Substances insoluble in H_2O..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Appearance..... white crystals or powder

order number	quantity
30009-AP0-G0500-1	500 gr
30009-AP0-G1000-1	1000 gr

pure
cat. no. 30009-CP0
Assay..... ≥ 98,5 %
Substances insoluble in H_2O..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4) ..... ≤ 0,005 %

order number	quantity
30009-CP0-G0250-1	250 gr
30009-CP0-G1000-1	1000 gr

Tri-Sodium citrate dihydrate

Storage:
Store in a dry place and in the original container

pharma
cat. no. 30009-FP0
Assay (dry subst.)..... 99,0–101,0 %
A – citrate..... passes test
B – sodium..... passes test
Acid or alkalic reag. compounds.. passes test
Appearance of solution..... clear and colorless
Acid or alkalic reag. compounds.. passes test
Readily carbonizable material.. passes test
Sulfates..... ≤ 150 ug/g
Chlorides..... ≤ 50 ug/g
Oxalates..... ≤ 300 ug/g
Water (KF)..... 11,0–13,0 %
Not of animal origin

order number	quantity
30009-FP0-G1000	1000 gr
30009-FP0-K0010-1	10 kg

ISO reagent
cat. no. 30009-ZP0
Assay..... ≥ 99,0 %
Iron (Fe)..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,005 %
Phosphates (PO_4) ..... ≤ 0,002 %
Total nitrogen (N)..... ≤ 0,001 %
Readily carbonizable material.. passes test
pH (5 % solution) 25 °C..... 7,5–9,0
Appearance..... white crystals or powder

order number	quantity
30009-ZP0-G1000-1	1000 gr

TWEEN 80

Basic information:
CAS: 9005-65-6
EINECS: 215-665-4
Clear, yellowish or brown-yellow oily liquid, miscible with water and spirits
1 l ~ 1,1 kg
Melting point.....–30 °C
Flash-point ..... 256 °C

Application:
Pharmaceutical production (emulsifier, surfactant), cosmetics production

Storage:
Store in a dry place and in the original container

pure
cat. no. 40164-BT0
Sulfate ash ..... ≤ 0,25 %
Acid number ..... ≤ 2,0
Saponification number..... 45–55
Water (H_2O)..... ≤ 3,0 %
Hydroxyl number 65–80

order number	quantity
40164-BT0-G0500-1	500 gr
40164-BT0-G1000-1	1000 gr

Urea

Basic information:
Carbonyl diamide
CH_4N_2O
NH_2CONH_2
M_r: 60,06
CAS: 57-13-6
EINECS: 200-315-5
Colorless crystals or white powder, hygroscopic, very soluble in water
Melting point..... 135 °C

Application:
Analytical reagent for carbohydrate determination, reversible denaturing agent for proteins, preparation of buffers, organic synthesis (plastic production), pharmaceutical production

Storage:
Store in a dry place and in the original container

g. r.
cat. no. 40096-AP0
Assay..... ≥ 99,5 %
Iron (Fe) ..... ≤ 0,0005 %
Heavy metals (as Pb)..... ≤ 0,0005 %
Chlorides (Cl)..... ≤ 0,002 %
Sulfates (SO_4) ..... ≤ 0,005 %
Ash..... ≤ 0,03 %
Appearance..... colorless crystals or white powder

order number	quantity
40096-AP0-G0500-1	500 gr
40096-AP0-G1000-1	1000 gr

pure
cat. no. 40096-CP0
Assay..... ≥ 99 %

order number	quantity
40096-CP0-G1000-1	1000 gr

Water

Basic information:
H_2O
M_r: 18,02
CAS: 7732-18-5
EINECS: 231-791-2
Clear, colorless liquid, miscible with spirits
1 l ~ 1 kg
Melting point..... 0 °C
Boiling point..... 100 °C

Application:
Solvent

Storage:
Store in a dry place and in the original container

g. r. distilled
cat. no. 20059-AT0
Acid or alkalic reag. compounds .. passes test
Residue on evaporation..... ≤ 0,001 %
Heavy metals (as Pb)..... ≤ 0,1 ug/g
Chlorides (Cl)..... passes test
Amonium (NH_4) ..... ≤ 0,2 ug/g
Calcium and Magnesium..... passes test
Free chlorine ..... ≤ 0,05 ug/g
Nitrates ..... ≤ 0,2 ug/g
Oxidable subt. ..... passes test
Conductivity (at 20 °C) ..... ≤ 4,3 uS.cm
pH (at 20 °C)..... 5,0–7,0
Appearance..... clear, colorless liquid

order number	quantity
20059-AT0-L0005-1	5 lt
20059-AT0-L0010-1	10 l

X

Xylene

Basic information:
C_8H_{10}
$C_6H_4(CH_3)_2$
M_r: 106,17
CAS: 1330-20-7
EINECS: 215-535-7
Clear, colorless liquid, miscible with spirits and ether
1 l ~ 0,87 kg
Melting point..... > –34 °C
Boiling point..... 136–143 °C
Flash-point ..... 25 °C

Application:
Analytical reagent, microscopy, organic synthesis

Storage:
Flammable substance, keep in an intact container

Hazard information:



Danger!
H226, H304, H312, H315, H319, H332, H335, H373
ADR: 3, III, (D/E)
UN 1307

g. r.
cat. no. 20060-AT0
Water (KF)..... ≤ 0,02 %
Nonvolative substances..... ≤ 0,001 %
Assay C_8H_{10} isomers..... ≥ 99 %
Ethylbenzene ..... ≤ 25 %
Colour (Hazen) ..... ≤10 Hazen
Appearance..... clear, colorless liquid

order number	quantity
20060-AT0-M1000-1	1000 ml
20060-AT0-M5000-1	5000 ml

pure
cat. no. 20060-CT0
Distilling range (95 %)..... 136–143 °C
Clouding temperature..... ≤ +10 °C

order number	quantity
20060-CT0-L0010-1	10 lt
20060-CT0-M1000-1	1000 ml
20060-CT0-M2500-1	2500 ml
20060-CT0-M5000-1	5000 ml

ISO reagent
cat. no. 20060-ZT0
Water (KF)..... ≤ 0,03 %
Distilling range (95 %)..... 137,0–142,0 °C
Residue on evaporation..... ≤ 0,002 %
Density 20 °C..... 0,860–0,870 g/ml
Readily carbonizable material.. passes test
Colour (Hazen) ..... ≤ 10 Hazen
Toluene (GC)..... ≤ 1,0 %
Titrable acid ..... ≤ 0,00025 meq/g
Titrable base ..... ≤ 0,00025 meq/g
Benzene (GC)..... ≤ 0,1 %
Sulfur compounds (as S) ..... ≤ 0,003 %
Thiofen a homology (as C_4H_4S) .. passes test
Appearance..... clear, colorless liquid

order number	quantity
20060-ZT0-M1000-1	1000 ml
20060-ZT0-M2500-1	2500 ml

Z

Zinc

Basic information:
Zn
M_r: 65,38
CAS: 7440-66-6
EINECS: 231-175-3
Gray granules, insoluble in water
Melting point..... 419 °C
Boiling point..... 907 °C

Application:
Analytical reagent, e.g. determination of arsenic, reducing agent

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H250, H260, H410
ADR: 9 + 4.3 + 4.2, II, III, (D/E)
UN 1436, 3077

g. r. 99,9 %
cat. no. 30222-BP4
Assay..... ≥ 99,9 %
Arsenic (As)..... ≤ 0,00001 %
Iron (Fe) ..... ≤ 0,01 %

order number	quantity
30222-BP4-G0100-R	100 gr

g. r. 99 %
cat. no. 30223-BP9
Assay..... ≥ 99,9 %
Arsenic (As)..... ≤ 0,00001 %
Iron (Fe) ..... ≤ 0,01 %

order number	quantity
30223-BP9-G0500-R	500 gr

g. r. powder
cat. no. 30222-AP9
Assay..... ≥ 90 %
Substances reducing $KMnO_4$ .... ≤ 0,002 %
Total nitrogen (N)..... ≤ 0,01 %
Iron (Fe) ..... ≤ 0,005 %

order number	quantity
30222-AP9-G0100-1	100 gr
30222-AP9-G0500-R	500 gr

Zinc acetate dihydrate

Basic information:
$C_4H_6O_4Zn.2H_2O$
$Zn(CH_3COO)_2.2H_2O$
M_r: 219,5
CAS: 5970-45-6
EINECS: 209-170-2
Colorless crystals or white powder, soluble in water
Melting point..... 237 °C

Application:
Analytical reagent for the determination of urobilin, albumin, and tannin, esterification catalyst

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H302, H319, H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 40123-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,005 %
Substances insoluble in H_2O ..... ≤ 0,003 %
Chlorides (Cl)..... ≤ 0,001 %
Sulfates (SO_4) ..... ≤ 0,002 %
Alkaline metals and alkaline earth metal ..... ≤ 0,1 %
Appearance..... colorless crystals or white powder

order number	quantity
40123-AP0-G0250-1	250 gr
40123-AP0-G0500-1	500 gr
40123-AP0-G1000-1	1000 gr

Zinc bromide

Basic information:
$ZnBr_2$
M_r: 225,19
CAS: 7699-45-8
EINECS: 231-718-4
White powder
Melting point..... 394 °C
Boiling point..... 697 °C

Application:
As a Lewis acid in organic chemistry, radiation shield

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314, H317, H400, H411
ADR: 8, II, (E)
UN 3260

pure
cat. no. 30393-CP0
Assay..... ≥ 98 %

order number	quantity
30393-CP0-G0100-R	100 g

Zinc chloride anhydrous

Basic information:
$ZnCl_2$
M_r: 136,29
CAS: 7646-85-7
EINECS: 231-592-0
Colorless crystals or white to off-white powder, hygroscopic, easily soluble in water
Melting point..... 287 °C
Boiling point..... 732 °C

Application:
Analytical reagent, dehydrating and condensing agent, catalyst (Lewis acid)

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H314, H335, H410
ADR: 8, III, (E)
UN 2331

g. r.
cat. no. 30099-AP0
Assay..... ≥ 98 %
Iron (Fe)..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,01 %
Appearance..... colorless crystals or white to off--white powder

order number	quantity
30099-AP0-G0500-1	500 gr
30099-AP0-G1000-1	1000 gr

pure
cat. no. 30099-CP0
Assay..... ≥ 98 %

order number	quantity
30099-CP0-G0500-1	500 gr
30099-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30099-ZP0
Assay..... ≥ 98,0 %
Iron (Fe)..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,001 %
Calcium (Ca)..... ≤ 0,001 %
Sulfates (SO_4)..... ≤ 0,002 %
Copper (Cu)..... ≤ 0,001 %
Sodium (Na)..... ≤ 0,005 %
Total nitrogen (N)..... ≤ 0,002 %
Cadmium (Cd)..... ≤ 0,0005 %
Oxide chloride (as ZnO)..... ≤ 1,2 %

order number	quantity
30099-ZP0-G1000-1	1000 gr

Zinc nitrate hexahydrate

Basic information:
$Zn(NO_3)_2.6H_2O$
M_r: 297,48
CAS: 10196-18-6
EINECS: 231-943-8
White crystals, hygroscopic, very soluble in water
Melting point..... 36 °C

Application:
Analytical reagent

Storage:
Oxidant, keep in the original container and in a dry place

Hazard information:



Danger!
H272, H302, H315, H319, H335, H411
ADR: 5.1, II, (E)
UN 1514

g. r.
cat. no. 30044-AP0
Assay..... ≥ 99 %
Iron (Fe)..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,005 %
Sulfates (SO_4)..... ≤ 0,005 %
Appearance..... white crystals

order number	quantity
30044-AP0-G0500-1	500 gr
30044-AP0-G1000-1	1000 gr

Zinc oxide

Basic information:
ZnO
M_r: 81,38
CAS: 1314-13-2
EINECS: 215-222-5
White powder, insoluble in water
Melting point..... 1975 °C

Application:
Analytical reagent, pigment (zinc white), cosmetics production, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Warning!
H410
ADR: 9, III, (E)
UN 3077

g. r.
cat. no. 30150-AP0
Assay..... ≥ 99,5 %
Iron (Fe)..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,005 %
Chlorides (Cl)..... ≤ 0,002 %
Sulfates (SO_4)..... ≤ 0,01 %
Insoluble substances in HCl solution H_2SO_4..... ≤ 0,01 %
Appearance..... white powder

order number	quantity
30150-AP0-G0500-1	500 gr
30150-AP0-G1000-1	1000 gr

Zinc sulfate heptahydrate

Basic information:
$ZnSO_4.7H_2O$
M_r: 287,54
CAS: 7446-20-0
EINECS: 231-793-3
Colorless crystals or white powder, soluble in water
Melting point..... 100 °C

Application:
Analytical reagent in volumetric analysis, pharmaceutical production

Storage:
Store in a dry place and in the original container

Hazard information:



Danger!
H302, H318, H410
ADR: 9, III, (E),
UN 3077

g. r.
cat. no. 30191-AP0
Assay..... ≥ 99 %
Iron (Fe) ..... ≤ 0,005 %
Lead (Pb)..... ≤ 0,005 %
Substances insoluble in H_2O ..... ≤ 0,01 %
Chlorides (Cl)..... ≤ 0,005 %
Appearance..... colorless crystals or white powder

order number	quantity
30191-AP0-G0250-1	250 gr
30191-AP0-G0500-1	500 gr
30191-AP0-G1000-1	1000 gr

pure
cat. no. 30191-CP0
Assay..... ≥ 99,0 %

order number	quantity
30191-CP0-G0500-1	500 gr
30191-CP0-G1000-1	1000 gr

ISO reagent
cat. no. 30191-ZP0
Assay..... ≥ 99,5 %
Arsenic (As) ..... ≤ 0,00005 %
Iron (Fe) ..... ≤ 0,0005 %
Lead (Pb)..... ≤ 0,001 %
Calcium (Ca) ..... ≤ 0,001 %
Chlorides (Cl)..... ≤ 0,0005 %
Copper (Cu) ..... ≤ 0,001 %
Sodium (Na)..... ≤ 0,005 %
Total nitrogen (N)..... ≤ 0,001 %
Cadmium (Cd) ..... ≤ 0,0005 %
Manganese (Mn)..... ≤ 0,0003 %
pH 5% solution at 25 °C 4,4–6,0
Appearance..... white or colorless powder

order number	quantity
30191-ZP0-G1000-1	1000 gr

lach:ner

CAS/Product Number Index

CAS/Product Number Index

CAS	cat. no.	Page
50-81-7	10014-APO	46
	10014-ZPO	46
50-99-7	40055-APO	95
54-21-7	40137-APO	196
55-55-0	40094-APO	134
56-40-6	40059-APO	97
56-81-5	40058-AT0	96
	40057-APO	96
	40058-ET0	97
	40058-ZT0	97
56-86-0	10041-APO	96
57-13-6	40096-APO	216
	40096-CP0	216
57-48-7	40053-APO	94
57-50-1	40135-APO	176
60-00-4	40073-APO	88
60-10-6	40032-APO	82
60-29-7	20018-AT0	77
	20018-AT6	77
	20018-FT3	77
	20018-ZT0	78
62-53-3	40007-AT0	45
62-56-6	40152-APO	210
62-76-0	40143-APO	194
63-74-1	40004-CP0	202
64-17-5	20025-A99	85
	20025-A96	85
	20025-E96	86
	20025-U99	86
	20025-Z99	86
	20027-BT3	87
	40394-BT0	87
	40394-BT0	87
64-18-6	10045-A98	93
	10045-C85	93
64-19-7	10047-A9B	25
	10047-A99	25
	10047-A80	25
	10047-C98	25
	10047-C80	25
	10047-E99	25
	10047-Z9B	25
	61019-001	25
	1250111KS0000RUT	25
65-85-0	10016-APO	50
	10016-CP0	50
67-52-7	10015-APO	47
67-56-1	20038-AT0	130
	20038-ZT0	130
67-63-0	20037-AT0	113
	20037-CT0	113
	20037-ET0	114
	20037-ZT0	114
67-64-1	20001-AT0	27
	20001-CT0	27
	20001-ET0	28
	20001-ZT0	28
67-66-3	20034-AT1	108
	20034-CT1	108
	20034-ZT1	108
67-68-5	20022-CT0	80
68-11-1	10062-A80	210
68-12-2	20021-CT0	80
	20021-ZT0	80
69-65-8	40092-APO	126
69-72-7	10053-APO	176
	10053-CP0	176
71-23-8	20049-AT0	172
71-36-3	20010-AT0	54
	20010-CT0	54
	20010-ZT0	54
71-41-0	20004-AT0	147
71-43-2	20007-AT0	49
	20007-CT0	49
	20007-ZT0	49
75-05-8	20041-AT0	28
75-07-0	40001-AT0	25
75-09-2	20020-AT1	78
	20020-CT1	79
	20020-ZT1	79
75-15-0	20051-AT0	62
75-65-0	20012-AT0	208
76-03-9	10063-AT0	213
76-22-2	40081-CP0	62
76-59-5	40098-IP0	52
77-09-8	40043-IP0	151
	63006-001	151
	63006-090	151
77-86-1	40159-CP0	214
77-92-9	10019-APO	64
	10019-CP0	64
78-76-2	40483-BT0	55
78-83-1	20061-AT0	133
78-92-2	20011-AT0	54
78-93-3	20024-AT0	90
	20024-CT0	90
79-09-4	10051-CT0	173
79-33-4	10022-C80	116
83-07-8	40006-CP0	34
87-66-1	40132-APO	174
87-69-4	10040-APO	207
	10040-CP0	207
88-89-1	10050-APO	154
88-99-3	10027-APO	153
89-83-8	40154-APO	211
90-15-3	40105-APO	136
	40105-CP0	136
91-20-3	40104-APO	136
98-86-2	40002-CT0	29
100-10-7	40034-APO	79
100-42-5	40482-YT0	200
100-51-6	20009-AT0	50
	20009-CT0	50
100-52-7	40012-AT0	49
100-97-0	40060-APO	98
	40060-CP0	99
102-71-6	40158-AT0	212
	40158-CT0	212
107-06-2	20019-AT0	78
107-21-1	20026-AT0	90
	20026-CT0	90
107-92-6	10095-BT0	138
108-10-1	20040-CT0	132
108-24-7	20006-AT0	27
	20006-CT0	27
	20006-ZT0	27
108-46-3	40134-CP0	175
108-88-3	20056-AT0	212
	20056-CT0	212
	20056-ZT0	212
108-90-7	40079-CT0	107
108-93-0	20015-CT0	72
108-94-1	20016-AT0	72
108-95-2	40042-APO	150
109-66-0	20043-AT0	146
	20043-CT0	187
109-89-7	40027-AT0	76
109-99-9	20052-AT4	208
110-15-6	10035-APO	201
110-16-7	10043-APO	124
110-82-7	20014-AT0	71
	20014-CT0	71
	20014-ZT0	72
110-83-8	20064-CT0	73
110-86-1	20050-AT0	173
111-50-2	40493-BT0	31
111-65-9	40481-CT0	143
112-30-1	20098-BT0	74
121-44-8	20057-CT0	213
121-57-3	10059-APO	202
122-39-4	40029-APO	81
123-31-9	40067-OPO	106
123-51-3	20035-AT0	131
123-54-6	20002-AT0	29
123-86-4	20013-AT0	55
	20013-CT0	55
123-91-1	20023-AT4	81
	20023-ZT4	81
124-04-9	10010-APO	30
124-09-4	40486-BP0	99
127-08-2	40113-APO	154
127-09-3	40121-APO	178
127-18-4	20055-CT0	209
134-32-7	40108-APO	137
	40108-CP0	137
135-19-3	40106-CP0	137
141-53-7	40102-APO	185
141-78-6	20028-AT0	87
	20028-CT0	87
	20028-ZT0	87
142-04-1	40008-CT0	45
142-82-5	20030-AT0	139
	20030-CT0	139
143-33-9	30122-CP5	182
143-74-8	40246-IP0	152
144-55-8	30067-APO	185
	30067-ZP0	186
	30067-EP0	186
151-21-3	40089-APO	184
151-50-8	30121-AP4	157
	30121-CP4	157
280-57-9	40615-BP0	75
298-14-6	30066-APO	161
302-17-0	40078-CP0	107
333-20-0	30203-APO	172
	30203-ZP0	172
471-34-1	30219-APO	58
	30219-CP0	58
	30219-ZP0	58
493-52-7	40023-IP0	133
497-19-8	30217-APO	181
	30217-CP0	181
	30217-ZP0	181
506-87-6	30207-APO	37
513-77-9	30208-APO	47
518-47-8	40050-BP0	92
532-32-1	40013-APO	180
538-62-5	40031-APO	82
540-84-1	20036-AT0	113
547-58-0	40125-IP0	132
548-62-9	40170-DP0	71
554-13-2	30214-CP0	119
573-58-0	40021-IP0	67
584-08-7	30212-APO	156
	30212-CP0	156
	30212-ZP0	157
592-41-6	20096-BT0	100
631-61-8	40112-APO	36
	40112-ZP0	36
632-99-5	40054-IP0	94
740-44-0	40176-BP0	30
845-10-3	40022-IP0	134
868-14-4	40065-APO	162
872-50-4	40185-BT0	142
877-24-7	40063-APO	161
	40063-ZP0	161
1066-33-7	30065-APO	38
1185-57-5	30011-CP0	37
1303-96-4	30200-APO	198
	30200-CP0	198
	30200-ZP0	198
1304-85-4	30028-CP0	51
1305-62-0	10007-APO	59
	10007-CP0	59
1305-78-8	30149-APO	61
1306-19-0	30138-CP0	56
1308-38-9	30136-CP0	109
1309-37-1	30151-CP0	112
1309-48-4	30135-AP7	123
	30135-ZP7	123
1310-58-3	10003-AP3	162
	10003-CP3	163
	10003-ZP3	163
	61008-001	163
	61008-002	163
	61008-010	163
	62008-001	163
	62008-010	163
1310-66-3	10005-CP0	119
1310-73-2	10006-AP2	187
	10006-CP2	187
	10006-EP1	187
	10006-ZP1	187
	61009-001	187
	61009-002	188
	61009-004	188
	61009-005	188
	61009-010	188
	61009-020	188
	61009-100	188
	62009-001	188
	62009-002	188
	62009-010	188
1312-81-8	30140-APO	117
1313-13-9	30142-CP0	126
	30141-CP0	126
1314-13-2	30150-APO	221
1314-56-3	30133-APO	153
	30133-ZP0	153
1317-36-8	30145-APO	118
1317-39-1	30144-CP0	68
1330-20-7	20060-AT0	218
	20060-CT0	218
	20060-ZT0	218
1333-82-0	30137-APO	109
	30137-CP0	109
1336-21-6	10001-AT0	35
	64001-BT0	35
	10001-Z25	35
1341-49-7	30058-CP0	39
1344-09-8	30120-BT0	196
1344-28-1	30134-APO	32
	30134-CP0	32
	30134-MP0	32
1401-55-4	40144-FP0	207
1465-25-4	40107-APO	142
1600-27-7	40120-APO	127
1762-95-4	30202-APO	44
	30202-ZP0	44
	61025-010-P0000-1	44
1787-61-7	40020-IP0	85
2321-07- 5	40051-IP0	92
3012-65-5	30056-APO	75
3051-09-0	40103-IP0	135
3811-04-9	30068-APO	163
3829-86-5	40040-APO	149
5144-89-8	40041-APO	150
5329-14-6	10012-APO	201
5341-61-7	40062-APO	100
5470-11-1	40069-APO	106
5743-04-4	40115-APO	56
5949-29-1	10020-APO	64
	10020-CP0	64
	10020-FP0	65
	10020-ZP0	65
5965-83-3	10009-APO	203
5970-45-6	40123-APO	219
5989-81-1	40088-APO	116
	40088-EP0	116
5996-10-1	40056-APO	95
6009-70-7	40141-APO	42
	40141-ZP0	43
6046-93-1	40117-APO	69
6080-56-4	40118-APO	117
	40118-ZP0	118
6100-05-6	30007-CP0	214

CAS	cat. no.	Page
6100-16-9	40169-APO	170
	40169-CPO	170
	40169-ZPO	170
6106-24-7	40168-APO	198
6131-90-4	40122-APO	179
	40122-CPO	179
	40122-ZPO	179
6132-02-1	30218-APO	182
	30218-ZPO	182
6132-04-3	30009-APO	214
	30009-CPO	214
	30009-FPO	215
	30009-ZPO	215
6147-53-1	40116-APO	65
6153-56-6	10060-APO	145
	10060-CPO	145
	10060-ZPO	145
	61021-002	145
	61021-004	145
	61021-010	145
	61021-020	145
	61021-040	145
	61021-200	145
	62021-010	145
6363-53-7	40091-BPO	125
	40091-CPO	125
6381-92-6	40074-APO	88
	40074-CPO	88
	40074-ZPO	88
	61010-010	89
	61010-020	89
	61010-100	89
	62010-020	89
	62010-010	89
	62010-100	89
6484-52-2	30025-APO	42
	30025-CPO	42
	30025-ZPO	42
6487-48-5	40142-APO	168
7220-79-3	40100-IPO	131
7429-90-5	30261-NPO	31
7439-89-6	30224-BPO	110
7439-95-4	30264-BP9	121
	30264-NP9	121
7439-97-6	30158-ATO	126
7440-44-0	40033-BPO	65
7440-66-6	30222-BP4	219
	30223-BP9	219
	30222-AP9	219
7440-70-2	30392-BP4	57
7446-20-0	30191-APO	222
	30191-CPO	222
	30191-ZPO	222
7446-70-0	30078-APO	33
7447-40-7	30076-APO	164
	30076-CPO	164
	30076-FPO	164
	30076-ZPO	165
	61012-010	165
	62012-010	165
7447-41-8	30085-APO	120
7487-88-9	30174-CPO	123
7487-94-7	30092-APO	127
	30092-ZPO	128
7553-56-2	30111-APO	110
	30111-ZPO	110
7601-90-3	10032-A68	147
	10032-Z68	148
7631-86-9	30139-APO	177
	30160-TPO	177
	30341-BPO	177
7631-99-4	30040-APO	192
	30040-CPO	192
	30040-ZPO	192
7632-00-0	30046-APO	193
	30046-CPO	193
7646-85-7	30099-APO	220
	30099-CPO	220
	30099-ZPO	220
7646-93-7	30063-APO	162
	30063-CPO	162
7647-01-0	10033-A35	103
	10033-ATX	103
	10033-E35	103
	10033-P37	103
	10033-Z35	104
	61018-001	104
	61018-002	104
	61018-004	104
	61018-005	104
	61018-010	104
	61018-020	104
	61018-100	104
	1250169ML1000	104
	62018-001	104
	62018-002	105
	62018-010	105
7647-14-5	30093-APO	190
	30093-FPO	190
	30093-ZPO	190
	61013-010	190
7647-15-6	30006-APO	180
7647-17-8	30074-APO	63
7664-38-2	10048-A85	144
	10048-C85	144
	10048-Z85	144
7664-39-3	10024-A40	102
	10024-C40	102
	10024-P40	102
	10024-P50	102
7664-93-9	10055-A96	204
	10055-C91	204
	10055-C96	204
	10055-H96	204
	10055-PT0	205
	10055-C96	205
	61020-001	206
	61020-002	206
	61020-004	206
	61020-008	206
	61020-010	206
	61020-020	206
	61020-040	206
	61020-100	206
	61020-200	206
	62020-002	206
	62020-020	206
7681-11-0	30115-APO	166
	30115-CPO	166
	30115-EPO	167
	30115-ZPO	167
	61015-010	167
7681-49-4	30049-APO	184
	30049-CPO	184
	30049-ZPO	185
7681-52-9	30299-TTO	188
7681-57-4	30024-APO	183
	30024-CPO	184
7681-82-5	30117-APO	191
	30117-CPO	191
7697-37-2	10023-ATO	141
	10023-CTO	141
	10023-P65	141
	10023-PTO	141
	10023-ZTO	141
	61017-001	142
	61017-010	142
	61017-001	142
	1250112KS0000	142
7699-45-8	30393-CPO	220
7704-34-9	30161-APO	203
7705-08-0	30100-CPO	111
7722-64-7	30123-APO	169

CAS	cat. no.	Page
	30123-CPO	169
	30123-ZPO	169
	61022-005	169
	61022-050	169
	61022-500	169
	62022-050	169
7722-76-1	30015-APO	37
	30015-CPO	37
7722-84-1	10064-A30	105
	10064-FT5	105
	10064-Z30	105
7727-21-1	30155-APO	170
7727-43-7	30166-APO	48
7727-54-0	30154-APO	43
	30154-CPO	43
7732-18-5	20059-ATO	217
7757-79-1	30029-APO	167
	30029-CPO	167
	30029-ZPO	168
7757-82-6	30187-APO	196
	30187-ZPO	197
7757-83-7	30195-APO	197
	30195-CPO	197
7758-01-2	30002-APO	155
	30002-ZPO	155
	61001-060	155
7758-02-3	30005-APO	155
	30005-CPO	155
7758-05-6	30112-YPO	166
	30112-CPO	166
	30112-ZPO	166
	61014-060-P0000-1	166
7758-11-4	30060-APO	83
	30060-EPO	83
7758-89-6	30089-APO	68
7758-99-8	30182-APO	70
	30182-CPO	70
	30182-ZPO	71
7761-88-8	30042-APO	177
	30042-ZPO	178
	61007-010	178
	61007-100	178
	62007-010	178
7772-98-7	30205-CPO	198
7774-29-0	30116-APO	128
7774-34-7	30098-APO	60
7775-09-9	30069-CPO	189
7775-27-1	30156-APO	195
7778-50-9	30020-APO	158
	30020-CPO	158
	30020-ZPO	159
	61004-012	159
	1243604	159
	61004-060	159
	61004-600	159
	62004-060	159
7778-77-0	30016-APO	157
	30016-CPO	158
	30016-FPO	158
	30016-ZPO	158
7778-80-5	30170-APO	171
	30170-CPO	171
	30170-ZPO	171
7782-63-0	30193-APO	110
	30193-CPO	110
	30193-ZPO	111
7783-20-2	30165-APO	43
	30165-CPO	44
	30165-ZPO	44
7783-28-0	30059-APO	75
	30059-CPO	75
7783-34-8	30039-APO	128
	61006-020	128
7783-35-9	30186-APO	129
7783-83-7	30163-APO	40
	30163-ZPO	40
7783-85-9	30164-APO	40
	30164-ZPO	40
	61023-010	40
7784-13-6	30079-CPO	33
7784-24-9	30168-APO	154
	30168-CPO	155
7784-26-1	30162-APO	36
7784-27-2	30030-APO	32
7784-31-8	30173-APO	34
7789-00-6	30108-APO	165
7789-12-0	30021-APO	183
7789-23-3	30048-APO	160
7790-21-8	30118-APO	168
7790-28-5	30119-APO	195
7790-84-3	30177-APO	57
7791-07-3	30107-APO	194
7791-13-1	30084-APO	66
	30084-ZPO	66
7791-18-6	30080-APO	121
	30080-EPO	122
	30080-ZPO	122
7791-20-0	30090-APO	139
7803-55-6	30124-APO	41
8012-95-1	40126-FTO	146
9000-70-8	40174-APO	95
9004-34-6	40017-CPO	63
9005-25-8	40140-APO	200
9005-65-6	40164-BTO	215
10025-69-1	30075-APO	211
	30075-CPO	211
	30075-ZPO	211
10025-77-1	30101-APO	111
	30101-CPO	112
10025-91-9	30071-APO	46
	30071-CPO	46
10026-22-9	30033-APO	66
10026-24-1	30178-APO	67
10028-24-7	30388-APO	83
10031-30-8	30018-APO	58
10031-43-3	30036-APO	70
10034-82-9	30110-APO	191
10034-88-5	30064-APO	186
	30064-CPO	186
10034-93-2	40139-APO	101
10034-96-5	30180-APO	125
	30180-CPO	125
10034-99-8	30175-APO	123
	30175-CPO	124
	30175-EPO	124
	61024-020	124
	61024-200	124
10035-04-8	30097-APO	59
10035-10-6	10018-C48	101
10039-32-4	30061-APO	84
	30061-CPO	84
	30061-ZPO	84
	30061-EPO	84
10039-56-2	30052-APO	189
	30052-CPO	189
10043-35-3	10017-APO	51
	10017-APO	51
	10017-CPO	52
	10017-ZPO	52
10043-52-4	30096-AP1	59
	30096-AP4	59
10060-12-5	30081-APO	108
10099-74-8	30038-APO	118
	30038-CPO	118
	61005-020	118
10101-41-4	30190-APO	61
10101-97-0	30184-CPO	140
10102-17-7	30206-APO	199
	30206-CPO	199
	30206-FPO	199
	30206-ZPO	199
	61026-001	200
	61026-010	200

CAS	cat. no.	Page
	61026-020	200
	61026-100	200
	62026-010	200
10102-40-6	30127-APO	192
10125-13-0	30088-APO	69
	30088-CPO	70
10196-18-6	30044-APO	221
10294-26-5	30189-APO	178
10326-27-9	30072-APO	48
	30072-ZPO	48
	61011-020	48
10450-60-9	10036-APO	148
12054-85-2	30126-APO	41
	30126-ZPO	41
12125-01-8	30047-APO	38
12125-02-9	30070-APO	39
	30070-CPO	39
	30070-ZPO	39
12230-71-6	10002-APO	47
	10002-ZPO	48
13446-18-9	30031-APO	122
	30031-CPO	122
13446-34-9	30087-APO	125
	30087-CPO	125
13472-35-0	30017-APO	183
	30017-CPO	183
13477-34-4	30043-APO	60
	30043-CPO	60
13478-00-7	30037-APO	140
13746-66-2	30053-APO	160
	30053-CPO	161
	30053-ZPO	161
13755-38-9	40111-APO	193
14402-88-1	40075-APO	89
14459-95-1	30054-APO	160
	30054-CPO	160
15244-10-7	30192-APO	112
	30192-CPO	112
16712-20-2	30086-CPO	120
16731-55-8	30023-APO	159
	30023-CPO	159
16828-11-8	30171-APO	34
21645-51-2	10004-APO	32
21908-53-2	30146-APO	129
24634-61-5	10058-APO	171
26628-22-8	40009-APO	179
27610-45-3	30198-APO	197
	30198-CPO	197
28983-56-4	40101-IPO	130
30525-89-4	40127-CPO	146
39409-82-0	30213-EP7	121
51404-69-4	40119-OPO	117
51429-74-4	10025-APO	152
67701-08-0	10049-CTO	144
68915-31-1	30055-CPO	185
125572-95-4	40071-APO	74
194491-31-1	40076-CPO	209

lach:ner

Names/Synonyms index

Name	Page
Acetaldehyde	25
Acetic acid	25
Acetic acid n-butyl ester	55
Acetic aldehyde	25
Acetic anhydride	27
Acetone	27
Acetonitrile	28
Acetophenone	29
Acetyl acetate	27
Acetylacetone	29
Active carbon Silcarbon	30
Adipic acid	30
Adipoyl chloride	31
Aluminium	31
Aluminium nitrate nonahydrate	32
Aluminium oxide	32
Aluminum hydroxide	32
Aluminum chloride anhydrous	33
Aluminum chloride hexahydrate	33
Aluminum sulfate hexadecahydrate	34
Aluminum sulfate octadecahydrate	34
Amidosulfonic acid	201
Aminoacetic acid	97
Aminoantipyrine	34
4-Aminobenzenesulfonamide	202
4-Aminobenzene-1-sulfonic acid	202
2-Aminoethanoic acid	97
2-Amino-2-(hydroxymethyl)propane-1,3-diol	214
2-Aminopentanedioic acid	96
4-[(4-Aminophenyl)-(4-imino-1-cyclohexa-2,5-dienylidene) methyl]aniline hydrochloride	94
Ammonia aqueous	35
Ammonium	35
Ammonium acetate	36
Ammonium aluminum sulfate dodecahydrate	36
Ammonium bicarbonate	38
Ammonium bifluoride	39
Ammonium carbonate	37
Ammonium dihydrogen phosphate	37
Ammonium 2,6-dioxo-5-[(2,4,6-trioxo-5-hexahydro-pyrimidinylidene)amino]-3H-pyrimidin-4-olate	135
Ammonium ferric citrate green	37
Ammonium ferric sulfate dodecahydrate	40
Ammonium ferrous sulfate hexahydrate	40
Ammonium fluoride	38
Ammonium hydrogen carbonate	38
Ammonium hydrogen citrate anhydrous	75
Ammonium hydrogen difluoride	39
Ammonium chloride	39
Ammonium iron(II) sulfate hexahydrate	40
Ammonium iron(III) sulfate dodecahydrate	40
Ammonium metavanadate	41
Ammonium molybdate tetrahydrate	41
Ammonium nitrate	42
Ammonium oxalate monohydrate	42
Ammonium peroxodisulfate	43
Ammonium sulfate	43
Ammonium thiocyanate	44
Ampyrone	34
Aniline	45
Aniline hydrochloride	45
Antimony(III) chloride	46
Ascorbic acid	46
Avicel PH-101	63
Azinine	173
BACO	75
Baking soda	38, 185
Barbituric acid	47
Barium carbonate	47
Barium hydroxide octahydrate	47
Barium chloride dihydrate	48
Barium sulfate	48
Benzaldehyde	49
Benzenamine	45
Benzene	49
Benzenecarbaldehyde	49
Benzenecarboxaldehyde	49
Benzenecarboxylic acid	50
Benzene-1,2-dicarboxylic acid	153
Benzene-1,3-diol	175
Benzene-1,4-diol	106
Benzene chloride	107
Benzene-1,2,3-triol	174
Benzenol	150
Benzoic acid	50
Benzyl alcohol	50
Bicyclo[4.4.0]deca-1,3,5,7,9-pentaene	136
Bismuth(III) nitrate	51
Boric acid	51
Bratton-Marshall Reagent	142
Brom Cresol Green Indicator – 0,1% solution in ethanol	52
2-Bromobutane	55
Bromothymol Blue	52
Buffer colour coded solution pH 10 Blue	53
Buffer phosphate pH 7	53
Buffer solution pH 9	53
Buffer solution pH 5	53
Buffer solution pH 4	53
Buffer solution pH 2	53
Butanedioic acid	201
Butan-1-ol	54
Butan-2-ol	54

Names/Synonyms index

Name	Page
2-Butanone	90
(2Z)-But-2-enedioic acid	124
Butyl acetate	55
Butyl alcohol	54
2-Butylbromide	55
Butyl ethanoate	55
Cadmium acetate dihydrate	56
Cadmium oxide	56
Cadmium sulfate hydrate	57
Calcium	57
Calcium carbonate	58
Calcium dihydrogen phosphate monohydrate	58
Calcium hydroxide	59
Calcium chloride anhydrous	59
Calcium chloride dihydrate	59
Calcium chloride hexahydrate	60
Calcium nitrate tetrahydrate	60
Calcium oxide	61
Calcium sulfate precipitated dihydrate	61
Camphor	62
Carbinol	130
Carbon disulfide	62
Carbonyl diamide	216
Caustic potash	162
Caustic soda	187
Cedar oil for microscopy	63
Cellulose microcrystalline	63
Cesium chloride	63
C.I. Acid Red 2	133
Citric acid anhydrous	64
Citric acid monohydrate	64
Clear	76
Coal filter material	65
Cobalt(II) acetate tetrahydrate	65
Cobalt(II) chloride hexahydrate	66
Cobalt(II) nitrate hexahydrate	66
Cobalt(II) sulfate heptahydrate	67
Cobaltous acetate tetrahydrate	65
Cobaltous chloride hexahydrate	66
Cobaltous sulfate heptahydrate	67
Congo Red	67
Copper(I) chloride	68
Copper(I) oxide	68
Copper(II) acetate monohydrate	69
Copper(II) chloride dihydrate	69
Copper(II) nitrate trihydrate	70
Copper(II) sulfate pentahydrate	70
Cotton blue	130
Crystal Violet	71
Cupric acetate monohydrate	69
Cupric chloride dihydrate	69
Cupric sulfate pentahydrate	70
Cuprous chloride	68
Cuprous oxide	68
Cyanomethane	28
Cyclohexane	71
Cyclohexanol	72
Cyclohexanone	72
Cyclohexene	73
1-Decanol	74
Decyl alcohol	74
β-D-Fructofuranosyl α-D-glucopyranoside	176
1,2-Diaminocyclohexane-N,N,N',N'-tetraacetic acid monohydrat	74
1,6-Diaminohexane	99
Di-Ammonium hydrogen citrate anhydrous	75
Di-Ammonium hydrogen phosphate	75
Diammonium phosphate	75, 83
1,4-Diazabicyclo[2.2.2]octane	75
DI Cleaner	76
1,4-Dihydroxybenzene	106
4-O-α-D-Glucopyranosyl-D-glucose	125
Diethylamine	76
Diethyl ether	77
3´,6´-dihydroxyspiro[isobenzofuran-1(3H),9´-[9H]xanthen]-3-one	92
1,2-Dichloroethane	78
Dichloromethane	78
4-(Dimethylamino)benzaldehyde	79
2-{[4-(Dimethylamino)phenyl]diazenyl}benzoic acid	134
Dimethylformamide	80
Dimethylketone	27
Dimethyl sulfoxide	80
1,4-Dioxane	81
Diphenylamine	81
Diphenylkarbazon	82
Diphenylthiocarbazone	82
Di-Potassium hydrogen phosphate	83
Disodium 4-amino-3-[4-[4-(1-amino-4-sulfonato-naphthalen--2-yl)diazenylphenyl]phenyl]diazenyl-naphthalene-1-sulfonate	67
Di-Sodium hydrogen phosphate dihydrate	83
Di-Sodium hydrogen phosphate dodecahydrate	84
Dithizone	82
Dsodium salt	134
EDTA	88
Ehrlich's Reagent	79
1,4-Epoxybutane	208
Eriochrome Black T	85
Ethanal	25
Ethane dichloride	78
Ethanedioic acid	145
Ethanenitrile	27
Ethanoic anhydride	27
Ethanol	85

Name	Page
Ethenylbenzene	200
Ether	77
Ethoxyethane	77
Ethyl acetate	87
Ethyl alcohol	85
Ethylenediaminetetraacetic acid	88
Ethylenediaminetetraacetic acid disodium salt dihydrate	88
Ethylenediaminetetraacetic acid magnesium disodium salt hydrate	89
Ethylene glycol	90
Ethyl methyl ketone	90
Fehling´s solution I	91
Fehling´s solution II	91
Ferric chloride anhydrous	111
Ferric chloride hexahydrate	111
Ferric oxide	112
Ferric sulfate hydrate	112
Ferroin solution	91
Ferrous sulfate heptahydrate	110
Fluorescein disodium salt	92
Fluorescein free acid	92
Formaldehyde	93
Formic acid	93
Fructose	94
Fuchsin basic	94
Fuchsine	94
Gelatine	95
Glucose anhydrous	95
Glucose monohydrate	95
Glutamic acid	96
Glycerin	96
Glycerol	96
Glycine	97
Helicene	98
2,4-Hexadienoic acid, potassium salt	171
Hexane	99
1,6-Hexanediamine	99
Hexanedioic acid	30
Hexamethylenetetramine	98
Hexen	100
1-Hexene	100
Hydrated alumina	32
Hydrazine dihydrochloride	100
Hydrazine sulfate	101
Hydrobromic acid	101
Hydrofluoric acid	102
Hydrochloric acid	103
Hydrogen peroxide	105
Hydroquinone	106
Hydroxybenzene	150
2-Hydroxybenzoic acid	176
Hydroxylamine hydrochloride	106
2-Hydroxypropanoic acid	116
Hypermangan	169
Chloral hydrate	107
Chlorobenzene	107
Chloroform	108
Chromic acid disodium salt dihydrate	183
Chromium(III) chloride hexahydrat	108
Chromium(III) oxide	109
Chromium(VI) oxide	109
Iodine	110
Iron	110
Iron(II) sulfate heptahydrate	110
Iron(III) chloride anhydrous	111
Iron(III) chloride hexahydrate	111
Iron(III) oxide	112
Iron(III) sulfate hydrate	112
Isobutanol	133
Isooctane	113
Isopentyl alcohol	131
Isopropyl alcohol	113
Karl Fischer Reagent – solution A	115
Karl Fischer Reagent – solution B	115
Kyselina 1,2-diaminocyklohexan-N, N, N', N'-tetraoctová monohydrát	74
Lactic acid	116
Lactose Monohydrate	116
Lanthanum oxide	117
Lead(II) acetate basic	117
Lead(II) acetate trihydrate	117
Lead(II) nitrate	118
Lead(II) oxide yellow	118
Levulose	94
Lithium carbonate	119
Lithium hydroxide monohydrate	119
Lithium chloride anhydrous	120
Lithium chloride monohydrate	120
Lugol´s solution	120
Magnesium	121
Magnesium carbonate basic	121
Magnesium chloride hexahydrate	121
Magnesium nitrate hexahydrate	122
Magnesium oxide light	123
Magnesium sulfate anhydrous	123
Magnesium sulfate heptahydrate	123
Maleic acid	124
Maltose monohydrate	125
Manganese(II) chloride tetrahydrate	125
Manganese(II) sulfate monohydrate	125
Manganese(IV) oxide	126
Mannitol	126
Mercuric acetate	127

Name	Page
Mercuric chloride	127
Mercuric iodide red	128
Mercuric oxide red	129
Mercuric sulfate	129
Mercury	126
Mercury(II) acetate	127
Mercury(II) chloride	127
Mercury(II) iodide red	128
Mercury(II) nitrate hydrate	128
Mercury(II) oxide red	129
Mercury(II) sulfate	129
Methanoic acid	93
Methanol	130
Methenamine	98
Methyl alcohol	130
4-(Methylamino)phenol sulfate	134
Methyl benzene	212
Methyl Blue	130
Methyl-1-butanol	131
Methyl cyanide	28
Methylene Blue	131
Methylene chloride	78
Methyl isobutyl	132
Methyl isobutyl ketone	132
Methyl Orange	132
4-Methylpentan-2-one	132
Methyl phenyl ketone	29
Methyl-1-propanol	133
2-Methylpropan-2-ol	208
5-Methyl-2-(propan-2-yl)phenol	211
Methyl Red, free acids	133
Methyl Red Sodium Salt	134
Methyl Violet 10B	71
Metol	134
Molecular sieves	134
Murexide	135
N-Amyl alcohol	147
Naphthalen-1-amine	137
Naphthalene	136
1-Naphthol	136
2-Naphthol	137
1-Naphthylamine	137
N-Butyric acid	138
Nessler's reagent	138
N-Heptane	139
Nickel(II) chloride hexahydrate	139
Nickel(II) nitrate hexahydrate	140
Nickel(II) sulfate hexahydrate	140
Nitric acid	141
2,2',2''-Nitrilotri(ethan-1-ol)	212
N-methyl-2-pyrrolidone	142
N-(1-Naphthyl)ethylenediamine dihydrochloride	142
N,N-Dimethylformamide	80
N-octane	143
(9Z)-Octadec-9-enoic acid	144
Oily yellowish liquid	63
Oleic acid	144
Orange III	132
OrthoPhosphoric acid	144
Ortho-Phosphoric acid	144
Oxalic acid dihydrate	145
Oxolane	208
Paraffin fluid	146
Paraformaldehyde	146
(2R,3S,4R,5R)-2,3,4,5,6-Pentahydroxyhexanal	95
(3S,4R,5R)-1,3,4,5,6-Pentahydroxyhexan-2-one	94
Pentane	146
Pentane-2,4-dione	29
1-Pentanol	147
Pentyl alcohol	147
Perchloric acid	147
Perchloroethylene	209
Periodic acid	148
Peru saltpeter	192
Petroleum ether	149
Petrol medical	149
Phenanthroline hydrochloride monohydrate	149
1,10-Phenanthroline hydrochloride monohydrate	149
Phenanthroline monohydrate	150
1,10-Phenanthroline monohydrate	150
Phenol	150
Phenolphthalein	151
Phenolphthalein solution	151
Phenol red indicator	152
1-Phenylethan-1-one	29
Phenyl methane	212
Phosphomolybdic acid	152
Phosphorus pentoxide	153
Phtalic acid	153
Picric acid	154
Polyoxymethylene	146
Potassium acetate	154
Potassium aluminum sulfate dodecahydrate	154
Potassium bicarbonate	161
Potassium bichromate	158
Potassium biphthalate	161
Potassium bisulfate	162
Potassium bitartrate	162
Potassium bromate	155
Potassium bromide	155
Potassium bromide-bromate	156
Potassium carbonate anhydrous	156

Name	Page
Potassium cyanide	157
Potassium dihydrogen phosphate	157
Potassium dichromate	158
Potassium disulfite	159
Potassium ferricyanide	160
Potassium fluoride	160
Potassium hexacyanidoferrate(II)	160
Potassium hexacyanoferrate(II) Trihydrate	160
Potassium hexacyanoferrate(III)	160
Potassium hydrogen carbonate	161
Potassium hydrogen phthalate	161
Potassium hydrogen sulfate	162
Potassium hydrogen tartrate	162
Potassium hydroxide	162
Potassium chlorate	163
Potassium chloride	164
Potassium chromate	165
Potassium iodate	166
Potassium iodide	166
Potassium manganate(VII)	169
Potassium metabisulphite	183
Potassium nitrate	167
Potassium oxalate monohydrate	168
Potassium periodate	168
Potassium permanganate	169
Potassium peroxodisulfate	170
Potassium pyrosulfite	159, 183
Potassium salt	171
Potassium sodium tartrate tetrahydrate	170
Potassium sorbate	171
Potassium sulfate	171
Potassium thiocyanate	172
Propane-1,2,3-triol	96
Propanoic acid	173
2-Propanol	113
Propan-1-ol	172
Propan-2-ol	113
Propan-2-one	27
Propionic acid	173
Prussian red	160
Purpuric acid ammonium salt	135
Pyridine	173
Pyrimidine-2,4,6(1H,3H,5H)-trione	47
Pyrogallol	174
Resorcinol	175
Resorcinolphthalein	92
Saccharose	176
Salicylic acid	176
Salmiac	39
Saltpeter	167
Sea sand	176
sec-Butyl bromide	55
Seignette's salt	170
Schiff's reagent	177
Silica gel	177
Silicon dioxide	177
Silver nitrate	177
Silver sulfate	178
Slaked lime	59
Soda niter	192
Sodium acetate anhydrous	178
Sodium acetate trihydrate	179
Sodium azide	179
Sodium benzoate	180
Sodium bicarbonate	185
Sodium bisulfate	186
Sodium bromide	180
Sodium Bromide-Bromate	181
Sodium carbonate anhydrous	181
Sodium carbonate decahydrate	182
Sodium cyanide	182
Sodium dihydrogen phosphate dihydrate	183
Sodium dichromate dihydrate	183
Sodium 4-{[4-(dimethylamino)phenyl]diazenyl}benzene--1-sulfonate	132
Sodium disulfite	183
Sodium dodecyl sulfate	184
Sodium fluoride	184
Sodium formate	185
Sodium hexametaphosphate	185
Sodium hydrogen carbonate	185
Sodium hydrogen phosphate dodecahydrate	84
Sodium hydrogen sulfate monohydrate	186
Sodium hydroxide	187
Sodium 4-[2-(1-hydroxynaphthalen-2-yl)hydrazin-1-ylidene]--7-nitro-3-oxo-3,4-dihydronaphthalene-1-sulfonate	85
Sodium 1-[1-Hydroxynaphthylazo]-6-nitro-2-naphthol-4-sulfonate	85
Sodium hypochlorite	188
Sodium hypophosphite monohydrate	189
Sodium chlorate	189
Sodium chloride	190
Sodium chromate tetrahydrate	191
Sodium iodide	191
Sodium lauryl sulfate	184
Sodium molybdate dihydrate	192
Sodium nitrate	192
Sodium nitrite	193
Sodium nitroprusside dihydrate	193
Sodium oxalate	194
Sodium perchlorate monohydrate	194
Sodium periodate	195
Sodium peroxodisulfate	195

Name	Page
Sodium salicylate	196
Sodium salt	85
Sodium silicate water solution	196
Sodium sulfate anhydrous	196
Sodium sulfide hydrate	197
Sodium sulfite anhydrous	197
Sodium tartrate dihydrate	198
Sodium tetraborate decahydrate	198
Sodium thiosulfate anhydrous	198
Sodium thiosulfate pentahydrate	199
Sorbic acid potassium salt	171
Stannous chloride dihydrate	211
Starch soluble (from potatoes)	200
Styrene	200
Succinic acid	201
Sulfamic acid	201
Sulfanilamide pure	202
Sulfanilic acid	202
Sulfanylacetic acid	210
5-Sulfosalicylic acid dihydrate	203
Sulfur	203
Sulfuric acid	204
Tannin	207
Tartaric acid	207
Tert-Butanol	208
1,3,5,7- tetraazaadamantane	98
Tetrahydrofuran	208
Tetrachloroethene	209
Tetrachloroethylene	209
Tetrasodium ethylene diamine tetraacetate hydrate	209
Thiocarbamide	210
Thioglycolic acid	210
Thiourea	210
Thymol	211
Tin(II) chloride dihydrate	211
Toluene	212
Triethanolamine	212
Triethylamine	213
Triethylendiamine	75
1,2,3-Trihydroxybenzene	174
Trichloroacetaldehyde hydrate	107
Trichloroacetic acid	213
2,2,2-Trichloroethane-1,1-diol	107
Trichloromethane	108
2,2,4-Trimethylpentane	113
2,4,6-Trinitrophenol	154
Tri-Potassium citrate monohydrate	214
Tris Base	214
Tris(4-(dimethylamino)phenyl)methylium chloride	71
Tris(hydroxymethyl)aminomethane	214
Tri-Sodium citrate dihydrate	214
TWEEN 80	214
Urea	216
Urotropine	98
Vitamin C	46
Water	217
Water Glass	196
Wood spirit	130
Xylene	218
Zinc	219
Zinc acetate dihydrate	219
Zinc bromide	220
Zinc chloride anhydrous	220
Zinc nitrate hexahydrate	221
Zinc oxide	221
Zinc sulfate heptahydrate	222

lach:ner

About Indicators

Acid-base indicators

Indicator	pH-transition interval		Color change interval Indicator solution preparation
Alizarin Red S	4,3–6,3	yellow – violet	0,1 in 100 ml water or in 50% ethanol
Bromocresol Purple	5,2–6,8	yellow – purple	0,1 g in 100 ml 20% ethanol
Phenol Red	6,8–8,2	yellow – red-violet	0,1 g in 100 ml 20% ethanol or 0,04 g dissolve in 1,13 ml 0,1M NaOH and make up to 100 ml with 20% ethanol
Congo Red (C.I. 22120)	3,0–5,2	blue – pink	0,2 g in 100 ml 20% ethanol
Methyl Red sodium salt (C.I. 13020)	4,4–6,2	red – yellow	0,1 g in 100 ml water
Methyl Red free acid (C.I.13020)	4,4–6,2	red – yellow	0,1 g in 100 ml 96% ethanol
Phenolphthalein	8,2–10,0	colourless – red	0,1 g in 80 ml 96% ethanol and make up to 100 ml with water
Bromophenol Blue	3,0–4,6	yellow – Blue-violet	0,1 g in 100 ml 20% ethanol or 0,04 g dissolve in 0,6 ml 0,1M NaOH and make up to 100 ml with water
Bromothymol Blue	6,0–7,6	yellow – blue	0,1 g in 100 ml 20% ethanol or dissolve 0,04 g in 0,64 ml 0,1M NaOH and make up to 100 ml with water
Orange III	3,0–4,4	red – yellow	0,1 g in 80 ml water and make up to 100 ml 96% ethanol
Bromophenol Red	5,2–6,8	yellow – purple	0,1 g in 100 ml 20% ethanol
Thymol Blue (1. transition)	1,2–2,8	red – yellow	0,04 g in 100 ml 20% ethanol or dissolve 0,04 g in 0,86 ml 0,1M NaOH and make up to 100 ml with water
Thymol Blue (2. transition)	8,0–9,6	yellow – blue	0,04 g in 100 ml 20% ethanol or dissolve 0,04 g in 0,86 ml 0,1M NaOH and make up to 100 ml with water
Thymolphthalein	9,3–10,5	colourless – blue	0,1 g in 50% ethanol
Crystal Violet	0,1–2,0	green – blue	0,1 g in 100 ml 20% ethanol
Brilliant Green	0,1–2,6	yellow – green	0,1 g in 100 ml water
Bromocresol Green	3,8–5,4	yellow – blue	0,1 g in 100 ml 20% ethanol
Alizarin Yellow GG	10,0–12,1	light-yellow – Brownish-yellow	0,1 g in 100 ml water

Metal indicators

Indicator	Element to be determined	Indicator solution preparation
Aurin tricarboxylic acid ammonium salt (Aluminon)	Al, Cu, Fe, Mg	0,2 % in water
Alizarin Red	Al, Sc, Th, Y	0,05 %–0,2 % in water
Eriochrome Black T	Ba, Pb, Cd, Mg, Mn, Zn, Zr, Ca, In	0,025 % – 0,05 % in 96% ethanol or methanol
Diphenylcarbazide	Hg, Ni, Pb, V	1 %+0,2 % o-phenanthroline in 96% ethanol
Diphenylcarbazone	Pb, Hg, V	0,2 % in 96% ethanol
Dithizone	Bi, Cd, In, Ni, Zn	0,025 % – 0,05 % in 96% ethanol or methanol
Calconcarboxylic acid	Ca	0,4 % in methanol or mix 1:100 with Na_2SO_4 resp. NaCl
5-Sulfosalicylic acid dihydrate	Fe	1 % – 5 % in water
Methylthymol Blue sodium salt	Ba, Bi, Ca, Cd, Cu, Fe, In, Mg, Hg, Pb, Sc, Sn	1 % in 96% ethanol 1:100 with KNO_3
Morin	Al	0,1 % in 96% ethanol
Murexide	Ag, Ca,Co, Cu, Fe, In, Mg, Pb	1 % in water or mix 1:100 with NaCl or 1:500 with saccharose
Xylenol Orange	Bi, Ca, Cd, Co, Cu, Fe, In, Mg, Pb	0.1 % in 50% ethanol or mix 1:100 with KNO_3
1-(2-Pyridylazo)-2-naphtol; (PAN)	Al, Bi, Cd, Co, Cu, Fe, Ga, Hg, In, Mn, Ni, Pb, Th, Zn	0,01 %–0,1 % in 96% ethanol
4-(2-Pyridylazo)-resorcinol monosodium salt monohydrate; (PAR)	Al, Bi, Cd,Cu, Hg, In, Mn, Ni, Pb, Zn	0,05 %–0,2 % in water
Thorin	Bi, Sc, Th, U, Y	0,5 % in water
Tiron (3,5-Pyrocatecholdisulfonic acid disodium salt monohydrate)	Fe	2 % in water
Pyrocatechol Violet	Bi, Cd, Co, Cu, Fe, Ga, In, Mg, Mn, Ni, Pb, Zn	0,1 % in water
Zincon	Cu, Zn	0,1 % in 96% ethanol

Ⓟ Lach-Ner s.r.o. & Amisis art s.r.o. 2019