

Gearset flags failing Apex tests faster than anyone can triage them

Daily Apex unit-test monitor | gatesfoundation / Salesforce-Applications

Failure is the normal case, not the exception - and the queue never clears.

Every triage is manual: read the card, find the test class, map it to the production code it exercises, walk the history, decide whether the code or the test is wrong.

The history actively misleads. 28% of recent commits are merges and 9% are Gearset bot commits, so blame lands on noise rather than on the change that broke the test.

Most failures are not regressions at all - they are org data drift, or tests that were latently flaky the day they were written.

So the alerts get ignored. The repo's own established remediation is to delete the failing test - and a monitor nobody reads cannot catch the failure that matters.

2,785

Apex tests run every day, across 900 classes

1 of 4

of the most recent daily runs ended in failure

0

commits in the prior 14 days could explain the 14 Aug failure

Sources: Gearset test-run notifications 11-14 Aug 2026; repo commit history as of 14 Aug 2026.

An agent that triages every failure the same way, every day

Claude Code agent, scheduled daily | ships in REPORT_ONLY mode until its reports earn trust



What it does

1. Reads the Adaptive Card in the Teams channel - each failing Class.method, the verbatim assertion, and the test run id used to deduplicate.
2. Opens a Jira bug in SB before any analysis, so a failure leaves a tracked ticket rather than nothing. That key becomes the branch name.
3. Root-causes merge-aware, stepping into merge^2 to reach the real feature commit instead of stopping at merge noise.
4. Classifies the failure: org drift, latent flaky test, or true regression. This is the part that decides whether code should be touched at all.
5. Validates check-only against the sandbox - the tests run server-side and nothing is persisted. Three attempts, then it gives up and says so.

What it will never do


- Merge, undraft, or push to main or ENV-Test
- Touch the production org, or the developer's own checkout
- Delete, disable, or weaken a test to make it pass
- Persist anything to the shared sandbox
- Tick a PR checklist box it did not verify
- Let a Salesforce token reach a report, PR, or ticket

It stops at a draft PR. A human always decides what merges.


Validated end to end against the 14 Aug 2026 failure before any automation was wired.

How it fits together

Read-only on Teams | writes only a Jira comment and a draft PR | production is never in the path



What the agent touches



Check-only validation is what makes running against a shared sandbox safe: the tests execute, the metadata does not land.