



CAR SELL AND BUY PORTAL ER DIAGRAM







Navigator

SCHEMAS

Filter objects

- car24
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

No object selected

Object Info Session

Query 1 x



Limit to 1000 rows

1 CREATE DATABASE car24;

SQLAdditions

< > | ? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	17:30:31	CREATE DATABASE car24	1 row(s) affected	0.094 sec



Query 1 ×

- ▶ sakila
- ▶ sql_hr
- ▶ sql_inventory
- ▶ sql_invoicing
- ▶ sql_store
- ▶ sys
- ▶ world



```
1 DROP DATABASE car24;
```

<
>

Information

Output

#	Time	Action	Message	Duration / Fetch
✓	1 17:30:31	CREATE DATABASE car24	1 row(s) affected	0.094 sec
✓	2 17:31:01	DROP DATABASE car24	0 row(s) affected	0.188 sec

No object selected

Session

MySQL Model x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

No object selected

Object Info Session

1 CREATE TABLE USER

2 (

3 User_id INT NOT NULL AUTO_INCREMENT,

4 Username VARCHAR(255) NOT NULL,

5 Email VARCHAR(255) NOT NULL UNIQUE,

6 Mobile INT NOT NULL ,

7 Address VARCHAR(255) NOT NULL,

8 PRIMARY KEY(USER_ID)

9);

SQLAdditions:

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	17:30:31	CREATE DATABASE car24	1 row(s) affected	0.094 sec
✓ 2	17:31:01	DROP DATABASE car24	0 row(s) affected	0.188 sec
✓ 3	17:36:30	CREATE DATABASE car24	1 row(s) affected	0.187 sec
✓ 4	17:39:40	USE car24	0 row(s) affected	0.000 sec
✓ 5	17:45:36	CREATE TABLE USER (User_id INT NOT NULL AUTO_INCREMENT, Username VARCHAR(...	0 row(s) affected	2.203 sec

MySQL Model x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

car24

- Tables
- Views
- Stored Procedures
- Functions

sakila

sql_hr

sql_inventory

sql_invoicing

sql_store

sys

world

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 x



Limit to 1000 rows

1 DROP TABLE USER;

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 2	17:31:01	DROP DATABASE car24	0 row(s) affected	0.188 sec
✓ 3	17:36:30	CREATE DATABASE car24	1 row(s) affected	0.187 sec
✓ 4	17:39:40	USE car24	0 row(s) affected	0.000 sec
✓ 5	17:45:36	CREATE TABLE USER (User_id INT NOT NULL AUTO_INCREMENT, Username VARCHA...	0 row(s) affected	2.203 sec
✗ 6	17:51:33	INSERT INTO USER VALUES(1,"Palash","palashbajpai45@gmail.com","8770451560","Ra...	Error Code: 1264. Out of range value for column 'Mobile' at row 1	0.047 sec
✓ 7	17:56:53	DROP TABLE USER	0 row(s) affected	0.844 sec



Navigator

SCHEMAS

Filter objects

- ▼ car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- ▶ sakila
- ▶ sql_hr
- ▶ sql_inventory
- ▶ sql_invoicing
- ▶ sql_store
- ▶ sys
- ▶ world

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 x



Limit to 1000 rows

```
1 • INSERT INTO USER VALUES(1,"Palash","palashbajpai45@gmail.com","8770451560","Rambagh Indore MP");
```

SQLAdditions

◀ ▶ ⓘ ⚡ Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	17:39:40	USE car24	0 row(s) affected	0.000 sec
✓ 5	17:45:36	CREATE TABLE USER (User_id INT NOT NULL AUTO_INCREMENT, Username VARCHARA...	0 row(s) affected	2.203 sec
✗ 6	17:51:33	INSERT INTO USER VALUES(1,"Palash","palashbajpai45@gmail.com","8770451560","Ra...	Error Code: 1264. Out of range value for column 'Mobile' at row 1	0.047 sec
✓ 7	17:56:53	DROP TABLE USER	0 row(s) affected	0.844 sec
✓ 8	17:58:47	CREATE TABLE USER (User_id INT NOT NULL AUTO_INCREMENT, Username VARCHARA...	0 row(s) affected	1.078 sec
✓ 9	17:59:01	INSERT INTO USER VALUES(1,"Palash","palashbajpai45@gmail.com","8770451560","Ra...	1 row(s) affected	0.234 sec

Navigator:

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 x

Limit to 1000 rows

1 SELECT * FROM USER;

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: IA

	User_id	Username	Email	Mobile	Address
▶	1	Palash	palashbajpai45@gmail.com	8770451560	Rambagh Indore MP
	2	Akash	ak425@gmail.com	2384451560	Palakhadi Dhar MP
	3	Raj	raj11@gmail.com	9284451560	Malvi nagar delhi MP
	4	Kamlesh	Kamal322@gmail.com	9404451392	Rajendra nagar delhi
	5	Naman	naman3@gmail.com	8904321392	Rojgar nagar UP
*	NULL	NULL	NULL	NULL	NULL

USER 3 x

Apply

Revert

Context Help

Snippets

Output


Action Output

#	Time	Action	Message	Duration / Fetch
✓ 9	17:59:01	INSERT INTO USER VALUES(1,"Palash","palashbajpai45@gmail.com","8770451560","R...	1 row(s) affected	0.234 sec
✓ 10	18:00:17	INSERT INTO USER VALUES(2,"Akash","ak425@gmail.com","2384451560","Palakhadi ...	1 row(s) affected	0.156 sec
✓ 11	18:00:56	INSERT INTO USER VALUES(3,"Raj","raj11@gmail.com","9284451560","Malvi nagar del...	1 row(s) affected	0.156 sec
✓ 12	18:01:50	INSERT INTO USER VALUES(4,"Kamlesh","Kamal322@gmail.com","9404451392","Rajen...	1 row(s) affected	0.266 sec
✓ 13	18:02:36	INSERT INTO USER VALUES(5,"Naman","naman3@gmail.com","8904321392","Rojgar n...	1 row(s) affected	0.094 sec
✓ 14	18:03:20	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec

SQLAdditions:

Jump to


Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



SCHEMAS limit to 1000 rows jump to

Filter objects

car24 Automatic context help is



Administration Schemas USER 4 X Apply Revert Context Help Snippets

Schema: car24

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
✓	10 18:00:17	INSERT INTO USER VALUES(2,"Akash","ak425@gmail.com","2384451560","Palakhadi ...	1 row(s) affected	0.156 sec
✓	11 18:00:56	INSERT INTO USER VALUES(3,"Raj","raj11@gmail.com","9284451560","Malvi nagar del...	1 row(s) affected	0.156 sec
✓	12 18:01:50	INSERT INTO USER VALUES(4,"Kamlesh","Kamal322@gmail.com","9404451392","Rajen...	1 row(s) affected	0.266 sec
✓	13 18:02:36	INSERT INTO USER VALUES(5,"Naman","naman3@gmail.com","8904321392","Rojgar n...	1 row(s) affected	0.094 sec
✓	14 18:03:20	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
✓	15 18:04:39	SELECT * FROM USER WHERE Username="Palash" LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions:



Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result
GridForm
Editor

Context Help

Snippets

Object Info

Query 1 ×

SQLAdditions

◀ ▶ | I? ⚡ I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
1 CREATE TABLE SELLER
2 (
3     User_id INT NOT NULL PRIMARY KEY,
4     FOREIGN KEY(User_id) REFERENCES USER(User_id)
5 );
```

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
✓ 11	18:00:56	INSERT INTO USER VALUES(3,"Raj","raj11@gmail.com","9284451560","Malvi nagar del...	1 row(s) affected	0.156 sec
✓ 12	18:01:50	INSERT INTO USER VALUES(4,"Kamlesh","Kamal322@gmail.com","9404451392","Rajen...	1 row(s) affected	0.266 sec
✓ 13	18:02:36	INSERT INTO USER VALUES(5,"Naman","haman3@gmail.com","8904321392","Rojgar n...	1 row(s) affected	0.094 sec
✓ 14	18:03:20	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
✓ 15	18:04:39	SELECT * FROM USER WHERE Username="Palash" LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✓ 16	18:09:33	CREATE TABLE SELLER (User_id INT NOT NULL PRIMARY KEY, FOREIGN KEY(User_i...	0 row(s) affected	0.781 sec

Object Info Session



Navigator

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

Query 1 x



1 • SHOW TABLES;

< >

Result Grid Filter Rows: Export: Wrap Cell Content: A

Tables_in_car24
accessories
advertisement
bike
buyer
car
inspecting_options
message
sees
seller
user
vehide

Result Grid

Form Editor

Field Types

SQLAdditions

< > | ? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 8 x


Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 37	18:34:32	CREATE TABLE ADVERTISEMENT (Unique_Id INT NOT NULL, User_Id INT NOT NULL,...	0 row(s) affected	1.328 sec
✗ 38	18:38:52	CREATE TABLE MESSAGE (Message_Id INT NOT NULL, Buyer_Id INT NOT NULL, Uniq...	Error Code: 1072. Key column 'Reg_No' doesn't exist in table	0.000 sec
✗ 39	18:39:55	CREATE TABLE MESSAGE (Message_Id INT NOT NULL, Buyer_Id INT NOT NULL, Uniq...	Error Code: 1072. Key column 'Unique_No' doesn't exist in table	0.000 sec
✓ 40	18:40:07	CREATE TABLE MESSAGE (Message_Id INT NOT NULL, Buyer_Id INT NOT NULL, Uniq...	0 row(s) affected	1.062 sec
✓ 41	18:40:15	CREATE TABLE SEES (User_Id INT NOT NULL, Buyer_Id INT NOT NULL, PRIMARY KEY (User_Id, Buyer_Id),...	0 row(s) affected	0.011 sec

Object Info Session



Navigator

SCHEMAS

Filter objects

- ▼ car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- ▶ sakila
- ▶ sql_hr
- ▶ sql_inventory
- ▶ sql_invoicing
- ▶ sql_store
- ▶ sys
- ▶ world

Administration Schemas

Information

Query 1

```
1 CREATE VIEW BOY AS
2 SELECT Mobile,Email
3 FROM USER
4 WHERE Username="Palash";
5
6 • SELECT * FROM BOY;
```

SQLAdditions

< > | ? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

< > Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✗ 44	18:51:45	CREATE VIEW BOY AS SELECT Mobile,Email FROM USER WHERE User_Name="Palash"	Error Code: 1054. Unknown column 'User_Name' in 'where clause'	0.063 sec
✗ 45	18:51:53	CREATE VIEW BOY AS SELECT Mobile,Email FROM USER WHERE User_name="Palash"	Error Code: 1054. Unknown column 'User_name' in 'where clause'	0.016 sec
✓ 46	18:52:33	CREATE VIEW BOY AS SELECT Mobile,Email FROM USER WHERE Usumame="Palash"	0 row(s) affected	0.172 sec

MySQL Model x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

car24

- Tables
- Views
- Stored Procedures
- Functions

sakila

sql_hr

sql_inventory

sql_invoicing

sql_store

sys

world

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 x

Limit to 1000 rows

```
1 ALTER TABLE MESSAGE
2 ADD Email varchar(255);
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output					
Action Output					
#	Time	Action	Message	Duration / Fetch	
✓ 46	18:52:33	CREATE VIEW BOY AS SELECT Mobile,Email FROM USER WHERE Username="Palash"	0 row(s) affected	0.172 sec	
✗ 47	18:52:44	CREATE VIEW BOY AS SELECT Mobile,Email FROM USER WHERE Username="Palash"	Error Code: 1050. Table 'BOY' already exists	0.000 sec	
✓ 48	18:53:26	SELECT * FROM BOY LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec	
✓ 49	18:55:57	ALTER TABLE MESSAGE ADD Email varchar(255)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.594 sec	



Navigator

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas


Information

Schema: car24

Query 1 x



1 SELECT * FROM USER WHERE User_Id = 1 OR 1=1;



	User_id	Username	Email	Mobile	Address
1	Palash	palashbajpai45@gmail.com	8770451560	Rambagh Indore MP	
2	Akash	ak425@gmail.com	2384451560	Palakhadi Dhar MP	
3	Raj	raj11@gmail.com	9284451560	Malvi nagar delhi MP	
4	Kamlesh	Kamal322@gmail.com	9404451392	Rajendra nagar delhi	
5	Naman	naman3@gmail.com	8904321392	Rojgar nagar UP	
*	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

USER 10 x

Apply

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
57	19:15:48	SELECT * FROM Users WHERE Userid = 1 OR 1=1 LIMIT 0, 1000	Error Code: 1146. Table 'car24.users' doesn't exist	0.000 sec
58	19:16:06	SELECT * FROM USERS WHERE User_id = 1 OR 1=1 LIMIT 0, 1000	Error Code: 1146. Table 'car24.users' doesn't exist	0.000 sec
59	19:16:40	SELECT * FROM USERS WHERE User_id = 1 OR 1=1 LIMIT 0, 1000	Error Code: 1146. Table 'car24.users' doesn't exist	0.015 sec
60	19:16:51	SELECT * FROM USER WHERE User_Id = 1 OR 1=1 LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec



Navigator

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

Query 1 x



Limit to 1000 rows

```
1 • DELETE FROM BUYER WHERE User_Id=1 ;
2
```

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
66	22:26:34	DELETE FROM USER WHERE Username="Palash"	Error Code: 1175. You are using safe update mode and you tried to update a table without a ...	0.000 sec
67	22:26:54	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
68	22:27:10	SELECT * FROM BUYER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
69	22:27:51	DELETE FROM BUYER WHERE User_Id=1	1 row(s) affected	0.141 sec

Object Info Session



Navigator:

SCHEMAS

Filter objects

- car24
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
- sys
- world

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 x

Limit to 1000 rows

```
1 • UPDATE USER
2 SET Username="Ramesh"
3 WHERE User_Id=1 ;
4
```

SQLAdditions:

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 67	22:26:54	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 68	22:27:10	SELECT * FROM BUYER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 69	22:27:51	DELETE FROM BUYER WHERE User_Id=1	1 row(s) affected	0.141 sec
✓ 70	22:29:15	UPDATE USER SET Username="Ramesh" WHERE User_Id=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.093 sec

MySQL Model x Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator:

SCHEMAS

Filter objects

car24

- Tables
 - accessories
 - advertisement
 - bike
 - buyer
 - car
 - inspecting_options
 - message
 - sees
 - seller
 - user
 - vehicle
- Views
- Stored Procedures
- Functions
- sakila
- sql_hr
- sql_inventory
- sql_invoicing

Administration Schemas

Information

Schema: car24

Object Info Session

Query 1 Administration - Data Export x



Local instance MySQL80

Data Export

Advanced Options...

Object Selection Export Progress

Export Completed

Status:

12 of 12 exported.

Log:

```
set=utf8 --skip-triggers "car24" "inspecting_options"
22:32:55 Dumping car24 (car)
Running: mysqldump.exe --defaults-file="c:\users\shivangi\appdata\local\temp\tmpgeb3mo.cnf" --user=root --host=localhost --protocol=tcp --port=3306 --default-character-set=utf8 --skip-triggers "car24" "car"
22:32:55 Dumping car24 (accessories)
Running: mysqldump.exe --defaults-file="c:\users\shivangi\appdata\local\temp\tmp5pad_9.cnf" --user=root --host=localhost --protocol=tcp --port=3306 --default-character-set=utf8 --skip-triggers "car24" "accessories"
22:32:55 Dumping car24 (seller)
Running: mysqldump.exe --defaults-file="c:\users\shivangi\appdata\local\temp\tmpxvtc96.cnf" --user=root --host=localhost --protocol=tcp --port=3306 --default-character-set=utf8 --skip-triggers "car24" "seller"
22:32:56 Dumping car24 (bike)
Running: mysqldump.exe --defaults-file="c:\users\shivangi\appdata\local\temp\tmppx68xi.cnf" --user=root --host=localhost --protocol=tcp --port=3306 --default-character-set=utf8 --skip-triggers "car24" "bike"
22:32:56 Dumping car24 (user)
```

Stop

Export Again

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 67	22:26:54	SELECT * FROM USER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 68	22:27:10	SELECT * FROM BUYER LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 69	22:27:51	DELETE FROM BUYER WHERE User_Id=1	1 row(s) affected	0.141 sec
✓ 70	22:29:15	UPDATE USER SET Username="Ramesh" WHERE User_Id=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.093 sec

SQLAdditions:

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Snippets