Invalid Date

|

1

2

3

4

1

-
-

-
-
- -04-25

-
-
- -04-25
- . .

-
-
- -04-25
- . .
- 1032253529@rudn.ru

-
-
- -04-25
- . .
- 1032253529@rudn.ru
- https://PALopatchenko-lab.github.io/ru/

2

-
- —

-
-
-

—

-
-
-

1
2 ls.
3 .
4 .
5 history.

3


palopatchenko@palopatchenko:~/gitflow-avh-master$ git flow version
1.12.3 (AVH Edition)

1:

ls

```
palopatchenko@palopatchenko:~$ sudo dnf install nodejs
Updating and loading repositories:
Repositories loaded.
Package                                    Arch       Version
Installing:
 nodejs                                    x86_64     1:22.22.0-2.fc43
Installing dependencies:
 nodejs-libs                               x86_64     1:22.22.0-2.fc43
Installing weak dependencies:
 nodejs-docs                               noarch     1:22.22.0-2.fc43
 nodejs-full-i18n                          x86_64     1:22.22.0-2.fc43
 nodejs-npm                                x86_64     1:10.9.4-1.22.22.0.2

Transaction Summary:
 Installing:         5 packages

Total size of inbound packages is 40 MiB. Need to download 40 MiB.
After this operation, 215 MiB extra will be used (install 215 MiB, remove
Is this ok [y/N]: y
[1/5] nodejs-1:22.22.0-2.fc43.x86_64
[2/5] nodejs-libs-1:22.22.0-2.fc43.x86_64                          0% [
[3/5] nodejs-docs-1:22.22.0-2.fc43.noarch                          0% [
[4/5] nodejs-npm-1:10.9.4-1.22.22.0.2.fc43.x86_64                  0% [
```

2: ls

ls

```
palopatchenko@palopatchenko:~$ pnpm setup
Appended new lines to /home/palopatchenko/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/palopatchenko/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/palopatchenko/.bashrc
palopatchenko@palopatchenko:~$ source ~/.bashrc
```

3: ls -a

ls


git-extended
Public
Updated now
study_2025-2026_os-intro
Public
HTML
Creative Commons Attribution 4.0 International
Updated 1 hour ago
study_2025-2026_arh-pc
Public
TeX
Creative Commons Attribution 4.0 International
Updated on Dec 4, 2025
PALopatchenko-lab
PALopatchenko-lab

4: ls -l

ls

```
palopatchenko@palopatchenko:~$ cd git-extended/
palopatchenko@palopatchenko:~/git-extended$ ls
palopatchenko@palopatchenko:~/git-extended$ git commit -m "first commit"
On branch main

Initial commit
```

5: ls -f

/var/spool

```
palopatchenko@palopatchenko:~/git-extended$ pnpm init
Wrote to /home/palopatchenko/git-extended/package.json

{
  "name": "git-extended",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "packageManager": "pnpm@10.27.0"
```

6: /var/spool

```
GNU nano 8.5                                          package.jso
{
  "name": "git-extended",
  "version": "1.0.0",
  "description": "Git repo for educational purposes",
  "main": "index.js",
  "repsitory": "git@github.com:PALopatchenko-lab/git-extended.git"
  "author": "Polina Lopatchenko lopatapol228@gmail.com",
  "license": "CC-BY-4.0",
  "config": {
    "commitizen": {
      "path": "cz-conventional-changelog"
    }
  }
}
```

7:

ls


GPG keys
New GPG key
This is a list of GPG keys associated with your account. Remove any keys that you do not recognize.
publicgpg
Email address: lopatapol228@gmail.com
Key ID: 4C3350B526219C4B
Subkeys: E870897E01225548
Added on Feb 28, 2026
GPG
Delete
Learn how to generate a GPG key and add it to your account.

8: ls -R ls -t

```
palopatchenko@palopatchenko:~$ git config --global user.signingkey 4C335DB526219C4B
palopatchenko@palopatchenko:~$ git config --global commit.gpgsign true
palopatchenko@palopatchenko:~$ git config --global gpg.program $(which gpg)
palopatchenko@palopatchenko:~$ git config --global --list | grep -E "user.signingkey|commit.gpgsign|gpg.program"
user.signingkey=4C335DB526219C4B
commit.gpgsign=true
gpg.program=/usr/bin/gpg
```

9: cd

```
palopatchenko@palopatchenko:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
   - main
Branch name for production releases: [main]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
```

10: pwd

4