№11

emacs

2026-04-13

|

1

2

3

4

1

-
-

-
-
- -04-25

-
-
- -04-25
- . .

-
-
- -04-25
- . .
- 1032253529@rudn.ru

-
-
- -04-25
- . .
- 1032253529@rudn.ru
- https://PALopatchenko-lab.github.io/ru/

2

Linux.

Emacs.

1 Emacs

3

1. Emacs.

```
Welcome to GNU Emacs, one component of the GNU/Linux operating system.

Get help            C-h  (Hold down CTRL and press h)
Emacs manual        C-h r        Browse manuals      C-h i
Emacs tutorial      C-h t        Undo changes        C-x u
Buy manuals         C-h RET      Exit Emacs          C-x C-c
Activate menubar    M-`
(‘C-’ means use the CTRL key.  ‘M-’ means use the Meta (or Alt) key.
If you have no Meta key, you may instead type ESC followed by the character.)
Useful tasks:
Visit New File                   Open Home Directory
Customize Startup                Open *scratch* buffer

GNU Emacs 30.2 (build 1, x86_64-redhat-linux-gnu, GTK+ Version
 3.24.51, cairo version 1.18.4) of 2025-11-15
Copyright (C) 2025 Free Software Foundation, Inc.

GNU Emacs comes with ABSOLUTELY NO WARRANTY; type C-h C-w for full details.
Emacs is Free Software--Free as in Freedom--so you can redistribute copies
of Emacs and modify it; type C-h C-c to see the conditions.
Type C-h C-o for information on getting the latest version.

If an Emacs session crashed recently, type M-x recover-session RET
to recover the files you were editing.
```

1: Emacs



2:


1
foot
100%
foot
File Edit Options Buffers Tools Sh-Script Help
echo $HELLO
hello

3:


foot
File Edit Options Buffers Tools Sh-Script Help
hello
echo $HELLO

4:


1
foot
100%
100%
foot
File Edit Options Buffers Tools Sh-Script Help

5:


hello
echo $HELLO
-UUU:**- F1 lab11.sh All L3 (Shell-script[sh]) ----------
CRM Buffer Size Mode File
. * lab11.sh 18 Shell-script[sh] ~/lab11.sh
% *GNU Emacs* 1056 Fundamental
scratch 147 Lisp Interaction
%* *Messages* 1013 Messages

6:


CRM Buffer Size Mode File
. * lab11.sh 18 Shell-script[sh] ~/lab11.sh
% *GNU Emacs* 1056 Fundamental
scratch 147 Lisp Interaction
%* *Messages* 1013 Messages

7:


foot
File Edit Options Buffers Tools Sh-Script Help
hello
echo $HELLO

8:


-UUU:--- F1 file1.txt All L1 (Text Isearch)
Failing I-search: hello
Right Ctrl

9:

4

Linux.

Emacs.