№8

. - .

2026-03-30

|

1

2

3

4

1

-
-

-
-
- -04-25

-
-
- -04-25
- . .

-
-
- -04-25
- . .
- 1032253529@rudn.ru

-
-
- -04-25
- . .
- 1032253529@rudn.ru
- https://PALopatchenko-lab.github.io/ru/

2

Linux, , .

, , .

1 -
2
3
4
5 df du

3


foot
palopatchenko@palopatchenko:~$ ls /etc > file.txt
palopatchenko@palopatchenko:~$ ls ~ >> file.txt
palopatchenko@palopatchenko:~$

1:

```
palopatchenko@palopatchenko:~$ grep "\.conf" file.txt > conf.txt
palopatchenko@palopatchenko:~$ ls ~ | grep "^c"
conf.txt
palopatchenko@palopatchenko:~$
```

2:

```
palopatchenko@palopatchenko:~$ ls /etc/h* | more
/etc/host.conf
/etc/hostname
/etc/hosts
palopatchenko@palopatchenko:~$ find / -name "*host"
```

3:

```
palopatchenko@palopatchenko:~$ find / -name "*log*" > ~/logfile 2>/dev/nul
[1] 2153
palopatchenko@palopatchenko:~$ rm ~/log[1]+  Exit 1                  fi
palopatchenko@palopatchenko:~$ rm ~/logfile
```

4:

```
palopatchenko@palopatchenko:~$ nano &
[1] 2300
palopatchenko@palopatchenko:~$ ps aux | grep nano
palopat+    2300  0.0  0.1 232752  4052 pts/0    T    13:04   0:00 nano
palopat+    2335  0.0  0.0 231268  2512 pts/0    S+   13:05   0:00 grep --c

[1]+  Stopped                 nano
palopatchenko@palopatchenko:~$ man kill
palopatchenko@palopatchenko:~$ kill <PID>
bash: syntax error near unexpected token `newline'
palopatchenko@palopatchenko:~$ kill 2300
```

5:

df du

```
NAME
       df - report file system space usage

SYNOPSIS
       df [OPTION]... [FILE]...

DESCRIPTION
       This  manual  page  documents the GNU version of df.  df displays th
       taining each file name argument.  If no file name is given, the spac
       is  shown.   Space  is  shown in 1K blocks by default, unless the en
       case 512-byte blocks are used.

       If an argument is the absolute file name of a device node containing
       able on that file system rather than on the file system containing t
       space  available  on  unmounted  file systems, because on most kinds
       knowledge of file system structures.

OPTIONS
       Show information about the file system on which each FILE resides, o

       Mandatory arguments to long options are mandatory for short options

       -a, --all
              include pseudo, duplicate, inaccessible file systems

       -B, --block-size=SIZE
```

6: df

df du

```
palopatchenko@palopatchenko:~$ df -h
Filesystem      Size  Used Avail Use% Mounted on
/dev/sda3        80G  9.6G   70G  13% /
devtmpfs        1.9G     0  1.9G   0% /dev
tmpfs           2.0G  3.4M  2.0G   1% /dev/shm
tmpfs           781M  1.2M  780M   1% /run
tmpfs           1.0M     0  1.0M   0% /run/credentials/systemd-journald.ser
tmpfs           2.0G  4.0K  2.0G   1% /tmp
/dev/sda3        80G  9.6G   70G  13% /home
/dev/sda2       2.0G  440M  1.4G  25% /boot
tmpfs           1.0M     0  1.0M   0% /run/credentials/systemd-resolved.ser
FEDORA2         276G  167G  110G  61% /home/palopatchenko/FEDORA2
FEDORA          276G  167G  110G  61% /media/sf_FEDORA
fedora3         276G  167G  110G  61% /media/sf_fedora3
tmpfs           391M   84K  391M   1% /run/user/1000
```

7: df

df du

```
NAME
       du - estimate file space usage

SYNOPSIS
       du [OPTION]... [FILE]...
       du [OPTION]... --files0-from=F

DESCRIPTION
       Summarize device usage of the set of FILEs, recursively for directo

       Mandatory arguments to long options are mandatory for short options

       -0, --null
              end each output line with NUL, not newline

       -a, --all
              write counts for all files, not just directories

       --apparent-size
              print  apparent  sizes rather than device usage; although th
              due to holes in ('sparse') files, internal fragmentation, in

       -B, --block-size=SIZE
              scale sizes by SIZE before printing them; e.g., '-BM' prints
              below

       -b, --bytes
              equivalent to '--apparent-size --block-size=1'
```

8: du

df du

```
palopatchenko@palopatchenko:~$ du -sh ~
1.2G    /home/palopatchenko
palopatchenko@palopatchenko:~$
```

9: du

```
/home/palopatchenko/git-extended/.git/objects/42
/home/palopatchenko/git-extended/.git/objects/90
/home/palopatchenko/git-extended/.git/objects/3e
/home/palopatchenko/git-extended/.git/objects/fa
/home/palopatchenko/git-extended/.git/objects/37
/home/palopatchenko/git-extended/.git/objects/d1
/home/palopatchenko/git-extended/.git/objects/d8
/home/palopatchenko/git-extended/.git/objects/43
/home/palopatchenko/git-extended/.git/objects/8d
/home/palopatchenko/git-extended/.git/objects/ce
/home/palopatchenko/git-extended/.git/objects/4f
/home/palopatchenko/git-extended/.git/objects/e3
/home/palopatchenko/git-extended/.git/objects/dc
/home/palopatchenko/git-extended/.git/objects/26
/home/palopatchenko/git-extended/.git/objects/de
/home/palopatchenko/git-extended/.git/objects/82
/home/palopatchenko/git-extended/.git/objects/95
/home/palopatchenko/git-extended/.git/objects/a7
/home/palopatchenko/git-extended/.git/objects/60
/home/palopatchenko/git-extended/.git/objects/d0
/home/palopatchenko/git-extended/.git/refs
/home/palopatchenko/git-extended/.git/refs/heads
/home/palopatchenko/git-extended/.git/refs/tags
/home/palopatchenko/git-extended/.git/refs/remotes
/home/palopatchenko/git-extended/.git/refs/remotes/origin
/home/palopatchenko/git-extended/.git/logs
/home/palopatchenko/git-extended/.git/logs/refs
/home/palopatchenko/git-extended/.git/logs/refs/heads
/home/palopatchenko/git-extended/.git/logs/refs/remotes
/home/palopatchenko/git-extended/.git/logs/refs/remotes/origin
/home/palopatchenko/ski.plases
/home/palopatchenko/ski.plases/equipment
/home/palopatchenko/ski.plases/plans
/home/palopatchenko/play
palopatchenko@palopatchenko:~$
```

10:

4