

* Upon pressing "Escape"

storyboard controls : End the application

* Alterable Value A of screen follow 1 = 0

screen follow 1 : Add 1 to Alterable Value B

screen follow 1 : Set position at (1,0) from screen follow 1

* Alterable Value A of screen follow 1 = 0

+ Alterable Value B of screen follow 1 >= 320

screen follow 1 : Set Alterable Value A to 1

screen follow 1 : Set Alterable Value B to 0

* viewing = 0

+ control room view <> 2

+ control room view <> 4

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

Active 6 : Reappear

Active 7 : Reappear

panel 2 : Reappear

left door : Reappear

right door : Reappear

Active 9 : Make invisible

1A show stage : Make invisible

1B dining area : Make invisible

cam 2A : Make invisible

1A showstage : Make invisible

Active 11 : Make invisible

Active 12 : Make invisible
cam 2B : Make invisible
cam 3 closet : Make invisible
Active 13 : Make invisible
Active 14 : Make invisible
cam 4A : Make invisible
cam 4B : Make invisible
Active 15 : Make invisible
Active 16 : Make invisible
5 backstage : Make invisible
Active 17 : Make invisible
cam 6 kitchen : Make invisible
Active 18 : Make invisible
7 restrooms : Make invisible
cam 7 bathrooms : Make invisible
1C stage B : Make invisible
Active 20 : Make invisible
location : Make invisible

* viewing = 0

+ Only one action when event loops

Active 7 : Reappear
panel 2 : Reappear
left door : Reappear
right door : Reappear
Active 9 : Make invisible
1A show stage : Make invisible
1B dining area : Make invisible

cam 2A : Make invisible
1A showstage : Make invisible
Active 11 : Make invisible
Active 12 : Make invisible
cam 2B : Make invisible
cam 3 closet : Make invisible
Active 13 : Make invisible
Active 14 : Make invisible
cam 4A : Make invisible
cam 4B : Make invisible
Active 15 : Make invisible
Active 16 : Make invisible
5 backstage : Make invisible
Active 17 : Make invisible
cam 6 kitchen : Make invisible
Active 18 : Make invisible
7 restrooms : Make invisible
cam 7 bathrooms : Make invisible
1C stage B : Make invisible
Active 20 : Make invisible
location : Make invisible

* viewing > 0

+ Only one action when event loops

Active 6 : Make invisible
Active 7 : Make invisible
panel 2 : Make invisible
left door : Make invisible

right door : Make invisible

Active 9 : Reappear

1A show stage : Reappear

1B dining area : Reappear

cam 2A : Reappear

1A showstage : Reappear

Active 11 : Reappear

Active 12 : Reappear

cam 2B : Reappear

cam 3 closet : Reappear

Active 13 : Reappear

Active 14 : Reappear

cam 4A : Reappear

Active 15 : Reappear

cam 4B : Reappear

Active 16 : Reappear

5 backstage : Reappear

Active 17 : Reappear

cam 6 kitchen : Reappear

Active 18 : Reappear

7 restrooms : Reappear

cam 7 bathrooms : Reappear

1C stage B : Reappear

Active 20 : Reappear

location : Reappear

Active 10 : Reappear

Active 19 : Reappear

Active 22 : Reappear

per second : Reappear

power left : Reappear

power left 2 : Reappear

yellow bear : Make invisible

* Alterable Value A of screen follow 1 = 1

screen follow 1 : Add 1 to Alterable Value B

* Alterable Value A of screen follow 1 = 1

+ Alterable Value B of screen follow 1 $\geq$ 100

screen follow 1 : Set Alterable Value A to 2

screen follow 1 : Set Alterable Value B to 0

* Alterable Value A of screen follow 1 = 2

screen follow 1 : Add 1 to Alterable Value B

screen follow 1 : Set position at (-1,0) from screen follow 1

* Alterable Value A of screen follow 1 = 2

+ Alterable Value B of screen follow 1 $\geq$ 320

screen follow 1 : Set Alterable Value A to 3

screen follow 1 : Set Alterable Value B to 0

* Alterable Value A of screen follow 1 = 3

screen follow 1 : Add 1 to Alterable Value B

* Alterable Value A of screen follow 1 = 3

+ Alterable Value B of screen follow 1 $\geq$ 100

screen follow 1 : Set Alterable Value A to 0

screen follow 1 : Set Alterable Value B to 0

* Always

Active : Set alpha-blending coefficient to Alterable Value A("Active")

Active : Set Alterable Value A to $150 + \text{Random}(50) + (\text{Alterable Value B("Active")} * 15)$

* Every 01"-00

Active : Set Alterable Value B to $\text{Random}(3)$

* Start of Frame

Sound : Stop any sample

Active : Set Alterable Value B to $\text{Random}(3)$

Sound : Play sample ColdPresc B (uninterruptable) on channel #2, 0 times

Sound : Play sample Buzz_Fan_Florescent2 (uninterruptable) on channel #1, 0 times

Sound : Play sample BallastHumMedium2 (uninterruptable) on channel #3, 0 times

Sound : Set volume of channel #2 to 50

Sound : Set volume of channel #20 to 10

Sound : Set volume of channel #21 to 0

Sound : Set volume of channel #22 to 25

Sound : Play sample robotvoice on channel #21, 0 times

Active 21 : Set position at (0,0)

* blip = 1

New Objects : Create Active 5 at (0,0) from Active 4

blip : Set Counter to 0

Sound : Play sample blip3 on channel #9

* Active 5 animation Stopped is over

Active 5 : Destroy

* set viewing to > 0

blip : Set Counter to 1

viewing : Set Counter to value("set viewing to")

set viewing to : Set Counter to 0

* viewing > 0

+ NOT bonnie is overlapping ready to attack left

+ NOT bonnie is overlapping got you left

+ NOT chica is overlapping ready to attack right

+ NOT chica is overlapping got you right

control room view : Set Counter to 0

* viewing > 0

+ bonnie is overlapping ready to attack left

+ NOT chica is overlapping got you right

control room view : Set Counter to 1

* viewing > 0

+ chica is overlapping ready to attack right

+ NOT bonnie is overlapping got you left

control room view : Set Counter to 3

* viewing > 0

+ bonnie is overlapping got you left

control room view : Set Counter to 2

* viewing > 0

+ chica is overlapping got you right

control room view : Set Counter to 4

* viewing = 0

+ control room view = 0

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

* viewing = 1

+ you is overlapping bonnie

+ you is overlapping chica

Active 3 : Change animation sequence to Animation 17

* viewing = 1

+ NOT you is overlapping bonnie

+ you is overlapping chica

Active 3 : Change animation sequence to Animation 27

* viewing = 1

+ you is overlapping bonnie

+ NOT you is overlapping chica

Active 3 : Change animation sequence to Animation 41

* viewing = 1

- + random for pic > 10
- + freddy bear is overlapping 1A show stage
- + NOT you is overlapping bonnie
- + NOT you is overlapping chica

Active 3 : Change animation sequence to Animation 42

- * viewing = 1
- + NOT you is overlapping bonnie
- + NOT freddy bear is overlapping 1A show stage
- + NOT you is overlapping chica

Active 3 : Change animation sequence to Animation 60

- * viewing = 1
- + random for pic <= 10
- + you is overlapping freddy bear
- + NOT you is overlapping chica
- + NOT you is overlapping bonnie

Active 3 : Change animation sequence to Animation 54

- * viewing = 2
- + NOT you is overlapping bonnie
- + NOT you is overlapping freddy bear
- + NOT you is overlapping chica

Active 3 : Change animation sequence to Animation 13

- * viewing = 2
- + NOT you is overlapping bonnie
- + you is overlapping freddy bear

+ NOT you is overlapping chica

Active 3 : Change animation sequence to Animation 61

* viewing = 2

+ you is overlapping chica

+ Alterable Value D of chica = 1

Active 3 : Change animation sequence to Animation 40

* viewing = 2

+ you is overlapping chica

+ Alterable Value D of chica = 2

Active 3 : Change animation sequence to Animation 55

* viewing = 2

+ you is overlapping bonnie

+ NOT you is overlapping chica

+ Alterable Value D of bonnie = 1

Active 3 : Change animation sequence to Animation 28

* viewing = 2

+ you is overlapping bonnie

+ NOT you is overlapping chica

+ Alterable Value D of bonnie = 2

Active 3 : Change animation sequence to Animation 29

* viewing = 3

+ Alterable Value C of Active 3 > 3

+ fox progress < 3

Active 3 : Change animation sequence to Animation 14

- * viewing = 3
- + Alterable Value C of Active 3 ≤ 3
- + NOT you is overlapping bonnie
- + fox progress < 3

Active 3 : Change animation sequence to Animation 15

- * viewing = 3
- + Alterable Value C of Active 3 ≤ 3
- + you is overlapping bonnie
- + fox progress < 3

Active 3 : Change animation sequence to Animation 33

- * viewing = 3
- + fox progress = 3
- + Only one action when event loops

Active 3 : Change animation sequence to Animation 51

fox progress : Set Counter to 4

Sound : Set volume of channel #16 to 100

Sound : Play sample run (uninterruptable) on channel #16

- * viewing = 22
- + NOT you is overlapping bonnie
- + Alterable Value A of yellow bear = 0
- + random for pic < 2

Active 3 : Change animation sequence to Animation 75

* viewing = 22

+ NOT you is overlapping bonnie

+ Alterable Value A of yellow bear = 0

+ random for pic $\geq$ 2

Active 3 : Change animation sequence to Animation 20

* viewing = 22

+ NOT you is overlapping bonnie

+ Alterable Value A of yellow bear $\geq$ 1

Active 3 : Change animation sequence to Animation 74

* viewing = 22

+ NOT you is overlapping bonnie

+ Alterable Value A of yellow bear = 1

+ Run this event once

yellow bear : Set Alterable Value A to 2

Sound : Play sample Laugh_Giggle_Girl_1 (uninterruptable) on channel #27

* viewing = 22

+ you is overlapping bonnie

+ night number $<$ 4

Active 3 : Change animation sequence to Animation 30

* viewing = 22

+ you is overlapping bonnie

+ Alterable Value F of Active 3 $<$ 25

+ night number $\geq$ 4

Active 3 : Change animation sequence to Animation 30

* viewing = 22

+ you is overlapping bonnie

+ Alterable Value F of Active 3 $\geq$ 25

+ Alterable Value F of Active 3 $<$ 29

+ night number $\geq$ 4

Active 3 : Change animation sequence to Animation 58

* viewing = 22

+ you is overlapping bonnie

+ Alterable Value F of Active 3 $\geq$ 29

+ night number $\geq$ 4

Active 3 : Change animation sequence to Animation 59

* viewing = 33

+ NOT you is overlapping bonnie

Active 3 : Change animation sequence to Animation 24

* viewing = 33

+ you is overlapping bonnie

Active 3 : Change animation sequence to Animation 31

* viewing = 42

+ NOT chica is overlapping cam 4B

+ NOT freddy bear is overlapping cam 4B

+ random for pic $\leq$ 96

Active 3 : Change animation sequence to Animation 23

* viewing = 42

+ NOT chica is overlapping cam 4B

+ NOT freddy bear is overlapping cam 4B

+ random for pic = 97

Active 3 : Change animation sequence to Animation 69

* viewing = 42

+ NOT chica is overlapping cam 4B

+ NOT freddy bear is overlapping cam 4B

+ random for pic = 98

Active 3 : Change animation sequence to Animation 70

* viewing = 42

+ NOT chica is overlapping cam 4B

+ NOT freddy bear is overlapping cam 4B

+ random for pic = 99

Active 3 : Change animation sequence to Animation 71

* viewing = 42

+ NOT chica is overlapping cam 4B

+ NOT freddy bear is overlapping cam 4B

+ random for pic = 100

Active 3 : Change animation sequence to Animation 72

* viewing = 42

+ NOT chica is overlapping cam 4B

+ freddy bear is overlapping cam 4B

Active 3 : Change animation sequence to Animation 64

* viewing = 42

+ chica is overlapping cam 4B

+ night number < 4

Active 3 : Change animation sequence to Animation 38

* viewing = 42

+ chica is overlapping cam 4B

+ Alterable Value F of Active 3 < 25

+ night number >= 4

Active 3 : Change animation sequence to Animation 38

* viewing = 42

+ chica is overlapping cam 4B

+ Alterable Value F of Active 3 >= 25

+ Alterable Value F of Active 3 < 29

+ night number >= 4

Active 3 : Change animation sequence to Animation 56

* viewing = 42

+ chica is overlapping cam 4B

+ Alterable Value F of Active 3 >= 29

+ night number >= 4

Active 3 : Change animation sequence to Animation 57

* viewing = 99

+ fox progress = 0

Active 3 : Change animation sequence to Animation 26

* viewing = 99

+ fox progress = 1

Active 3 : Change animation sequence to Animation 48

* viewing = 99

+ fox progress = 2

Active 3 : Change animation sequence to Animation 49

* viewing = 99

+ fox progress = 3

+ random for pic > 10

Active 3 : Change animation sequence to Animation 50

* viewing = 99

+ fox progress = 3

+ random for pic <= 10

Active 3 : Change animation sequence to Animation 73

* viewing = 7

+ NOT chica is overlapping cam 7 bathrooms

+ NOT freddy bear is overlapping cam 7 bathrooms

Active 3 : Change animation sequence to Animation 21

* viewing = 7

+ NOT chica is overlapping cam 7 bathrooms

+ freddy bear is overlapping cam 7 bathrooms

Active 3 : Change animation sequence to Animation 62

* viewing = 7

+ chica is overlapping cam 7 bathrooms

+ Alterable Value D of chica = 1

Active 3 : Change animation sequence to Animation 36

* viewing = 7

+ chica is overlapping cam 7 bathrooms

+ Alterable Value D of chica = 2

Active 3 : Change animation sequence to Animation 37

* viewing = 5

+ random for pic > 5

+ NOT you is overlapping bonnie

Active 3 : Change animation sequence to Animation 22

* viewing = 5

+ random for pic <= 5

+ NOT you is overlapping bonnie

Active 3 : Change animation sequence to Animation 53

* viewing = 5

+ you is overlapping bonnie

+ random for pic > 10

Active 3 : Change animation sequence to Animation 32

* viewing = 5

+ you is overlapping bonnie

+ random for pic <= 10

Active 3 : Change animation sequence to Animation 66

* viewing = 4

+ NOT chica is overlapping cam 4A

+ NOT freddy bear is overlapping cam 4A

+ random for pic <= 98

Active 3 : Change animation sequence to Animation 25

* viewing = 4

+ NOT chica is overlapping cam 4A

+ NOT freddy bear is overlapping cam 4A

+ random for pic = 99

Active 3 : Change animation sequence to Animation 67

* viewing = 4

+ NOT chica is overlapping cam 4A

+ NOT freddy bear is overlapping cam 4A

+ random for pic = 100

Active 3 : Change animation sequence to Animation 68

* viewing = 4

+ NOT chica is overlapping cam 4A

+ freddy bear is overlapping cam 4B

Active 3 : Change animation sequence to Animation 25

* viewing = 4

+ NOT chica is overlapping cam 4A

- + freddy bear is overlapping cam 4A
- + NOT freddy bear is overlapping cam 4B

Active 3 : Change animation sequence to Animation 63

* viewing = 4

- + chica is overlapping cam 4A
- + Alterable Value D of chica = 1

Active 3 : Change animation sequence to Animation 39

* viewing = 4

- + chica is overlapping cam 4A
- + Alterable Value D of chica = 2

Active 3 : Change animation sequence to Animation 45

* viewing = 0

Active 5 : Make invisible

Active : Make invisible

Active 2 : Make invisible

frame : Make invisible

* viewing > 0

Active : Reappear

Active 2 : Reappear

frame : Reappear

* Mouse pointer is over left low

+ X position of control room follow > 640

+ viewing = 0

control room follow : Set position at (-2,0) from control room follow

- * Mouse pointer is over left high

- + X position of control room follow > 640

- + viewing = 0

control room follow : Set position at (-5,0) from control room follow

- * Mouse pointer is over right low

- + X position of control room follow < 960

- + viewing = 0

control room follow : Set position at (2,0) from control room follow

- * Mouse pointer is over right high

- + X position of control room follow < 960

- + viewing = 0

control room follow : Set position at (5,0) from control room follow

- * Mouse pointer is over fast left

- + X position of control room follow > 640

- + viewing = 0

control room follow : Set position at (-5,0) from control room follow

- * Mouse pointer is over fast right

- + X position of control room follow < 960

- + viewing = 0

control room follow : Set position at (5,0) from control room follow

- * left door animation Animation 12 is over

left door : Change animation sequence to Animation 13

left door : Set Alterable Value A to 2

* left door animation Animation 14 is over

left door : Change animation sequence to Stopped

left door : Set Alterable Value A to 0

* Alterable Value A of door open left = 0

+ Alterable Value A of light on left = 0

Active 7 : Change animation sequence to Stopped

* Alterable Value A of door open left = 1

+ Alterable Value A of light on left = 0

Active 7 : Change animation sequence to Animation 12

* Alterable Value A of door open left = 0

+ Alterable Value A of light on left = 1

Active 7 : Change animation sequence to Animation 13

* Alterable Value A of door open left = 1

+ Alterable Value A of light on left = 1

Active 7 : Change animation sequence to Animation 14

* click cooldown > 0

click cooldown : Subtract 1 from Counter

* click cooldown = 0

+ Alterable Value A of left door = 0

+ User clicks with left button on door open left

+ viewing = 0

+ NOT bonnie is overlapping got you left

+ power down = 0

+ Alterable Value O of chica = 0

door open left : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

left door : Set Alterable Value A to 1

left door : Change animation sequence to Animation 12

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* click cooldown = 0

+ Alterable Value A of left door = 0

+ User clicks with left button on door open left

+ viewing = 0

+ bonnie is overlapping got you left

+ power down = 0

+ Alterable Value O of chica = 0

Sound : Play sample error on channel #12

* right door animation Animation 12 is over

right door : Change animation sequence to Animation 13

right door : Set Alterable Value A to 2

* right door animation Animation 14 is over

right door : Change animation sequence to Stopped

right door : Set Alterable Value A to 0

* click cooldown = 0

+ Alterable Value A of right door = 0

+ User clicks with left button on door open right

+ viewing = 0

+ NOT chica is overlapping got you right

+ power down = 0

right door : Set Alterable Value A to 1

right door : Change animation sequence to Animation 12

door open right : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* click cooldown = 0

+ Alterable Value A of right door = 0

+ User clicks with left button on door open right

+ viewing = 0

+ chica is overlapping got you right

+ power down = 0

Sound : Play sample error on channel #12

* click cooldown = 0

+ Alterable Value A of left door = 2

+ User clicks with left button on door open left

+ viewing = 0

+ Alterable Value O of chica = 0

+ power down = 0

door open left : Add 1 to Alterable Value A

left door : Set Alterable Value A to 4

left door : Change animation sequence to Animation 14

click cooldown : Set Counter to 10

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* power down = 1

+ Alterable Value A of left door = 2

+ Only one action when event loops

door open left : Add 1 to Alterable Value A

left door : Set Alterable Value A to 4

left door : Change animation sequence to Animation 14

click cooldown : Set Counter to 10

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* click cooldown = 0

+ Alterable Value A of right door = 2

+ User clicks with left button on door open right

+ viewing = 0

+ power down = 0

right door : Set Alterable Value A to 4

right door : Change animation sequence to Animation 14

door open right : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* Alterable Value A of right door = 2

+ power down = 1

+ Only one action when event loops

right door : Set Alterable Value A to 4

right door : Change animation sequence to Animation 14

door open right : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

Sound : Play sample SFXBible_12478 (uninterruptable) on channel #4

* click cooldown = 0

+ viewing = 0

+ User clicks with left button on light on left

+ NOT bonnie is overlapping got you left

+ power down = 0

+ Alterable Value G of freddy bear = 0

+ Alterable Value O of chica = 0

light on left : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

light on right : Set Alterable Value A to 0

* click cooldown = 0

+ viewing = 0

+ User clicks with left button on light on left

+ bonnie is overlapping got you left

+ power down = 0

+ Alterable Value O of chica = 0

+ Alterable Value G of freddy bear = 0

Sound : Play sample error on channel #12

* click cooldown = 0

+ viewing = 0

+ User clicks with left button on light on right

+ NOT chica is overlapping got you right

+ power down = 0

+ Alterable Value O of chica = 0

+ Alterable Value G of freddy bear = 0

light on right : Add 1 to Alterable Value A

click cooldown : Set Counter to 10

light on left : Set Alterable Value A to 0

* click cooldown = 0

+ viewing = 0

+ User clicks with left button on light on right

+ chica is overlapping got you right

+ power down = 0

Sound : Play sample error on channel #12

* Alterable Value A of door open left ≥ 2

door open left : Set Alterable Value A to 0

* Alterable Value A of door open right ≥ 2

door open right : Set Alterable Value A to 0

* Alterable Value A of light on left ≥ 2

light on left : Set Alterable Value A to 0

* Alterable Value A of light on right ≥ 2

light on right : Set Alterable Value A to 0

* viewing = 0

- + control room view = 0
- + Alterable Value A of light on left = 0
- + Alterable Value A of light on right = 0
- + fox progress <> 5
- + Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

Sound : Set volume of channel #3 to 0

- * viewing = 0
- + control room view = 1
- + Alterable Value A of light on left = 0
- + Alterable Value A of light on right = 0
- + fox progress <> 5
- + Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

Sound : Set volume of channel #3 to 0

- * viewing = 0
- + control room view = 3
- + Alterable Value A of light on left = 0
- + Alterable Value A of light on right = 0
- + fox progress <> 5
- + Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

Sound : Set volume of channel #3 to 0

- * viewing = 0
- + control room view = 2

+ Alterable Value A of light on left = 0

+ Alterable Value A of light on right = 0

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 35

Sound : Set volume of channel #3 to 0

* viewing = 0

+ control room view = 4

+ Alterable Value A of light on left = 0

+ Alterable Value A of light on right = 0

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 44

Sound : Set volume of channel #3 to 0

* viewing = 0

+ Alterable Value A of light on left = 1

+ Alterable Value C of Active 3 <= 1

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

Sound : Set volume of channel #3 to 0

* viewing = 0

+ Alterable Value A of light on left = 1

+ NOT bonnie is overlapping ready to attack left

+ Alterable Value C of Active 3 > 1

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 18

Sound : Set volume of channel #3 to 100

* viewing = 0

+ Alterable Value A of light on left = 1

+ bonnie is overlapping ready to attack left

+ Alterable Value C of Active 3 > 1

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 34

Sound : Set volume of channel #3 to 100

* Always

Active 3 : Set Alterable Value C to $\text{Random}(10) + 1$

* Alterable Value A of door open right = 0

+ Alterable Value A of light on right = 0

panel 2 : Change animation sequence to Stopped

* Alterable Value A of door open right = 1

+ Alterable Value A of light on right = 0

panel 2 : Change animation sequence to Animation 12

* Alterable Value A of door open right = 0

+ Alterable Value A of light on right = 1

panel 2 : Change animation sequence to Animation 13

* Alterable Value A of door open right = 1

+ Alterable Value A of light on right = 1

panel 2 : Change animation sequence to Animation 14

* viewing = 0

+ Alterable Value A of light on right = 1

+ Alterable Value C of Active 3 <= 1

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Stopped

Sound : Set volume of channel #3 to 0

* viewing = 0

+ Alterable Value A of light on right = 1

+ NOT chica is overlapping ready to attack right

+ Alterable Value C of Active 3 > 1

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 19

Sound : Set volume of channel #3 to 100

* viewing = 0

+ Alterable Value A of light on right = 1

+ chica is overlapping ready to attack right

+ Alterable Value C of Active 3 > 1

+ Alterable Value G of freddy bear = 0

Active 3 : Change animation sequence to Animation 43

Sound : Set volume of channel #3 to 100

* viewing = 0

+ flip it = 0

+ Alterable Value G of freddy bear = 0

+ Alterable Value A of flip up = 0

+ Mouse pointer is over flip up

+ power down = 0

+ fox progress <> 5

 New Objects : Create panel at (0,0) from Active 8

 flip it : Set Counter to 1

 flip up : Set Alterable Value A to 1

 Active 8 : Make invisible

 Sound : Play sample CAMERA_VIDEO_LOA_60105303 (uninterruptable) on channel #7

 Active 6 : Make invisible

* viewing > 0

+ flip it = 0

+ Alterable Value A of flip up = 0

+ Mouse pointer is over flip up

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

 put down : Set Counter to 1

* viewing > 0

+ flip it = 0

+ power down = 1

 put down : Set Counter to 1

* panel animation Stopped is over

 panel : Destroy

 set viewing to : Set Counter to value("last clicked")

flip it : Set Counter to 0

* flip down 2 animation Stopped is over

flip it : Set Counter to 0

flip down 2 : Destroy

* Mouse pointer is over flip down

flip up : Set Alterable Value A to 0

* User clicks with left button on 1A show stage

+ viewing > 0

set viewing to : Set Counter to 1

you : Set position at (0,0) from 1A show stage

last clicked : Set Counter to 1

* User clicks with left button on 1B dining area

+ viewing > 0

set viewing to : Set Counter to 2

you : Set position at (0,0) from 1B dining area

last clicked : Set Counter to 2

* User clicks with left button on cam 2B

+ viewing > 0

set viewing to : Set Counter to 22

you : Set position at (0,0) from cam 2B

last clicked : Set Counter to 22

* User clicks with left button on cam 3 closet

+ viewing > 0

set viewing to : Set Counter to 33

you : Set position at (0,0) from cam 3 closet

last clicked : Set Counter to 33

* User clicks with left button on cam 7 bathrooms

+ viewing > 0

set viewing to : Set Counter to 7

you : Set position at (0,0) from cam 7 bathrooms

last clicked : Set Counter to 7

* User clicks with left button on 1C stage B

+ viewing > 0

set viewing to : Set Counter to 99

you : Set position at (0,0) from 1C stage B

last clicked : Set Counter to 99

* User clicks with left button on cam 2A

+ viewing > 0

set viewing to : Set Counter to 3

you : Set position at (0,0) from cam 2A

last clicked : Set Counter to 3

* viewing = 0

+ Only one action when event loops

Sound : Set volume of channel #6 to 0

Sound : Set volume of channel #1 to 25

control room follow : Set Alterable Value A to 0

* viewing > 0

+ Only one action when event loops

Sound : Set volume of channel #6 to 100

Sound : Play sample MiniDV_Tape_Eject_1 (uninterruptable) on channel #6

Sound : Set volume of channel #1 to 10

control room follow : Set Alterable Value A to 1

* viewing = 1

+ Only one action when event loops

1A show stage : Change animation sequence to Animation 12

* viewing <> 1

+ Only one action when event loops

1A show stage : Change animation sequence to Stopped

* viewing = 2

+ Only one action when event loops

1B dining area : Change animation sequence to Animation 12

* viewing <> 2

+ Only one action when event loops

1B dining area : Change animation sequence to Stopped

* viewing = 3

+ Only one action when event loops

cam 2A : Change animation sequence to Animation 12

* viewing <> 3

+ Only one action when event loops

cam 2A : Change animation sequence to Stopped

* viewing > 0

+ viewing <> 33

storyboard controls : Center display at X=X("screen follow 1")

* viewing = 0

storyboard controls : Center display at X=X("control room follow")

* viewing = 6

audio only : Reappear

Active 3 : Make invisible

* viewing <> 6

+ Alterable Value A of you = 0

audio only : Make invisible

Active 3 : Reappear

* User clicks with left button on cam 6 kitchen

+ viewing > 0

set viewing to : Set Counter to 6

you : Set position at (0,0) from cam 6 kitchen

last clicked : Set Counter to 6

* User clicks with left button on 5 backstage

+ viewing > 0

set viewing to : Set Counter to 5

you : Set position at (0,0) from 5 backstage

last clicked : Set Counter to 5

* User clicks with left button on cam 4B

+ viewing > 0

set viewing to : Set Counter to 42

you : Set position at (0,0) from cam 4B

last clicked : Set Counter to 42

* User clicks with left button on cam 4A

+ viewing > 0

set viewing to : Set Counter to 4

you : Set position at (0,0) from cam 4A

last clicked : Set Counter to 4

* viewing = 22

+ Only one action when event loops

cam 2B : Change animation sequence to Animation 12

* viewing <> 22

+ Only one action when event loops

cam 2B : Change animation sequence to Stopped

* viewing = 6

+ Only one action when event loops

cam 6 kitchen : Change animation sequence to Animation 12

* viewing <> 6

+ Only one action when event loops

cam 6 kitchen : Change animation sequence to Stopped

* viewing = 7

+ Only one action when event loops

cam 7 bathrooms : Change animation sequence to Animation 12

* viewing <> 7

+ Only one action when event loops

cam 7 bathrooms : Change animation sequence to Stopped

* viewing = 5

+ Only one action when event loops

5 backstage : Change animation sequence to Animation 12

* viewing <> 5

+ Only one action when event loops

5 backstage : Change animation sequence to Stopped

* Alterable Value A of left door = 0

+ Only one action when event loops

control room follow : Set Alterable Value B to 0

* Alterable Value A of left door = 2

+ Only one action when event loops

control room follow : Set Alterable Value B to 1

* Alterable Value A of right door = 0

+ Only one action when event loops

control room follow : Set Alterable Value C to 0

* Alterable Value A of right door = 2

+ Only one action when event loops

control room follow : Set Alterable Value C to 1

* Alterable Value A of light on left = 0

+ Only one action when event loops

control room follow : Set Alterable Value D to 0

* Alterable Value A of light on left = 1

+ Only one action when event loops

control room follow : Set Alterable Value D to 1

* Alterable Value A of light on right = 0

+ Only one action when event loops

control room follow : Set Alterable Value E to 0

* Alterable Value A of light on right = 1

+ Only one action when event loops

control room follow : Set Alterable Value E to 1

* Always

power left 2 : Set Counter to value("power left") / 10

usage meter : Set Counter to 1 + Alterable Value A("control room follow") +
Alterable Value B("control room follow") + Alterable Value C("control room

follow") + Alterable Value D("control room follow") + Alterable Value E("control room follow")

* Start of Frame

power left : Set Counter to 999

* Every 01"-00

+ power left > 0

power left : Subtract value("usage meter") from Counter

* viewing = 42

+ Only one action when event loops

cam 4B : Change animation sequence to Animation 12

* viewing <> 42

+ Only one action when event loops

cam 4B : Change animation sequence to Stopped

* viewing = 33

+ Only one action when event loops

cam 3 closet : Change animation sequence to Animation 12

* viewing <> 33

+ Only one action when event loops

cam 3 closet : Change animation sequence to Stopped

* viewing = 33

storyboard controls : Center display at X=0

* viewing = 4

+ Only one action when event loops

cam 4A : Change animation sequence to Animation 12

* viewing <> 4

+ Only one action when event loops

cam 4A : Change animation sequence to Stopped

* viewing = 99

+ Only one action when event loops

1C stage B : Change animation sequence to Animation 12

* viewing <> 99

+ Only one action when event loops

1C stage B : Change animation sequence to Stopped

* Start of Frame

you : Set position at (0,0) from 1A show stage

* Every 04"-97

+ Random(20) + 1 <= value("bonnie activity")

move who? : Set Counter to 1

* Every 04"-98

+ Random(20) + 1 <= value("chica activity")

move who? : Set Counter to 2

* Every 03"-02

+ Random(20) + 1 <= value("freddy activity")

+ viewing = 0

 freddy bear : Set Alterable Value M to 1

* viewing <> 99

+ fox progress < 3

+ Every 05"-01

+ Random(20) + 1 <= value("fox activity")

+ Alterable Value M of chica = 0

 fox progress : Add 1 to Counter

* move who? = 1

+ Only one action when event loops

 bonnie : Set Alterable Value B to 10

 bonnie : Set Alterable Value D to Random(2) + 1

* move who? = 2

+ Only one action when event loops

 chica : Set Alterable Value B to 10

 chica : Set Alterable Value D to Random(2) + 1

* you is overlapping bonnie

+ Alterable Value B of bonnie > 0

+ viewing > 0

 you : Set Alterable Value A to 300

 Active 2 : Set Alterable Value A to Random(4) + 1

* you is overlapping chica

+ Alterable Value B of chica > 0

+ viewing > 0

you : Set Alterable Value A to 300

Active 2 : Set Alterable Value A to Random(4) + 1

* Alterable Value A of you > 0

+ Only one action when event loops

blip : Set Counter to 1

* Alterable Value A of you > 0

+ viewing > 0

Active 3 : Make invisible

* Alterable Value A of you > 0

you : Sub 1 from Alterable Value A

* move who? = 1

+ bonnie is overlapping 1A show stage

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from 5 backstage

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

* move who? = 1

+ bonnie is overlapping 1A show stage

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from 1B dining area

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

* Every 01"-00

bonnie : Set Alterable Value A to $\text{Random}(2) + 1$

chica : Set Alterable Value A to $\text{Random}(2) + 1$

freddy bear : Set Alterable Value A to $\text{Random}(2) + 1$

* move who? = 1

+ bonnie is overlapping 5 backstage

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from 1B dining area

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

* move who? = 1

+ bonnie is overlapping 5 backstage

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 2A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

* move who? = 1

+ bonnie is overlapping 1B dining area

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from 5 backstage

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 20

* move who? = 1

+ bonnie is overlapping 1B dining area

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 2A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 20

* move who? = 1

+ bonnie is overlapping cam 2A

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 3 closet

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* move who? = 1

+ bonnie is overlapping cam 2A

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 2B

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* move who? = 1

+ bonnie is overlapping cam 2B

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 3 closet

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 40

* move who? = 1

+ bonnie is overlapping cam 2B

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from ready to attack left

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 40

* move who? = 1

+ bonnie is overlapping cam 3 closet

+ Alterable Value A of bonnie = 1

move who? : Set Counter to 0

bonnie : Set position at (0,0) from ready to attack left

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* move who? = 1

+ bonnie is overlapping cam 3 closet

+ Alterable Value A of bonnie = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from cam 2A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* you is overlapping bonnie

+ Only one action when event loops

Sound : Set volume of channel #8 to 0

* you is overlapping chica

+ Only one action when event loops

Sound : Set volume of channel #8 to 0

* move who? = 1

+ bonnie is overlapping ready to attack left

+ Alterable Value A of bonnie > 0

+ Alterable Value A of left door = 0

move who? : Set Counter to 0

bonnie : Set position at (0,0) from got you left

* move who? = 1

+ bonnie is overlapping ready to attack left

+ Alterable Value A of bonnie > 0

+ Alterable Value A of left door = 2

move who? : Set Counter to 0

bonnie : Set position at (0,0) from 1B dining area

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* Alterable Value B of bonnie > 0

bonnie : Sub 1 from Alterable Value B

* Alterable Value B of chica > 0

chica : Sub 1 from Alterable Value B

* viewing = 0

Active 3 : Reappear

* Alterable Value A of Active 2 = 1

Active 2 : Set Alterable Value A to 0

Sound : Play sample COMPUTER_DIGITAL_L2076505 on channel #5

* Alterable Value A of Active 2 = 2

Active 2 : Set Alterable Value A to 0

Sound : Play sample garble1 on channel #5

* Alterable Value A of Active 2 = 3

Active 2 : Set Alterable Value A to 0

Sound : Play sample garble2 on channel #5

* Alterable Value A of Active 2 = 4

Active 2 : Set Alterable Value A to 0

Sound : Play sample garble3 on channel #5

* control room view = 2

+ viewing = 0

Active 6 : Make invisible

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

* control room view = 4

+ viewing = 0

Active 6 : Make invisible

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

* viewing = 0

+ control room view = 2

+ Only one action when event loops

Active 2 : Set Alterable Value C to 10

Active 2 : Set Alterable Value D to 40

* viewing = 0

+ NOT bonnie is overlapping ready to attack left

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

Active 3 : Change animation sequence to Stopped

* viewing = 0

+ bonnie is overlapping ready to attack left

+ NOT chica is overlapping got you right

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

control room view : Set Counter to 1

Active 3 : Change animation sequence to Stopped

* Alterable Value C of Active 2 > 0

Active 2 : Sub 1 from Alterable Value C

* Alterable Value C of Active 2 = 1

+ Only one action when event loops

Sound : Play sample XSCREAM (uninterruptable) on channel #9

* control room view = 2

+ viewing = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

control room follow : Set X position to 800

* control room view = 4

+ viewing = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

control room follow : Set X position to 800

Active 2 : Set Alterable Value C to 10

Active 2 : Set Alterable Value D to 40

* move who? = 2

+ chica is overlapping 1A show stage

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

chica : Set position at (0,0) from 1B dining area

* move who? = 2

+ chica is overlapping 1B dining area

+ Alterable Value A of chica = 1

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

chica : Set position at (1,1) from cam 7 bathrooms

* move who? = 2

+ chica is overlapping 1B dining area

+ Alterable Value A of chica = 2

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

chica : Set position at (0,0) from cam 6 kitchen

* move who? = 2

+ chica is overlapping cam 6 kitchen

+ Alterable Value A of chica = 1

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 10

chica : Set position at (1,1) from cam 7 bathrooms

* move who? = 2

+ chica is overlapping cam 6 kitchen

+ Alterable Value A of chica = 2

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 20

chica : Set position at (1,0) from cam 4A

* move who? = 2

+ chica is overlapping cam 7 bathrooms

+ Alterable Value A of chica = 1

move who? : Set Counter to 0

chica : Set position at (0,0) from cam 6 kitchen

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 20

* move who? = 2

+ chica is overlapping cam 7 bathrooms

+ Alterable Value A of chica = 2

move who? : Set Counter to 0

chica : Set position at (1,0) from cam 4A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 20

* move who? = 2

+ chica is overlapping cam 4A

+ Alterable Value A of chica = 1

move who? : Set Counter to 0

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

chica : Set position at (1,1) from 1B dining area

* move who? = 2

+ chica is overlapping cam 4A

+ Alterable Value A of chica = 2

move who? : Set Counter to 0

chica : Set position at (1,0) from cam 4B

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 30

* move who? = 2

+ chica is overlapping cam 4B

+ Alterable Value A of chica = 1

move who? : Set Counter to 0

chica : Set position at (1,0) from cam 4A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 40

* move who? = 2

+ chica is overlapping cam 4B

+ Alterable Value A of chica = 2

move who? : Set Counter to 0

chica : Set position at (0,0) from ready to attack right

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 40

* move who? = 2

+ chica is overlapping ready to attack right

+ Alterable Value A of chica > 0

+ Alterable Value A of right door = 0

move who? : Set Counter to 0

chica : Set position at (1,0) from got you right

* move who? = 2

+ chica is overlapping ready to attack right

+ Alterable Value A of chica > 0

+ Alterable Value A of right door = 2

move who? : Set Counter to 0

chica : Set position at (1,0) from cam 4A

Sound : Play sample deep steps on channel #8

Sound : Set volume of channel #8 to 40

* chica is overlapping cam 6 kitchen

+ Every 04"-00

cam 6 kitchen : Set Alterable Value D to Random(10) + 1

* Alterable Value D of cam 6 kitchen = 1

cam 6 kitchen : Set Alterable Value D to 0

Sound : Play sample OVEN-DRA_1_GEN-HDF18119 on channel #10

* Alterable Value D of cam 6 kitchen = 2

cam 6 kitchen : Set Alterable Value D to 0

Sound : Play sample OVEN-DRA_2_GEN-HDF18120 on channel #10

* Alterable Value D of cam 6 kitchen = 3

cam 6 kitchen : Set Alterable Value D to 0

Sound : Play sample OVEN-DRA_7_GEN-HDF18121 on channel #10

* Alterable Value D of cam 6 kitchen = 4

cam 6 kitchen : Set Alterable Value D to 0

Sound : Play sample OVEN-DRA_7_GEN-HDF18121 on channel #10

* Alterable Value D of cam 6 kitchen = 5

cam 6 kitchen : Set Alterable Value D to 0

Sound : Play sample OVEN-DRAWE_GEN-HDF18122 on channel #10

* NOT chica is overlapping cam 6 kitchen

+ Only one action when event loops

Sound : Set volume of channel #10 to 0

* NOT freddy bear is overlapping cam 6 kitchen

+ Only one action when event loops

Sound : Set volume of channel #22 to 0

* chica is overlapping cam 6 kitchen

+ viewing = 0

+ Only one action when event loops

Sound : Set volume of channel #10 to 10

* freddy bear is overlapping cam 6 kitchen

+ viewing = 0

+ Only one action when event loops

Sound : Set volume of channel #22 to 5

* chica is overlapping cam 6 kitchen

+ viewing > 0

+ NOT you is overlapping chica

+ Only one action when event loops

Sound : Set volume of channel #10 to 20

* freddy bear is overlapping cam 6 kitchen

+ viewing > 0

+ NOT you is overlapping freddy bear

+ Only one action when event loops

Sound : Set volume of channel #22 to 5

* chica is overlapping cam 6 kitchen

+ viewing > 0

+ you is overlapping chica

+ Only one action when event loops

Sound : Set volume of channel #10 to 75

* freddy bear is overlapping cam 6 kitchen

+ viewing > 0

+ you is overlapping freddy bear

+ Only one action when event loops

Sound : Set volume of channel #22 to 50

* viewing = 0

+ NOT chica is overlapping ready to attack right

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

Active 3 : Change animation sequence to Stopped

* viewing = 0

+ chica is overlapping ready to attack right

+ NOT bonnie is overlapping got you left

+ fox progress <> 5

+ Alterable Value G of freddy bear = 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

control room view : Set Counter to 3

Active 3 : Change animation sequence to Stopped

* viewing = 0

audio only : Make invisible

* Alterable Value D of Active 2 > 0

Active 2 : Sub 1 from Alterable Value D

* Alterable Value D of Active 2 = 1

storyboard controls : Next frame

* Every 01"-00

minute counter : Add 1 to Counter

* minute counter >= 90

minute counter : Set Counter to 1

time of day : Add 1 to Counter

* time of day >= 13

time of day : Set Counter to 1

* bonnie is overlapping got you left

light on left : Set Alterable Value A to 0

* chica is overlapping got you right

light on right : Set Alterable Value A to 0

* fox progress = 0

+ Every 04"-00

+ Random(30) + 1 = 1

Sound : Play sample pirate song2 (uninterruptable) on channel #13

* Every 05"-00

+ Random(30) + 1 = 1

Sound : Play sample circus on channel #15

* Every 10"-00

+ Random(50) + 1 = 1

Sound : Play sample DOOR_POUNDING_ME_D0291401 on channel #20

Sound : Set volume of channel #20 to 10 + Random(40)

* Every 05"-00

+ Random(5) + 1 = 1

+ power down = 1

+ Alterable Value G of Active 2 = 0

Sound : Play sample music box (uninterruptable) on channel #30

Active 2 : Set Alterable Value G to 1

* power down = 1

+ Alterable Value G of Active 2 = 0

+ Every 20"-00

Active 2 : Set Alterable Value G to 1

Sound : Play sample music box (uninterruptable) on channel #30

* viewing = 99

+ Only one action when event loops

Sound : Set volume of channel #13 to 15

* viewing <> 99

+ Only one action when event loops

Sound : Set volume of channel #13 to 5

* Every 05"-00

+ Random(3) + 1 = 1

+ bonnie is overlapping got you left

+ viewing > 0

Active 2 : Set Alterable Value E to Random(4) + 1

* bonnie is overlapping got you left

+ viewing > 0

+ Every 30"-00

put down : Set Counter to 1

* Every 05"-00

+ Random(3) + 1 = 1

+ chica is overlapping got you right

+ viewing > 0

Active 2 : Set Alterable Value E to Random(4) + 1

* chica is overlapping got you right

+ viewing > 0

+ Every 30"-00

put down : Set Counter to 1

* Alterable Value E of Active 2 = 1

+ Run this event once

Active 2 : Set Alterable Value E to 0

Sound : Play sample Vocals_Breaths_S_35972006 on channel #14

* Alterable Value E of Active 2 = 2

+ Run this event once

Active 2 : Set Alterable Value E to 0

Sound : Play sample Vocals_Breaths_S_35972008 on channel #14

* Alterable Value E of Active 2 = 3

+ Run this event once

Active 2 : Set Alterable Value E to 0

Sound : Play sample Vocals_Breaths_S_35972012 on channel #14

* Alterable Value E of Active 2 = 4

+ Run this event once

Active 2 : Set Alterable Value E to 0

Sound : Play sample Vocals_Breaths_S_35972014 on channel #14

* Start of Frame

Sound : Set volume of channel #14 to 50

Sound : Set volume of channel #15 to 5

* power left < 0

power left : Set Counter to 0

power left 2 : Set Counter to 0

* power left <= 0

+ Only one action when event loops

Sound : Stop any sample

Sound : Set volume of channel #1 to 100

Sound : Play sample powerdown (uninterruptable) on channel #1

power down : Set Counter to 1

per second : Make invisible

power left : Make invisible

power left 2 : Make invisible

time of day : Make invisible

minute counter : Make invisible

am : Make invisible

Active 20 : Make invisible

audio only : Make invisible

location : Make invisible

Active 10 : Make invisible

Active 19 : Make invisible

Active 22 : Make invisible

Active 24 : Make invisible

Active 23 : Make invisible

Active 25 : Make invisible

usage meter : Make invisible

Sound : Set volume of channel #2 to 50

Sound : Play sample ambience2 (uninterruptable) on channel #2, 0 times

night number : Make invisible

night word : Make invisible

* power down = 1

+ Alterable Value F of Active 2 = 1

+ Alterable Value G of Active 2 = 1

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

Active 6 : Make invisible

Active 3 : Change animation sequence to Animation 47

* power down = 1

+ Alterable Value F of Active 2 ≥ 2

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

Active 6 : Make invisible

Active 3 : Change animation sequence to Animation 46

* power down = 1

+ Every 00"-05

Active 2 : Set Alterable Value F to $\text{Random}(4) + 1$

* Alterable Value G of Active 2 = 0

+ power down = 1

Active 3 : Change animation sequence to Animation 46

* Alterable Value G of Active 2 = 1

+ Every 05"-00

+ $\text{Random}(5) + 1 = 1$

Active 2 : Set Alterable Value G to 2

* Alterable Value G of Active 2 = 1

+ Every 20"-00

Active 2 : Set Alterable Value G to 2

* Alterable Value G of Active 2 = 2

Active 2 : Set Alterable Value H to $\text{Random}(2) + 1$

* Alterable Value G of Active 2 = 2

+ Only one action when event loops

Sound : Stop any sample

Sound : Play sample Buzz_Fan_Florescent2 (uninterruptable) on channel #2

* Alterable Value G of Active 2 = 2

+ Alterable Value H of Active 2 = 1

Active 3 : Change animation sequence to Animation 46

Active 3 : Reappear

Sound : Set volume of channel #2 to 50

* Alterable Value G of Active 2 = 2

+ Alterable Value H of Active 2 = 2

Active 3 : Make invisible

Sound : Set volume of channel #2 to 0

* Alterable Value G of Active 2 = 2

Active 2 : Sub 1 from Alterable Value I

* Alterable Value G of Active 2 = 2

+ Alterable Value I of Active 2 < -20

Active 2 : Set Alterable Value G to 3

Active 3 : Make invisible

Sound : Stop any sample

* Alterable Value G of Active 2 = 0

+ power down = 1

Active 3 : Change animation sequence to Animation 46

Active 3 : Reappear

* Alterable Value G of Active 2 = 3

Active 3 : Make invisible

* Alterable Value G of Active 2 = 3

+ Every 02"-00

+ Random(5) + 1 = 1

storyboard controls : Jump to frame "freddy" (5)

* Alterable Value G of Active 2 = 3

+ Every 20"-00

storyboard controls : Jump to frame "freddy" (5)

* time of day = 6

storyboard controls : Jump to frame "next day" (6)

* Repeat while "C" is pressed

+ Repeat while "D" is pressed

+ Upon pressing "+"

storyboard controls : Jump to frame "next day" (6)

* night number = 1

+ Only one action when event loops

bonnie activity : Set Counter to 0

chica activity : Set Counter to 0

fox activity : Set Counter to 0

freddy activity : Set Counter to 0

* night number = 2

+ Only one action when event loops

bonnie activity : Set Counter to 3

fox activity : Set Counter to 1

chica activity : Set Counter to 1

freddy activity : Set Counter to 0

* night number = 3

+ Only one action when event loops

bonnie activity : Set Counter to 0

chica activity : Set Counter to 5

fox activity : Set Counter to 2

freddy activity : Set Counter to 1

* night number = 4

+ Only one action when event loops

bonnie activity : Set Counter to 2

fox activity : Set Counter to 6

chica activity : Set Counter to 4

freddy activity : Set Counter to 1 + Random(2)

* night number = 5

+ Only one action when event loops

bonnie activity : Set Counter to 5

chica activity : Set Counter to 7

fox activity : Set Counter to 5

freddy activity : Set Counter to $2 + \text{Random}(2)$

* night number = 6

+ Only one action when event loops

bonnie activity : Set Counter to 10

chica activity : Set Counter to 12

fox activity : Set Counter to 6

freddy activity : Set Counter to $3 + \text{Random}(2)$

* night number = 7

+ Only one action when event loops

chica activity : Set Counter to value("chica AI")

freddy activity : Set Counter to value("freddy AI")

bonnie activity : Set Counter to value("bonie AI")

fox activity : Set Counter to value("foxy AI")

* viewing > 0

not using tablet : Set Counter to 0

* Alterable Value M of chica > 0

chica : Sub 1 from Alterable Value M

* Always

test : Set Counter to Alterable Value M("chica")

* fox progress = 4

+ Only one action when event loops

chica : Set Alterable Value F to 0

* fox progress = 4

chica : Add 1 to Alterable Value F

* fox progress = 4

+ power down = 0

+ Alterable Value F of chica > 100

chica : Set Alterable Value F to 0

fox progress : Set Counter to 5

* fox progress = 3

+ Only one action when event loops

chica : Set Alterable Value G to 0

* fox progress = 3

chica : Add 1 to Alterable Value G

* fox progress = 3

+ power down = 0

+ Alterable Value G of chica > 1500

chica : Set Alterable Value G to 0

fox progress : Set Counter to 5

* fox progress = 5

+ viewing > 0

put down : Set Counter to 1

* put down = 1

Sound : Play sample put down (uninterruptable) on channel #7

New Objects : Create flip down 2 at (0,0) from Active 8

flip up : Set Alterable Value A to 1

Active 8 : Make invisible

viewing : Set Counter to 0

flip it : Set Counter to 1

put down : Set Counter to 0

* viewing = 0

+ fox progress = 5

+ Alterable Value A of left door = 0

+ Only one action when event loops

Active 3 : Change animation sequence to Animation 52

Sound : Play sample XSCREAM (uninterruptable) on channel #9

left door : Make invisible

right door : Make invisible

chica : Set Alterable Value O to 1

Ini : Set value value("lives left") to item "lives"

* viewing = 0

+ fox progress = 5

+ Alterable Value A of left door = 2

+ Only one action when event loops

fox progress : Set Counter to Random(2)

Sound : Play sample knock2 on channel #9

power left : Subtract $10 + (\text{Alterable Value P("chica")} * 50)$ from Counter

chica : Add 1 to Alterable Value P

* Active 3 animation Animation 52 is over

storyboard controls : Jump to frame "died" (4)

* viewing > 0

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

Sound : Set volume of channel #3 to 0

* fox progress = 5

+ Only one action when event loops

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

* fox progress = 5

+ Alterable Value A of left door = 0

+ Only one action when event loops

left door : Make invisible

right door : Make invisible

* viewing > 0

+ Every 00"-10

chica : Set Alterable Value M to 50 + Random(1000)

* Alterable Value A of flip up = 0

+ power down = 0

+ Only one action when event loops

flip panel : Reappear

* Alterable Value A of flip up $\neq$ 0

+ Only one action when event loops

flip panel : Make invisible

* power down = 1

Active 7 : Make invisible

panel 2 : Make invisible

flip panel : Make invisible

* Active 3 animation Animation 34 is playing

+ Alterable Value S of bonnie = 0

Sound : Play sample window scare on channel #9

bonnie : Set Alterable Value S to 1

* Active 3 animation Animation 43 is playing

+ Alterable Value S of chica = 0

Sound : Play sample window scare on channel #9

chica : Set Alterable Value S to 1

* time of day = 2

+ Run this event once

bonnie activity : Add 1 to Counter

* time of day = 3

+ Run this event once

bonnie activity : Add 1 to Counter

chica activity : Add 1 to Counter

fox activity : Add 1 to Counter

* time of day = 4

+ Run this event once

bonnie activity : Add 1 to Counter

chica activity : Add 1 to Counter

fox activity : Add 1 to Counter

* Alterable Value O of chica = 1

left door : Make invisible

right door : Make invisible

* Start of Frame

Ini : Set current file to "freddy"

Ini : Set current group to "freddy"

loaded level : Set Counter to ItemValue("Ini", "level")

* night number > value("loaded level")

+ night number < 6

+ Only one action when event loops

Ini : Set value value("night number") to item "level"

loaded level : Set Counter to value("night number")

* night number < 1

night number : Set Counter to 1

* Every 06"-00

+ night number = 2

power left : Subtract 1 from Counter

* Every 05"-00

+ night number = 3

power left : Subtract 1 from Counter

* Every 04"-00

+ night number = 4

power left : Subtract 1 from Counter

* Every 03"-00

+ night number $\geq$ 5

power left : Subtract 1 from Counter

* Active 3 animation Animation 35 is playing

+ Run this event once

Ini : Set value value("lives left") to item "lives"

* Active 3 animation Animation 44 is playing

+ Run this event once

Ini : Set value value("lives left") to item "lives"

* viewing = 0

+ Only one action when event loops

random for pic : Set Counter to Random(100) + 1

* User clicks with left button on Active 26

Sound : Play sample PartyFavorraspyPart_AC01__3 on channel #9

* Start of Frame

Sound : Play sample EerieAmbienceLargeSca_MV005 (uninterruptable) on channel #18, 0 times

Sound : Set volume of channel #18 to 0

* NOT bonnie is overlapping vol zone

+ NOT chica is overlapping vol zone

+ fox progress < 2

+ NOT freddy bear is overlapping freddy got in

+ Only one action when event loops

Sound : Set volume of channel #18 to 0

* NOT bonnie is overlapping vol zone

+ NOT chica is overlapping vol zone

+ fox progress >= 2

+ NOT freddy bear is overlapping freddy got in

+ Only one action when event loops

Sound : Set volume of channel #18 to 30

* bonnie is overlapping vol zone

+ NOT chica is overlapping vol zone

+ fox progress < 2

+ NOT freddy bear is overlapping freddy got in

+ Only one action when event loops

Sound : Set volume of channel #18 to 30

* NOT bonnie is overlapping vol zone

- + chica is overlapping vol zone
- + fox progress < 2
- + NOT freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 30

- * bonnie is overlapping vol zone
- + NOT chica is overlapping vol zone
- + fox progress >= 2
- + NOT freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 50

- * NOT bonnie is overlapping vol zone
- + chica is overlapping vol zone
- + fox progress >= 2
- + NOT freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 50

- * bonnie is overlapping vol zone
- + chica is overlapping vol zone
- + fox progress < 2
- + NOT freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 50

- * bonnie is overlapping vol zone

- + chica is overlapping vol zone
- + fox progress ≥ 2
- + NOT freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 75

- * freddy bear is overlapping freddy got in
- + Only one action when event loops

Sound : Set volume of channel #18 to 100

- * viewing = 0
- + Alterable Value A of mute call = 0
- + Only one action when event loops

Sound : Set volume of channel #19 to 100

- * viewing > 0
- + Alterable Value A of mute call = 0
- + Only one action when event loops

Sound : Set volume of channel #19 to 50

- * play voice 1 = 0
- + night number = 1

Sound : Play sample voiceover1c (uninterruptable) on channel #19

play voice 1 : Set Counter to 1

mute call : Set Alterable Value A to 1

- * play voice 2 = 0
- + night number = 2

Sound : Play sample voiceover2a (uninterruptable) on channel #19

play voice 2 : Set Counter to 1

mute call : Set Alterable Value A to 1

* play voice 3 = 0

+ night number = 3

Sound : Play sample voiceover3 (uninterruptable) on channel #19

play voice 3 : Set Counter to 1

mute call : Set Alterable Value A to 1

* play voice 4 = 0

+ night number = 4

Sound : Play sample voiceover4 (uninterruptable) on channel #19

play voice 4 : Set Counter to 1

mute call : Set Alterable Value A to 1

* play voice 5 = 0

+ night number = 5

Sound : Play sample voiceover5 (uninterruptable) on channel #19

play voice 5 : Set Counter to 1

mute call : Set Alterable Value A to 1

* viewing = 4

location : Change animation sequence to Animation 21

* viewing = 42

location : Change animation sequence to Animation 16

* viewing = 1

location : Change animation sequence to Animation 12

* viewing = 6

location : Change animation sequence to Animation 19

* viewing = 5

location : Change animation sequence to Animation 13

* viewing = 7

location : Change animation sequence to Animation 18

* viewing = 99

location : Change animation sequence to Animation 14

* viewing = 3

location : Change animation sequence to Animation 15

* viewing = 22

location : Change animation sequence to Animation 17

* viewing = 33

location : Change animation sequence to Animation 20

* viewing = 2

location : Change animation sequence to Stopped

* Timer is greater than 40"-00

+ Only one action when event loops

mute call : Make invisible

* User clicks with left button on mute call

Sound : Set volume of channel #19 to 0

mute call : Make invisible

mute call : Set Alterable Value A to 2

* Alterable Value A of mute call = 1

+ Every 20"-00

+ Run this event once

mute call : Reappear

* NOT bonnie is overlapping cam 2B

+ NOT chica is overlapping cam 4B

+ Alterable Value A of Active 21 = 0

+ Only one action when event loops

Sound : Set volume of channel #21 to 0

* bonnie is overlapping cam 2B

+ viewing = 0

+ night number ≥ 4

+ Every 00"-10

Sound : Set volume of channel #21 to $1 + (\text{Random}(5) * 5)$

* chica is overlapping cam 4B

+ viewing = 0

+ night number ≥ 4

+ Every 00"-10

Sound : Set volume of channel #21 to $1 + (\text{Random}(5) * 5)$

* bonnie is overlapping cam 2B

+ you is overlapping bonnie

+ viewing > 0

+ night number >= 4

+ Every 00"-10

Sound : Set volume of channel #21 to $1 + (\text{Random}(5) * 20)$

* chica is overlapping cam 4B

+ you is overlapping chica

+ viewing > 0

+ night number >= 4

+ Every 00"-10

Sound : Set volume of channel #21 to $1 + (\text{Random}(5) * 20)$

* NOT bonnie is overlapping ready to attack left

+ Only one action when event loops

bonnie : Set Alterable Value S to 0

* NOT chica is overlapping ready to attack right

+ Only one action when event loops

chica : Set Alterable Value S to 0

* Every 00"-05

Active 3 : Set Alterable Value F to $\text{Random}(30) + 1$

* freddy bear is overlapping 1A show stage

+ NOT chica is overlapping 1A show stage

+ NOT bonnie is overlapping 1A show stage

+ Alterable Value M of freddy bear = 2

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from 1B dining area

Sound : Set volume of channel #16 to 15

freddy got in : Set Alterable Value G to $\text{Random}(3) + 1$

Sound : Set volume of channel #24 to 30

* freddy bear is overlapping 1B dining area

+ Alterable Value M of freddy bear = 2

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from cam 7 bathrooms

freddy got in : Set Alterable Value G to $\text{Random}(3) + 1$

Sound : Set volume of channel #16 to 20

Sound : Set volume of channel #24 to 35

* freddy bear is overlapping cam 7 bathrooms

+ Alterable Value M of freddy bear = 2

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from cam 6 kitchen

freddy got in : Set Alterable Value G to $\text{Random}(3) + 1$

Sound : Set volume of channel #16 to 30

Sound : Set volume of channel #24 to 40

* freddy bear is overlapping cam 6 kitchen

+ Alterable Value M of freddy bear = 2

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from cam 4A

freddy got in : Set Alterable Value G to Random(3) + 1

Sound : Set volume of channel #16 to 40

Sound : Set volume of channel #24 to 60

* freddy bear is overlapping cam 4A

+ NOT freddy bear is overlapping cam 4B

+ Alterable Value M of freddy bear = 2

+ Alterable Value A of light on right = 0

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from cam 4B

freddy got in : Set Alterable Value G to Random(3) + 1

Sound : Set volume of channel #16 to 60

Sound : Set volume of channel #24 to 75

* freddy bear is overlapping cam 4B

+ Alterable Value M of freddy bear = 2

+ viewing > 0

+ viewing <> 42

+ Alterable Value A of right door = 0

+ Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0

freddy bear : Set position at (0,0) from freddy got in
freddy got in : Set Alterable Value G to $\text{Random}(3) + 1$
Sound : Set volume of channel #16 to 80
Sound : Set volume of channel #24 to 100

- * freddy bear is overlapping cam 4B
- + Alterable Value M of freddy bear = 2
- + viewing > 0
- + viewing <> 42
- + viewing <> 4
- + Alterable Value A of right door = 2
- + Alterable Value G of Active 2 < 1

freddy bear : Set Alterable Value M to 0
freddy bear : Set position at (0,0) from cam 4A
freddy got in : Set Alterable Value G to $\text{Random}(3) + 1$
Sound : Set volume of channel #16 to 60
Sound : Set volume of channel #24 to 75

- * Start of Frame

vol zone : Set position at (151,293) from Active 9

- * Alterable Value M of freddy bear = 1

freddy bear : Add 1 to Alterable Value N

- * Alterable Value M of freddy bear = 1

- + Alterable Value N of freddy bear $\geq 1000 - (\text{value}(\text{"freddy activity"}) * 100)$

- + viewing = 0

freddy bear : Set Alterable Value N to 0

freddy bear : Set Alterable Value M to 2

* freddy bear is overlapping cam 6 kitchen

+ Only one action when event loops

Sound : Play sample music box on channel #22

* freddy bear is overlapping cam 6 kitchen

+ Every 05'00"-00

Sound : Play sample music box on channel #22

* viewing > 0

+ you is overlapping freddy bear

freddy bear : Set Alterable Value N to 0

* Alterable Value G of freddy got in = 1

Sound : Play sample Laugh_Giggle_Girl_1d (uninterruptable) on channel #16

freddy got in : Set Alterable Value G to 0

Sound : Play sample running fast3 on channel #24

* Alterable Value G of freddy got in = 2

Sound : Play sample Laugh_Giggle_Girl_2d (uninterruptable) on channel #16

freddy got in : Set Alterable Value G to 0

Sound : Play sample running fast3 on channel #24

* Alterable Value G of freddy got in = 3

Sound : Play sample Laugh_Giggle_Girl_8d (uninterruptable) on channel #16

freddy got in : Set Alterable Value G to 0

Sound : Play sample running fast3 on channel #24

* freddy bear is overlapping freddy got in

+ Only one action when event loops

Sound : Play sample whispering2 on channel #25

* freddy bear is overlapping freddy got in

+ viewing = 0

+ power down = 0

+ fox progress < 5

+ Every 01"-00

+ Random(4) = 1

+ Only one action when event loops

freddy bear : Set Alterable Value G to 1

Active 3 : Change animation sequence to Animation 65

light on left : Set Alterable Value A to 0

light on right : Set Alterable Value A to 0

* Active 3 animation Animation 65 is over

storyboard controls : Jump to frame "died" (4)

* Alterable Value G of freddy bear = 1

left door : Make invisible

right door : Make invisible

* Active 3 animation Animation 65 is playing

+ Current frame of Active 3 = 7

+ Only one action when event loops

Sound : Play sample XSCREAM (uninterruptable) on channel #9

* Start of Frame

mute call : Set Alterable Value A to 0

Sound : Set volume of channel #19 to 100

Sound : Set volume of channel #16 to 100

* Alterable Value G of freddy bear = 1

Active 6 : Make invisible

* Alterable Value G of freddy bear = 1

Active 7 : Make invisible

panel 2 : Make invisible

yellow bear : Make invisible

* Always

Active 21 : Set Alterable Value B to Random(10)

* Alterable Value A of Active 21 = 1

Active 21 : Add 1 to Alterable Value C

* Alterable Value A of Active 21 = 1

+ Alterable Value C of Active 21 $\geq$ 100

Active 21 : Set Alterable Value A to 0

Active 21 : Set Alterable Value C to 0

* Alterable Value A of Active 21 = 1

+ Alterable Value B of Active 21 = 1

+ Only one action when event loops

Active 21 : Reappear

Sound : Set volume of channel #21 to 100

* Alterable Value A of Active 21 $\leq$ 1

+ Only one action when event loops

Active 21 : Make invisible

* Alterable Value B of Active 21 $\leq$ 1

+ Only one action when event loops

Active 21 : Make invisible

* Every 01"-00

+ Random(1000) = 1

Active 21 : Set Alterable Value A to 1

* viewing = 0

+ Alterable Value A of yellow bear = 2

+ Only one action when event loops

yellow bear : Reappear

* yellow bear is visible

yellow bear : Add 1 to Alterable Value B

* Alterable Value B of yellow bear $\geq$ 300

storyboard controls : Jump to frame "creepy end" (15)

* Alterable Value B of yellow bear $>$ 0

+ viewing $>$ 0

+ Only one action when event loops

yellow bear : Set Alterable Value A to 0

* yellow bear is visible

+ Run this event once

Active 21 : Set Alterable Value A to 1

* Every 01"-00

+ Random(100000) = 1

+ Run this event once

yellow bear : Set Alterable Value A to 1

* Active 3 animation Animation 35 is playing

left door : Make invisible

right door : Make invisible

* Active 3 animation Animation 35 is playing

yellow bear : Make invisible

* Active 3 animation Animation 44 is playing

yellow bear : Make invisible